

# Permissions Guide

Â

| Functionality Tool                               | Action                         | Permission                                                                                                | Description                                                                                                                   |
|--------------------------------------------------|--------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Case Manager and Pulse<br><br>Common Permissions | Login                          | cm:login<br><br>pulseviews:login                                                                          | Lets the user log into pulse and case m                                                                                       |
| Case Manager<br><br>Events                       | View                           | cm:resource:event:read:*                                                                                  | Lets the user read an event.                                                                                                  |
|                                                  | Update                         | cm:resource:event:update:*                                                                                | Lets the user update events.                                                                                                  |
|                                                  | Assign/Unassign Event          | cm:resource:event-user:create:* - <b>Backend</b><br><br>cm:action:event-user:create:* - <b>Frontend</b>   | Lets the user assign users to event.                                                                                          |
|                                                  |                                | cm:resource:assign:*                                                                                      | Gives the user rights to assign an eve<br>already assigned to another user to its<br>Permission only relevant for Assign an   |
|                                                  |                                | cm:action:event-case:delete:*                                                                             | Lets the user unlink events from cases                                                                                        |
|                                                  | Notes                          | cm:resource:event-note:create:* - <b>Backend</b><br><br>cm:action:event-note:create:* - <b>Frontend</b>   | Lets the user create notes in events.                                                                                         |
|                                                  |                                | (1) cm:action:event-note:read:*                                                                           | (1) Lets the user see Event Notes wid<br>events details page.                                                                 |
|                                                  |                                | (2) cm:resource:event-note:read:*                                                                         | (2) Lets the user see notes in events.                                                                                        |
|                                                  | Move to Queue                  | cm:resource:event-queue:create:* - <b>Backend</b><br><br>cm:action:event-queue:create:* - <b>Frontend</b> | Lets the user move events to queues.                                                                                          |
|                                                  | Move to Close                  | cm:action:manual-close-alert                                                                              | Lets the user manually move events to<br>status                                                                               |
|                                                  | Resource Manager               | cm:resource:manager:*                                                                                     | Gives the user rights to have all action<br>permissions even if is not assigned the<br>Permission only relevant for Assign an |
|                                                  | Export/download search results | cm:resource:event-export:read:*                                                                           | Lets the user export the results.                                                                                             |
|                                                  |                                | cm:action:event-export:create:*                                                                           | Lets the user see the export button.                                                                                          |

|                       |        |        |                                          |                                                                                |
|-----------------------|--------|--------|------------------------------------------|--------------------------------------------------------------------------------|
|                       |        | Status | cm:action:event-status:create:*          | Lets the user set event statuses                                               |
|                       |        |        | cm:resource:status:read:*                | Lets the user read event status options                                        |
|                       |        | Files  | (1) cm:resource:event-file:create:*      | (1) Lets the user create N-to-N relations between events and files.            |
|                       |        |        | (2) cm:resource:file:create:*            | (2) Lets the user create files.                                                |
|                       |        |        | cm:resource:file:read:*                  | Lets the user read files.                                                      |
|                       |        |        | cm:resource:file:update:*                | Lets the user update an existing file.                                         |
|                       |        |        | cm:resource:file:delete:*                | Lets the user delete an existing file                                          |
|                       |        |        | (1) cm:resource:file:event-file:create:* | Lets the user upload an existing file in Details page (Attached Files widget). |
|                       |        |        | (2) cm:resource:file:event-file:update:* | Lets the user update an existing file in Details page(widget: Attached Files). |
|                       |        |        | cm:resource:file:event-file:read:*       | Lets the user list all the files associated with an event.                     |
|                       | Locale |        | cm:resource:locale:create:*              | Lets the user create locales.                                                  |
|                       |        |        | cm:resource:locale:read:*                | Lets the user read locales.                                                    |
|                       |        |        | cm:resource:locale:update:*              | Lets the user update locales.                                                  |
|                       |        |        | cm:resource:locale:delete:*              | Lets the user delete locales.                                                  |
|                       | Users  |        | cm:resource:user:read:*                  | Lets the user read available users.                                            |
| Case Manager<br>Lists | View   |        | cm:resource:list:search:*                | Lets the user search for entities in lists                                     |
|                       |        |        | cm:section:settings-lists:read:*         | Lets the user see List Management options in the menu Settings section.        |
|                       |        |        | cm:action:view-entity-audit:read:*       | Lets the user view the "view-entity-audit" action.                             |
|                       | Update |        | cm:resource:list:update:*                | Lets the user update lists content and order                                   |
|                       | Create |        | cm:action:add-entity:create:*            | Lets the user add a EntityValue to a List                                      |
|                       |        |        | cm:action:event-list:create:*            | Lets the user add events to lists.                                             |
|                       | Delete |        | cm:action:remove-entity:delete:*         | Lets the user remove an EntityValue from a List.                               |
|                       | Posneg |        | cm:action:event-posneg:create:*          | Lets the user add events to posneg lists                                       |
|                       |        |        | cm:resource:event-posneg:create:*        | Lets the user create posneg lists for events                                   |
|                       |        |        | cm:resource:event-posneg:read:*          | Lets the user read posneg lists for events                                     |
|                       |        |        |                                          |                                                                                |

|                                    |             |                                                                                                  |                            |
|------------------------------------|-------------|--------------------------------------------------------------------------------------------------|----------------------------|
| <b>Case Manager</b><br><b>SLAs</b> | View SLAs   | cm:resource:sla:read:* - <b>Backend</b><br>cm:section:settings-slas:read:* - <b>Frontend</b>     | Lets the user read SLAs.   |
|                                    | Create SLAs | cm:resource:sla:create:* - <b>Backend</b><br>cm:section:settings-slas:create:* - <b>Frontend</b> | Lets the user create SLAs. |
|                                    | Edit SLAs   | cm:resource:sla:update:* - <b>Backend</b><br>cm:section:settings-slas:update:* - <b>Frontend</b> | Lets the user update SLAs. |
|                                    | Delete SLAs | cm:resource:sla:delete:* - <b>Backend</b><br>cm:section:settings-slas:delete:* - <b>Frontend</b> | Lets the user delete SLAs. |
|                                    | View Cases  | cm:resource:case:read:* - <b>Backend</b><br>cm:section:case:read:* - <b>Frontend</b>             | Lets the user read cases.  |

**Case Manager**  
**Cases**

|                             |                                                                                          |                                                                                                                                                                                                                           |
|-----------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                             | cm:section:case-details:read:*                                                           | Lets the user see the Case Details page.                                                                                                                                                                                  |
|                             | cm:section:case-details:*                                                                | Lets the user access all case-details pages and functionalities.                                                                                                                                                          |
| Search Cases                | cm:section:case-search:*                                                                 | Lets the user search for cases                                                                                                                                                                                            |
| Create Cases                | cm:resource:case:create:* - <b>Backend</b><br>cm:section:case:create:* - <b>Frontend</b> | Lets the user create cases.                                                                                                                                                                                               |
| Update case                 | cm:resource:case:update:* - <b>Backend</b><br>cm:section:case:update:* - <b>Frontend</b> | Lets the user update cases.                                                                                                                                                                                               |
| Delete case                 | cm:resource:case:delete:*                                                                | Lets the user delete cases.                                                                                                                                                                                               |
| Assign Case                 | cm:resource:case-user:create:*                                                           | Lets the user assign users to cases.                                                                                                                                                                                      |
| Link events/alerts to cases | cm:action:event-case:create:*                                                            | Lets the user link events to case.                                                                                                                                                                                        |
|                             | cm:resource:event-case:create:*                                                          | Lets the user add events to cases.                                                                                                                                                                                        |
|                             | cm:resource:event-case:delete:*                                                          | Lets the user delete events in cases.                                                                                                                                                                                     |
|                             | cm:resource:event-case:read:*                                                            | Lets the user read events in cases.                                                                                                                                                                                       |
|                             | cm:resource:event-case:update:*                                                          | Lets the user update events in cases.                                                                                                                                                                                     |
| Move case to queue          | cm:resource:case-queue:create:*                                                          | Lets the user create queues for cases                                                                                                                                                                                     |
| Set case status             | cm:action:case-state:create:*                                                            | Lets the user open or close case state in cases.                                                                                                                                                                          |
| Upload/Download Files       | (1) cm:resource:case-file:create:*<br>(2) cm:resource:file:case-file:read:*              | (1) Lets the user upload file in Case Details page.<br>(2) Lets the user download file in Case Details page.                                                                                                              |
| Files                       | cm:resource:case-details:create:*                                                        | Lets user list all the files associated with current case.                                                                                                                                                                |
|                             | cm:resource:file:case-file:update:*                                                      | Lets the user update file in Case Details page.                                                                                                                                                                           |
| Channels                    | cm:action:case*-global:read:*                                                            | Lets the user see channels in cases.                                                                                                                                                                                      |
|                             | cm:action:case-global:create:*                                                           | Lets the user select channels in cases.<br><br>Note that, for Omnichannel Multichannel cases, the channel field should be hidden and for Omnichannel Single channel (Default) cases, the channel field should be visible. |
| Export                      | (1) cm:action:case-export:create:*<br>(2) cm:resource:case-export:read:*                 | (1) Lets the user see the export button in cases search page.<br>(2) Lets the user export the results from cases search page, or any other table. Only uses those cases fields.                                           |
|                             | (1) cm:action:case-note:create:* - <b>Frontend</b>                                       |                                                                                                                                                                                                                           |

|                     |                         |                        |                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                               |
|---------------------|-------------------------|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     |                         | Notes                  | cm:resource:case-note:create:* - <b>Backend</b><br>(2) cm:action:case-note:read:* - <b>Frontend</b><br>cm:resource:case-note:read - <b>Backend</b><br>(3) cm:resource:case-note:update<br>(4) cm:resource:case-note:delete | (1) Lets the user add a note to a case on the Case Details page.<br>(2) Lets the user see case notes on Notes widget.<br>(3) Lets the user update notes in cases.<br>(4) Lets the user delete notes in cases.                                                                                 |
|                     |                         | States                 | cm:resource:case-state:create:*                                                                                                                                                                                            | Lets the user create states for cases.                                                                                                                                                                                                                                                        |
|                     |                         | Casetype               | cm:resource:casetype:<CASE_TYPE_NAME>:read<br>(e.g cm:resource:casetype:fraud:read)                                                                                                                                        | Gives read-level permission over the case type given by <CASE_TYPE_NAME>, where the case type name is given by the configured case type name without the type. Prefix (example: for a configured case type of type.aml, the permission is cm:resource:casetype:aml:read)                      |
|                     |                         |                        | cm:resource:casetype:<CASE_TYPE_NAME>:write<br>(e.g cm:resource:casetype:fraud:write)                                                                                                                                      | Gives both read and write-level permission over the case type given by <CASE_TYPE_NAME>, where the case type name is given by the configured case type name without the type. Prefix (example: for a configured case type of type.fraud, the permission is cm:resource:casetype:fraud:write). |
| <b>Case Manager</b> | <b>Reasons</b>          | View Reasons           | cm:resource:status-reason:read:* - <b>Backend</b><br>cm:section:settings-reason:read:* - <b>Frontend</b>                                                                                                                   | Enables the user to list the available reasons.                                                                                                                                                                                                                                               |
|                     |                         | Create Reasons         | cm:section:settings-reason:create:*                                                                                                                                                                                        | Enables the user to create new reasons.                                                                                                                                                                                                                                                       |
|                     |                         | Delete Reasons         | cm:action:reason:delete:*                                                                                                                                                                                                  | Enables the user to remove reasons.                                                                                                                                                                                                                                                           |
| <b>Case Manager</b> | <b>Automation Rules</b> | View Automation Rule   | (1) cm:resource:automation:read:*<br>(2) cm:resource:configuration-automation:read:*<br>(3) cm:section:settings-automation:read:*                                                                                          | (1) Lets the user read automation rules.<br>(2) Lets the user read the automation rule configuration.<br>(3) Lets the user see the Automation Rules page                                                                                                                                      |
|                     |                         | Create Automation Rule | cm:section:settings-automation:create:* - <b>Frontend</b><br>cm:resource:automation:create:* - <b>Backend</b>                                                                                                              | Lets the user create automation rules on the Automation Rules page                                                                                                                                                                                                                            |
|                     |                         | Edit Automation Rule   | cm:resource:automation:update:* - <b>Backend</b><br>cm:section:settings-automation:update:* - <b>Frontend</b>                                                                                                              | Lets the user update automation rules on the Automation Rules page                                                                                                                                                                                                                            |
|                     |                         | Delete Automation Rule | cm:resource:automation:delete:* - <b>Backend</b><br>cm:section:settings-automation:delete:* - <b>Frontend</b>                                                                                                              | Lets the user delete automation rules on the Automation Rules page                                                                                                                                                                                                                            |
|                     |                         |                        | (1) cm:resource:queue:read:*<br>(2) cm:resource:queue-user:read:*                                                                                                                                                          | (1) Lets the user read queues.<br>(2) Lets the user read its own queues.                                                                                                                                                                                                                      |

|                                    |                          |                                                                                                                                                |                                                                                                                                                                                                           |
|------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Case Manager<br>Queue              | View Queue               | (3) cm:resource:queue-user:*<br>(4) cm:section:settings-queue:read:*                                                                           | (3) Lets the user perform CRUD operations over the current queues assigned to a user.<br>(4) Lets the user see the queues page in the Settings section.                                                   |
|                                    | Create Queue             | cm:resource:queue:create:* - <b>Backend</b><br>cm:section:settings-queue:create:* - <b>Frontend</b>                                            | Lets the users create queues in the Settings section.                                                                                                                                                     |
|                                    | Edit Queue               | cm:resource:queue:update:* - <b>Backend</b><br>cm:section:settings-queue:update:* - <b>Frontend</b>                                            | Lets the user update queues in the Settings section.                                                                                                                                                      |
|                                    | Delete Queue             | cm:resource:queue:delete:* - <b>Backend</b><br>cm:section:settings-queue:delete:* - <b>Frontend</b>                                            | Lets the user delete queues in the Settings section.                                                                                                                                                      |
|                                    | Assign Queues            | cm:resource:queue-user:assign:*                                                                                                                | Lets the user assign queues to users.                                                                                                                                                                     |
|                                    | Import and Export Queues | cm:resource:settings:import-export:* - <b>Backend</b><br>cm:action:settings:import-export:* - <b>Frontend</b>                                  | Lets the user import and export queues.                                                                                                                                                                   |
|                                    | Get Next                 | cm:resource:user-queue:*                                                                                                                       | Lets the user see the working queues, in the context of the review next feature.                                                                                                                          |
| Case Manager<br>Self Service Rules | View SSR                 | cm:section:settings-rules:read:*                                                                                                               | Lets the user see rules in the Self-Service Rules page.                                                                                                                                                   |
|                                    | Create SSR               | cm:section:settings-rules:create:*                                                                                                             | Lets the user create rules in the Self-Service Rules page.                                                                                                                                                |
|                                    | Edit SSR                 | cm:section:settings-rules:update:*                                                                                                             | Lets the user update rules in the Self-Service Rules page.                                                                                                                                                |
|                                    | Delete SSR               | cm:section:settings-rules:delete:*                                                                                                             | Lets the user delete rules in the Self-Service Rules page.                                                                                                                                                |
|                                    | Publish SSR              | cm:section:settings-rules:publish:*                                                                                                            | Lets the user publish rules in the Self-Service Rules page.                                                                                                                                               |
|                                    | Test SSR                 | (1) cm:resource:settings-rules-custom-test:create:*<br>(2) cm:resource:settings-rules-test:create:*<br>cm:section:settings-rules-test:create:* | (1) Lets the user test rules with custom properties, either the user is a landlord or contains the permission.<br>(2) Lets the user test rules, either the user is a landlord or contains the permission. |
|                                    |                          | cm:section:settings-rules-test:create:*                                                                                                        | Lets the user test rules, either the user is a landlord or contains the permission.                                                                                                                       |
|                                    | Rules Audit              | cm:resource:self-service-rules:audit:*                                                                                                         | Lets the user access rules audit entries.                                                                                                                                                                 |
| Case Manager<br>Reports            | View reports             | cm:resource:report:read:* - <b>Backend</b><br>cm:section:report:read:* - <b>Frontend</b>                                                       | Lets the user read reports.                                                                                                                                                                               |

|                                              |                  |                                                                                                                                                                                             |                                                                                                                                                                          |
|----------------------------------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                              | Create reports   | cm:resource:report:create:* - <b>Backend</b><br>cm:section:report:create:* - <b>Frontend</b>                                                                                                | Lets the user create reports.                                                                                                                                            |
|                                              | Update reports   | cm:resource:report:update:*                                                                                                                                                                 | Lets the user update reports.                                                                                                                                            |
|                                              | Delete reports   | cm:resource:report:delete:* - <b>Backend</b><br>cm:action:delete-generated-report:delete:* - <b>Frontend</b>                                                                                | Lets the user delete reports.                                                                                                                                            |
|                                              | Download reports | cm:resource:file:report:read:*                                                                                                                                                              | Lets the user download reports.                                                                                                                                          |
| <b>Case Manager<br/>Report<br/>Templates</b> | View             | cm:resource:report-template:read:* - <b>Backend</b><br>cm:section:settings-report-template:read:* - <b>Frontend</b>                                                                         | Lets the user read report templates.                                                                                                                                     |
|                                              | Create           | cm:resource:report-template:create:* - <b>Backend</b><br>cm:section:settings-report-template:create:* - <b>Frontend</b>                                                                     | Lets the user create report templates.                                                                                                                                   |
|                                              | Update           | cm:resource:report-template:update:* - <b>Backend</b><br>cm:section:settings-report-template:update:* - <b>Frontend</b>                                                                     | Lets the user update report templates.                                                                                                                                   |
|                                              | Delete           | cm:resource:report-template:delete:* - <b>Backend</b><br>cm:section:settings-report-template:delete:* - <b>Frontend</b>                                                                     | Lets the user delete report templates.                                                                                                                                   |
|                                              | Download         | cm:resource:file:report-template:read:*                                                                                                                                                     | Lets the user download report templates.                                                                                                                                 |
| <b>Case Manager<br/>Entity Notes</b>         | View             | cm:action:entity-note:read:* - <b>Frontend</b><br>cm:resource:entity-note:read:* - <b>Backend</b>                                                                                           | Allows the user to see Notes widget (e.g. customer notes widget) on an entity details page (e.g., Customer details page).                                                |
|                                              | Create           | cm:action:entity-note:create:* - <b>Frontend</b><br>cm:resource:entity-note:create:* - <b>Backend</b>                                                                                       | Allows the user to assign notes to data entities.                                                                                                                        |
| <b>Case Manager<br/>Entity Data</b>          | View             | (1) cm:section:customer-details:read:* - <b>Frontend</b><br>(2) cm:entity-data:<entity_type>:read:* - <b>Backend</b><br>(entity_type available right now are accounts, cards and customers) | (1) Lets the user see the customer page<br>(2) Lets the user read data about an entity of a given type (e.g. customers, cards, etc.) in places such as the customer page |
| <b>Case Manager<br/>Entity Files</b>         | View             | cm:resource:file:entity-file:read:*                                                                                                                                                         | Lets the user read files associated with entities (e.g. customers, cards, etc.) in places such as the customer page.                                                     |
| <b>Case Manager<br/>Cases Sources</b>        | View             | cm:resource:case-source:read:* - <b>Backend</b><br>cm:section:settings-case-source:read:* - <b>Frontend</b>                                                                                 | Lets the user have access to the case sources page and list case sources                                                                                                 |
|                                              | Create           | cm:resource:case-source:create:* - <b>Backend</b><br>cm:section:settings-case-source:create:* - <b>Frontend</b>                                                                             | Lets the user create new case sources                                                                                                                                    |
|                                              | Update           |                                                                                                                                                                                             |                                                                                                                                                                          |

|                                               |                     |                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                               |                     | cm:resource:case-source:update:* - <b>Backend</b><br>cm:section:settings-case-source:update:* - <b>Frontend</b>                                                    | Lets the user edit (enable/disable) existing case sources.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Case Manager Custom Extensions</b>         | onEventStatusUpdate | cm:action:extension:onEventStatusUpdate                                                                                                                            | Lets the user execute the custom extension given by onEventStatusUpdate                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Case Manager Channel Based Permissions</b> | Read and Write      | cm:channel:<channel_id>:read-write                                                                                                                                 | Lets the users see and edit <channel_id> events and artifacts (cards, digital action transfers, inbound-payments, non-monetary artifacts)                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                               | Read Only           | cm:channel:<channel_id:resource:group:readel_id>:read-only                                                                                                         | Users can see <channel_id>'s events and artifacts, but cannot edit them (except notes and file-uploading)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                               | None                | cm:channel:<channel_id:resource:group:readel_id>:none                                                                                                              | Users do not have access to <channel_id>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Case Manager Access Groups</b>             | Search              | cm:resource:group:read:*                                                                                                                                           | Lets the user search groups.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Case Manager Multi-tenancy</b>             | Landlord            | cm:resource:landlord:*                                                                                                                                             | Lets the user have landlord permissions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                               | Tenant              | cm:resource:tenant:read:*                                                                                                                                          | Lets the user read the tenant list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Case Manager Multiple State Machines</b>   | Change Status       | cm:state-machine:event-status:write:<STATEMACHINE>                                                                                                                 | Lets the user change the status for a given state machine (whose id is <STATEMACHINE> )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                               | Read                | cm:state-machine:event:read:<state-machine-id>                                                                                                                     | Enables the user to read the state machine information.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                               | List Reasons        | cm:state-machine:status-reason:read:<state-machine-id>                                                                                                             | Enables the user to list the status reasons for a state machine with a given id.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                                               | Create Reasons      | cm:state-machine:status-reason:write:<state-machine-id>                                                                                                            | Enables the user to create a status reason for a state machine with a given id.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Case Manager Tokenizer</b>                 | Reveal              | (1) cm:action:reveal-<field_path><br>(2) cm:resource:reveal-all<br>(3) cm:resource:reveal-<FIELD><br>(4) cm:resource:reveal:*<br>(5) cm:resource:search-by:<FIELD> | (1) Lets the user see the reveal icon to reveal a field.<br>(2) Lets the user automatically reveal all encrypted fields when entering an event details page.<br>(3) Lets the user reveal a field value using a tokenizer. (The <field_path> has to be replaced with the field path in the object)<br>(4) Give user all permissions regarding the reveal action<br>(5) Lets the user perform a search operation by a specified field in plain text using a tokenizer. This permission combined with user permission cm:resource:search-by:<FIELD> allows users to search for all tokenized elements. |
| <b>Case Manager Details Page</b>              | Widgets             | (1) cm:action:self-service-config:advanced-mode<br>(2) cm:resource:self-service-config                                                                             | (1) Lets the user have access to the Advanced edit mode in the UI.<br>(2) Lets the user list active preferences                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |



|                                             |                        |                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Case Manager<br/>Login and Logout</b>    | Login and Logout       | (1) security:ownership:read<br>(2) security:permissions:read                                                                                                                                                                                                                                                          | (1) Lets the user see the ownership details of Pulse user groups (toggle "advanced")<br>(2) Lets the user read the permissions of Pulse user groups                                                                                                                                                                                                                                                                      |
| <b>Case Manager<br/>Manage Message</b>      | Manage Message         | (1) cm:section:settings-message:read:*<br>(2) cm:resource:message:read:*<br>(3) cm:action:settings-message:create:*<br>(4) cm:resource:message:create:*<br>(5) cm:action:settings-message:update:*<br>(6) cm:resource:message:update:*<br>(7) cm:action:settings-message:delete:*<br>(8) cm:resource:message:delete:* | (1) Lets the user see the Messages page in the Settings section.<br>(2) Lets the user read messages.<br>(3) Lets the user create new messages in the Settings section.<br>(4) Lets the user create new messages.<br>(5) Lets the user update messages in the Settings section.<br>(6) Lets the user update messages.<br>(7) Lets the user delete messages in the Settings section.<br>(8) Lets the user delete messages. |
| <b>Case Manager<br/>General Permissions</b> | Dashboards             | cm:section:dashboard-analyst-performance:*<br>cm:section:dashboard-business-overview:*<br>cm:section:dashboard-psd2:*<br>cm:section:rules-monitoring-rules-filter:*<br>cm:resource:dashboards-user-sync:update:*<br>cm:section:rules-monitoring-transactions-filter:*                                                 | Allows the users to see the dashboard (Requires enabling Insights)                                                                                                                                                                                                                                                                                                                                                       |
|                                             | Get Next               | cm:section:review-next:read:*                                                                                                                                                                                                                                                                                         | Lets the user see the review next function                                                                                                                                                                                                                                                                                                                                                                               |
|                                             | UI Configuration       | cm:resource:configuration:read:*<br>cm:resource:configuration:create:*<br>cm:resource:configuration:update:*<br>cm:resource:configuration:delete:*<br>cm:action:gui-config:edit<br>cm:resource:gui-config:edit<br>cm:resource:gui-config:reset-to-default<br>cm:resource:gui-config:list-active:*                     | Lets the user read and modify the UI configuration.                                                                                                                                                                                                                                                                                                                                                                      |
|                                             | Language Configuration | cm:resource:language:read:*<br>cm:resource:language:create:*<br>cm:resource:language:delete:*<br>cm:resource:language:update:*                                                                                                                                                                                        | Lets the user read and modify the available languages.                                                                                                                                                                                                                                                                                                                                                                   |
|                                             | Time Configuration     | cm:resource:timezone:read:*<br>cm:resource:timezone:create:*                                                                                                                                                                                                                                                          | Lets the user read and modify timezones                                                                                                                                                                                                                                                                                                                                                                                  |

|                     |                                                                                                                            |                                                                                   |
|---------------------|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|                     | cm:resource:timezone:delete:*<br>cm:resource:timezone:update:*                                                             |                                                                                   |
| Translated Messages | cm:resource:message:read:*                                                                                                 | Lets the user read the translated mess                                            |
| Event Status        | cm:resource:event-status:create:*                                                                                          | Lets the user create status for events.                                           |
| Edit Resource       | cm:action:edit-resource:update:*                                                                                           | Lets the user edit the resource.                                                  |
| Custom Link         | cm:action:link-to                                                                                                          | Lets the user navigate to a custom link                                           |
| Pulse App           | (1) cm:resource:pulse-app:read:*<br>(2) cm:resource:pulse-rules:read:*                                                     | (1) Gets the Pulse application status a<br>(2) Gets the Pulse application rules   |
| Session             | cm:resource:session:read:*<br>cm:resource:session:create:*<br>cm:resource:session:update:*<br>cm:resource:session:delete:* | Lets the user read and modify session<br>information in Case Manager.             |
| Event Visibility    | cm:resource:event-visibility<br>cm:resource:event-visibility:create:*                                                      | Gives the user full event visibility.                                             |
| Customer Page       | cm:section:customer:read:*                                                                                                 | Lets the user have access to Customer<br>details                                  |
| Event Details       | cm:section:event-details:*                                                                                                 | Lets the user have access to all Event<br>operations                              |
|                     | cm:section:event-details:read:*<br>cm:section:event:*                                                                      | Lets the user have access to read Eve<br>Details                                  |
|                     | cm:resource:event-users:read:*                                                                                             | Retrieves a list of users that can be us<br>assignment according to the tenant pr |
|                     | cm:resource:event-queues:read:*                                                                                            | Retrieves a list of queues that are ass<br>with an event's tenant.                |
|                     | cm:section:event:read:*                                                                                                    | Lets the user have access to read Eve<br>Details                                  |
|                     | cm:section:event:create:*                                                                                                  | Lets the user have access to create E<br>Details                                  |
|                     | cm:section:event:delete:*                                                                                                  | Lets the user have access to delete E<br>Details                                  |
|                     | cm:section:event:update:*                                                                                                  | Lets the user have access to update E<br>Details                                  |
| Fraud Alerts        | cm:section:fraud-alerts:*                                                                                                  | Lets the user have access to all Fraud<br>operations                              |
|                     | cm:section:fraud-alerts:read:*                                                                                             | Lets the user have access to read Fra                                             |
| Rules Block         | cm:resource:configuration-rules-block:read:*                                                                               | Lets the user read the configuration of<br>blocks.                                |
| Search              | cm:action:search-by-schema.card_pan                                                                                        | Lets the user search by Card Pan                                                  |
| Assign              | cm:resource:assign-no-steal:*                                                                                              |                                                                                   |

|                                          |                      |                                                                      |                                                                                                              |
|------------------------------------------|----------------------|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
|                                          |                      |                                                                      | Allows users to assign unassigned events to themselves and to others.                                        |
|                                          | Export Entity        | cm:resource:entity-export:read:*<br>cm:action:entity-export:create:* | Lets the user export the results from a entity's search page.                                                |
|                                          | Edit Mode            | cm:action:self-service-config:normal-mode                            | Lets the user have access to the Normal mode in the UI.                                                      |
| <b>Pulse<br/>App<br/>Management</b>      | Create               | application:apps:create                                              | Permission to create new applications.                                                                       |
|                                          | Delete               | application:apps:delete                                              | Permission to delete applications.                                                                           |
|                                          | Manage               | application:apps:manage                                              | Permission to start/stop/publish/export applications.                                                        |
|                                          | View                 | application:apps:read                                                | Permission to read applications.                                                                             |
|                                          | Update               | application:apps:update                                              | Permission to update applications.                                                                           |
|                                          | Import               | application:apps:partialImport                                       | Permission to partially import applications.                                                                 |
|                                          | Export               | application:apps:partialExport                                       | Permission to partially export applications.                                                                 |
|                                          | All CRUD Permissions | application:*                                                        | Permission to perform all CRUD actions on application models.                                                |
|                                          | Read Applications    | application:*.read                                                   | Permission to read applications.                                                                             |
| <b>Pulse<br/>Sandbox<br/>Evaluations</b> | View                 | application:sandbox_evaluations:read                                 | Permission to read sandbox evaluations.                                                                      |
|                                          | Create               | application:sandbox_evaluations:create                               | Permission to create sandbox evaluations.                                                                    |
|                                          | Update               | application:sandbox_evaluations:update                               | Permission to update sandbox evaluations.                                                                    |
|                                          | Delete               | application:sandbox_evaluations:delete                               | Permission to delete sandbox evaluations.                                                                    |
| <b>Pulse<br/>Custom<br/>Services</b>     | View                 | application:dependencies:read                                        | Permission to read custom service.                                                                           |
|                                          | Create               | application:dependencies:create                                      | Permission to create new custom service.                                                                     |
|                                          | Update               | application:dependencies:update                                      | Permission to update custom service.                                                                         |
|                                          | Delete               | application:dependencies:delete                                      | Permission to delete custom service.                                                                         |
| <b>Pulse<br/>Application<br/>History</b> | View                 | application:history:global:read<br>application:history:resource:read | Permission to read history log application wide.<br><br>Permission to read history log of a single resource. |
| <b>Pulse<br/>Job Executions</b>          | Create               | application:jobexecutions:create                                     | Permission to create new job execution.                                                                      |
|                                          | View                 | application:jobexecutions:read                                       | Permission to read job execution.                                                                            |
|                                          | Update               | application:jobexecutions:update                                     | Permission to update job execution.                                                                          |
|                                          | Delete               | application:jobexecutions:delete                                     | Permission to delete job execution.                                                                          |
|                                          | Start                | application:jobexecutions:start                                      | Permission to start job executions                                                                           |
|                                          | Abort                | application:jobexecutions:abort                                      | Permission to abort job executions                                                                           |
| <b>Pulse<br/>Job Profiles</b>            | View                 | application:job_profiles:read                                        | Permission to read job profiles.                                                                             |
|                                          | Create               | application:job_profiles:create                                      | Permission to create job profiles.                                                                           |
|                                          | Update               | application:job_profiles:update                                      | Permission to update job profiles.                                                                           |
|                                          | Delete               | application:job_profiles:delete                                      | Permission to delete job profiles.                                                                           |
|                                          | View                 | application:managedlists:read                                        | Permission to read managed lists.                                                                            |

|                                 |                      |                                              |                                                                                                                                                                                              |
|---------------------------------|----------------------|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pulse<br>Managed Lists          | Create               | application:managedlists:create              | Permission to create managed lists.                                                                                                                                                          |
|                                 | Update               | application:managedlists:update              | Permission to update managed lists.                                                                                                                                                          |
|                                 | Delete               | application:managedlists:delete              | Permission to delete managed lists.                                                                                                                                                          |
| Pulse<br>Managed List<br>Items  | View                 | application:managedlistitems:read            | Permission to read managed list items.                                                                                                                                                       |
|                                 | Create               | application:managedlistitems:create          | Permission to create managed list items.                                                                                                                                                     |
|                                 | Update               | application:managedlistitems:update          | Permission to update managed list items.                                                                                                                                                     |
|                                 | Delete               | application:managedlistitems:delete          | Permission to delete managed list items.                                                                                                                                                     |
|                                 | Decrypt              | application:managedlistitems:decrypt         | Permission to download encrypted values of managed list items in plain text format. plain text download needs to be enabled in the pulse.global.lists.allowListDownloadInPlainText property. |
|                                 | View Revision        | application:managedlistitems:revision:read   | Permission to read managed list revisions.                                                                                                                                                   |
|                                 | Update Revision      | application:managedlistitems:revision:update | Permission to update managed list revisions.                                                                                                                                                 |
|                                 | Create Revision      | application:managedlistitems:revision:create | Permission to create managed list revisions.                                                                                                                                                 |
| Pulse<br>Outcome<br>Combinators | View                 | application:outcome_combinators:read         | Permission to read outcome combinators.                                                                                                                                                      |
|                                 | Create               | application:outcome_combinators:create       | Permission to create a new outcome combinator.                                                                                                                                               |
|                                 | Update               | application:outcome_combinators:update       | Permission to update outcome combinators.                                                                                                                                                    |
|                                 | Delete               | application:outcome_combinators:delete       | Permission to delete a outcome combinator.                                                                                                                                                   |
| Pulse<br>Workflows              | View                 | application:rte_workflows:read               | Permission to read workflow.                                                                                                                                                                 |
|                                 | Create               | application:rte_workflows:create             | Permission to create new workflow.                                                                                                                                                           |
|                                 | Update               | application:rte_workflows:update             | Permission to update workflow.                                                                                                                                                               |
|                                 | Delete               | application:rte_workflows:delete             | Permission to delete workflow.                                                                                                                                                               |
| Pulse<br>User<br>Management     | View                 | security:users:read                          | Permission to read user.                                                                                                                                                                     |
|                                 | Create               | security:users:create                        | Permission to create new user.                                                                                                                                                               |
|                                 | Update               | security:users:update                        | Permission to update user.                                                                                                                                                                   |
|                                 | Delete               | security:users:delete                        | Permission to delete user.                                                                                                                                                                   |
| Pulse<br>Admin Rights           | Admin                | admin:view                                   | Permission to access the administration screens.                                                                                                                                             |
|                                 | Read Logs            | admin:logs:read                              | Permission that grants access to the logs.                                                                                                                                                   |
|                                 | Manage Cluster       | admin:cluster:manage                         | Permission that grants management access to the cluster.                                                                                                                                     |
|                                 | Read Cluster         | admin:cluster:read                           | Permission that grants read access to the cluster.                                                                                                                                           |
|                                 | Delete Configuration | admin:configuration:delete                   | Permission to delete configurations on the administration screens.                                                                                                                           |
|                                 | Read Configuration   | admin:configuration:read                     | Permission to read configurations on the administration screens.                                                                                                                             |
|                                 | Update Configuration | admin:configuration:update                   | Permission to update configurations on the administration screens.                                                                                                                           |

|                                            |                  |                                                                            |                                                                                                                                                                                                                                |
|--------------------------------------------|------------------|----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                            | Deploy Services  | admin:deploy                                                               | Permission to deploy services through REST API.                                                                                                                                                                                |
|                                            | Reload Security  | admin:security:reload                                                      | Permission to reload security through API.                                                                                                                                                                                     |
|                                            | Control Services | admin:service:control                                                      | Permission to start and stop services through Administration API.                                                                                                                                                              |
| <b>Pulse Tabs</b>                          | Management Tabs  | pulseviews:management:tabs:*                                               | Permission to allow the user to access pulseviews tabs.                                                                                                                                                                        |
| <b>Pulse SSR Audit</b>                     | View             | (1) application:ssr_audit:privilegedView<br>(2) application:ssr_audit:read | (1) Permission to read Self-Service Rule Audit entries in privileged views, for instance retrieving the audit respective to all Rules present in a given application.<br><br>(2) Permission to read self-service rule entries. |
| <b>Pulse SSR Test</b>                      | View             | application:ssr_test:read                                                  | Permission to read self-service rule test results.                                                                                                                                                                             |
|                                            | Run              | application:ssr_test:run                                                   | Permission to run a self-service rule test                                                                                                                                                                                     |
|                                            | Update           | application:ssr_test:update                                                | Permission to update self-service rule test results                                                                                                                                                                            |
| <b>Pulse Security</b>                      | Security         | application:streams:read:*                                                 | Permission to read streams (stream corresponds to a schema)                                                                                                                                                                    |
|                                            |                  | security:tenants:read                                                      | Permission to read tenants.                                                                                                                                                                                                    |
|                                            |                  | security:audit:*                                                           | Permission to read audit logs.                                                                                                                                                                                                 |
|                                            |                  | userid:management                                                          | Permission to manage users                                                                                                                                                                                                     |
|                                            |                  | security:roles:read                                                        | Permission to read role                                                                                                                                                                                                        |
|                                            |                  | security:logging:update                                                    | Permission to update the logging level                                                                                                                                                                                         |
|                                            |                  | cm:resource:secure-metadata                                                | Lets the user see encrypted metadata                                                                                                                                                                                           |
| <b>Pulse Datasources</b>                   | View             | application:datascience_datasources:read                                   | Permission to read data science data sources.                                                                                                                                                                                  |
|                                            | Create           | application:datascience_datasources:create                                 | Permission to create data science data sources.                                                                                                                                                                                |
|                                            | Update           | application:datascience_datasources:update                                 | Permission to update data science data sources.                                                                                                                                                                                |
|                                            | Delete           | application:datascience_datasources:delete                                 | Permission to delete data science data sources.                                                                                                                                                                                |
| <b>Pulse Datasource Evaluation Metrics</b> | View             | application:datascience_evaluationmetrics:read                             | Permission to read data science evaluation metrics.                                                                                                                                                                            |
|                                            | Create           | application:datascience_evaluationmetrics:create                           | Permission to create data science evaluation metrics.                                                                                                                                                                          |
|                                            | Update           | application:datascience_evaluationmetrics:update                           | Permission to update data science evaluation metrics.                                                                                                                                                                          |
|                                            | Delete           | application:datascience_evaluationmetrics:delete                           | Permission to delete data science evaluation metrics.                                                                                                                                                                          |
|                                            | View             | application:datascience_modelprojects:read                                 |                                                                                                                                                                                                                                |

|                                                                                |        |                                                                     |                                                      |
|--------------------------------------------------------------------------------|--------|---------------------------------------------------------------------|------------------------------------------------------|
| <b>Pulse<br/>Datascience<br/>Model Projects</b>                                |        |                                                                     | Permission to read data science model projects.      |
|                                                                                | Create | application:datascience_modelprojects:create                        | Permission to create data science model projects.    |
|                                                                                | Update | application:datascience_modelprojects:update                        | Permission to update data science model projects.    |
|                                                                                | Delete | application:datascience_modelprojects:delete                        | Permission to delete data science model projects.    |
| <b>Pulse<br/>Datascience<br/>Model Projects<br/>Evaluations</b>                | View   | application:datascience_modelprojects_evaluations:read              | Permission to read data science model evaluations.   |
|                                                                                | Create | application:datascience_modelprojects_evaluations:create            | Permission to create data science model evaluations. |
|                                                                                | Update | application:datascience_modelprojects_evaluations:update            | Permission to update data science model evaluations. |
|                                                                                | Delete | application:datascience_modelprojects_evaluations:delete            | Permission to delete data science model evaluations. |
| <b>Pulse<br/>Datascience<br/>Model Projects<br/>Feature Importance</b>         | View   | application:datascience_modelprojects_featureimportance:read        | Permission to read feature importance.               |
|                                                                                | Create | application:datascience_modelprojects_featureimportance:create      | Permission to create feature importance.             |
|                                                                                | Update | application:datascience_modelprojects_featureimportance:update      | Permission to update feature importance.             |
|                                                                                | Delete | application:datascience_modelprojects_featureimportance:delete      | Permission to delete feature importance.             |
| <b>Pulse<br/>Datascience<br/>Model Projects<br/>Hyperparameter Tuning</b>      | View   | application:datascience_modelprojects_hyperparam_tuning:read        | Permission to read hyperparameter tuning.            |
|                                                                                | Create | application:datascience_modelprojects_hyperparam_tuning:create      | Permission to create hyperparameter tuning.          |
|                                                                                | Update | application:datascience_modelprojects_hyperparam_tuning:update      | Permission to update hyperparameter tuning.          |
|                                                                                | Delete | application:datascience_modelprojects_hyperparam_tuning:delete      | Permission to delete hyperparameter tuning.          |
| <b>Pulse<br/>Datascience<br/>Model Projects<br/>Hyperparameter Tuning Eval</b> | View   | application:datascience_modelprojects_hyperparam_tuning_eval:read   | Permission to read hyperparameter tuning eval.       |
|                                                                                | Create | application:datascience_modelprojects_hyperparam_tuning_eval:create | Permission to create hyperparameter tuning eval.     |
|                                                                                | Update | application:datascience_modelprojects_hyperparam_tuning_eval:update | Permission to update hyperparameter tuning eval.     |
|                                                                                | Delete | application:datascience_modelprojects_hyperparam_tuning_eval:delete | Permission to delete hyperparameter tuning eval.     |
| <b>Pulse<br/>Datascience<br/>Model Projects<br/>Models</b>                     | View   | application:datascience_modelprojects_models:read                   | Permission to read Data Science models.              |
|                                                                                | Create | application:datascience_modelprojects_models:create                 | Permission to create Data Science models.            |
|                                                                                | Update | application:datascience_modelprojects_models:update                 | Permission to update Data Science models.            |
|                                                                                | Delete | application:datascience_modelprojects_models:delete                 | Permission to delete Data Science models.            |
| <b>Pulse<br/>Datascience</b>                                                   | View   | application:datascience_modelprojects_targets:read                  | Permission to read Data Science targets.             |

|  |                                                                                               |                      |                                                                                                            |                                                              |
|--|-----------------------------------------------------------------------------------------------|----------------------|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
|  | <b>Model Projects</b><br><br><b>Targets</b>                                                   | Create               | application:datascience_modelprojects_targets:create                                                       | Permission to create Data Science targets.                   |
|  |                                                                                               | Update               | application:datascience_modelprojects_targets:update                                                       | Permission to update Data Science targets.                   |
|  |                                                                                               | Delete               | application:datascience_modelprojects_targets:delete                                                       | Permission to delete Data Science targets.                   |
|  | <b>Pulse</b><br><br><b>Datascience</b><br><br><b>Plans</b>                                    | View                 | application:datascience_plans:read                                                                         | Permission to read Data Science Plans.                       |
|  |                                                                                               | Create               | application:datascience_plans:create                                                                       | Permission to create Data Science Plans.                     |
|  |                                                                                               | Update               | application:datascience_plans:update                                                                       | Permission to update Data Science Plans.                     |
|  |                                                                                               | Delete               | application:datascience_plans:delete                                                                       | Permission to delete Data Science Plans.                     |
|  |                                                                                               | Run                  | application:datascience_plans:run                                                                          | Permission to run Data Science Plans.                        |
|  | <b>Pulse</b><br><br><b>Datascience</b><br><br><b>Plans</b><br><br><b>Executions</b>           | View                 | application:datascience_plans_executions:read                                                              | Permission to read Data Science Plans Execution.             |
|  |                                                                                               | Create               | application:datascience_plans_executions:create                                                            | Permission to create Data Science Plans Execution.           |
|  |                                                                                               | Update               | application:datascience_plans_executions:update                                                            | Permission to update Data Science Plans Execution.           |
|  |                                                                                               | Delete               | application:datascience_plans_executions:delete                                                            | Permission to delete Data Science Plans Execution.           |
|  | <b>Pulse</b><br><br><b>Datascience</b><br><br><b>Rules Projects</b>                           | View                 | application:datascience_rulesprojects:read                                                                 | Permission to read data science rules projects.              |
|  |                                                                                               | Create               | application:datascience_rulesprojects:create                                                               | Permission to create data science rules projects.            |
|  |                                                                                               | Update               | application:datascience_rulesprojects:update                                                               | Permission to update data science rules project.             |
|  |                                                                                               | Delete               | application:datascience_rulesprojects:delete                                                               | Permission to delete data science rules projects.            |
|  |                                                                                               | Self Service Publish | application:datascience_rulesprojects:self-service-publish                                                 | Permission to publish self-service rules projects.           |
|  | <b>Pulse</b><br><br><b>Datascience</b><br><br><b>Rules Projects</b><br><br><b>Evaluations</b> | View                 | application:datascience_rulesprojects_evaluations:read                                                     | Permission to read data science rules evaluations.           |
|  |                                                                                               | Create               | application:datascience_rulesprojects_evaluations:create                                                   | Permission to create data science rules evaluations.         |
|  |                                                                                               | Update               | application:datascience_rulesprojects_evaluations:update                                                   | Permission to update data science rules project evaluations. |
|  |                                                                                               | Delete               | application:datascience_rulesprojects_evaluations:delete                                                   | Permission to delete data science rules evaluations.         |
|  | <b>Pulse</b><br><br><b>Datascience</b><br><br><b>Rules Projects</b><br><br><b>Rules</b>       | View                 | application:datascience_rulesprojects_rules:read                                                           | Permission to read data science rules.                       |
|  |                                                                                               | Create               | application:datascience_rulesprojects_rules:create<br>application:datascience_rulesprojects_rules:create:* | Permission to create Data Science Rules.                     |
|  |                                                                                               | Update               | application:datascience_rulesprojects_rules:update<br>application:datascience_rulesprojects_rules:update:* | Permission to update data science rules.                     |
|  |                                                                                               | Delete               | application:datascience_rulesprojects_rules:delete                                                         | Permission to delete data science rules.                     |
|  | <b>Pulse</b>                                                                                  | View                 | application:datascience_rulesprojects_snapshots:read                                                       | Permission to read data science rules snapshots.             |

|                                                   |        |                                                        |                                                             |
|---------------------------------------------------|--------|--------------------------------------------------------|-------------------------------------------------------------|
| <b>Datascience Rules Projects Snapshots</b>       | Create | application:datascience_rulesprojects_snapshots:create | Permission to create data science rule snapshots.           |
|                                                   | Update | application:datascience_rulesprojects_snapshots:update | Permission to update data science rule project snapshots.   |
|                                                   | Delete | application:datascience_rulesprojects_snapshots:delete | Permission to delete data science rule snapshots.           |
| <b>Pulse Datascience Rules Projects Templates</b> | View   | application:datascience_rulesprojects_templates:read   | Permission to read data science rules templates.            |
|                                                   | Create | application:datascience_rulesprojects_templates:create | Permission to create data science rules templates.          |
|                                                   | Update | application:datascience_rulesprojects_templates:update | Permission to update data science rule project templates.   |
|                                                   | Delete | application:datascience_rulesprojects_templates:delete | Permission to delete data science rules templates.          |
| <b>Pulse Datascience Schemas</b>                  | View   | application:datascience_schemas:read                   | Permission to read Data Science Schemas.                    |
|                                                   | Create | application:datascience_schemas:create                 | Permission to create Data Science Schemas.                  |
|                                                   | Update | application:datascience_schemas:update                 | Permission to update Data Science Schemas.                  |
|                                                   | Delete | application:datascience_schemas:delete                 | Permission to delete Data Science Schemas.                  |
| <b>Pulse Datascience Tag Groups</b>               | View   | application:datascience_tag_groups:read                | Permission to read Data Science Tag Groups.                 |
|                                                   | Create | application:datascience_tag_groups:create              | Permission to create Data Science Tag Groups.               |
|                                                   | Update | application:datascience_tag_groups:update              | Permission to update Data Science Tag Groups.               |
|                                                   | Delete | application:datascience_tag_groups:delete              | Permission to delete Data Science Tag Groups.               |
| <b>Pulse Datascience Tag Types</b>                | View   | application:datascience_tag_types:read                 | Permission to read Data Science Tag Types.                  |
|                                                   | Create | application:datascience_tag_types:create               | Permission to create Data Science Tag Types.                |
|                                                   | Update | application:datascience_tag_types:update               | Permission to update Data Science Tag Types.                |
|                                                   | Delete | application:datascience_tag_types:delete               | Permission to delete Data Science Tag Types.                |
| <b>Pulse Datascience White Box Explanations</b>   | View   | application:datascience_white_box_explanations:read    | Permissions to read White Box Explanations configuration.   |
|                                                   | Create | application:datascience_white_box_explanations:create  | Permissions to create White Box Explanations configuration. |
|                                                   | Update | application:datascience_white_box_explanations:update  | Permissions to update White Box Explanations configuration. |
|                                                   | Delete | application:datascience_white_box_explanations:delete  | Permissions to delete White Box Explanations configuration. |