

adaptive_partitioning_config

AdaptivePartitioningConfig

```
AdaptivePartitioningConfig(predominant_count: int = DEFAULT_PREDOMINANT_COUNT,
partition_capacity: Optional[int] = None)
```

Bases: PartitioningConfig

Represents an Adaptive Partitioning configuration.

Create a new Adaptive Partitioning configuration.

Parameters:

Name	Type	Description	Default
predominant_count	int	The maximum number of values to compute the cardinality for when collecting statistics about the partitioning fields. By default, AdaptivePartitioningConfig.DEFAULT_PREDOMINANT_COUNT .	DEFAULT_PREDOMINANT_COUNT
partition_capacity	int	The maximum number of instances that should be allocated to each partition. By default, None. If this is not set, then a capacity shall be inferred automatically.	None

DEFAULT_PREDOMINANT_COUNT class-attribute instance-attribute

```
DEFAULT_PREDOMINANT_COUNT = DEFAULT_PREDOMINANT_COUNT
```

partition_capacity property

```
partition_capacity: Optional[int]
```

Get the maximum number of instances that should be allocated to each partition.

predominant_count property

```
predominant_count: int
```

Get the maximum number of values to compute the cardinality for.

subclasses class-attribute instance-attribute

```
subclasses: List[JavaWrapper] = []
```