



•



- Designing a Runtime Workflow

Designing a Runtime Workflow



Now that all is set up, combine the previously created resources in a [workflow](#). This workflow will be ready to be applied in the Production environment, to process events.

Before starting the following steps, get in touch with your contact person at Feedzai to make sure that you have an Input Adapter set up in the test environment where you are working. In the following steps, we will use an Input Adapter that is named *file-injector*. In addition, make sure that the sample data files mentioned at the beginning of this tutorial are downloaded to the Pulse server.

Then, go ahead and design your workflow as follows:

1. In the **Workflows** tab, add a new workflow named *Workflow*.
2. Set the **Origin Schema** to be the same as *RawTransactions*. In a real application, the schema would likely not contain the field you are trying to predict. In this case, it would have neither *Fraud* nor *FraudStatusDate*.

3. Represent the final decision of the workflow by adding an **Outcome** named *isFraud* with a **Default Value** of *false*.

4. Add an **Input Adapter** as follows:

1. Name it *Input Adapter*.
2. Under **Custom Service**, set it to use the *file-injector* custom service.
3. Select **Properties** to confirm that the *filepath* is properly set. You can use a CSV with the same format as the workflow input schema. If you downloaded the sample data as suggested at the beginning of the tutorial, you can use the input.csv file under the `PULSE_SERVER_HOME/var/datasources/` path.

5. Add a **Plan** service as follows:

1. Name it *Features*.
2. Configure it to run the *Features* plan with the plan execution you generated when you first ran it.
3. Connect it to the *Input Adapter*.

6. Add a **Rules** service as follows:

1. Name it *Rules*.
2. Set it to contribute to the *isFraud* outcome.
3. Configure it to use the *Rules* rules project and the *Rules Snapshot* snapshot that you created of the rules.
4. Connect it to the *Features* plan service.

7. Add a **Scoring** service as follows:

1. Name it *FZRF Scoring*.
2. Set it to contribute to the *isFraud* outcome.
3. Configure it to use the model project named *Models*, and the *FeaturesData* model.
4. Connect it to the *Rules*.

8. Finally, add a **Custom Workflow Element** to the end of the workflow that uses the *sink-logger* custom service.

Connect it to the *FZRF Scoring* service.