


•



- [Deploying a project into Production](#)
- [Designing a workflow](#)
- Configuring outcomes

On this page

## Configuring outcomes

Was this page helpful?

### Why


Before modeling your **Workflow** you must define what decisions it will produce as output. Outcomes represent those decisions, for example fraud/not fraud.

Pulse adds each outcome decision field (e.g *fraud*) and outcome score field (e.g. *fraud\_score*) to the schema of events moving along the workflow. As you add elements such as [Scoring Services](#) and [Rules Services](#), you must also configure how they affect these fields, i.e. how they contribute to each of the final decisions and scores of the **Workflow**.

## How to

To define the outcomes of your workflow execute the following actions:

1. In the **Workflows** tab, select an existing **Workflow**.
2. the workflow's outcomes. Add a new outcome, and select if it is the outcome of a multi-classification problem or a binary classification.



### Multiple outcomes

In the same **Workflow** you can have multiple outcomes to fine-grain the decision and perform classification in complex cases. Adding a second outcome, for example *fraud\_type*, would allow you to harvest more information in case the transaction is fraudulent.

3. In case of a multi-classification problem, type the possible values separated by a comma.
4. Select the default value for the outcome.
5. Add another outcome, or **Save** the workflow outcome definition.

## Next Steps

You have now finished performing the initial configurations required for your workflow. Proceed by adding elements to design the workflow. Check the following pages:

- [Adding input adapters](#)
- [Adding plans](#)
- [Adding models](#)
- [Adding rules](#)
- [Adding custom services](#)