


•



- [Feature Engineering](#)
- Creating a Plan for Features

Creating a Plan for Features

Was this page helpful? 

In Pulse, a plan entity defines a transformation flow of one data source into another data source. In a plan it is possible to add, update and remove fields, or calculate metrics on the data.

To create a plan, execute the following steps.

1. In the **Data Science** tab, add a plan.
2. Add a **Name** for the plan.
3. Select the **Deployable** option. This option ensures that you can deploy your plan to another environment (e.g. QA or Production) later on.
4. In the **Schema** field, specify the data schema that the plan is built on. You can select an existing schema, or an existing data source.

For example, if you select the* Data with Features for Models* data source, then the plan will be based on a copy of the current schema of that data source.

5. Use the **Confirm** button to acknowledge that future changes in the origin schema won't change the schema of the plan.
6. In the **Timestamp Field**, select the schema field that represents the timestamp of the events. When Pulse aggregates the data over a time period, it will consider this field as the timestamp of the event.

Only fields of [timestamp](#) type can be selected.



info

If you don't select a timestamp field for the plan, you won't be able to create metrics in the plan later on.

7. If you want to use data from more than one channel, select the **Omnichannel** option, and configure the channels as follows:
 1. Add a **Name** for the **Main Channel**. This channel contains the events that you want to process, and uses the schema selected in step 4.

2. **Secondary channels** provide additional information that you can use to process the events of the main channel. You can use the **Add Channel** button to add secondary channels.

For each secondary channel, add a **Name**, a **Schema** and the **Timestamp Field** that that channel will use.

There should be at least some fields that can be cross-referenced between the channels. For example, both schemas might include a customer identifier, even though it might be actually called differently in each schema.

8. **Save** the plan settings.