

•



- Project Organization
- Investigating Changes and User Actions


On this page

Investigating Changes and User Actions

Was this page helpful? 

Pulse provides audit logs of changes that were made via user interface or via REST API calls. This can be useful for example when investigating a change in the behavior of the system, or during a security audit.

This topic describes how to view the audit logs.



Audit capabilities

Pulse audit can track what a certain user did or edited at a certain time.

Note that more complex investigations may require the assistance of Feedzai experts. In those cases, turn to your Feedzai contact person.

Introduction

Audit entries are records of user actions and resource changes. Each audit entry contains different data, depending on the type of action or the change that was made.

Since the data contained in the audit entries covers a wide range of event types, Pulse adds **labels** to some specific data fields to make it easier to search the entries. For example, Pulse puts a label on the application name, so that users can filter entries by application name.

You can read more about how audit works and stores data in the [Audit](#) topic.

How to

Select the **Audit** option in the top right corner of the menu bar to view the list of changes made in the Pulse environment.

Each line in the displayed list is an audit entry, representing a specific user action or change.

Viewing an audit entry's details

Select the audit entry line to expand its details. The details contain two sections: **Context** and **Labels**.

The Context section shows the data that was included in the request of the Pulse UI or REST API that initiated the change.

The Labels section shows the data fields of the audit entry to which Pulse added a label.

Viewing differences for update actions

For update actions, the Context section shows a comparison between the previous and updated version:


Searching by label value

Select any label value (highlighted in blue), to filter for all audit entries containing that label.

Upon selecting a label value, the label value is shown in the search box, and the list is filtered to only show audit entries that have the same label value.

Filtering the listed audit entries

Use the **built-in filters** to filter the audit entries by time **Period** , by the type of **Action** , or by **User** .



info

Remember that changes made to resources may not always be automatically taken into consideration by other parts of the application.

For example, if you change a rule, it is not automatically updated in a workflow. Workflows use a snapshot of the rules project, which include a certain version of the rule. Also, the application needs to be published after the changes, for the changes to be active.

Examples

Identifying changes made to an application on a specific day

To find all the changes made on a specific day of the last two months, perform the following steps:

1. In Pulse, navigate to the **Audit** page.
2. In the **Period** filter, select *Last 2 months*.
3. Type the name of the application in the search box, and select **Search**.

4. Use the web browser's search to find the entries of the day you are looking for. Use the format YYYY-MM-DD.

Identifying actions taken by a specific user

To find all the changes made by a specific user in the last two months, perform the following steps:

1. In Pulse, navigate to the **Audit** page.
2. In the **Period** filter, select *Last 2 months*.
3. Use the **User** filter to find changes and actions performed by the specific user in the last two months.

Learn more

Read [how to compare rules in two different snapshots](#).