


-



- [API Resources](#)
- Ad-Hoc Investigation Endpoints' Life Cycles

On this page

Ad-Hoc Investigation Endpoints' Life Cycles

This page explains the life cycles of the Investigations API's endpoints. The Investigations API includes the following endpoints:


- [Investigation POST](#)
- [Info PUT](#)
- [Feedback PUT](#)

Investigation (POST) 

To perform an ad-hoc investigation, take the following steps:

1. Send an `investigation` (`POST`) request to Feedzai. The request must contain the `merchant_id` to fetch the merchant data from the Reference Data Service and populate the merchant event in Case Manager. Consider the following payload when sending the request:

```
{
  "event_external_id": "Tx_8448122",
  "lifecycle_id": "Iv_8448121",
  "injection_time": 1603207359060,
  "id": "unique_identifier",
  "reason_code": "string",
  "origin": "subpoenas"
}
```



2. Go to Case Manager's Ad-Hoc Investigations channel and open the created event.

Info (`PUT`)

The `info` endpoint allows you to update and add new information to a previously created investigation, e.g. signalling that the investigation can be closed.

Feedback (`PUT`)

The `feedback` endpoint allows you to label merchants as **risky** (`fraud`) or **not risky** (i.e. `not fraud`). The labelling of an event is highly recommended, as it gives feedback to Feedzai's risk engine, which uses this information to learn and consolidate fraud patterns.