


•



- [API Resources](#)
- [Additional Resources](#)
- Ad-hoc Investigations
- Ad-hoc Customer Investigations

On this page

Ad-hoc Customer Investigations


Was this page helpful? 

This page provides you with the necessary fields to include in the payload when sending an ad-hoc investigation's `investigation` or `info` request.

Send `investigation` POST request

To generate an ad-hoc investigation event in Case Manager, send an `investigation` (`POST`) request to Feedzai. The request must contain the `customer_id` to fetch the customer data from the Reference Data Service and populate the customer event in Case Manager. Consider the following payload when sending the request:


```
{
  "lifecycle_id": "<lifecycle_id>",
  "event_external_id": "<event_external_id>",
  "event_occurred_at": <event_occurred_at>, // event timestamp
  "customer_id": "<customer_id>", // customer_id
  "reason_code": "reason_code",
  "origin": "media",
  "description": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed interdum
tristique turpis cursus venenatis.",
  "customer_name": "John Doe",
  ... // Rest of the Customer payload
}
```



Send `info PUT` request

To update the previously generated ad-hoc investigation event, e.g. to signal that the investigation can be closed, send an `info PUT` request to Feedzai. Consider the following payload:


```
{
  "lifecycle_id": "<lifecycle_id>",
  "event_external_id": "<event_external_id>",
  "event_occurred_at": <event_occurred_at>, // event timestamp
  "customer_id": "<customer_id>", // customer_id
  "info_type": "additional_information",
  "reason_code": "reason_code",
  "origin": "media",
  "description": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed interdum
tristique turpis cursus venenatis.",
  "customer_name": "John Doe",
  ... // Rest of the customer payload
}
```



Send `feedback PUT` request

To update a previously decided outcome, e.g. change from `feedback_value` as `false` (i.e. "dropped") to `feedback_value` as `true` ("action taken"), send the following `feedback PUT` request:


```
{
  "event_external_id": "event_external_id_{{ID}}",
  "event_occurred_at": {{nowTimestamp}},
  "feedback_type": "feedback",
  "feedback_value": true
}
```



Response

In both scenarios, i.e. `investigation POST` and `info PUT`, a successful response should be as follows:

```
{
  "status": "ok",
  "lifecycle_id": "<lifecycle_id>",
  "event_external_id": "<event_external_id>"
}
```



Find more information in [Responses and Errors](#).

Next

- [Ad-hoc Investigations API](#)'s endpoints.
- [Ad-hoc Investigations](#)' life cycles.