

•



- [API Resources](#)
- [Endpoints](#)
- Reference Data

## Reference Data

Was this page helpful? 

The Reference Data API provides an endpoint to provision Reference Data entities to Feedzai.

### [🔗 Get Reference Data: credentials](#)

[The Reference Data Get endpoint allows you to obtain 'credentials' data from Feedzai.](#)

### [🔗 Reference Data: credentials](#)

[The Reference Data Provisioning endpoint allows you to send 'credentials' data to Feedzai that will enrich the real time scoring events.](#)

### **ðŸ“Œ, ðŸ“Œ Delete Reference Data: credentials**

[The Reference Data Delete endpoint allows you to delete 'credentials' data from Feedzai.](#)

### **ðŸ“Œ, ðŸ“Œ Patch Reference Data: credentials**

[The Reference Data Patch endpoint allows you to send partial 'credentials' data to Feedzai that will be merged with previous entity.](#)

### **ðŸ“Œ, ðŸ“Œ Get Reference Data: cards**

[The Reference Data Get endpoint allows you to obtain 'cards' data from Feedzai.](#)

### **ðŸ“Œ, ðŸ“Œ Reference Data: cards**

[The Reference Data Provisioning endpoint allows you to send 'cards' data to Feedzai that will enrich the real time scoring events.](#)

### **ðŸ“Œ, ðŸ“Œ Delete Reference Data: cards**

[The Reference Data Delete endpoint allows you to delete 'cards' data from Feedzai.](#)

### **ðŸ“Œ, ðŸ“Œ Patch Reference Data: cards**

[The Reference Data Patch endpoint allows you to send partial 'cards' data to Feedzai that will be merged with previous entity.](#)

### **ðŸ“Œ, ðŸ“Œ Get Reference Data: accounts**

[The Reference Data Get endpoint allows you to obtain 'accounts' data from Feedzai.](#)

### **ðŸ“Œ, ðŸ“Œ Reference Data: accounts**

[The Reference Data Provisioning endpoint allows you to send 'accounts' data to Feedzai that will enrich the real time scoring events.](#)

### **ðŸ“Œ, ðŸ“Œ Delete Reference Data: accounts**

[The Reference Data Delete endpoint allows you to delete 'accounts' data from Feedzai.](#)

## **ðŸ“š Patch Reference Data: accounts**

[The Reference Data Patch endpoint allows you to send partial 'accounts' data to Feedzai that will be merged with previous entity.](#)

## **ðŸ“š Get Reference Data: payees**

[The Reference Data Get endpoint allows you to obtain 'payees' data from Feedzai.](#)

## **ðŸ“š Reference Data: payees**

[The Reference Data Provisioning endpoint allows you to send 'payees' data to Feedzai that will enrich the real time scoring events.](#)

## **ðŸ“š Delete Reference Data: payees**

[The Reference Data Delete endpoint allows you to delete 'payees' data from Feedzai.](#)

## **ðŸ“š Patch Reference Data: payees**

[The Reference Data Patch endpoint allows you to send partial 'payees' data to Feedzai that will be merged with previous entity.](#)

## **ðŸ“š Get Reference Data: devices**

[The Reference Data Get endpoint allows you to obtain 'devices' data from Feedzai.](#)

## **ðŸ“š Reference Data: devices**

[The Reference Data Provisioning endpoint allows you to send 'devices' data to Feedzai that will enrich the real time scoring events.](#)

## **ðŸ“š Delete Reference Data: devices**

[The Reference Data Delete endpoint allows you to delete 'devices' data from Feedzai.](#)

## **ðŸ“š Patch Reference Data: devices**

[The Reference Data Patch endpoint allows you to send partial 'devices' data to Feedzai that will be merged with previous entity.](#)

## **ðŸ“š Get Reference Data: customers**

[The Reference Data Get endpoint allows you to obtain 'customers' data from Feedzai.](#)

## **ðŸ“š, ðŸ“šReference Data: customers**

[The Reference Data Provisioning endpoint allows you to send 'customers' data to Feedzai that will enrich the real time scoring events.](#)

## **ðŸ“š, ðŸ“šDelete Reference Data: customers**

[The Reference Data Delete endpoint allows you to delete 'customers' data from Feedzai.](#)

## **ðŸ“š, ðŸ“šPatch Reference Data: customers**

[The Reference Data Patch endpoint allows you to send partial 'customers' data to Feedzai that will be merged with previous entity.](#)

## **ðŸ“š, ðŸ“šGet Reference Data: aliases**

[The Reference Data Get endpoint allows you to obtain 'aliases' data from Feedzai.](#)

## **ðŸ“š, ðŸ“šReference Data: aliases**

[The Reference Data Provisioning endpoint allows you to send 'aliases' data to Feedzai that will enrich the real time scoring events.](#)

## **ðŸ“š, ðŸ“šDelete Reference Data: aliases**

[The Reference Data Delete endpoint allows you to delete 'aliases' data from Feedzai.](#)

## **ðŸ“š, ðŸ“šPatch Reference Data: aliases**

[The Reference Data Patch endpoint allows you to send partial 'aliases' data to Feedzai that will be merged with previous entity.](#)

## **ðŸ“š, ðŸ“šGet Reference Data: merchants**

[The Reference Data Get endpoint allows you to obtain 'merchants' data from Feedzai.](#)

## **ðŸ“š, ðŸ“šReference Data: merchants**

[The Reference Data Provisioning endpoint allows you to send 'merchants' data to Feedzai that will enrich the real time scoring events.](#)

## **ðŸ“Œ. Delete Reference Data: merchants**

[The Reference Data Delete endpoint allows you to delete 'merchants' data from Feedzai.](#)

## **ðŸ“Œ. Patch Reference Data: merchants**

[The Reference Data Patch endpoint allows you to send partial 'merchants' data to Feedzai that will be merged with previous entity.](#)