


•



- [Operational Work](#)
- [Fraud Prevention Agent](#)
- [Investigate Alerts](#)
- [Analyze Events](#)
- Cards


On this page

Cards

Was this page helpful? 

When you open an event or an alert, you are presented with information that helps you make your decision. Whether you open an alerted or non-alerted event, you will land on the Cards' **Event** page, which contains information that helps you make your decision.

Note that you won't be able to make a decision based on a single event, or on a specific widget alone. An investigation is a holistic approach, in which you open several events on different windows and search for fraud evidence by looking at multiple widgets.




About widgets

This page documents the available widgets in a standard order; however, the order in Case Manager may vary depending on your setup. Use the table of contents on the right to navigate to widget-specific documentation and learn more about the information available in each.

Assign alerts to yourself

Before starting the investigation process, start by assigning a single or a set of alerts to yourself. The product can be configured to prevent fraud prevention agents from performing any action on an alert until it is assigned either to them or to another agent. In turn, this prevents different agents from reviewing the same alert at the same time.

To unlock the event, open the **Unassigned** dropdown in the header and select **Assign to me**.



Assign alerts to other agents

The **Choose Assignee** option is only available to some users upon a specific permission.

In addition, you can use the **Assign All** option to assign all linked alerts to yourself. This enables you to easily act on, for example, all unreviewed alerts from the same customer at the same time.

When assigning all linked alerts, a new widget is added to the **Event Details** page with the list of linked alerts to better support the investigation process.

Depending on the configuration, there may be a limit to the number of linked alerts that can be assigned at once. If a limit is set and the **Assign All** action exceeds that number, a message appears specifying how many alerts were assigned.


The remaining alerts that were not assigned to you during this action will remain available for you or another agent to assign and review.



info

The criteria that links the alerts is defined during the product's configuration.

Alternatively, you can also assign alerts in the **Alerts** page or in the Event Details page by selecting the **More actions** drop-down menu and then the **Assign to me** option. Assigning multiple alerts is helpful to, for example, assign all alerts from a specific queue to yourself.



assign-and-lock rules

Fraud Prevention Agents - L1 and **Fraud Prevention Agents - L2** need to assign alerts to themselves to act on them.

Fraud Prevention Agents - L2 and **Fraud Prevention Managers** can reassign to themselves alerts that have already been assigned to other agents.

Only **Fraud Prevention Managers** can act on alerts assigned to other agents; therefore, they don't need to assign alerts to themselves.

Event header


The following fields provide general information about the event to the fraud prevention agent:

- **Event ID:** The event's ID, which can be copied to share with other agents or track later in the system.
- **Assignee:** Indicates if the event is assigned to an agent. The dropdown button lets you assign the event.
- **Labeling:** Includes the "Fraud" or "Not Fraud" options for a final decision. It also has the "Hold" button to pause the investigation while waiting for further information.
- **Score:** The output of Feedzai's [TrustScore](#), or a combination of scoring models and TrustScore. The number ranges from 0 to 1000, 1000 being the most likely for the event to be fraudulent.
- **System Decision:** Generated by rules in the risk engine platform (i.e. a system that works upstream to Case Manager). Possible values are:
 - Approve

- Decline
- **Fraud Operational Status:** Allows fraud prevention agents to track the alert/event investigation stage. The possible values are:
 - Unreviewed
 - In progress
 - On hold
 - Closed
- **Fraud label:** Indicates whether the agent has reached a final decision. This value can also be populated via API, for example, when the agent receives customer feedback. The possible values are:
 - Fraud
 - Not Fraud
- **Reasons:** Populated when you both mark an event as "Fraud" or "Not Fraud" and add a reason to clarify the decision.
- **Listed Entities:** Entities that have been added to a list. For example, a Beneficiary Account BIC (Inbound Payments) that has been added to a PosNeg list.
- **Queue:** Indicates if the event is in a queue (e.g. 1 hour to breach).
- **Cases:** Indicates if the event is associated with a case.
- **SCA Required:** Indicates if the risk engine's rules mark the event as requiring strong customer authentication.
- **Fraud Alert:** Indicates whether a rule with the `alert` action was triggered or not.
- **External ID:** The customer ID on the client's end.

Linked alerts

When assigning alerts, users can choose whether to assign a single alert or all alerts linked to it (see [Assign alerts to yourself](#)). This widget displays other existing alerts that are assigned to the fraud prevention agent as the one under review. All linked alerts belong to the same channel and share the same `customer_id`.




note

The **Linked alerts** widget only includes:

- Alerts assigned to the same user as the alert being reviewed.
- Alerts from the past 30 days, by default. To extend this timeframe, reach out to your Feedzai contact.

With this widget, fraud prevention agents can easily act on all linked alerts at the same time, thus improving the efficiency of the investigation process.

You can use the checkboxes to select one or multiple linked alerts and **Move to Queue**, **Choose Assignee** and **Unlink from Case**.



Linked alerts vs. Transaction History

Alerts displayed in the **Linked alerts** widget are flagged alerts that remain open for review, while the alerts displayed in the [Transaction History](#) also include alerts that have already been reviewed.

Preview linked alerts

While viewing the linked alerts list, select each alert's row to quickly preview its details.

Rules Triggered

To support the investigation, this widget lists the rules triggered by the event under investigation.

Imagine the following scenario:

- A fraudster tests a card by performing a transaction to a charity merchants. Charity merchants have MCC '8398'.
- This transaction is approved, meaning that the card is valid.
- Then the fraudster performs four other transactions using non-charity merchants to buy goods.

- All these five transactions are performed with the same card.
- The transactions are performed within three minutes. This will trigger a rule that has a limit of five transactions within three minutes. As a result, the fifth transaction generates an alert and opens a case automatically.

The following table details key information used to recreate this scenario:

Transaction number	Merchant	MCC	amount	Fraudster Objective
Transaction #1	Save the Children	8398	\$1.47	Check card validity
Transaction #2	Amazon	5691	\$4.50	Fraudulently buy goods
Transaction #3	Amazon	5691	\$42.20	Fraudulently buy goods
Transaction #4	Amazon	5691	\$120.20	Fraudulently buy goods
Transaction #5	Amazon	5691	\$826.00	Fraudulently buy goods

Check the full list of [standard rules](#) to search for other explanations, and the different [fraud scenarios](#) for card payments to better understand how rules help prevent them.

Transaction

The following figure shows the transaction details for a card event:

This widget helps uncover fraud evidence such as:

Description	Examples and details
Transaction above customer's normal spending pattern	Amount unusually high or low. High amount transactions followed by low amount transactions (you can better confirm this by opening all events in different tabs or by looking at the Transaction History).
Date/time of transaction outside of the normal business hours	Between 12am and 6am.
Card Pan linked to multiple currencies	When a Card Pan is associated with different currencies in multiple transactions. You can better confirm this by opening all events in different tabs.

Originator Account

This widget includes the originator's personal and account information. Select **View more** to see additional details about the customer.

The **Customer** section helps uncover fraud evidence such as:

Description	Examples and details
Suspicious emails	- A valid customer account profile (name on account: John Hill, email on account: ). - Fraudster posing as a real customer (name on account: John Hill, email on account: ).
Suspicious street address	- A valid address: 85 Lincoln Green Lane, London, UK RG27 5YQ. - Fraudster posing as a real customer: 8.5.0 Lincoln GREEN Lane, London, UK RG27 5YQ.
Phone number that doesn't match the geographic location of the customer	A US customer may have the phone number (901)555-1077 or (404)556-0999. However, they shouldn't have the number 0044 224 79 449, unless it has been added to the profile over six months.

Learn more about how to [Analyze Customers](#) and gather more information to support your decision.

Account/Card

The **Account/Card** section helps uncover fraud evidence such as:


Description	Examples and details
Card recent reissue to a different address on file	When the value in the Issuing date field is recent (between 30 and 60 days) and the card is issued to an address other than the one on file (information often available via the banking internal tools), unless it's been verified with the customer and/or via another valid source (i.e. Lexis Nexis).
Busting Out Account opening and card issuing dates too close (i.e. less than 30 days) to the first timestamp with unusually high amount transactions	- Example of fraud evidence: A customer opens an account on 8/18/20 and the card is issued on 8/23/20. Unusually high amount transactions occur daily between 8/30/20 and 9/30/20 to max out the card. - Example of genuine behavior evidence: A customer opens an account on 9/28/20 and the card is issued on 10/1/20. The transactions match the customer's spending history between 10/8/20 and 1/5/21.

Merchant

This widget includes the merchant's identification and terminal information. Select **View more** to see additional details about the merchant.

The **Merchant's** section helps uncover fraud evidence such as:

Description	Examples and details
Risky merchant	Examples of risky merchants: online gambling or casinos, VOIP or telemarketing, pharmaceuticals or drug stores, adult materials, products or services, airline tickets, bitcoins or forex trading, dating services, magazine subscriptions, charity. The Merchant Risk field gives an indication of the risk level (1 - lowest risk, 4 - highest risk).
No history with Merchant Name and/or MCC combined with another fraud evidence	The customer never made a purchase on a charity merchant, and suddenly, the transaction history shows various transactions in a short period of time, which suggests a card testing behavior.
Merchant city and/or country associated to high-fraud volumes in retail payments	Examples of retail payment high-risk regions: Russia, Australia, Canada, China, France, Great Britain, Hong Kong, Italy, Korea, Mexico.



tip

On top of the information available in the **Merchant** widget, you can refer to external platforms and websites to get additional information and crosscheck it with the information available in Case Manager. Examples of useful platforms are Google (e.g. to search for the merchant's own website) and government websites (e.g. to confirm a merchant is adequately registered).

Terminal

The **Terminal** section helps uncover fraud evidence such as:

Description	Examples and details
Customer has history with merchant but with distinct terminal country and terminal zip	Merchant name seen in customer's spending history using contactless card (CNP) but flagged due to distinct terminal country, terminal zip, no travel noted on account and done with a "physical" card.
Multiple transactions with the same amount from different Terminal IDs	Same Customer ID (e.g. 24117500) with eight transactions of \$85.00 from different terminal IDs in a short period of time.
Region associated with high fraud volumes in retail payments	Examples of high-risk countries: Russia, Australia, Canada, China, France, Great Britain, Hong Kong, Italy, Korea, Mexico.

Last Contact

The following widget contains information provided by the issuer. This information is received through the Cards [Info endpoint](#) and is specific to card disputes.

Fields	Description	Examples and details	Schema fields
Contact Date	Specifies the date and time the message initiator sends the message	This field is expressed in the Coordinated Universal Time (UTC) (according to ISO 8601), in the format MMDDhhmmss (e.g. 07/16/2018 6:13:57 PM).	dispute_start_date
Type of Contact	Type of communication	The type of communication used by the entity that submitted the dispute (e.g. SMS).	oob_comm_type
Contact Notes	Contextual information left by the agent at the time of the dispute opening	Dispute.	dispute_notes

Dispute Information

The following widget contains information provided by the issuer. This information is received through the Cards [Info endpoint](#) and is specific to card disputes.

Fields	Description	Examples and details	Schema fields
Dispute Start Date	Specifies the date and time the message initiator sends the message.	This field is expressed in the Coordinated Universal Time (UTC) (in accordance with ISO 8601), in the format MMDDhhmmss (e.g. 07/16/2018 6:13:57 PM).	dispute_start_date
Dispute Reason	Indicates why the dispute was opened.	Fraudulent - Cardholder claims an unauthorized payment. This can happen if the card was lost or stolen and used to make a fraudulent purchase. It can also happen if the cardholder does not recognize the payment as it appears on the billing statement sent by the card issuer.	dispute_reason
Dispute Submitted By	Entity that submitted the dispute.	The dispute was submitted by the issuer.	dispute_submitted_by
Dispute Notes	Indicates the subtype of the info event.	Dispute.	dispute_notes

Client Answer

The following widget contains information provided by the issuer. This information is received through the Cards [Info endpoint](#) and [Feedback](#) endpoints and is specific to card disputes.

Fields	Description	Examples and details	Schema fields
Answer Date	Specifies the date and time the message initiator sends the message.	This field is expressed in the Coordinated Universal Time (UTC) (in accordance with ISO 8601), in the format MMDDhhmmss (e.g. 09/16/2018 3:00:37 PM).	dispute_start_date
Answer Type	Type of response.	The type of communication used by the client (e.g. SMS).	oob_comm_type
Answer Notes	Dispute's feedback notes.	The client has called to open a dispute on a transaction that they didn't perform.	oob_feedback_notes

Dispute Conclusion

The following widget contains information provided by the issuer. This information is received through the Cards [Info endpoint](#) and [Feedback](#) endpoints and is specific to card disputes.


Fields	Description	Examples and details	Schema fields
Dispute Conclusion Date	Specifies the date and time the message initiator sends the message.	This field is expressed in the Coordinated Universal Time (UTC) (in accordance with ISO 8601), in the format MMDDhhmmss (e.g. 09/16/2016 3:10:00 AM).	dispute_start_date
Dispute Conclusion Type	Identifies the different types of feedback.	Chargeback.	feedback_type
Dispute Conclusion Notes	Dispute's conclusion notes.	The client has confirmed that they didn't perform the transaction.	oob_feedback_notes

Transaction Activity

Transaction History

This widget displays the transactional events associated with the alert under investigation. It places alerts in a more general picture, thus allowing agents to act upon them in a more efficient way.

Available data varies depending on the value or combination of values selected to fine-tune your results. For instance, by selecting *Customer Name*, the list shows all transactions made by the same customer as the event under investigation.




note

Note that you must [select at least one value](#) for transactional data to be displayed.

Additionally, you can reduce the volume of information by selecting a time window, which allows you to choose the period appropriate to your analysis (e.g. Last year, Last day, Last month).

It helps uncover fraud evidence such as:

Description	Examples and details
Multiple same amount transactions within a small timeframe	Over 10 transactions of the same amount were alerted for the same Customer Name within 30 minutes.
High number of fraudulent past transactions	Customer has had over 15 transactions marked as Fraud in the past, indicating there's a high likelihood of suspicious behavior.



tip

On top of the information available on the **Transaction History** widget, you can refer to:

- The [Notes](#) widget to check if the parties involved were recently contacted and any other information previously left by other agents, for example, when investigating related alerts or the customer.
- Your internal systems to check for other transactions by the same customer that weren't alerted (as the information in this widget only refers to alerted transactions). This can help you uncover patterns that might otherwise not look fraudulent/suspicious.

Alert Activity

Attached Files

This widget also provides a convenient storage for any information that is not currently represented or supported by Case Manager's interface. It allows you to add information that may be useful to support the investigation and for subsequent investigation steps, legal action, or auditing.

You can use this widget to **upload**, **download** and/or **delete** files, as well as **update** files (e.g. to the latest version) by selecting the update icon.

Notes

While investigating alerts, you may need to document any steps taken during your investigation to share with other agents that may look into the same alert. To do so:

1. Select **Add Note**.
2. Select what your note refers to (e.g. event, merchant, customer). Note that depending on the option selected, you might need to enter additional information
3. Enter your **Note**.
4. Select **Save**.

All notes added to the alert (either by you or another agent) are then displayed in this widget, allowing you to check, for example:

- If the parties involved were recently contacted.
- If other agents flagged any related alerts or information that might impact your decision.
- If additional information has been requested and hasn't yet been received.

Activity Log

This widget displays the different actions performed in relation to the alert. For example, attached files, notes added, updates to lists, etc.

You can use the dropdown at the top right to filter the list by different actions, such as **Event created** or **Status**.

Next steps

- Learn how to [manage cases](#).
- [Classify Events](#) as "Fraud" or "Not Fraud".