

•



- [Operational Work](#)
- [Fraud Prevention Agent](#)
- [Investigate Alerts](#)
- [Analyze Events](#)
- Digital Activity


On this page

Digital Activity

Was this page helpful? 

When you open an event or an alert, you are presented with information that helps you make your decision. Whether you open an alerted or non-alerted event, you will land on the Digital Activity's **Event** page, which contains information that helps you make your decision.

Note that you won't be able to make a decision based on a single event, or on a specific widget alone. An investigation is a holistic approach, in which you open several events on different windows and search for fraud evidence by looking at multiple widgets.




About widgets

This page documents the available widgets in a standard order; however, the order in Case Manager may vary depending on your setup. Use the table of contents on the right to navigate to widget-specific documentation and learn more about the information available in each.

Assign alerts to yourself

Before starting the investigation process, start by assigning a single or a set of alerts to yourself. The product can be configured to prevent fraud prevention agents from performing any action on an alert until it is assigned either to them or to another agent. In turn, this prevents different agents from reviewing the same alert at the same time.

To unlock the event, open the **Unassigned** dropdown in the header and select **Assign to me**.



Assign alerts to other agents


The **Choose Assignee** option is only available to some users upon a specific permission.

In addition, you can use the **Assign All** option to assign all linked alerts to yourself. This enables you to easily act on, for example, all unreviewed alerts from the same customer at the same time.

When assigning all linked alerts, a new widget is added to the **Event Details** page with the list of linked alerts to better support the investigation process.

Depending on the configuration, there may be a limit to the number of linked alerts that can be assigned at once. If a limit is set and the **Assign All** action exceeds that number, a message appears specifying how many alerts were assigned.


The remaining alerts that were not assigned to you during this action will remain available for you or another agent to assign and review.



info

The criteria that links the alerts is defined during the product's configuration.

Alternatively, you can also assign alerts in the **Alerts** page or in the Event Details page by selecting the **More actions** drop-down menu and then the **Assign to me** option. Assigning multiple alerts is helpful to, for example, assign all alerts from a specific queue to yourself.



assign-and-lock rules

Fraud Prevention Agents - L1 and **Fraud Prevention Agents - L2** need to assign alerts to themselves to act on them.

Fraud Prevention Agents - L2 and **Fraud Prevention Managers** can reassign to themselves alerts that have already been assigned to other agents.

Only **Fraud Prevention Managers** can act on alerts assigned to other agents; therefore, they don't need to assign alerts to themselves.

Event header

The following fields provide general information about the event to the fraud prevention agent:

- **Event ID:** The event's ID, which can be copied to share with other agents or track later in the system.
- **Assignee:** Indicates if the event is assigned to an agent. The dropdown button lets you assign the event.
- **Labeling:** Includes the "Fraud" or "Not Fraud" options for a final decision. It also has the "Hold" button to pause the investigation while waiting for further information.
- **Score:** Generated by the model in the risk engine platform (i.e. a system that works upstream to Case Manager). The number ranges from 0 to 1000, 1000 being the most likely for the event to be fraudulent. Note that, if you don't have a model in place, the score will always be 0.


- **System Decision:** Generated by rules in the risk engine platform (i.e. a system that works upstream to Case Manager). Possible values are:
 - Approve
 - Challenge
 - Decline
- **Fraud Operational Status:** Allows fraud prevention agents to track the alert/event investigation stage. The possible values are:
 - Unreviewed
 - In progress
 - On hold
 - Closed
- **Fraud label:** Indicates whether the agent has reached a final decision. This value can also be populated via API, for example, when the agent receives customer feedback. The possible values are:
 - Fraud
 - Not Fraud
- **Reasons:** Populated when you both mark an event as "Fraud" or "Not Fraud" and add a reason to clarify the decision.
- **Listed Entities:** Entities that have been added to a list. For example, a Beneficiary Account BIC (Inbound Payments) that has been added to a PosNeg list.
- **Queue:** Indicates if the event is in a queue (e.g. 1 hour to breach).
- **Cases:** Indicates if the event is associated with a case.
- **Fraud Alert:** Indicates whether a rule with the `alert` action was triggered or not.

Summary

Event Summary

This widget helps uncover fraud evidence such as:

Description	Examples and details
Fail reason	A failed authentication due to invalid credentials may not suggest fraud. You can, however, analyze this parameter against other information, such as triggered rules, session alerts, and Session Risk Score's risk score.
Dormant account	The last successful account login was over 3 months ago and in the last 24 hours the user used a proxy to log into the account. Note that you won't be able to confirm this information from this widget alone. You must compare it against other widgets, such as Rules Triggered or Session Alerts.




tip

The **Customer ID** redirects you to the [Customer Details](#) page.

Linked alerts

When assigning alerts, users can choose whether to assign a single alert or all alerts linked to it (see [Assign alerts to yourself](#)). This widget displays other existing alerts that are assigned to the fraud prevention agent as the one under review. All linked alerts belong to the same channel and share the same `customer_id`.




note

The **Linked alerts** widget only includes:

- Alerts assigned to the same user as the alert being reviewed.
- Alerts from the past 30 days, by default. To extend this timeframe, reach out to your Feedzai contact.

With this widget, fraud prevention agents can easily act on all linked alerts at the same time, thus improving the efficiency of the investigation process.

You can use the checkboxes to select one or multiple linked alerts and **Move to Queue**, **Choose Assignee** and **Unlink from Case**.



Linked alerts vs. Transaction History

Alerts displayed in the **Linked alerts** widget are flagged alerts that remain open for review, while the alerts displayed in the [Transaction History](#) also include alerts that have already been reviewed.

Preview linked alerts

While viewing the linked alerts list, select each alert's row to quickly preview its details.

Explanations

This widget explains why an event received a certain score from machine-learning models and how much each parameter contributed to that score. Model parameters can either increase or reduce the risk and, consequently, the score.

The information available allows you to easily identify the biggest risk **Maximizer** and **Minimizer** according to the following thresholds:

- Less than 0 is a Minimizer.
- Up to 10% is a yellow Maximizer.

- Above 10% is a red Maximizer.

Rules Triggered^â

To support the investigation, this widget lists the rules triggered by the event under investigation.

Imagine the following scenario:

- A customer's account has been inactive for the past year.
- A fraudster obtains access to that account.
- The fraudster logs into the customer's online banking app several times in the same day using a device ID linked to multiple customers.

In this scenario, a rule is triggered by a combination of two factors: maximum number of customers per device and maximum number of logins per device. The event is automatically marked as an alert by the risk engine and sent for investigation in Case Manager.

Check the full list of [standard rules](#) to search for other explanations, and the different [fraud scenarios](#) for digital activity events to better understand how rules help prevent them.

Digital Fingerprint^â


Network^â

This widget allows you to see important network details for the event being investigated.

You may also come across a situation that requires adding a specific single entity to a list, or reviewing the entity if already in lists. Information fields that are eligible for lists (e.g. IP Address) have the **Update Lists** button.

It helps uncover fraud evidence such as:

Description	Examples and details
Proxy server	Fraudsters use proxies to hide their true IP address and geolocation in order to commit fraud without being detected. Note that you won't be able to confirm whether this is an indicator of fraud if you look at it in an isolated manner.
IP address	The IP address is associated with previous fraudulent activity and is listed to be declined.




tip

On top of the information available on the **Network** widget, you can refer to external platforms to cross-check specific details with the information available in Case Manager. For example, cross-check the alert's IP address with the one available in the VISA system and use it to assess the distance between the customer's location and the transaction's location.

Session

The following widget displays the Session Risk Score for the event under analysis.



info

Session Risk Score is a unique digital identifier that is created for each user. The Session Risk Score collects the user’s full context of biometric, behavioral, device and network data points, and continuously analyzes user behavior from login to logout across every interaction.

The score value changes color depending on the risk severity:

- **Blue (0-39):** Very low likelihood that the event is fraudulent.
- **Green (40-59):** Low likelihood that the event is fraudulent.
- **Yellow (60-89):** Medium likelihood that the event is fraudulent.
- **Red (90-100):** High likelihood that the event is fraudulent.

The following table shows examples of factors that may lead to a high risk score:

Description	Examples and details
Session Risk Score	The device information captured by the Session Risk Score is associated with previous fraudulent activity.

Description	Examples and details
Unusual session	The current session ID is linked to multiple account changes (e.g during this session the user changed their password, email, phone number, and added a new payee before initiating a transfer).

Device

This widget allows you to see important information about the device that is being used in the event under investigation. Select **View more** to see additional details about the device.

You may also come across a situation that requires adding a specific single entity to a list, or reviewing the entity if already in lists. Information fields that are eligible for lists (e.g. Device ID) have the **Update Lists** button.

It helps uncover fraud evidence such as:

Description	Examples and details
Risky device	- The device ID, IP, and associated email are listed to be declined. - The email associated with this device has an unknown domain (e.g. ).
Suspicious device OS	Rooted device. This makes it possible for the fraudster to have privileges that are usually not available nor recommended for the end user.


Learn more about [device and behavior](#) fraud scenarios and their threats.

Session Alerts

The following widget displays the 'Type', 'View' (online session page in which the alert was detected - e.g. login page, profile page, transfers page) and 'Risk Score' of session alerts.

It helps uncover fraud evidence such as:

Description	Examples and details
ATO high risk score	Account Takeover (ATO) high risk score may tell the agents that the session is likely to be ATO.
RAT high risk score	An event with a high score on Remote Access Trojans (RAT) only tells agents that the event is initiated from a remote access tool, which is not necessarily considered fraudulent. However, you can confirm this by looking at the Session Risk Score (see Session widget): - A high RAT score (e.g. 90) and high Session Risk Score (e.g. 95) suggest that the event is likely to be fraud. - A high RAT score (e.g. 90) but low Session Risk Score (e.g. 20) suggest that the event is likely to be genuine.
VPN high risk score	VPN alert detects VPN activity, which is not necessarily a risk. However, if you observe any Proxy detection, TOR connections, or a high Session Risk Score (see Session widget), this means that a fraudster may be trying to mask their location or IP.



Potential Fraud Risk

Pay special attention to the "Potential Fraud Risk" alert, as it is a strong indicator of a fraudulent session.

This alert indicates the detection of patterns or behaviors that closely align with confirmed fraudulent activity.


For more information, read the Digital Trust's [Potential Fraud Risk Alert](#) documentation.

Transaction Activity^â

Transaction History^â

This widget displays the transactional events associated with the alert under investigation. It places alerts in a more general picture, thus allowing agents to act upon them in a more efficient way.

Available data varies depending on the value or combination of values selected to fine-tune your results. For instance, by selecting *Customer Name*, the list shows all transactions made by the same customer as the event under investigation.




note

Note that you must select at least one value for transactional data to be displayed.

Additionally, you can reduce the volume of information by selecting a time window, which allows you to choose the period appropriate to your analysis (e.g. Last year, Last day, Last month).

It helps uncover fraud evidence such as:

Description	Examples and details
Multiple same amount transactions within a small timeframe	Over 10 transactions of the same amount were alerted for the same Customer Name within 30 minutes.
High number of fraudulent past transactions	Customer has had over 15 transactions marked as Fraud in the past, indicating there's a high likelihood of suspicious behavior.



tip

On top of the information available on the **Transaction History** widget, you can refer to:

- The [Notes](#) widget to check if the parties involved were recently contacted and any other information previously left by other agents, for example, when investigating related alerts or the customer.
- Your internal systems to check for other transactions by the same customer that weren't alerted (as the information in this widget only refers to alerted transactions). This can help you uncover patterns that might otherwise not look fraudulent/suspicious.

Alert Activity

Attached Files

This widget also provides a convenient storage for any information that is not currently represented or supported by Case Manager's interface. It allows you to add information that may be useful to support the investigation and for subsequent investigation steps, legal action, or auditing.

You can use this widget to **upload**, **download** and/or **delete** files, as well as **update** files (e.g. to the latest version) by selecting the update icon.

Notes

While investigating alerts, you may need to document any steps taken during your investigation to share with other agents that may look into the same alert. To do so:

1. Select **Add Note**.
2. Select what your note refers to (e.g. event, merchant, customer). Note that depending on the option selected, you might need to enter additional information
3. Enter your **Note**.
4. Select **Save**.

All notes added to the alert (either by you or another agent) are then displayed in this widget, allowing you to check, for example:

- If the parties involved were recently contacted.
- If other agents flagged any related alerts or information that might impact your decision.
- If additional information has been requested and hasn't yet been received.

Activity Log

This widget displays the different actions performed in relation to the alert. For example, attached files, notes added, updates to lists, etc.

You can use the dropdown at the top right to filter the list by different actions, such as **Event created** or **Status**.

Next steps

- Learn how to [manage cases](#).
- [Classify Events](#) as "Fraud" or "Not Fraud".