


•



- [References](#)
- [Data Exporting Tool](#)
- Case Manager
- Case Manager Case

## Case Manager Case

Was this page helpful? 

The **Case Manager - Case** entity stores information from Case Manager cases.

| Name       | Type                     | Description                                  | Example                              |
|------------|--------------------------|----------------------------------------------|--------------------------------------|
| timestamp  | timestamp with time zone | The original timestamp of the object         | 2025-09-30 10:25:59.100+0100         |
| identifier | string                   | The original ID of the object                | 605e7f99-820b-45b2-ab5e-a4420dae675a |
| channel    | string                   | The channel to which this case is valid for. | cards                                |
| case_type  | string                   | The type of the case                         | AML, Fraud                           |

| Name                   | Type                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Example                                                  |
|------------------------|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| tenant                 | string                   | The tenant of the case                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | feedzai                                                  |
| notification_timestamp | timestamp with time zone | The timestamp of when this notification took place                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 2025-09-30 10:25:59.100+0100                             |
| notification_type      | string                   | <p>The notification type. Is one of the following:</p> <ul style="list-style-type: none"> <li>• CASE_CREATE: The case is created</li> <li>• CASE_UPDATE: The case was updated</li> <li>• CASE_EVENT: The case was linked/unlinked with events</li> <li>• ADD_NOTE: A note was added to the case</li> <li>• DELETE_NOTE: A note was removed from the case</li> <li>• CASE_QUEUE: The case was added/removed to/from a queue</li> <li>• CASE_STATE: The case state was changed</li> <li>• CASE_USER: The case was assigned/unassigned to/from a user</li> </ul> |                                                          |
| user_id                | string                   | The user id of the user that performed the action                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                          |
| user_name              | string                   | The user name of the user that performed the action                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                          |
| queue_id               | string                   | Id of the queue. This is only filled when on case queue.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                          |
| queue_name             | string                   | Name of the queue. This is only filled when on case queue.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                          |
| state_id               | string                   | State identifier: created, Update or State.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                          |
| name                   | string                   | The case name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                          |
| description            | string                   | The case description.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                          |
| source_type_id         | string                   | The source type id                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                          |
| source_type_name       | string                   | The source type name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                          |
| operation              | string                   | Contains the operation type (ADD/REMOVE). This is only filled when the action is of type CASE_EVENT                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                          |
| event_ids              | array<string>            | - The list of event ids that were affected by the adding or removing to or from the event. This is only filled when the action is of type CASE_EVENT                                                                                                                                                                                                                                                                                                                                                                                                          |                                                          |
| note_info              | row                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          |
| âââ note         | string                   | The note of the case.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                          |
| âââ note_id      | string                   | The case note identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                          |
| âââ note_type_id | string                   | Case Note Type identifier                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                          |
| âââ created_at   | timestamp with time zone | When this note was created                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2025-09-30 10:25:59.100+0100                             |
| âââ created_by   | string                   | The user that created the note                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                          |
| âââ deleted_at   | timestamp with time zone | When this note was deleted                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2025-09-30 10:25:59.100+0100                             |
| âââ deleted_by   | string                   | The user that deleted the note                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                          |
| custom_fields          | json                     | All the custom fields that the case might have.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | {"custom_field_1": "value1", "custom_field_2": "value2"} |

| Name   | Type    | Description         | Example |
|--------|---------|---------------------|---------|
| _year  | integer | Year of the export  | 2011    |
| _month | integer | Month of the export | 10      |
| _day   | integer | Day of the export   | 15      |
| _hour  | integer | Hour of the export  | 13      |