

•



- [References](#)
- [Rules Projects](#)
- Digital Activity - Decision Rules

On this page

Digital Activity - Decision Rules

Was this page helpful? 

Description

Decision Rules provide the final recommendation to whether a financial institution should accept, challenge, or decline a given event. This recommendation is sent via the API response of a request evoked by the relevant endpoint (Authentication, Credential Update, Device, New Payee, Profile Update, Alias). Decision Rules take into consideration the following:

- The risk level from previous rules projects.
- The score set by the model. By default, the solution does not provide a standard model in the workflow, and thus, the default score is 0.

The *Decision Rules* apply the following logic:

- If fraud rules classified an event as:
 - low risk, the decision is to accept the digital event
 - high risk, the decision is to decline the digital event
 - medium risk, the decision is to challenge the digital event
- If a model score is:
 - below a certain threshold, the decision is to accept the digital event
 - above a certain threshold, the decision is to decline the digital event
 - between medium and high risk thresholds, the decision is to challenge the digital event

Rules Project Metadata

- *Target Variable*: decision
- *Tenancy Type*: SINGLE_TENANT

Rules in this rules project:

Digital Activity - DR1

Comment

Decline a digital event if classified as high risk by previous rules

Actions

- [DA-DR1]
- Alert

Variables

N/A

Condition

```
(event.enforced_risk_level ?? event.risk_level) == 'high'
```

Explanation

[DA-DR1] - Decline - Classified as having a high risk of fraud by previous rules.

Mark As

The outcome of this rule is: **decline**

Digital Activity - DR2

Comment

Decline a digital event if model score is above the threshold

Actions

- [DA-DR2]
- Alert

Variables

```
HIGH_SCORE_THRESHOLD = digital_activity__rules_thresholds["model_high_score"].threshold;  
  
score = event.fraud_score * 1000;
```

Condition

```
(score ?? 0) > HIGH_SCORE_THRESHOLD
```

Explanation

[DA-DR2] - Decline - Model score ({localvar.score}) is above the threshold:
{localvar.HIGH_SCORE_THRESHOLD}

Mark As

The outcome of this rule is: **decline**

Digital Activity - DR3

Comment

Mark a digital event to Challenge if classified as medium risk by previous rules

Actions

- [DA-DR3]

Variables

N/A

Condition

```
(event.enforced_risk_level ?? event.risk_level) == 'medium'
```

Explanation

[DA-DR3] - Challenge - Classified as having a medium risk of fraud by previous rules.

Mark As

The outcome of this rule is: **challenge**

Digital Activity - DR4

Comment

Mark a digital event to Challenge if model score is between medium and high risky thresholds

Actions

- [DA-DR4]

Variables

```
HIGH_SCORE_THRESHOLD = digital_activity__rules_thresholds ["model_high_score"].threshold;  
LOW_SCORE_THRESHOLD = digital_activity__rules_thresholds ["model_low_score"].threshold;
```

```
score = event.fraud_score * 1000;
```

Condition

```
(score ?? 0) >= LOW_SCORE_THRESHOLD  
and  
(score ?? 0) <= HIGH_SCORE_THRESHOLD
```

Explanation

[DA-DR4] - Challenge - Model score ({localvar.score}) is between the low and high model thresholds ({localvar.LOW_SCORE_THRESHOLD} - {localvar.HIGH_SCORE_THRESHOLD})

Mark As

The outcome of this rule is: **challenge**

Digital Activity - DR5

Comment

Approve a digital event if classified as low risk by previous rules

Actions

- [DA-DR5]

Variables

N/A

Condition

```
(event.enforced_risk_level ?? 'none') == 'low'
```

Explanation

[DA-DR5] - Approve - Classified as having a low risk of fraud by previous rules.

Mark As

The outcome of this rule is: **approve**

Digital Activity - DR6

Comment

Approve a digital event if the model score is below the threshold

Actions

- [DA-DR6]

Variables

```
LOW_SCORE_THRESHOLD = digital_activity_rules_thresholds["model_low_score"].threshold;  
  
score = event.fraud_score * 1000;
```

Condition

```
(score ?? 0) < LOW_SCORE_THRESHOLD
```

Explanation

[DA-DR6] - Approve - Model score ({localvar.score}) is below the threshold:
{localvar.LOW_SCORE_THRESHOLD}

Mark As

The outcome of this rule is: **approve**