


•



- [References](#)
- [Rules Projects](#)
- Digital Activity - Device and Network Intelligence Rules

On this page

Digital Activity - Device and Network Intelligence Rules

Was this page helpful? 

Description

Device and Network Intelligence Rules monitor the relevant information about the device and/or network (IP address), as well as user session and biometrics profile that are being used to perform a digital event. Transaction Fraud for Banking collects this information through Feedzai's Revelock enricher (i.e. Digital Trust enricher) by leveraging its indicators out of the box. However, the logic of these rules can be adapted to other providers, if needed.

Rules Project Metadata

- *Target Variable:* risk_level

- *Tenancy Type*: SINGLE_TENANT

Rules in this rules project:

Digital Activity - DNI1

Comment

Suspicious indicators are pointing to a Phishing scenario

Actions

- [DA-DNI1]

Variables

```
is_phishing =  
  Revelock.existsAlertOfType(event.revelock_alerts , 'Fraudster Behavior') ?? false  
  or Revelock.existsAlertOfType(event.revelock_alerts , 'Suspicious Behavior') ?? false;
```

Condition

```
is_phishing
```

Explanation

[DA-DNI1] - High Risk - Suspicious activity is pointing to a Phishing scenario during this session
({{event.session_id}})

Mark As

The outcome of this rule is: **high**

Digital Activity - DNI2

Comment

Suspicious indicators are pointing to a Malware scenario

Actions

- [DA-DNI2]

Variables

```
is_malware =  
  Revelock.existsAlertOfType(event.revelock_alerts , 'Malware') ?? false  
  or Revelock.existsAlertOfType(event.revelock_alerts , 'Suspicious APP') ?? false;
```

Condition

```
is_malware
```

Explanation

[DA-DNI2] - High Risk - Device ({{event.device_id}}) is suspected to be infected with Malware

Mark As

The outcome of this rule is: **high**

Digital Activity - DNI3

Comment

Suspicious indicators are pointing to an ATO scenario

Actions

- [DA-DNI3]

Variables

```
is_ATO =  
  Revelock.existsAlertOfType(event.revelock_alerts , 'ATO') ?? false  
  and Revelock.getAlertOfTypeDoublePropertyMin(event.revelock_alerts , 'ATO' , 'similarity') ?? 1 <  
  0.10  
  and  
  Revelock.getAlertOfTypeDoublePropertyMax(event.revelock_alerts , 'ATO' , 'profile_quality') ?? 0 >  
  0.85;
```

Condition

```
is_ATO
```

Explanation

[DA-DNI3] - High Risk - Suspicious activity pointing to an ATO scenario during this session
({event.session_id})

Mark As

The outcome of this rule is: **high**

Digital Activity - DNI4

Comment

Suspicious indicators are pointing to an Emulator scenario

Actions

- [DA-DNI4]

Variables

```
is_emulator =  
  Revelock.existsAlertOfType(event.revelock_alerts , 'Emulator device') ?? false;
```

Condition

```
is_emulator
```

Explanation

[DA-DNI4] - High Risk - Device ({event.device_id}) is suspected to be running an Emulator

Mark As

The outcome of this rule is: **high**

Digital Activity - DNI5

Comment

Suspicious indicators are pointing to a BOT scenario

Actions

- [DA-DNI5]

Variables

```
is_BOT =  
Revelock.existsAlertOfType(event.revelock_alerts , 'BOT Detected') ?? false;
```

Condition

```
is_BOT
```

Explanation

[DA-DNI5] - High Risk - Device ({event.device_id}) is suspected to be running a BOT software application

Mark As

The outcome of this rule is: **high**

Digital Activity - DNI6

Comment

Suspicious indicators are pointing to a Rooted Device scenario

Actions

- [DA-DNI6]

Variables

```
is_rooted =  
Revelock.existsAlertOfType(event.revelock_alerts , 'Rooted device') ?? false;
```

Condition

```
is_rooted
```

Explanation

[DA-DNI6] - Medium Risk - Device ({event.device_id}) is suspected to be Rooted

Mark As

The outcome of this rule is: **medium**

Digital Activity - DNI7

Comment

Login attempt from a Dormant Account with activity pointing to a \ Suspicious Network scenario (use of VPN, TOR or Proxy)

Actions

- [DA-DNI7]

Variables

```
is_dormant_account = event.count_account_activity_3m == 0;

is_suspicious_network =
  Revelock.existsAlertOfType(event.revelock_alerts , 'Tor connection') ?? false
  or Revelock.existsAlertOfType(event.revelock_alerts , 'VPN connection') ?? false
  or Revelock.existsAlertOfType(event.revelock_alerts , 'Suspicious network') ?? false;
```

Condition

```
(event.event_type == 'authentication' and event.challenge_requested != true)
and is_dormant_account and event.account_age >= 90
and is_suspicious_network
```

Explanation

[DA-DNI7] - Medium Risk - Login from a dormant account ({event.account_id}) with VPN, TOR or Proxy detected

Mark As

The outcome of this rule is: **medium**

Digital Activity - DNI8

Comment

Login attempt from an unknown IP country and device

Actions

- [DA-DNI8]

Variables

```
is_unknown_country =
  Revelock.existsAlertOfType(event.revelock_alerts , 'Network Anomalies 37') ?? false;

is_unknown_device =
  (Revelock.existsAlertOfType(event.revelock_alerts , 'Device Anomalies 20') ?? false) or
  (Revelock.existsAlertOfType(event.revelock_alerts , 'Device Anomalies 21') ?? false);
```

Condition

```
(event.event_type == 'authentication' and event.challenge_requested != true)
and is_unknown_country
and is_unknown_device
```

Explanation

[DA-DNI8] - Medium Risk - Login attempt from an unknown IP country ({event.device_ip_country_code}) and unknown device ({event.device_id})

Mark As

The outcome of this rule is: **medium**

Digital Activity - DNI9

Comment

Suspicious indicators are pointing to a RAT scenario

Actions

- [DA-DNI9]

Variables

```
is_RAT =  
(  
    Revelock.existsAlertOfType(event.revelock_alerts , 'RAT') ?? false  
    or Revelock.existsAlertOfType(event.revelock_alerts , 'RAT TeamViewer') ?? false  
)  
and (event.revelock_score ?? 0 >= 90 and event.revelock_score ?? 0 <= 99)  
;
```

Condition

```
is_RAT
```

Explanation

[DA-DNI9] - Medium Risk - Device ({event.device_id}) is suspected to be running a RAT

Mark As

The outcome of this rule is: **medium**