


•



- [References](#)
- [Rules Projects](#)
- Transfers - Device and Network Intelligence Rules

On this page

Transfers - Device and Network Intelligence Rules

Was this page helpful? 

Description

Device and Network Intelligence Rules monitor the relevant information about the device and/or network (IP address), as well as user session and biometrics profile that are being used to perform a transfer event. Transaction Fraud for Banking collects this information through Feedzai's Revelock enricher (i.e. Digital Trust enricher) by leveraging its indicators out of the box. However, the logic of these rules can be adapted to other providers, if needed.

Rules Project Metadata

- *Target Variable:* risk_level

- *Tenancy Type*: SINGLE_TENANT

Rules in this rules project:

Transfers - DNI1

Comment

Suspicious indicators are pointing to a Phishing scenario

Actions

- [Transfers-DNI1]

Variables

```
is_phishing =  
  Revelock.existsAlertOfType(event.revelock_alerts , 'Fraudster Behavior') ?? false  
  or Revelock.existsAlertOfType(event.revelock_alerts , 'Suspicious Behavior') ?? false;
```

Condition

```
is_phishing
```

Explanation

[Transfers-DNI1] - High Risk - Suspicious activity is pointing to a Phishing scenario during this session ({event.session_id}).

Mark As

The outcome of this rule is: **high**

Transfers - DNI2

Comment

Suspicious indicators are pointing to a Malware scenario

Actions

- [Transfers-DNI2]

Variables

```
is_malware =  
  Revelock.existsAlertOfType(event.revelock_alerts , 'Malware') ?? false  
  or Revelock.existsAlertOfType(event.revelock_alerts , 'Suspicious APP') ?? false;
```

Condition

```
is_malware
```

Explanation

[Transfers-DNI2] - High Risk - Device ({event.device_id}) is suspected to be infected with Malware

Mark As

The outcome of this rule is: **high**

Transfers - DNI3

Comment

Suspicious indicators are pointing to an ATO scenario

Actions

- [Transfers-DNI3]

Variables

```
is_ATO =
  Revelock.existsAlertOfType(event.revelock_alerts , 'ATO') ?? false
  and Revelock.getAlertOfTypeDoublePropertyMin(event.revelock_alerts , 'ATO' , 'similarity') ?? 1 <
  0.10
  and
  Revelock.getAlertOfTypeDoublePropertyMax(event.revelock_alerts , 'ATO' , 'profile_quality') ?? 0 >
  0.85;
```

Condition

is_ATO

Explanation

[Transfers-DNI3] - High Risk - Suspicious activity pointing to an ATO scenario during this session
({event.session_id})

Mark As

The outcome of this rule is: **high**

Transfers - DNI4

Comment

Suspicious indicators are pointing to an Emulator scenario

Actions

- [Transfers-DNI4]

Variables

```
is_emulator =
  Revelock.existsAlertOfType(event.revelock_alerts , 'Emulator device') ?? false;
```

Condition

is_emulator

Explanation

[Transfers-DNI4] - High Risk - Device ({event.device_id}) is suspected to be running an Emulator

Mark As

The outcome of this rule is: **high**

Transfers - DNI5

Comment

Suspicious indicators are pointing to a BOT scenario

Actions

- [Transfers-DNI5]

Variables

```
is_BOT =  
Revelock.existsAlertOfType(event.revelock_alerts , 'BOT Detected') ?? false;
```

Condition

```
is_BOT
```

Explanation

[Transfers-DNI5] - High Risk - Device ({event.device_id}) is suspected to be running a BOT software application

Mark As

The outcome of this rule is: **high**

Transfers - DNI6

Comment

Suspicious indicators are pointing to a Rooted Device scenario

Actions

- [Transfers-DNI6]

Variables

```
is_rooted =  
Revelock.existsAlertOfType(event.revelock_alerts , 'Rooted device') ?? false;
```

Condition

```
is_rooted
```

Explanation

[Transfers-DNI6] - Medium Risk - Device ({event.device_id}) is suspected to be Rooted

Mark As

The outcome of this rule is: **medium**

Transfers - DNI7

Comment

Transfer from a Dormant Account with activity pointing to a Suspicious\ \ Network scenario (use of VPN, TOR or Proxy)

Actions

- [Transfers-DNI7]

Variables

```
account_age_months = ((event.created_at ?? 0) - (event.sender_account_open_date ?? 0)) /  
2678400000.0; // 1000 * 60 * 60 * 24 * 31  
  
is_dormant_account = event.count_activity_3m_delay_24h == 0;  
  
is_suspicious_network =  
  Revelock.existsAlertOfType(event.revelock_alerts , 'Tor connection') ?? false  
  or Revelock.existsAlertOfType(event.revelock_alerts , 'VPN connection') ?? false  
  or Revelock.existsAlertOfType(event.revelock_alerts , 'Suspicious network') ?? false;
```

Condition

```
is_dormant_account  
  and account_age_months >= 3  
  and is_suspicious_network
```

Explanation

[Transfers-DNI7] - Medium Risk - Transfer initiation from a dormant account
({eventname.sender_transaction_bank_account}) with VPN, TOR or Proxy detected

Mark As

The outcome of this rule is: **medium**

Transfers - DNI8

Comment

Suspicious activity from an unknown IP country and device

Actions

- [Transfers-DNI8]

Variables

```
is_unknown_country =  
  Revelock.existsAlertOfType(event.revelock_alerts , 'Network Anomalies 37') ?? false;  
  
is_unknown_device =  
  (Revelock.existsAlertOfType(event.revelock_alerts , 'Device Anomalies 20') ?? false) or  
  (Revelock.existsAlertOfType(event.revelock_alerts , 'Device Anomalies 21') ?? false);
```

Condition

```
is_unknown_country  
  and is_unknown_device
```

Explanation

[Transfers-DNI8] - Medium Risk - Suspicious activity detected from an unknown IP country ({event.device_ip_country_code}) and unknown device ({event.device_id})

Mark As

The outcome of this rule is: **medium**

Transfers - DNI9

Comment

Suspicious indicators are pointing to a RAT scenario

Actions

- [Transfers-DNI9]

Variables

```
is_RAT =
(
  Revelock.existsAlertOfType(event.revelock_alerts , 'RAT') ?? false
  or Revelock.existsAlertOfType(event.revelock_alerts , 'RAT TeamViewer') ?? false
)
and (event.revelock_score ?? 0 >= 90 and event.revelock_score ?? 0 <= 99)
;
```

Condition

```
is_RAT
```

Explanation

[Transfers-DNI9] - Medium Risk - Device ({event.device_id}) is suspected to be running a RAT

Mark As

The outcome of this rule is: **medium**

Transfers - DNI10

Comment

High-risk indicators are pointing to a RAT scenario,\\ and the user typed a high-amount transaction

Actions

- [Transfers-DNI10]

Variables

```
amount_threshold = transfers__rules_thresholds['transfers_dni10_high_amount'].threshold;
is_RAT_and_high_amount_typed =
(
  Revelock.existsAlertOfType(event.revelock_alerts , 'RAT') ?? false
  or Revelock.existsAlertOfType(event.revelock_alerts , 'RAT TeamViewer') ?? false
)
and (event.sender_transaction_amount >= amount_threshold)
;
```

Condition

```
is_RAT_and_high_amount_typed
```

Explanation

[Transfers-DNI10] - High Risk - Device ({event.device_id}) is suspected to be running RAT and user typed in a high-amount transaction

Mark As

The outcome of this rule is: **high**

Transfers - DNI11

Comment

Limit bill payments with unknown device outside working days,\ \ considering the account behavior in the last 3 months

Actions

- [Transfers-DNI11]

Variables

```
max_account_activity_out_work_days_3m_th =
transfers__rules_thresholds['max_account_activity_out_work_days_3m_th'].threshold;
min_account_activity_3m_th = transfers__rules_thresholds['min_account_activity_3m_th'].threshold;
percentage_account_activity_out_work_days_3m =
Maths.safeDivision(event.count_account_activity_out_wor, event.count_account_activity_3m);

outside_work_days = event.day_of_week == '6' or event.day_of_week == '7';

is_unknown_device = Revelock.existsAlertOfType(event.revelock_alerts,'Unknown device') ??
false;
```

Condition

```
event.payment_sub_type == 'bill_payment'
and outside_work_days
and percentage_account_activity_out_work_days_3m <= max_account_activity_out_work_days_3m_th
and event.count_account_activity_3m >= min_account_activity_3m_th
and is_unknown_device
```

Explanation

[Transfers-DNI11] - Medium Risk - Unusual payment with an unknown device ({event.device_id}) outside working days, considering the account ({event.sender_account_id}) behavior in the last 3 months

Mark As

The outcome of this rule is: **medium**