


•



- [References](#)
- [Rules Projects](#)
- Transfers - Instant Transfers Rules

On this page

Transfers - Instant Transfers Rules

Was this page helpful? 

Description

TFB provides **Instant Transfers Rules** to account for fraud schemes that are associated with this payment type. This is important because instant transfers have unique patterns that might be considered normal in other payment types. For example, thresholds on the transfer's amount are more strict on instant transfers than on other transfer payment types. Therefore, this rules project includes rules that limit the transaction amount with lower thresholds.

Additionally, instant transfers do not allow for manual revision due to the instantaneous nature of this payment type (i.e. they are accepted or decline). Therefore, this rules project is built-in with outcome logic to not trigger alerts in Case Manager. See the [Understand How Rules Work](#) page for more information on how rules generate a final recommendation.

In the workflow, this rule block is configured with a filter so that only events with `payment_sub_type` equal to `instant_transfer` are evaluated by **Instant Transfer Rules**.

Rules Project Metadata

- *Target Variable:* risk_level
- *Tenancy Type:* SINGLE_TENANT

Rules in this rules project:

Transfers-IT1

Comment

Transaction amount exceeds sender threshold

Actions

- [Transfers-IT1]

Variables

```
max_trx_amount_sender_th=transfers__rules_thresholds["max_trx_amount_sender_th"].threshold;

formatted_amount = ValueFormatTools.formatMoney(event.sender_transaction_currency,
event.sender_transaction_amount);
formatted_th = ValueFormatTools.formatMoney(event.sender_transaction_currency,
max_trx_amount_sender_th);
```

Condition

```
(event.sender_transaction_amount ?? 0 != 0)
and
event.sender_transaction_amount >= max_trx_amount_sender_th
```

Explanation

[Transfers-IT1] - High Risk - Transaction amount ({localvar.formatted_amount}) for this sender exceeds the established limit ({localvar.formatted_th}) for this type of transfer.

Mark As

The outcome of this rule is: **high**

Transfers-IT2

Comment

Transaction amount exceeds receiver threshold

Actions

- [Transfers-IT2]

Variables

```
max_trx_amount_receiver_th=transfers__rules_thresholds["max_trx_amount_receiver_th"].threshold;

formatted_amount = ValueFormatTools.formatMoney(event.receiver_transaction_currency,
event.receiver_transaction_amount);
```

```
formatted_th = ValueFormatTools.formatMoney(event.receiver_transaction_currency,  
max_trx_amount_receiver_th);
```

Condition

```
(event.receiver_transaction_amount ?? 0 != 0)  
and  
event.receiver_transaction_amount >= max_trx_amount_receiver_th
```

Explanation

[Transfers-IT2] - High Risk - Transaction amount ({localvar.formatted_amount}) for this receiver exceeds the established limit ({localvar.formatted_th}) for this type of transfer.

Mark As

The outcome of this rule is: **high**

Transfers-IT3

Comment

Sender's daily number of transactions is extremely higher than daily average number of transaction (considering behavior from previous 3 months)

Actions

- [Transfers-IT3]

Variables

```
min_ratio =  
transfers__rules_thresholds["min_ratio_sender_instant_transfer_count_sender_daily_avg_3m_th"].threshold;  
  
min_count_trx_sender_instant_transfer_24h =  
transfers__rules_thresholds["min_count_trx_sender_instant_transfer_24h"].threshold;  
  
ratio = match  
  if (event.avg_daily_count_sender_instant == 0.0) then  
    return event.count_sender_instant_transfesr;  
  else  
    return  
Maths.safeDivision(event.count_sender_instant_transfesr*1.0,event.avg_daily_count_sender_instant)  
;  
  end  
end
```

Condition

```
ratio >= min_ratio  
and  
event.count_sender_instant_transfesr>=min_count_trx_sender_instant_transfer_24h
```

Explanation

[Transfers-IT3] - High Risk - Transaction count ({event.count_sender_instant_transfesr}) for this sender is significantly higher ({localvar.min_ratio} x) than Sender's daily average count over the last 3 months

Mark As

The outcome of this rule is: **high**

Transfers-IT4

Comment

Wire transaction with no Sender's information

Actions

- [Transfers-IT4]

Variables

Condition

```
event.payment_type == 'wire'
and
((event.sender_name ?? '' == '') or (event.sender_street_addr ?? '' == ''))
```

Explanation

[Transfers-IT4] - High Risk - Wire transaction with no Sender's information.

Mark As

The outcome of this rule is: **high**

Transfers-IT5

Comment

Wire transaction with no Receiver's information

Actions

- [Transfers-IT5]

Variables

N/A

Condition

```
event.payment_type == 'wire'
and
((event.receiver_name ?? '' == '') or (event.receiver_street_addr ?? '' == ''))
```

Explanation

[Transfers-IT5] - High Risk - Wire transaction with no Receiver's information.

Mark As

The outcome of this rule is: **high**

Transfers-IT6

Comment

Sender alias is listed to be auto declined.

Actions

- [Transfers-IT6]

Variables

N/A

Condition

```
(event.sender_alias ?? '' != '')  
and event.posneg_sender_alias_value == 'decline'
```

Explanation

[Transfers-IT6] - High Risk - Sender alias ({event.sender_alias}) is listed to be auto declined.

Mark As

The outcome of this rule is: **high**

Transfers-IT7

Comment

Receiver alias is listed to be auto declined.

Actions

- [Transfers-IT7]

Variables

N/A

Condition

```
(event.receiver_alias ?? '' != '')  
and event.posneg_receiver_alias_value == 'decline'
```

Explanation

[Transfers-IT7] - High Risk - Receiver alias ({event.receiver_alias}) is listed to be auto declined.

Mark As

The outcome of this rule is: **high**

Transfers-IT8

Comment

Instant payments without any description and above amount threshold

Actions

- [Transfers-IT8]

Variables

```
text_for_self_empty = event.sender_transaction_notes ?? '' == '';
text_for_receiver_empty = event.text_for_receiver ?? '' == '';
max_amt_threshold_empty_text =
transfers__rules_thresholds['max_amt_threshold_empty_text'].threshold;
```

Condition

```
text_for_self_empty
and text_for_receiver_empty
and (event.sender_transaction_amount ?? 0)>= max_amt_threshold_empty_text
```

Explanation

[Transfers-IT8] - High Risk - Payments without any description and payment amount
({event.sender_transaction_amount}) is above [{localvar.max_amt_threshold_empty_text}]

Mark As

The outcome of this rule is: **high**

Transfers-IT9

Comment

Receiver alias type is email address and the email domain is listed to be auto declined.

Actions

- [Transfers-IT9]

Variables

Condition

```
(event.receiver_alias_type ?? '' == 'email') and (event.receiver_alias_email_domain ?? '' != '')
and event.posneg_receiver_alias_email_do == 'decline'
```

Explanation

[Transfers-IT9] - High Risk - Receiver alias email domain is listed to be auto declined.

Mark As

The outcome of this rule is: **high**

Transfers-IT10

Comment

Instant payment above amount threshold to a receiver alias if alias_last_update_time was less than 24h ago

Actions

- [Transfers-IT10]

Variables

```
receiver_alias_last_update_hours = (event.event_occurred_at -
(event.receiver_alias_last_update_time ?? 0)) / (1000*60*60);
sender_alias_last_update_hours = (event.event_occurred_at -
(event.sender_alias_last_update_time ?? 0)) / (1000*60*60);
max_amt_threshold_last_update =
transfers__rules_thresholds['max_amt_threshold_last_update'].threshold;

formatted_th = ValueFormatTools.formatMoney(event.sender_transaction_currency,
max_amt_threshold_last_update);
formatted_amount = ValueFormatTools.formatMoney(event.sender_transaction_currency,
event.sender_transaction_amount);
```

Condition

```
(
  receiver_alias_last_update_hours < 24
  or sender_alias_last_update_hours < 24
)
and (event.sender_transaction_amount ?? 0) >= max_amt_threshold_last_update
```

Explanation

[Transfers-IT10] - High Risk - Payment amt ({localvar.formatted_amount}) is above {localvar.formatted_th} and receiver or sender alias last update was less than 24h ago

Mark As

The outcome of this rule is: **high**

Transfers-IT11

Comment

Instant payments with malformed text (more than 2 special characters, odd keyboard distance) and above amount threshold

Actions

- [Transfers-IT11]

Variables

```
text_regex = com.feedzai.commons.udfs.StringTools.replaceAll('[^a-zA-Z0-9.]',event.text_for_receiver,'%');

text_keyboard_distance = com.feedzai.cloud.udf.Strings.keyboardDistance(event.text_for_receiver,
1);
keyboard_distance_threshold =
transfers__rules_thresholds['keyboard_distance_threshold'].threshold;

max_amt_threshold_malformed_text =
transfers__rules_thresholds['max_amt_threshold_malformed_text'].threshold;
```

Condition

```
(event.text_for_receiver ?? '' != '') and (!
ListedKeywords.containsKeyword(posneg_listed_keywords, "accept", event.text_for_receiver, true))
and
(
  com.feedzai.commons.udfs.StringTools.contains(text_regex ?? '', '%%')
  or text_keyboard_distance < keyboard_distance_threshold
)
and
(event.sender_transaction_amount ?? 0)>= max_amt_threshold_malformed_text
```

Explanation

[Transfers-IT11] - High Risk - Instant payments with malformed text (more than 2 special characters, odd keyboard distance) and above amount threshold

Mark As

The outcome of this rule is: **high**

Transfers-IT12

Comment

Receiver alias type is 'phone' and this number is listed to be auto declined.

Actions

- [Transfers-IT12]

Variables

Condition

```
(event.receiver_alias_type ?? '') == 'phone'
and event.receiver_alias ?? '' != ''
and event.posneg_receiver_alias_phone_va == 'decline'
```

Explanation

[Transfers-IT12] - High Risk - Receiver alias phone number ({event.receiver_alias}) is listed to be auto declined.

Mark As

The outcome of this rule is: **high**

Transfers-IT13

Comment

Total amount of instant payments per sender alias in 90 minutes, after a new alias registration, is above a set threshold

Actions

- [Transfers-IT13]

Variables

```
sender_alias_new_registration = (event.event_occurred_at -  
(event.sender_alias_registration_time ?? 0)) / (1000*60);  
max_total_amt_new_reg_threshold =  
transfers__rules_thresholds['max_total_amt_new_reg_threshold'].threshold;  
  
formatted_th = ValueFormatTools.formatMoney(event.sender_transaction_currency,  
max_total_amt_new_reg_threshold);  
formatted_sum = ValueFormatTools.formatMoney(event.sender_transaction_currency,  
event.sum_amt_instant_transfers_per_);
```

Condition

```
sender_alias_new_registration <= 90  
and event.sum_amt_instant_transfers_per_ >= max_total_amt_new_reg_threshold
```

Explanation

[Transfers-IT13] - High Risk - Total amount per sender alias in the last 90min ({localvar.formatted_sum}) is above {localvar.formatted_th}, after a new alias registration ({event.sender_alias})

Mark As

The outcome of this rule is: **high**