


•




- Securing an Application
- List of Permissions

On this page

Was this page helpful? 

List of Permissions

The following sections list the permissions that are available to control access to resources of Pulse.



Resource dependencies

Resources sometimes have dependencies between them, hence to access one, you might need to have access to another. These dependencies are not always obvious. If you are having difficulties with resource permissions, contact Feedzai's technical support.

Global

Name	Description
 *	Permission that gives complete access to Pulse.

Administration

Name	Description
admin:logs:read 	Permission that grants access to the logs.

Name	Description
admin:cluster:manage	Permission that grants management access to the cluster.
admin:cluster:read	Permission that grants read access to the cluster.
admin:configuration:delete	Permission to delete configurations on the administration screens.
admin:configuration:read	Permission to read the configurations on the administration screens.
admin:configuration:update	Permission to update configurations on the administration screens.
admin:deploy	Permission to deploy services through the REST API.
admin:security:reload	Permission to reload security through REST API.
admin:service:control	Permission to start and stop services via the Administration API.
admin:view	Permission to access the administration screens.
admin:usermanagement	Permission to manage users.

Application

Management

Name	Description
application:*	Permission to perform all CRUD actions in application models.
application:*.read	Permission to read applications.
application:apps:create	Permission to create new applications.
application:apps:delete	Permission to delete applications.
application:apps:manage	Permission to start/stop/publish/export applications.
application:apps:partialExport	Permission to partially export applications.
application:apps:partialImport	Permission to partially import applications.
application:apps:read	Permission to read applications.
application:apps:update	Permission to update applications.

Data science

Data sources

Name	Description
application:datascience_datasources:create	Permission to create data science data sources.
application:datascience_datasources:delete	Permission to delete data science data sources.
application:datascience_datasources:read	Permission to read data science data sources.
application:datascience_datasources:update	Permission to update data science data sources.

Evaluation metrics

Name	Description
application:datascience_evaluationmetrics:create	Permission to create data science evaluation metrics.
application:datascience_evaluationmetrics:delete	Permission to delete data science evaluation metrics.
application:datascience_evaluationmetrics:read	Permission to read data science evaluation metrics.
application:datascience_evaluationmetrics:update	Permission to update data science evaluation metrics.

Model projects

Name	Description
application:datascience_modelprojects:create	Permission to create data science model projects.
application:datascience_modelprojects:delete	Permission to delete data science model projects.
application:datascience_modelprojects:read	Permission to read data science model projects.
application:datascience_modelprojects:update	Permission to update data science model projects.
application:datascience_modelprojects_evaluations:create	Permission to create data science model evaluations.
application:datascience_modelprojects_evaluations:delete	Permission to delete data science model evaluations.
application:datascience_modelprojects_evaluations:read	Permission to read data science model evaluations.
application:datascience_modelprojects_evaluations:update	Permission to update data science model evaluations.
application:datascience_modelprojects_featureimportance:create	Permission to create feature importance.
application:datascience_modelprojects_featureimportance:delete	Permission to delete feature importance.
application:datascience_modelprojects_featureimportance:read	Permission to read feature importance.
application:datascience_modelprojects_featureimportance:update	Permission to update feature importance.
application:datascience_modelprojects_hyperparam_tuning:create	Permission to create hyperparameter tuning.
application:datascience_modelprojects_hyperparam_tuning:delete	Permission to delete hyperparameter tuning.
application:datascience_modelprojects_hyperparam_tuning:read	Permission to read hyperparameter tuning.
application:datascience_modelprojects_hyperparam_tuning:update	Permission to update hyperparameter tuning.
application:datascience_modelprojects_hyperparam_tuning_eval:create	Permission to create hyperparameter tuning evals.
application:datascience_modelprojects_hyperparam_tuning_eval:delete	Permission to delete hyperparameter tuning evals.
application:datascience_modelprojects_hyperparam_tuning_eval:read	Permission to read hyperparameter tuning evals.
application:datascience_modelprojects_hyperparam_tuning_eval:update	Permission to update hyperparameter tuning evals.
application:datascience_modelprojects_models:create	Permission to create Data Science models.
application:datascience_modelprojects_models:delete	Permission to delete Data Science models.
application:datascience_modelprojects_models:read	Permission to read Data Science models.
application:datascience_modelprojects_models:update	Permission to update Data Science models.
application:datascience_modelprojects_targets:create	Permission to create Data Science targets.
application:datascience_modelprojects_targets:delete	Permission to delete Data Science targets.

Name	Description
application:datascience_modelprojects_targets:read	Permission to read Data Science targets.
application:datascience_modelprojects_targets:update	Permission to update Data Science targets.

Plans

Name	Description
application:datascience_plans:create	Permission to create Data Science Plans.
application:datascience_plans:delete	Permission to delete Data Science Plans.
application:datascience_plans:read	Permission to read Data Science Plans.
application:datascience_plans:run	Permission to run Data Science Plans.
application:datascience_plans:update	Permission to update Data Science Plans.
application:datascience_plans_executions:create	Permission to create Data Science Plan Executions.
application:datascience_plans_executions:delete	Permission to delete Data Science Plans Executions.
application:datascience_plans_executions:read	Permission to read Data Science Plans Executions.
application:datascience_plans_executions:update	Permission to update Data Science Plans Executions.

Rules projects

Name	Description
application:datascience_rulesprojects:create	Permission to create data science rules projects.
application:datascience_rulesprojects:delete	Permission to delete data science rules projects.
application:datascience_rulesprojects:read	Permission to read data science rules projects.
application:datascience_rulesprojects:self-service-publish	Permission to publish self-service rules.
application:datascience_rulesprojects:update	Permission to update data science rules projects.
application:datascience_rulesprojects_environments:create	Permission to create data science rules project evaluations.
application:datascience_rulesprojects_environments:delete	Permission to delete data science rules project evaluations.
application:datascience_rulesprojects_environments:read	Permission to read data science rules project evaluations.
application:datascience_rulesprojects_environments:update	Permission to update data science rules project evaluations.
application:datascience_rulesprojects_evaluations:create	Permission to create data science rules project evaluations.
application:datascience_rulesprojects_evaluations:delete	Permission to delete data science rules project evaluations.
application:datascience_rulesprojects_evaluations:read	Permission to read data science rules project evaluations.
application:datascience_rulesprojects_evaluations:update	Permission to update data science rules project evaluations.
application:datascience_rulesprojects_rules:create	Permission to create Data Science Rules that are not based from templates.

Name	Description
<code>application:datascience_rulesprojects_rules:create:fromAst</code>	Permission to create self-service rules.
<code>application:datascience_rulesprojects_rules:create:fromTemplate</code>	Permission to create data science rules from templates.
<code>application:datascience_rulesprojects_rules:delete</code>	Permission to delete data science rules.
<code>application:datascience_rulesprojects_rules:read</code>	Permission to read data science rules.
<code>application:datascience_rulesprojects_rules:update</code>	Permission to update data science rules that are not based on templates.
<code>application:datascience_rulesprojects_rules:update:fromAst</code>	Permission to update self-service rules.
<code>application:datascience_rulesprojects_rules:update:fromTemplate</code>	Permission to update data science rules from templates.
<code>application:datascience_rulesprojects_snapshots:create</code>	Permission to create data science rules project snapshots.
<code>application:datascience_rulesprojects_snapshots:delete</code>	Permission to delete data science rules project snapshots.
<code>application:datascience_rulesprojects_snapshots:read</code>	Permission to read data science rules project snapshots.
<code>application:datascience_rulesprojects_snapshots:update</code>	Permission to update data science rules project snapshots.
<code>application:datascience_rulesprojects_templates:create</code>	Permission to create data science rules project templates.
<code>application:datascience_rulesprojects_templates:delete</code>	Permission to delete data science rules project templates.
<code>application:datascience_rulesprojects_templates:read</code>	Permission to read data science rules project templates.
<code>application:datascience_rulesprojects_templates:update</code>	Permission to update data science rules project templates.
<code>application:ssr_audit:privilegedView</code>	Permission to read Self-Service Rules Audit entries in privileged views – for instance, retrieving the audit respective to all Rules present in a given application.
<code>application:ssr_audit:read</code>	Permission to read self-service rule audit entries.
<code>application:ssr_test:read</code>	Permission to read self-service rule test results.
<code>application:ssr_test:run</code>	Permission to run self-service rule tests.
<code>application:ssr_test:update</code>	Permission to update self-service rule test results.

Schemas

Name	Description
<code>application:datascience_schemas:create</code>	Permission to create Data Science Schemas.
<code>application:datascience_schemas:delete</code>	Permission to delete Data Science Schemas.
<code>application:datascience_schemas:read</code>	Permission to read Data Science Schemas.
<code>application:datascience_schemas:update</code>	Permission to update Data Science Schemas.

Tags

Name	Description
application:datascience_tag_groups:create	Permission to create Data Science Tag Groups.
application:datascience_tag_groups:delete	Permission to delete Data Science Tag Groups.
application:datascience_tag_groups:read	Permission to read Data Science Tag Groups.
application:datascience_tag_groups:update	Permission to update Data Science Tag Groups.
application:datascience_tag_types:create	Permission to create Data Science Tag Types.
application:datascience_tag_types:delete	Permission to delete Data Science Tag Types.
application:datascience_tag_types:read	Permission to read Data Science Tag Types.
application:datascience_tag_types:update	Permission to update Data Science Tag Types.

White-box explanations

Name	Description
application:datascience_white_box_explanations:create	Permission to create White Box Explanation configuration.
application:datascience_white_box_explanations:delete	Permission to delete White Box Explanation configuration.
application:datascience_white_box_explanations:read	Permission to read White Box Explanation configuration.
application:datascience_white_box_explanations:update	Permission to update White Box Explanation configuration.

JupyterLab

Name	Description
userid:management	Permission to access and restart the JupyterLab process.

Sandbox evaluations

Name	Description
application:sandbox_evaluations:create	Permission to create sandbox evaluations.
application:sandbox_evaluations:delete	Permission to delete sandbox evaluations.
application:sandbox_evaluations:read	Permission to read sandbox evaluations.
application:sandbox_evaluations:update	Permission to update sandbox evaluations.

Custom services

Name	Description
application:dependencies:create	Permission to create new custom services.
application:dependencies:delete	Permission to delete custom services.
application:dependencies:read	Permission to read custom services.
application:dependencies:update	Permission to update custom services.

History

Name	Description
<code>application:history:global:read</code>	Permission to read history log application-wide.
<code>application:history:global:revert</code>	Permission to revert changes application-wide.
<code>application:history:resource:read</code>	Permission to read history log of a single resource.
<code>application:history:resource:revert</code>	Permission to revert changes to a single resource.

Data-processing jobs

Name	Description
<code>application:jobexecutions:abort</code>	Permission to abort job executions.
<code>application:jobexecutions:create</code>	Permission to create new job executions.
<code>application:jobexecutions:delete</code>	Permission to delete job executions.
<code>application:jobexecutions:read</code>	Permission to read job executions.
<code>application:jobexecutions:start</code>	Permission to start job executions.
<code>application:jobexecutions:update</code>	Permission to update job executions.
<code>application:job_profiles:create</code>	Permission to create job profiles.
<code>application:job_profiles:delete</code>	Permission to delete job profiles.
<code>application:job_profiles:read</code>	Permission to read job profiles.
<code>application:job_profiles:update</code>	Permission to update job profiles.

Managed lists

Name	Description
<code>application:managedlists:create</code>	Permission to create managed lists.
<code>application:managedlists:delete</code>	Permission to delete managed lists.
<code>application:managedlists:read</code>	Permission to read managed lists.
<code>application:managedlists:update</code>	Permission to update managed lists.
<code>application:managedlistitems:create</code>	Permission to create managed list items.
<code>application:managedlistitems:delete</code>	Permission to delete managed list items.
<code>application:managedlistitems:read</code>	Permission to read managed list items.
<code>application:managedlistitems:update</code>	Permission to update managed list items.
<code>application:managedlistitems:decrypt</code>	Permission to download encrypted values of managed list items in plain text format. The plain text download needs to be enabled using the <i>pulse.global.lists.allowListDownloadInPlainText</i> property.
<code>application:managedlistitems:revision:create</code>	Permission to create pending changes to managed list items. These are edits that another user must review (and approve) before they are applied to the list.

Name	Description
application:manage dlistitems:revision :update	Permission to mark pending changes to list items as accepted or rejected. Accepted revisions are applied as definitive edits to the list.
application:manage dlistitems:revision :read	Permission to read pending changes to managed list items.

Outcome combinators

Name	Description
application:outcome_combinators:create	Permission to create new outcome combinators.
application:outcome_combinators:delete	Permission to delete outcome combinators.
application:outcome_combinators:read	Permission to read outcome combinators.
application:outcome_combinators:update	Permission to update outcome combinators.

Workflows

Name	Description
application:rte_workflows:create	Permission to create new workflows.
application:rte_workflows:delete	Permission to delete workflows.
application:rte_workflows:read	Permission to read workflows.
application:rte_workflows:update	Permission to update every parameter in a workflow.
application:rte_workflows:update:schema	Permission to update a workflow's schema.
application:rte_workflows:update:name	Permission to update a workflow's name and description.
application:rte_workflows:update:outcomes	Permission to update workflow outcomes.
application:rte_workflows:update:outcomecombinator	Permission to update a workflow's outcome combinator.
application:rte_workflows:update:services	Permission to update workflow services.
application:rte_workflows:update:advancedconfigs	Permission to update a workflow's advanced configurations.

User interface

Name	Description
pulseviews:login	Permission to log in in pulseviews.
pulseviews:management:tabs:*	Permission to allow users to access all pulseviews tabs.
pulseviews:management:tabs:dataconfiguration	Permission to allow users to access pulseviews' data configuration tab.
pulseviews:management:tabs:workflows	Permission to allow users to access pulseviews' workflows tab.
pulseviews:management:tabs:lists	Permission to allow users to access pulseviews' fraud managed lists tab.
pulseviews:management:tabs:jobs	Permission to allow users to access pulseviews' jobs tab.
pulseviews:management:tabs:history	Permission to allow users to access pulseviews' history tab.

User managementâ

Auditâ

Name	Description
security:audit:read	Permission to read audit logs.

Ownershipâ

Name	Description
security:ownership:read	Permission to read group hierarchy.
security:ownership:update	Permission to update group hierarchy.

Permissionsâ

Name	Description
security:permissions:create	Permission to create new permissions.
security:permissions:delete	Permission to delete permissions.
security:permissions:read	Permission to read permissions.
security:permissions:update	Permission to update permissions.

Rolesâ

Name	Description
security:roles:create	Permission to create new roles.
security:roles:delete	Permission to delete roles.
security:roles:read	Permission to read roles.
security:roles:update	Permission to update roles.

Tenantsâ

Name	Description
security:tenants:create	Permission to create tenants.
security:tenants:delete	Permission to delete tenants.
security:tenants:read	Permission to read tenants.
security:tenants:update	Permission to update tenants.

Usersâ

Name	Description
security:users:create	Permission to create new users.
security:users:delete	Permission to delete users.
security:users:expirepassword	Permission to expire users' passwords.
security:users:read	Permission to read users.
security:users:update	Permission to update users.