```
!DOCTYPE html>

<html lang="en">

<head>

   <meta charset="UTF-8">

   <meta name="viewport" content="width=device-width, initial-scale=1.0">

   <title>LuxeEstates | Find Your Dream Home</title>

   <!-- Tailwind CSS -->

   <script src="https://cdn.tailwindcss.com"></script>

   <!-- Font Awesome for Icons -->

   <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">

   <!-- Google Fonts -->

   <link
href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display
=swap" rel="stylesheet">


   <script>

      tailwind.config = {

         theme: {

            extend: {

               fontFamily: {

                  sans: ['Inter', 'sans-serif'],

               },

               colors: {

                  brand: {

                     50: '#f0f9ff',

                     100: '#e0f2fe',

                     500: '#0ea5e9',

                     600: '#0284c7',
```

```
                    900: '#0c4a6e',
                }
            }
        }
    }
</script>
<style>
    /* Custom scrollbar for table overflow */
    .table-container::-webkit-scrollbar {
        height: 8px;
    }
    .table-container::-webkit-scrollbar-track {
        background: #f1f1f1;
        border-radius: 4px;
    }
    .table-container::-webkit-scrollbar-thumb {
        background: #cbd5e1;
        border-radius: 4px;
    }
    .table-container::-webkit-scrollbar-thumb:hover {
        background: #94a3b8;
    }
    .hero-bg {
        background: linear-gradient(rgba(12, 74, 110, 0.7), rgba(12, 74, 110, 0.7)),
url('https://images.unsplash.com/photo-1600596542815-ffad4c1539a9?ixlib=rb-
4.0.3&auto=format&fit=crop&w=2000&q=80') center/cover;
    }
</style>
```

```
</head>
<body class="bg-gray-50 text-gray-800 font-sans antialiased flex flex-col min-h-screen">

  <!-- Navigation -->
  <nav class="bg-white shadow-sm sticky top-0 z-50">
    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
      <div class="flex justify-between h-16 items-center">
        <div class="flex items-center gap-2 cursor-pointer">
          <i class="fa-solid fa-house-chimney text-brand-600 text-2xl"></i>
          <span class="font-bold text-xl tracking-tight text-brand-900">LuxeEstates</span>
        </div>
        <div class="hidden md:flex space-x-8">
          <a href="#" class="text-brand-600 font-medium border-b-2 border-brand-600 px-1 py-5">Home</a>
          <a href="#" class="text-gray-500 hover:text-brand-600 font-medium px-1 py-5 transition-colors">Buy</a>
          <a href="#" class="text-gray-500 hover:text-brand-600 font-medium px-1 py-5 transition-colors">Rent</a>
          <a href="#" class="text-gray-500 hover:text-brand-600 font-medium px-1 py-5 transition-colors">Agents</a>
        </div>
        <div class="hidden md:flex items-center">
          <button class="bg-brand-600 hover:bg-brand-700 text-white px-5 py-2.5 rounded-lg font-medium transition-colors shadow-sm">
            List Property
          </button>
        </div>
        <!-- Mobile menu button -->
        <div class="md:hidden flex items-center">
```

```
            <button class="text-gray-500 hover:text-gray-700 focus:outline-none">
              <i class="fa-solid fa-bars text-2xl"></i>
            </button>
          </div>
        </div>
      </div>
    </nav>

    <!-- Hero Section -->
    <div class="hero-bg py-20 lg:py-32 relative text-white text-center px-4">
      <h1 class="text-4xl md:text-5xl lg:text-6xl font-bold mb-6 drop-shadow-md">Find Your Perfect Place</h1>
      <p class="text-lg md:text-xl mb-10 max-w-2xl mx-auto text-brand-50 drop-shadow">Discover a wide range of properties tailored to your lifestyle. Search houses, apartments, and rentals in top locations.</p>

      <!-- Search & Filter Bar (Hero) -->
      <div class="max-w-4xl mx-auto bg-white rounded-xl shadow-2xl p-2 flex flex-col md:flex-row gap-2 relative z-10">
        <div class="flex-1 flex items-center bg-gray-50 rounded-lg px-4 py-3 border border-gray-200">
          <i class="fa-solid fa-location-dot text-gray-400 mr-3"></i>
          <input type="text" id="searchInput" placeholder="Enter city, neighborhood, or address..." class="bg-transparent w-full focus:outline-none text-gray-700 placeholder-gray-400">
        </div>
        <div class="flex flex-col sm:flex-row gap-2">
          <select id="statusFilter" class="bg-gray-50 border border-gray-200 text-gray-700 rounded-lg px-4 py-3 focus:outline-none focus:ring-2 focus:ring-brand-500 cursor-pointer">
            <option value="all">Any Status</option>
```

```
            <option value="sale">For Sale</option>
            <option value="rent">For Rent</option>
          </select>
          <select id="typeFilter" class="bg-gray-50 border border-gray-200 text-gray-700 rounded-lg px-4 py-3 focus:outline-none focus:ring-2 focus:ring-brand-500 cursor-pointer">
            <option value="all">Property Type</option>
            <option value="house">House</option>
            <option value="apartment">Apartment</option>
            <option value="condo">Condo</option>
          </select>
          <button onclick="applyFilters()" class="bg-brand-600 hover:bg-brand-700 text-white px-8 py-3 rounded-lg font-semibold transition-colors flex items-center justify-center gap-2">
            <i class="fa-solid fa-magnifying-glass"></i> Search
          </button>
        </div>
      </div>
    </div>

    <!-- Main Content Area -->
    <main class="flex-grow max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-12 w-full">

      <!-- Controls & Meta -->
      <div class="flex flex-col sm:flex-row justify-between items-center mb-8 gap-4">
        <div>
          <h2 class="text-2xl font-bold text-gray-800" id="resultsCount">Showing all properties</h2>
          <p class="text-gray-500 text-sm mt-1">Use filters above to narrow your search</p>
        </div>
```

```
        <!-- View Toggles -->
        <div class="flex bg-gray-200 rounded-lg p-1">
          <button id="btnGrid" onclick="setViewMode('grid')" class="flex items-center gap-2 px-4 py-2 rounded-md bg-white shadow-sm text-brand-600 font-medium transition-all">
            <i class="fa-solid fa-grip"></i> Grid
          </button>
          <button id="btnTable" onclick="setViewMode('table')" class="flex items-center gap-2 px-4 py-2 rounded-md text-gray-500 hover:text-gray-700 font-medium transition-all">
            <i class="fa-solid fa-list-ul"></i> Compare
          </button>
        </div>
      </div>

      <!-- Property Container (Dynamic) -->
      <div id="propertyContainer" class="transition-opacity duration-300">
        <!-- Content will be injected by JavaScript -->
      </div>

    </main>

    <!-- Footer -->
    <footer class="bg-gray-900 text-gray-300 py-12 border-t border-gray-800 mt-auto">
      <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 grid grid-cols-1 md:grid-cols-4 gap-8">
        <div class="col-span-1 md:col-span-1">
          <div class="flex items-center gap-2 mb-4">
            <i class="fa-solid fa-house-chimney text-brand-500 text-2xl"></i>
            <span class="font-bold text-xl tracking-tight text-white">LuxeEstates</span>
```

```
        </div>
        <p class="text-sm text-gray-400 leading-relaxed">
          Your premier destination for finding the perfect home, investment property, or rental.
        </p>
      </div>
      <div>
        <h4 class="text-white font-semibold mb-4">Quick Links</h4>
        <ul class="space-y-2 text-sm">
          <li><a href="#" class="hover:text-brand-400 transition-colors">Properties for Sale</a></li>
          <li><a href="#" class="hover:text-brand-400 transition-colors">Properties for Rent</a></li>
          <li><a href="#" class="hover:text-brand-400 transition-colors">Find an Agent</a></li>
        </ul>
      </div>
      <div>
        <h4 class="text-white font-semibold mb-4">Legal</h4>
        <ul class="space-y-2 text-sm">
          <li><a href="#" class="hover:text-brand-400 transition-colors">Privacy Policy</a></li>
          <li><a href="#" class="hover:text-brand-400 transition-colors">Terms of Service</a></li>
        </ul>
      </div>
      <div>
        <h4 class="text-white font-semibold mb-4">Connect</h4>
        <div class="flex space-x-4">
```

```
                <a href="#" class="text-gray-400 hover:text-white transition-colors text-xl"><i class="fa-brands fa-facebook"></i></a>
                <a href="#" class="text-gray-400 hover:text-white transition-colors text-xl"><i class="fa-brands fa-twitter"></i></a>
                <a href="#" class="text-gray-400 hover:text-white transition-colors text-xl"><i class="fa-brands fa-instagram"></i></a>
            </div>
          </div>
        </div>
        <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 mt-12 pt-8 border-t border-gray-800 text-sm text-center text-gray-500">
          &copy; 2026 LuxeEstates. All rights reserved.
        </div>
    </footer>

    <!-- Application Logic -->
    <script>
        // --- Mock Data ---
        const properties = [
            {
                id: 1,
                title: "Modern Minimalist Villa",
                type: "house",
                status: "sale",
                price: 1250000,
                location: "Beverly Hills, CA",
                beds: 4,
                baths: 3.5,
                sqft: 3200,
```

```
    amenities: ["Pool", "Smart Home", "Garage"],
    image: "https://placehold.co/600x400/0f172a/ffffff?text=Minimalist+Villa"
  },
  {
    id: 2,
    title: "Downtown Luxury Loft",
    type: "apartment",
    status: "rent",
    price: 3500, // per month
    location: "Manhattan, NY",
    beds: 2,
    baths: 2,
    sqft: 1450,
    amenities: ["Gym", "Doorman", "City View"],
    image: "https://placehold.co/600x400/334155/ffffff?text=Luxury+Loft"
  },
  {
    id: 3,
    title: "Suburban Family Home",
    type: "house",
    status: "sale",
    price: 650000,
    location: "Austin, TX",
    beds: 5,
    baths: 3,
    sqft: 2800,
    amenities: ["Backyard", "Fireplace", "Basement"],
    image: "https://placehold.co/600x400/475569/ffffff?text=Family+Home"
```

```
},
{
  id: 4,
  title: "Seaside Condo",
  type: "condo",
  status: "sale",
  price: 890000,
  location: "Miami, FL",
  beds: 3,
  baths: 2,
  sqft: 1800,
  amenities: ["Beach Access", "Balcony", "Pool"],
  image: "https://placehold.co/600x400/0ea5e9/ffffff?text=Seaside+Condo"
},
{
  id: 5,
  title: "Cozy Studio Apartment",
  type: "apartment",
  status: "rent",
  price: 1800, // per month
  location: "Seattle, WA",
  beds: 1,
  baths: 1,
  sqft: 650,
  amenities: ["In-unit Washer", "Pet Friendly"],
  image: "https://placehold.co/600x400/64748b/ffffff?text=Studio+Apt"
},
{
```

```
            id: 6,
            title: "Historic Townhouse",
            type: "house",
            status: "sale",
            price: 1450000,
            location: "Boston, MA",
            beds: 4,
            baths: 4,
            sqft: 3500,
            amenities: ["Roof Deck", "Wine Cellar", "Original Details"],
            image: "https://placehold.co/600x400/0c4a6e/ffffff?text=Historic+Townhouse"
        }
    ];

    // --- State Management ---
    let filteredProperties = [...properties];
    let currentViewMode = 'grid'; // 'grid' or 'table'

    // --- Utility Functions ---
    const formatCurrency = (value, status) => {
        const formatted = new Intl.NumberFormat('en-US', { style: 'currency', currency: 'USD', maximumFractionDigits: 0 }).format(value);
        return status === 'rent' ? `${formatted} <span class="text-sm font-normal text-gray-500">/mo</span>` : formatted;
    };

    const capitalize = (str) => str.charAt(0).toUpperCase() + str.slice(1);

    // --- Rendering Logic ---
```

```
// Render Grid View (Cards)
const renderGrid = (data) => {
    if (data.length === 0) return `<div class="col-span-full text-center py-12 text-gray-500">No properties found matching your criteria.</div>`;

    let html = '<div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">';
    data.forEach(prop => {
        const statusColor = prop.status === 'sale' ? 'bg-brand-100 text-brand-800 border-brand-200' : 'bg-emerald-100 text-emerald-800 border-emerald-200';
        const statusText = prop.status === 'sale' ? 'For Sale' : 'For Rent';

        html += `
        <div class="bg-white rounded-2xl shadow-sm border border-gray-100 overflow-hidden hover:shadow-xl transition-all duration-300 group cursor-pointer flex flex-col">
            <div class="relative overflow-hidden h-56">
                <img src="${prop.image}" alt="${prop.title}" class="w-full h-full object-cover group-hover:scale-105 transition-transform duration-500">
                <div class="absolute top-4 left-4">
                    <span class="px-3 py-1 text-xs font-bold uppercase tracking-wider rounded-full border shadow-sm ${statusColor}">${statusText}</span>
                </div>
                <div class="absolute bottom-4 right-4 bg-white/90 backdrop-blur text-gray-900 px-3 py-1 rounded-lg font-semibold shadow text-sm flex items-center gap-1">
                    <i class="fa-solid fa-camera text-gray-500"></i> 12
                </div>
            </div>
            <div class="p-6 flex-grow flex flex-col">
                <div class="text-2xl font-bold text-gray-900 mb-2">${formatCurrency(prop.price, prop.status)}</div>
```

```
            <h3 class="text-lg font-semibold text-gray-800 mb-1
truncate">${prop.title}</h3>

            <p class="text-gray-500 text-sm mb-4 flex items-center gap-1"><i class="fa-
solid fa-location-dot"></i> ${prop.location}</p>


            <div class="grid grid-cols-3 gap-2 border-t border-b border-gray-100 py-4 mb-4
text-center">
              <div class="flex flex-col items-center">
                <i class="fa-solid fa-bed text-brand-500 mb-1"></i>
                <span class="text-sm font-semibold text-gray-700">${prop.beds}
Beds</span>
              </div>
              <div class="flex flex-col items-center border-l border-r border-gray-100">
                <i class="fa-solid fa-bath text-brand-500 mb-1"></i>
                <span class="text-sm font-semibold text-gray-700">${prop.baths}
Baths</span>
              </div>
              <div class="flex flex-col items-center">
                <i class="fa-solid fa-ruler-combined text-brand-500 mb-1"></i>
                <span class="text-sm font-semibold text-gray-700">${prop.sqft}
sqft</span>
              </div>
            </div>


            <div class="mt-auto pt-2">
              <div class="flex flex-wrap gap-2">
                ${prop.amenities.slice(0,2).map(a => `<span class="bg-gray-100 text-gray-
600 text-xs px-2 py-1 rounded-md">${a}</span>`).join('')}
                ${prop.amenities.length > 2 ? `<span class="bg-gray-100 text-gray-600
text-xs px-2 py-1 rounded-md">+${prop.amenities.length - 2}</span>` : ''}
```

```
                    </div>
                </div>
            </div>
        </div>
        `;
    });
    html += '</div>';
    return html;
};

// Render Table View (Comparison)
const renderTable = (data) => {
    if (data.length === 0) return `<div class="text-center py-12 text-gray-500">No properties found matching your criteria.</div>`;

    let html = `
    <div class="bg-white rounded-xl shadow-sm border border-gray-200 overflow-hidden table-container overflow-x-auto">
        <table class="min-w-full divide-y divide-gray-200">
            <thead class="bg-gray-50">
                <tr>
                    <th scope="col" class="px-6 py-4 text-left text-xs font-semibold text-gray-500 uppercase tracking-wider">Property</th>
                    <th scope="col" class="px-6 py-4 text-left text-xs font-semibold text-gray-500 uppercase tracking-wider">Status & Type</th>
                    <th scope="col" class="px-6 py-4 text-left text-xs font-semibold text-gray-500 uppercase tracking-wider">Price</th>
                    <th scope="col" class="px-6 py-4 text-left text-xs font-semibold text-gray-500 uppercase tracking-wider">Specs (B/B/Sqft)</th>
```

```
                    <th scope="col" class="px-6 py-4 text-left text-xs font-semibold text-gray-500 uppercase tracking-wider">Key Amenities</th>
                    <th scope="col" class="px-6 py-4 text-right text-xs font-semibold text-gray-500 uppercase tracking-wider">Action</th>
                  </tr>
                </thead>
                <tbody class="bg-white divide-y divide-gray-200">
            `;

            data.forEach(prop => {
                const statusBadge = prop.status === 'sale'
                    ? `<span class="inline-flex items-center px-2.5 py-0.5 rounded-full text-xs font-medium bg-brand-100 text-brand-800">For Sale</span>`
                    : `<span class="inline-flex items-center px-2.5 py-0.5 rounded-full text-xs font-medium bg-emerald-100 text-emerald-800">For Rent</span>`;

                html += `
                    <tr class="hover:bg-gray-50 transition-colors">
                      <td class="px-6 py-4 whitespace-nowrap">
                        <div class="flex items-center">
                          <div class="flex-shrink-0 h-12 w-16">
                            <img class="h-12 w-16 rounded object-cover" src="${prop.image}" alt="">
                          </div>
                          <div class="ml-4">
                            <div class="text-sm font-medium text-gray-900">${prop.title}</div>
                            <div class="text-sm text-gray-500">${prop.location}</div>
                          </div>
                        </div>
```

```
                </td>
                <td class="px-6 py-4 whitespace-nowrap">
                  <div class="flex flex-col items-start gap-1">
                    ${statusBadge}
                    <span class="text-xs text-gray-500 capitalize">${prop.type}</span>
                  </div>
                </td>
                <td class="px-6 py-4 whitespace-nowrap">
                  <div class="text-sm font-bold text-gray-900">${formatCurrency(prop.price, prop.status)}</div>
                </td>
                <td class="px-6 py-4 whitespace-nowrap text-sm text-gray-500">
                  ${prop.beds} <i class="fas fa-bed mr-1"></i> / ${prop.baths} <i class="fas fa-bath mr-1"></i> / ${prop.sqft} sqft
                </td>
                <td class="px-6 py-4 text-sm text-gray-500 max-w-xs truncate">
                  ${prop.amenities.join(', ')}
                </td>
                <td class="px-6 py-4 whitespace-nowrap text-right text-sm font-medium">
                  <a href="#" class="text-brand-600 hover:text-brand-900 bg-brand-50 hover:bg-brand-100 px-3 py-2 rounded transition-colors">Details</a>
                </td>
              </tr>
            `;
        });

        html += `
            </tbody>
          </table>
```

```
        </div>
        `;
        return html;
    };

    // Main Render Function
    const render = () => {
        const container = document.getElementById('propertyContainer');
        const countLabel = document.getElementById('resultsCount');

        // Add subtle fade effect
        container.style.opacity = '0.5';

        setTimeout(() => {
            if (currentViewMode === 'grid') {
                container.innerHTML = renderGrid(filteredProperties);
            } else {
                container.innerHTML = renderTable(filteredProperties);
            }

            // Update header text
            countLabel.innerHTML = `Showing <span class="text-brand-
600">${filteredProperties.length}</span> properties`;

            container.style.opacity = '1';
        }, 150);
    };
```

```
// --- Interaction Logic ---

// Toggle View Mode
window.setViewMode = (mode) => {
    currentViewMode = mode;

    const btnGrid = document.getElementById('btnGrid');
    const btnTable = document.getElementById('btnTable');

    // Reset styles
    btnGrid.className = "flex items-center gap-2 px-4 py-2 rounded-md text-gray-500 hover:text-gray-700 font-medium transition-all cursor-pointer";
    btnTable.className = "flex items-center gap-2 px-4 py-2 rounded-md text-gray-500 hover:text-gray-700 font-medium transition-all cursor-pointer";

    // Apply active styles
    if (mode === 'grid') {
        btnGrid.className = "flex items-center gap-2 px-4 py-2 rounded-md bg-white shadow-sm text-brand-600 font-medium transition-all cursor-pointer";
    } else {
        btnTable.className = "flex items-center gap-2 px-4 py-2 rounded-md bg-white shadow-sm text-brand-600 font-medium transition-all cursor-pointer";
    }

    render();
};

// Apply Search and Filters
window.applyFilters = () => {
```

```
        const searchTerm = document.getElementById('searchInput').value.toLowerCase();
        const statusTerm = document.getElementById('statusFilter').value;
        const typeTerm = document.getElementById('typeFilter').value;

        filteredProperties = properties.filter(prop => {
            // Search match (title or location)
            const matchesSearch = prop.title.toLowerCase().includes(searchTerm) ||
prop.location.toLowerCase().includes(searchTerm);

            // Status match
            const matchesStatus = statusTerm === 'all' || prop.status === statusTerm;

            // Type match
            const matchesType = typeTerm === 'all' || prop.type === typeTerm;

            return matchesSearch && matchesStatus && matchesType;
        });


        render();
    };


    // Initialize App
    document.addEventListener('DOMContentLoaded', () => {
        render();


        // Optional: Listen for Enter key on search input
        document.getElementById('searchInput').addEventListener('keypress', function (e) {
            if (e.key === 'Enter') {
```

```
            applyFilters();
        }
    });
});


</script>
</body>
</html>
```






LuxeEstates
Home
Buy
Rent
Agents
List Property
FOR SALE
Seaside Condo
12
$890,000
Seaside Condo
Miami, FL
3 Beds
2 Baths
1800 sqft
Beach Access
Balcony
+1
FOR RENT
Studio Apt
12
$1,800 /mo
Cozy Studio Apartment
Seattle, WA
1 Beds
1 Baths
650 sqft
In-unit Washer
Pet Friendly
FOR SALE
Historic Townhouse
12
$1,450,000
Historic Townhouse
Boston, MA
4 Beds
4 Baths
3500 sqft
Roof Deck
Wine Cellar
+1
Ask Gemini