

Programming Fundamentals With C



PRACTICAL ASSIGNMENT – 2

Problem 1 - Sky Gazing

A curious boy named **Rohan** loves watching the sky and thinks he can predict the weather just by counting clouds! 

In the **morning**, he counted  **A clouds**, and in the **evening**, he saw  **B clouds**.
He believes it will **rain**  if the number of clouds in the evening is **at least 3 times** the number of clouds in the morning.
Otherwise, the weather will stay **dry** .



Input Format

- Two space-separated integers: **A** (morning clouds) and **B** (evening clouds) 



Output Format

- Print "**Rain**  " if Rohan predicts rain,
otherwise print "**Dry** .

*(Uppercase or lowercase doesn't matter — **rain**, **Rain**, **RAIN** all mean the same!)*



Constraints

$1 \leq A, B \leq 20$



Examples

Input:

3 9

Output:

Rain 🌧️

Explanation:

Rohan saw **3 clouds in the morning** and **9 in the evening**.

Since $9 \geq 3 \times 3$, he predicts **rain** 🌧️!

Input:

4 9

Output:

Dry ☀️

Explanation:

Rohan saw **4 clouds in the morning** and **9 in the evening**.

Since $9 < 3 \times 4 = 12$, he predicts **dry weather** ☀️.

Input:

15 14

Output:

Dry ☀️

Explanation:

Rohan saw **15 clouds in the morning** and **14 in the evening**.

Since $14 < 3 \times 15 = 45$, he predicts **dry skies** ☀️.

Problem 2 - Gym Grind

A fitness enthusiast named **Rohan** follows a strict **progressive bench press routine** at his gym .

In the **1st set**, Rohan lifts **X kilograms**.

For every **next set**, he adds **10 kilograms more** to the barbell .

Your task is to find out how much weight Rohan will lift in the **3rd set**. .

Input Format

- A single integer **X** — the weight (in kilograms) Rohan lifts in his **first set**. .
-

Output Format

- Output one integer — the weight (in kilograms) Rohan will lift in the **third set** .
-

Constraints

$$1 \leq X \leq 100$$

Examples

Input:

10

Output:

30

Explanation:

Rohan lifts **10 kg** in the **1st** set,
20 kg in the **2nd** set,
and **30 kg** in the **3rd** set. 💪🔥

Input:

20

Output:

40

Explanation:

Rohan starts with **20 kg**, adds **10 kg each time**,
so by the **3rd set**, he lifts **40 kg** like a champ 💪🏆.

Problem 3 - Diwali Shopping Spree

Rohan is out shopping for a **Diwali gift** 🎁 worth **Rs. A**.
Luckily, he has a **discount voucher** 🧾 worth **Rs. B**.

He'll use the voucher first — and then pay the **remaining amount** (if any).

But if his **voucher value is greater than or equal** to the gift's price, Rohan gets it **absolutely free!** 😊

Input Format

- Two integers:
A — price of the Diwali gift 🎁
B — value of the discount voucher 🧾

Output Format

- Print the **amount Rohan has to pay** after applying the voucher. 💰

Constraints

$1 \leq A, B \leq 5000$

Examples

Input:

3000 1000

Output:

2000

Explanation:

Gift costs **Rs. 3000**, voucher is worth **Rs. 1000**,
so Rohan pays $3000 - 1000 = \text{Rs. } 2000$ 💰

Input:

1000 5000

Output:

0

Explanation:

Voucher covers the full cost 🎉
Rohan pays **nothing!** 🆓

Problem 4 - Lucky Garden Hunt

Rohan heard that **four-leaf clovers** bring **amazing luck** , so he went out to his **garden** searching for them! 

In total, he found **N clovers**.

Out of these, **only one** was a **rare**  **four-leaf clover**, and the rest were **ordinary three-leaf clovers** .

Can you find out how many **total leaves** Rohan collected from all the clovers combined? 

Input Format

- A single integer **N** — the total number of clovers Rohan found 
-

Output Format

- Print one integer — the **total number of leaves** he collected 
-

Constraints

$$1 \leq N \leq 10$$

Examples

Input:

5

Output:

16

Explanation:

Rohan found **5 clovers** — one with **4 leaves** 🍀 and four with **3 leaves** 🍀.

So total leaves = $4 + 3 \times 4 = 16$ 🌿

Input:

1

Output:

4

Explanation:

Rohan found only **1 clover**, which must be the lucky **four-leaf** one 🍀.

Total = 4 🌿

Input:

10

Output:

31

Explanation:

Among **10 clovers**, one has **4 leaves** 🍀 and nine have **3 leaves** 🍀.

Total leaves = $4 + 3 \times 9 = 31$ 🌿

🎮 Problem 5 - Arcade Game Rewards 🎮 ✨

Rohan is playing his favorite **arcade game** at the mall 🏢.

After every game, the machine gives him **reward points** based on the **level** he completes! 💥

Here's how the rewards work:

Level	Reward Points 🎁
1	10
2	20
3	30
4	40
5	50

If he enters any **other level**, the machine shows “Invalid Level!” 🚫

Your task is to help Rohan find out **how many reward points** he gets based on the level he completes. 🎯



Input Format

- A single integer **L** — the level number that Rohan completed 🎮
-



Output Format

- Print the **reward points** he earns 🎁
 - Or print “Invalid Level!” 🚫 if the level is not between 1 and 5
-



Constraints

$$1 \leq L \leq 10$$



Examples

Input:

3

Output:

30

Explanation:

Rohan completed **level 3**, so he earns **30 points!** 🏆

Input:

6

Output:

Invalid Level! ❌

Explanation:

There are only 5 levels in the game.

Level **6** doesn't exist, so the machine displays an error message ⚠️