

D'Decor Workboard

Complete Management & Operations Guide

Production Reference Manual

Generated: March 29, 2026

■ Live URL	https://nocode.ddecor.com
■ Server	honocode (Ubuntu 24)
■ Stack	React + Node.js + PostgreSQL + Docker
■ Auth	Azure AD SSO + Email/Password
■ Email	monday@ddecor.com (M365 SMTP)
■ Backups	7:00 AM + 7:00 PM IST daily

1. What Was Built — Complete Feature List

■ Infrastructure & Deployment

- Ubuntu 24 server (honocode) at nocode.ddecor.com
- Docker Compose multi-service stack (5 containers)
- Nginx reverse proxy with corporate SSL certificate
- HTTPS enforced — HTTP auto-redirects to HTTPS
- Shared nginx-proxy serving multiple applications
- Auto-restart on server reboot (restart: unless-stopped)
- Production .env with all secrets (never in Git)

■ Authentication & Security

- Azure AD SSO via Microsoft 365 (Sign in with Microsoft)
- Email/Password login as fallback
- JWT authentication with strong secrets
- PostgreSQL locked from public internet (internal only)
- Backend API locked from public internet (internal only)
- Only Nginx proxy faces the internet on ports 80/443

■ Database & Backups

- PostgreSQL 16 with full schema (boards, items, groups, columns etc.)
- Automated backups twice daily: 7:00 AM and 7:00 PM IST
- Backup retention: 7 days auto-cleanup
- Compressed .sql.gz format
- Backup log at /data/workday/backups/backup.log

■ Email System

- Outgoing email via monday@ddecor.com (Microsoft 365 SMTP)
- Task assignment notifications
- Due date reminders (overdue alerts)
- Welcome/invite emails
- Password reset emails
- Professional HTML email templates with D'Decor branding

■ UI/UX Features

- Monday.com exact visual style (Figtree font, exact color palette)
- Collapsible left navigation with localStorage persistence
- Light / Dark / System Default theme switcher
- Status badge single-line with ellipsis truncation
- Person column avatars horizontal layout
- Group name row frozen on horizontal scroll
- Board views system with saved filters
- Advanced filter panel (Column → Condition → Value)
- Mobile responsive layout (Phase 1 complete)
- Subitem feature (nested tasks)
- CSV import with column mapping preview

- CSV export

■ DevOps & Git Workflow

- GitHub repo: github.com/anuptechin/workday (private)
- Production branch: server-specific configs
- Main branch: application code
- One-command deploy script: `/data/workday/deploy.sh`
- Git GC disabled (`gc.auto=0`) to prevent OneDrive conflicts
- Dev environment: `C:\Dev\DdecorMonday` (moved from OneDrive)

2. Server Architecture

Container Stack

Container	Image	Purpose	Ports
workday_db	postgres:16-alpine	PostgreSQL database	Internal only
workday_backend	workday-backend	Node.js API server	Internal only
workday_frontend	workday-frontend	React app (Nginx)	Internal only
workday_nginx	nginx:alpine	Internal reverse proxy	Internal only
workday_certbot	certbot/certbot	SSL renewal	Internal only
nginx_proxy	nginx:alpine	Shared internet proxy	0.0.0.0:80, 443

Traffic Flow

Internet → nginx_proxy (80/443) → workday_nginx → workday_frontend (React) → workday_backend (API /api/*) → workday_db (PostgreSQL) Key: Only nginx_proxy is exposed to the internet. All other containers are internal.

File Structure on Server

```
/data/ ■■■ workday/ ← Main app ■■■ backend/ ← Node.js API ■■■ frontend/ ← React app ■■■ db/ ← SQL schemas ■■■ nginx/conf.d/ ← Nginx config ■■■ nginx/certs/ ← SSL certificates ■■■ backups/ ← DB backups ■■■ .env ← Secrets (never in Git!) ■■■ docker-compose.yml ■■■ backup.sh ← Backup script ■■■ deploy.sh ← Deploy script ■■■ nginx-proxy/ ← Shared proxy ■■■ monday/ ← Other app ■■■ pos-ddecor/ ← Other app
```

3. Daily Operations — Quick Reference

Most Used Commands

Check all containers status	<code>cd /data/workday && docker compose ps</code>
View live logs (all)	<code>cd /data/workday && docker compose logs -f</code>
View backend errors only	<code>docker compose logs backend grep -i error tail -20</code>
View nginx logs	<code>docker compose logs nginx tail -20</code>
Restart entire stack	<code>cd /data/workday && docker compose down && docker compose up -d</code>
Restart single container	<code>cd /data/workday && docker compose restart backend</code>
Check disk space	<code>df -h /data</code>
Check server resources	<code>docker stats --no-stream</code>
Manual DB backup	<code>/data/workday/backup.sh</code>
View backup logs	<code>tail -50 /data/workday/backups/backup.log</code>
List backups	<code>ls -lh /data/workday/backups/*.sql.gz</code>
Check SSL cert expiry	<code>openssl x509 -enddate -noout -in /data/workday/nginx/certs/nocode.ddecor.com.crt</code>
Reload nginx (no downtime)	<code>docker exec workday_nginx nginx -s reload</code>
Reload proxy (no downtime)	<code>docker exec nginx_proxy nginx -s reload</code>

■ ■ Important Notes

- NEVER run docker commands from ~ (home). Always `cd /data/workday` first.
- NEVER edit `docker-compose.yml` or nginx configs from laptop — server versions differ.
- NEVER commit `.env` file to Git — it contains all production secrets.
- Always backup production configs before git pull: `cp docker-compose.yml /tmp/dcp.bak`
- VPN on your laptop can make site appear down — verify from mobile data first.

4. Dev to Production — Deploy Workflow

Step 1 — Develop on Laptop (Claude Code)

Dev environment: C:\Dev\DdecorMonday Run locally: npm run dev (from frontend folder) Test all features before committing

Step 2 — Commit & Push (Laptop)

```
cd C:\Dev\DdecorMonday # Check what changed git status # Stage ONLY code files (never
.env, .claude/, dist/, *.jpg) git add frontend/src/ git add backend/routes/ git add
backend/services/ git add backend/index.js # Commit with descriptive message git commit -m
"Feature: description of what changed" # Push to GitHub git push origin main
```

Step 3 — Deploy on Server (One Command!)

```
# SSH into server ssh deploy@YOUR_SERVER_IP # Run deploy script – does everything
automatically! /data/workday/deploy.sh
```

What deploy.sh Does Automatically

1. Backs up docker-compose.yml and nginx config
2. Runs git pull origin main (gets latest code)
3. Restores production configs (prevents laptop from overwriting server configs)
4. Runs docker compose up -d --build frontend backend (rebuilds only app containers)
5. Starts certbot container
6. Shows docker compose ps (confirms all containers healthy)

Step 4 — Verify Deployment

```
# All containers should show 'Up X seconds' for rebuilt ones docker compose ps # Check for
errors docker compose logs backend --tail=20 # Test in browser # Windows: Ctrl+Shift+R
(hard refresh – clears cache!) # Always test with hard refresh after deployment
```

■■ CRITICAL: Always hard refresh browser after deployment! Windows/Linux: Ctrl + Shift + R Mac: Cmd + Shift + R Or test in Incognito window — always serves fresh code.

Files NEVER to Commit

File/Folder	Reason
backend/.env	Contains DB password, JWT secrets, API keys
nginx/certs/	SSL private key — never in version control
.claude/	Local IDE settings
frontend/dist/	Auto-generated build artifacts
backup.sql / *.sql.gz	Database data
*.jpg / *.png	Binary files not needed in repo

<code>docker-compose.yml</code>	Has server-specific production config
<code>nginx/conf.d/</code>	Has server-specific nginx config

5. Troubleshooting Guide

■ Site not accessible (ERR_CONNECTION_RESET)

Check 1	Are you on VPN? Disconnect and retry from mobile data first!
Check 2	cd /data/nginx-proxy && docker compose ps → nginx_proxy should be Up
Fix	docker restart nginx_proxy
Check 3	docker compose logs nginx_proxy --tail=10 → look for errors

■ Container keeps restarting

Diagnose	docker compose logs CONTAINER_NAME --tail=20
SSL issue	chmod 644 nginx/certs/*.key → key file permissions too strict
Config issue	docker exec nginx_proxy nginx -t → test nginx config
Fix	docker compose down && docker compose up -d

■ New features not showing after deploy

Check 1	Browser cache! Press Ctrl+Shift+R first
Check 2	git log --oneline -3 → same commit on laptop and server?
Check 3	docker compose ps → frontend shows recent Created time?
Fix	docker compose build --no-cache frontend && docker compose up -d frontend

■ Git pull fails with conflicts

Backup	cp docker-compose.yml /tmp/dcp.bak
Fix conflict	cat > .gitignore << 'EOF' ... (paste clean .gitignore)
Complete	git add .gitignore && git commit -m 'Fix: merge conflict'
Then pull	git pull origin main

■ Email not sending (Missing credentials)

Check	docker compose exec backend env grep EMAIL
Issue	Special chars in password (@, !, \$) must be quoted in .env
Fix	EMAIL_PASS='your@P!ssword' → wrap in single quotes
Restart	docker compose down && docker compose up -d

■ Microsoft SSO login fails

Error check	docker compose logs backend grep -i 'microsoft\ oauth'
Common issue	AADSTS7000215 = wrong secret. Copy VALUE not ID from Azure portal
Fix	Update MICROSOFT_CLIENT_SECRET in .env → docker compose restart backend
Other issue	Redirect URI mismatch → check Azure App Registration

■ Vite Permission Denied in Docker build

Error	sh: vite: Permission denied
Cause	Windows filesystem doesn't preserve Linux execute permissions

Fix in Dockerfile	RUN chmod +x node_modules/.bin/vite && node_modules/.bin/vite build
Already fixed	This is already fixed in your Dockerfile

6. Key Learnings & Gotchas

Gotcha	What You Need to Know
Azure AD SSO	Must copy Secret VALUE not Secret ID from Azure portal. They look similar but are completely different things.
SSL cert permissions	.key files with chmod 600 block nginx process. Use chmod 644 for certs inside Docker.
.env special characters	Values containing @, !, \$ must be wrapped in single quotes: EMAIL_PASS='p@ss!'
Docker Compose volumes	Always use absolute paths (/data/workday/...) to avoid working directory resolution issues.
SMTP AUTH on M365	Must be enabled per mailbox via PowerShell: Set-CasMailbox -SmtpClientAuthenticationDisabled \$false
VPN mimics downtime	VPN on your laptop makes site appear down. Always verify from mobile data or another network.
Git from wrong directory	Always run git and docker compose from /data/workday — never from ~ (home).
Browser cache	Always Ctrl+Shift+R after deployment. Old JS cache makes new features appear missing.
docker compose restart vs down+up	restart doesn't apply new volume mounts or env vars. Use down && up -d for config changes.
OneDrive + Git	Never store Git repos in OneDrive. Moved to C:\Dev\DdecorMonday. Also set gc.auto=0.
Production configs in Git	docker-compose.yml and nginx configs are on 'production' branch, not main.
Windows→Docker permissions	npm packages lose execute permissions. Fix: chmod +x node_modules/.bin/vite in Dockerfile.

7. Pending Items & Next Steps

■ High Priority

Remove Gmail IMAP Poller	Logs spamming with IMAP errors. Claude Code prompt already prepared. Remove emailPoller.js and related env vars.
Generate Strong JWT/Session Secrets	Replace REPLACE_WITH_64_CHAR_RANDOM_STRING placeholders with: openssl rand -base64 48
SSL Certificate Renewal	Check expiry: openssl x509 -enddate -noout -in /data/workday/nginx/certs/nocode.ddecor.com.crt. Set calendar reminder 30 days before.

■ Medium Priority

PWA Phase 2 — Install on Mobile	Add manifest.json + vite-plugin-pwa. Users can install app on phone home screen.
Push Notifications	Web Push API for task assignment and due date alerts on mobile.
Daily Director Report	Backend service to email daily task summary to specific users. DB schema + cron already designed.
Uptime Monitoring	Add Uptime Kuma container for downtime alerts via email/Telegram.
Offsite Backups	Copy DB backups to Google Drive or S3 for disaster recovery.

■ Nice to Have

CI/CD Auto-deploy	GitHub Actions to auto-run deploy.sh on every push to main.
Email — Admin UI	Frontend page to configure report recipients and schedules.
Mobile Phase 2+	Further mobile responsiveness improvements beyond Phase 1.
Strong DB Password	Change DB_PASSWORD from Post123G\$ to a generated strong password.

8. Future Features to Match Monday.com

Feature Gap Analysis

Your current platform covers the core Monday.com experience. Here's what can be added to make it a more complete enterprise-grade system:

Feature	Effort	Business Value	Notes
Dashboard widgets & charts	Medium	High	Summary charts across boards
Gantt / Timeline view	High	High	Date-based timeline per item
Kanban view	Medium	High	Drag-drop card view by status
Calendar view	Medium	Medium	Monthly/weekly due date view
Workload view	High	High	See who is overloaded
@Mentions in comments	Low	High	Notify users in comments
File attachments	Medium	High	Upload files to items
Item dependencies	High	Medium	Block items on other items
Recurring tasks	Medium	Medium	Auto-create tasks on schedule
Time tracking	High	Medium	Log hours on tasks
Custom permissions per board	Medium	High	Fine-grained access control
Guest access (external users)	Medium	Medium	Share boards externally
Audit log / activity history	Low	Medium	Already partially built
Bulk actions	Low	High	Select multiple items to update
Column formulas	High	Medium	Calculate values from other cols
Integrations (Teams/Slack)	High	High	Notifications in chat tools
API for external access	Medium	High	REST API for integrations
Mobile native app (React Native)	Very High	Medium	PWA is good enough for now
AI assistant	High	Medium	Claude-powered task suggestions
2FA / MFA	Medium	High	Extra security layer
SSO with Google	Low	Medium	Google OAuth alongside Microsoft
Email-to-task (incoming)	Medium	Medium	Create tasks by sending email
Zapier/Make integration	Medium	High	Connect to 1000s of tools

Recommended Next 3 Features (Quick Wins)

#	Feature	Why	Effort
1	Remove Gmail IMAP	Cleans up noisy logs immediately	30 min
2	PWA Phase 2	Users can install on phone — huge UX improvement	1 hour
3	Uptime Kuma monitoring	Get alerted before users report issues	30 min
4	Director Daily Report	Already designed and coded — just needs frontend UI	2 hours
5	Bulk actions	Select + update multiple items at once	Half day

9. Important Configurations Reference

■■ SECURITY NOTE: This section lists configuration locations, NOT actual values. All actual credentials are stored in `/data/workday/.env` on the server only. Never share or commit actual passwords/secrets.

Configuration	Location	How to Update
All app secrets	<code>/data/workday/.env</code>	<code>nano /data/workday/.env</code> → <code>docker compose down</code> && <code>up</code>
SSL Certificate	<code>/data/workday/nginx/certs/</code>	Replace <code>.crt</code> and <code>.key</code> files → restart nginx
Nginx routing config	<code>/data/workday/nginx/conf.d/workday.conf</code>	Edit file → <code>docker exec workday_nginx nginx -s reload</code>
Shared proxy config	<code>/data/nginx-proxy/conf.d/</code>	Edit file → <code>docker restart nginx_proxy</code>
DB backup schedule	<code>crontab -e (deploy user)</code>	<code>crontab -e</code> → modify the two cron lines
Azure AD SSO	<code>portal.azure.com</code> → App Registrations	Update redirect URIs + secrets in Azure + <code>.env</code>
M365 SMTP auth	Exchange Admin Center	PowerShell: <code>Set-CasMailbox -SmtplibClientAuthenticationDisabled \$false</code>
Docker compose	<code>/data/workday/docker-compose.yml</code>	Edit → <code>docker compose down</code> && <code>up</code> (never git pull overwrite!)

Monthly Maintenance Checklist

Task	How Often	Command/Action
Check SSL cert expiry	Monthly	<code>openssl x509 -enddate -noout -in /data/workday/nginx/certs/nocode.ddecor</code>
Review backup logs	Weekly	<code>tail -50 /data/workday/backups/backup.log</code>
Check disk space	Weekly	<code>df -h /data</code>
Review error logs	Weekly	<code>docker compose logs backend grep -i error</code>
Test backup restore	Monthly	<code>gunzip -c latest.sql.gz head -20</code>
Update Azure app secret	Before expiry	Azure Portal → App Registrations → Certificates & Secrets
Check container health	Daily	<code>/data/workday/deploy.sh (auto-checks)</code>
Review user access	Monthly	Remove users who left D'Decor from Workboard

10. Quick Reference Card — Cut & Keep!

■ Deploy New Feature

```
LAPTOP:
git add frontend/src/ backend/routes/
git commit -m 'Feature: description'
git push origin main

SERVER:
/data/workday/deploy.sh
```

■ Fix Site Down

```
# Check containers
cd /data/workday && docker compose ps

# Check nginx proxy
docker ps | grep nginx
docker restart nginx_proxy

# Check logs
docker compose logs nginx --tail=20
```

■ Fix Email Issues

```
# Check email config
docker compose exec backend env | grep EMAIL

# Fix special char password
EMAIL_PASS='p@ssw0rd!' ← single quotes!

# Test email
curl -k -X POST
https://nocode.ddecor.com/api/email/test
-H 'Content-Type: application/json'
-d '{"to": "you@ddecor.com"}'
```

■ Database Backup

```
# Manual backup now
/data/workday/backup.sh

# List backups
ls -lh /data/workday/backups/

# Restore backup
gunzip -c backup_FILE.sql.gz |
docker exec -i workday_db psql
-U postgres -d workday

# Check cron schedule
crontab -l
```

■ D'Decor Workboard — Built with React + Vite + Node.js + PostgreSQL + Docker Production:
<https://nocode.ddecor.com> | Repo: github.com/anuptechin/workday Server: honocode (/data/workday) | Deploy:
/data/workday/deploy.sh