
meethere ?



style guide

ui | ux

colors



type

Avenir Medium Avenir Oblique Proxima Nova

- > 0.5 icon-height

top & bottom margin > 1.0 icon-width left & right margin







name

- > lowercase
- > uppercase
- > Avenir

- meet
 - Here
- regular **bold**

only



meetRed - #EB5757

meetHere

#FFF

meetHere

#000

markdown

```
> headings
               #
                     ##
                           ###
> italics
                *;*
               **b**
> bold
> ulists
> olists
               " language
> code
> badges
                ![img]
> images
                <img>
```

code

html / markup

```
Element attributes
                                                          <span></span>
<head>
                                 inside "double quotes"
                                                              **text only**
    <!--meta-->
                                 class="hidden"
    <!--favicons-->
                                 class='hidden'
    <!--stylesheets-->
                                                          <div></div>
    <!--scripts-->
                                                              **blocks only**
</head>
                             JavaScript attributes
                                 inside 'single quotes'
                                                          Inline styles
                                 onClick='launch()'
DOM-influencing scripts:
                                                              **Prototyping only**
                                 onClick="launch()"
<body>
                                                          Inline JavaScript
    <script>
                             Indent with tabs / 4 spaces
                                                              **Never**
    </script>
                             Left-align all s
                                                          Link references
</body>
                             < must have child <code>
                                                              local
                                 <div>
                                                                  ./path/app.js
Global styles:
                             <
                                                              outside
<head>
                                 <code></code>
                                                                  //meet.here/app.js
                             . . .
                                                              index
    <style>
                                 </div>
                                                                  /index.html
                                                              404
    </style>
                             Comment block start / ends
                                                                  /404.html
</head>
                             <!--f1-->...<!--f1 END-->
```

css / sass / less

```
Use pyramid bracket schemes:
                             Global frameworks
                                                           Logos & backgrounds
    body {
                                  `molekule.css`/*only*/
                                                                .span {
        margin: 0
                                                                    background: ...
                             Colors
Leave last line naked:
                                  regular
                                                            !important
    html {
                                      #HEX
                                                               display only
        padding: 0;
                                 with alpha
        margin: 0
                                      rgba()
                                                           Cross-browser support
                                                                -webkit-property
Break between blocks:
                             Units
                                                                -mox-property
                                 width >= 800px
                                                                -o-property
                                      px, em, %
    body {
                                 width < 800px
                                                            Pseudo-selectors (only)
                                      vw, vh, %
                                                                :before
                                                                :after
Acceptable selectors:
                              Displays
                                                                :hover
    tag
    .class
                                  block, inline-block
                                                                :active
    :pseudo-selector
                                                                :focus
                                                                :first-of-type
                              Positions
    #id
                                                                :last-of-type
                                  relative
                                                                :first-child
    fattribute
                                 fixed
                                                                :last-child
                                  absolute
```