CLINICAL, MATHEMATICAL & TECHNICAL DEFENSE PLAYBOOK

PolySafe — Comprehensive Master Exam Handbook

Mathematical Formulations, 5-Dimension Safety Logic, Problem-Solution Matrix & 5-Person Role Viva

Deployment: Production Live
Frontend: https://poly-safe.vercel.app
Backend API: https://polysafe-backend.vercel.app
Audit Status: 18/18 Tests Passed (100%)

1. PROBLEM STATEMENT & CLINICAL EPIDEMIOLOGICAL URGENCY

GOLDEN STATISTICS (MEMORIZE FOR JUDGES):
- **Polypharmacy:** Defined as the concurrent use of **≥ 5 medications**. Hyperpolypharmacy is **≥ 10**.
- **Hospital Admissions:** Over **30% of acute emergency admissions** in seniors (≥65 yrs) are caused by **Adverse Drug Events (ADEs)**.
- **Preventability:** Over **50% of ADE hospitalizations are 100% clinically preventable** through real-time cross-regimen screening.

Conventional medication checkers (1mg, WebMD, Practo) rely on *isolated pairwise lookups* ($A + B$), ignoring cumulative multi-drug systemic toxicity. PolySafe addresses the **4 Fatal Systemic Traps**:

FAILURE MODE	UNDERLYING CLINICAL BOTTLENECK	POLYSAFE PRECISION INTERVENTION
1. Specialist Care Fragmentation	Cardiologists, orthopedics, and neurologists prescribe in isolated clinical silos with zero cross-visibility.	**Provider Swimlane Architecture:** Single unified timeline synchronized via ephemeral 6-digit PIN and QR codes.
2. The Prescribing Cascade Trap	A drug side-effect is misdiagnosed as a new pathology, triggering a secondary, harmful prescription.	**Temporal Causal Matcher:** Maps symptom onset dates against 581 validated adverse drug side-effect profiles.
3. Indian Brand Salt Obfuscation	70%+ of Indian retail drugs are Fixed-Dose Combinations (FDCs) with trade names concealing multiple chemical salts.	**5-Layer Salt Resolver:** Decomposes trade brands into active constituents (e.g. *Combiflam* → Ibuprofen + Paracetamol).
4. Herbal & Dietary Blind Spots	Patients withhold supplement history; natural botanicals cause lethal enzyme inhibition or hemorrhage.	**526-Monograph Botanical Matrix:** Intersects herbal compounds (Ashwagandha, Ginkgo, Turmeric) with anticoagulants.

2. MATHEMATICAL FORMULATIONS & DETERMINISTIC SCORING ALGORITHMS

CORE ARCHITECTURAL AXIOM: In clinical safety, **deterministic mathematics must always supersede generative heuristics**. All numerical risk tiers, gauges, and safety banners are calculated strictly by pharmacokinetic/pharmacodynamic equations, validated odds ratios, and deterministic graph traversals.

2.1 Regimen Cumulative Risk Index Formula (WHO / NCI 5-Tier Model)

Let $\mathcal{M} = \{m_1, m_2, \dots, m_N\}$ be the set of N active medications in the patient's regimen. Each drug m_i is mapped to an inherent harm tier $h_i = \text{HarmLevel}(m_i) \in \{1, 2, 3, 4, 5\}$:

1. Regimen Mean Toxicity: $\mu_{risk} = (1 / N) \sum_{i=1..N} h_i$
2. Inherent Worst-Case Toxicity: $h_{max} = \max_{1 \le i \le N} (h_i)$
3. Major Flag Count: $F_{major} = |\{ f \in \mathcal{F} \mid \text{Severity}(f) \in \{\text{MAJOR, CONTRAINDICATED}\} \}|$

The final unified regimen risk tier $\mathcal{L}_{\text{regimen}} \in \{1, 2, 3, 4, 5\}$ is evaluated through a clinical prioritization decision tree:

Decision Tree:
- **Level 5 (CRITICAL):** If $h_{max} = 5$ OR $F_{active} \ge 3$
- **Level 4 (HIGH):** Else if $\mu_{risk} \ge 3.5$ OR $F_{major} \ge 1$

- **Level 3 (MODERATE):** Else if $\mu_{risk} \geq 2.5$
- **Level 2 (MILD):** Else if $\mu_{risk} \geq 1.5$
- **Level 1 (LOW):** Otherwise ($\mu_{risk} < 1.5$)

CLINICAL REASONING: If a patient takes even a single Level 5 critical narrow-therapeutic-index drug (e.g. *Warfarin* or *Digoxin*), $h_{\max} = 5$ forces the regimen into **Level 5 (Critical)** immediately. Harmless multivitamins cannot dilute acute organ-failure liabilities.

2.2 Anticholinergic Cognitive Burden (ACB) Summation & Risk Stratification

Anticholinergic medications competitively block muscarinic acetylcholine receptors ($M_1 - M_5$). In geriatric patients, diminished central cholinergic reserve transforms mild drug burdens into acute delirium, falls, and dementia.

Cumulative Cognitive Burden: $\text{TotalACB} = \sum_{i=1..N} \text{Score}(m_i)$

where each drug score is assigned from the validated Boustani Scale: $\text{Score}(m_i) \in \{0, 1, 2, 3\}$.

TOTAL ACB SCORE	CLINICAL STRATIFICATION	PHARMACODYNAMIC IMPACT ON GERIATRIC COHORT
0	**None (Normal)**	No demonstrable central muscarinic blockade; baseline cognitive integrity preserved.
1 – 2	**Moderate Burden**	Mild psychomotor slowing, daytime drowsiness; requires vigilance in ambulation.
≥ 3	**CRITICAL BURDEN**	**Triples the risk of delirium, hallucinations, memory decline, and fall-related fractures.**

2.3 DDInter Pairwise Severity Weighting & Matrix Traversal

Given N active medications, the system evaluates all combination pairs $\binom{N}{2} = \frac{N(N-1)}{2}$ across 222,383 verified clinical pairs. Each pair is ranked by numerical severity weight W_k:

Weight Scale: $W_{\text{Contraindicated}} = 4 > W_{\text{Major}} = 3 > W_{\text{Moderate}} = 2 > W_{\text{Minor}} = 1$

2.4 Duplicate Active Ingredient Toxicity & Safe Ceiling Limits

When multiple Fixed-Dose Combinations share an identical chemical salt S_k, cumulative daily dosage is calculated across all sources:

$$\text{Dose}_{\text{cumulative}}(S_k) = \sum_{i \in \text{Products}} \text{Dose}(m_i, S_k) \times \text{DailyFrequency}(m_i)$$

Alert Trigger: $\text{Dose}_{\text{cumulative}}(S_k) > \text{CeilingLimit}(S_k)$

Example: Paracetamol ceiling is `4,000 mg/day` (2,000 mg in hepatic impairment). Taking *Combiflam* (325mg × 3) + *Calpol 650* (650mg × 4) = `3,575 mg`, approaching hepatic saturation.

2.5 Prescribing Cascade Directed Graph Traversal

A prescribing cascade is modeled as a directed temporal graph $G = (V, E)$, where $V = \text{Drugs} \cup \text{Symptoms}$:

Cascade Condition: $(m_A \rightarrow s) \in E \ \wedge \ (s \rightarrow m_B) \in E \ \wedge \ t(m_A) < t(s) \leq t(m_B)$

Clinical Logic: Drug A was started; symptom s appeared afterward; Drug B was prescribed to treat s. PolySafe flags s as a known adverse event of m_A, instructing the clinician to discontinue m_A rather than continuing m_B.

2.6 4-System Organ Toxicity Burden Vector

To provide specialists with immediate organ clearance insights, each regimen generates a 4-dimensional toxicity vector:

$$\bar{O}_{regimen} = [\, O_{Renal},\ O_{Hepatic},\ O_{Cardiovascular},\ O_{CNS/Cognitive}\,] \in [0.0, 1.0]^4$$

2.7 Master Score Reference & End-to-End Data Flow

Every score displayed on PolySafe solves a specific clinical failure mode and follows a verified data pipeline:

SCORE NAME & SCALE	WHY IT EXISTS (CLINICAL HAZARD)	MATHEMATICAL LOGIC & RULE	END-TO-END DATA FLOW (INPUT → UI)
Regimen Risk Score `L1 – L5` (Low → Critical)	Evaluates whole-regimen toxicity so patients & doctors see overall danger at a single glance.	$\mu_{risk} = (\sum h_i)/N$ If $h_{max}=5 \vee F_{active} \geq 3$ → L5 Critical. Else if $\mu \geq 3.5 \vee F_{major} \geq 1$ → L4 High.	**Input:** Drug added → **Lookup:** `harm-levels.json` assigns h_i → **DB:** Prisma fetches active drugs & flags → **Engine:** `calculateRegimenRisk()` evaluates decision tree → **UI:** Animated colored Safety Ring on Home.
ACB Cognitive Score `0 – 12+` (Boustani Scale)	Blocks central muscarinic receptors; score ≥3 triples delirium, confusion, and fall fractures.	$TotalACB = \sum Score(m_i)$ Score ∈ {0, 1, 2, 3} 0: Normal | 1-2: Moderate | ≥3: Critical.	**Input:** Drug names normalized → **Lookup:** `burdens.json` (567 calibrated drug scores) → **Math:** Sum active drug scores → **UI:** Semicircular needle gauge on `ACBMeter.jsx`.
DDInter Severity `Minor → Contraindicated` (Weights 1 → 4)	Eliminates alert fatigue by prioritizing lethal combinations over minor dietary timings.	Evaluates $\binom{N}{2}$ combinations. $W_{\text{Contra}}=4 > W_{\text{Maj}}=3 > W_{\text{Mod}}=2 > W_{\text{Min}}=1$.	**Input:** Pair of drugs → **Lookup:** `ddinter.csv` (222k pairs) → **DB:** Stored in `InteractionFlag` table → **AI:** Groq LLaMA synthesizes dual clinical/plain explanation → **UI:** Color-coded alert cards.
Salt Toxicity Ceiling `mg / day limit`	Indian FDCs hide identical salts across brands, causing acute hepatotoxicity.	$\sum (Dose \times Freq) > CeilingLimit$ Paracetamol ceiling = 4,000 mg/day (2,000 mg in hepatic impairment).	**Input:** Trade brands (Combiflam + Calpol) → **Resolver:** 5-layer engine extracts Paracetamol mg → **Engine:** Multiplies by daily frequency → **Alert:** Red banner if sum > 4000mg.
Cascade Match `Boolean + Days`	Prevents treating a drug's side-effect with a second redundant prescription.	Checks if $t(m_A) < t(\text{Symptom}) \le t(m_B)$ and matches 581 known cascade rules.	**Input:** Patient logs symptom ("ankle swelling") → **Engine:** Traverses active drugs and start dates → **Match:** Identifies Amlodipine started 21 days ago → **UI:** Prescribing Cascade Warning banner.
7-Day Adherence `0% – 100%`	Missed doses of critical drugs (Warfarin) cause fatal clots; erratic dosing causes spikes.	`(Logged Doses / Scheduled Doses) × 100` ≥85%: Green | 70-84%: Amber | <70%: Red.	**Input:** Checkbox clicked on Daily Timetable → **API:** `POST /medicine/log-dose` → **DB:** Recorded in `DoseLog` → **UI:** Circular ring progress + celebratory confetti on streak.
4-Organ Toxicity `[0.0, 1.0] Vector`	Provides specialists with clearance strain across Kidney, Liver, Heart, and Brain.	$O_{\text{organ}} = \min(1.0, \frac{1}{2.5} \sum c_{\text{organ}}(m_i))$.	**Input:** Active medications → **Engine:** Sums clearance coefficients → **UI:** Interactive 4-axis Spider/Radar chart on Doctor Dashboard.

3. POLYSAFE SOLUTION ARCHITECTURE: THE 5 CORE SUBSYSTEMS

Subsystem 1: 5-Layer Indian Formulation Resolver

Resolves regional trade names to standardized molecular salts:

- **Layer 1 (Indian FDC Base):** Resolves branded combinations like *Augmentin 625* (Amoxicillin 500mg + Clavulanate 125mg).
- **Layer 2 (NLM RxNorm API):** International standard RxCUI code resolution.
- **Layer 3 (Approximate Matching):** Handles misspellings via Levenshtein / trigram distance.
- **Layer 4 (Botanical Library):** Maps Ayurvedic & herbal supplements (Ashwagandha, Ginkgo, Curcumin).
- **Layer 5 (LLM Fallback):** Groq LLaMA extraction verified against chemical databases.

Subsystem 2: Deterministic Regimen Engine

Continuous WHO 5-Tier status calculation across 222k+ DDInter records, evaluating drug-drug, herb-drug, and disease-drug contraindications (Beers 2023 & STOPP/START v3).

Subsystem 3: Prescribing Cascade Correlator

Reverse-timeline engine matching newly logged symptoms against 581 clinical side-effect profiles to halt misdiagnosis chains.

Subsystem 4: Anticholinergic Cognitive Burden Meter

Computes cumulative Boustani score and renders a real-time risk gauge, alerting doctors to dementia and delirium liabilities.

Subsystem 5: Multimodal Intelligent Intake

Dual vision OCR pipeline (**Gemini 2.5 Flash Lite** for handwriting + **Tesseract OCR** for offline fallback) plus FDA/NLM Pill Imprint stamp identifier (e.g. code `L484` = Acetaminophen 500mg).

4. 5-PERSON TEAM PRESENTATION BREAKDOWN & PITCH SCRIPTS

PERSON 1: TEAM LEAD — Pitch & Clinical Urgency (0:00 – 0:45)

Focus: Hook the judges with clinical statistics, state the polypharmacy crisis, and introduce the team.

> *"Respected judges, imagine a 70-year-old grandfather visiting a cardiologist, an orthopedic, and drinking an herbal supplement. Each doctor prescribes safe medicines, yet weeks later he collapses from internal bleeding. Why? Because specialists prescribe in silos, and conventional drug checkers only evaluate two drugs at a time. Over 30% of emergency hospitalizations in seniors stem from adverse polypharmacy interactions—and more than 50% are 100% preventable. We built PolySafe: the world's first continuous, whole-regimen clinical intelligence platform that protects seniors, unifies specialists, and empowers caregivers."*

PERSON 2: FRONTEND & ACCESSIBILITY LEAD — Patient Portal & UX (0:45 – 1:45)

Focus: Live screen walkthrough of Patient Portal; demonstrates design simplicity, multi-lingual support, and PWA offline mode.

> *"Seniors need radical simplicity. The PolySafe patient dashboard answers one question: 'Am I safe today?' via our prominent WHO 5-Tier status ring. Our smart timetable organizes medicines into morning, afternoon, evening, and bedtime slots with one-touch dose tracking. To overcome regional language barriers, PolySafe natively supports English, Hindi, and Gujarati with medical terminology localization. It also operates as an installable Progressive Web App (PWA) with service workers, ensuring the patient's schedule and one-click Emergency Medical Passport remain accessible even inside a hospital basement with zero connectivity."*

Actions: Show homepage status ring, click language toggle (Hindi/Gujarati), toggle Projector Mode, open Emergency Passport modal.

PERSON 3: PHARMACOLOGICAL ENGINE ARCHITECT

Multi-Salt & Math Logic (1:45 – 2:45)

Focus: Explains Indian brand decomposition, mathematical cumulative risk formulas, prescribing cascades, and the ACB score.

> *"Generic checkers fail in India because 70% of drugs are Fixed-Dose Combinations. If a patient takes Combiflam and Calpol, our 5-Layer Formulation Resolver breaks Combiflam down into Ibuprofen 400mg and Paracetamol 325mg—detecting toxic cumulative paracetamol overdosing that would otherwise be missed. Our deterministic mathematical engine calculates cumulative regimen harm, while our Prescribing Cascade Correlator evaluates symptom timelines against 581 clinical rules to stop misdiagnosis chains. Finally, our Boustani scale gauge calculates cumulative Anticholinergic Cognitive Burden to prevent elderly delirium and fall fractures."*

Actions: Add Combiflam or Ginkgo Biloba, show active salt decomposition, point to the live ACB meter.

PERSON 4: AI & COMPUTER VISION LEAD

OCR & Explanation Engine (2:45 – 3:45)

Focus: Demonstrates multimodal intake (Vision OCR + Pill Imprints) and AI explanation synthesis.

> *"Elderly patients often cannot type complex chemical names. Our multimodal intake allows patients to take a photo of any prescription. Our dual-vision engine leverages Google Gemini 2.5 Flash Lite for handwriting extraction and Tesseract OCR as an offline fallback, extracting dosages and frequencies with human-in-the-loop confirmation. When patients find an unknown loose pill, our Pill Imprint Identifier queries FDA databases for stamp codes like 'L484' to identify Acetaminophen 500mg. To ensure comprehension, Groq LLaMA 3.3 70B produces dual explanations: a rigorous clinical monograph for physicians and a clear 6th-grade level guide for patients."*

Actions: Show prescription upload area, type imprint 'L484' in pill finder, toggle clinical vs plain explanation.

PERSON 5: DOCTOR PORTAL & DEVOPS LEAD

Doctor Sync & Infrastructure (3:45 – 4:45)

Focus: Demonstrates Doctor Share PIN sync, Pre-Prescription Simulator, and cloud infrastructure.

> *"PolySafe bridges specialist silos effortlessly. Patients generate a secure 6-digit PIN or QR code. The doctor enters it into their dashboard and instantly views the unified prescriber swimlane. Crucially, before prescribing a new medicine, the doctor uses our Pre-Prescription 'What-If' Simulator. Typing 'Ibuprofen' instantly models the addition against the patient's existing Warfarin regimen, catching the bleeding contraindication before the script is signed. Our platform runs on Node 22 Express serverless on Vercel, paired with Neon Serverless Postgres, protected by rate limiters, and validated by our 18-step automated clinical audit suite with 100% test pass rate."*

Actions: Open Doctor Dashboard, run 'What-If' check with Ibuprofen on patient Meet Chauhan, show health endpoint.

5. LIVE CREDENTIALS & HACKATHON JUDGE VIVA DEFENSE (TOP 15 Q&A)

VERIFIED LIVE DEMO CREDENTIALS (NEON POSTGRES):

- **Patient:** `meetc8030@gmail.com` / Password: `Meet@123` (Age 68; Warfarin + Aspirin + Ginkgo Biloba → L5 Critical Risk)
- **Doctor:** `cse.230840131016@gmail.com` / Password: `Meet@123` (Dr. Sarah Wilson, Senior Cardiologist)
- **Live Health Check:** `https://polysafe-backend.vercel.app/health` → `{"status":"ok","db":true}`

Q1 How is this different from 1mg, Practo, or WebMD drug interaction tools?

Answer: Existing commercial tools only test pairwise (A + B) in isolation, giving patients 15 confusing alerts with zero prioritization. They completely miss *cumulative multi-drug toxicity* (e.g. three mild sedatives combining into respiratory depression), lack *Anticholinergic Cognitive Burden* calculations for geriatric dementia risks, do not detect *Prescribing Cascades*, and provide no *Doctor Pre-Prescription Simulator* uniting multiple specialists.

Q2 What if the prescription OCR misreads handwriting and adds the wrong drug?

Answer: We enforce a **Human-in-the-Loop review pipeline**. Extracted medicines from Gemini and Tesseract are staged on an interactive confirmation card showing confidence scores. The patient, doctor, or pharmacist must explicitly verify and approve the drug name and dosage before it is committed to the database.

Q3 How can doctors trust the AI? Aren't LLMs prone to medical hallucinations?

Answer: Our safety checks are **100% deterministic and rule-based**, powered by verified clinical databases (DDInter, NLM RxNorm, and Boustani scales). The LLM is restricted to synthesizing human-readable explanations from pre-computed clinical facts; it is never allowed to invent severity levels or interaction pairs.

Q4 How does PolySafe handle Indian Fixed-Dose Combinations (FDCs)?

Answer: Via our **5-Layer Indian Formulation Resolver**. Trade names like *Combiflam*, *Augmentin 625*, or *Zerodol-SP* are mapped to their constituent chemical salts (e.g. Aceclofenac + Paracetamol). Interactions are evaluated at the molecular constituent level rather than the trade name level.

Q5 How do you protect patient privacy between doctors and caregivers?

Answer: We enforce strict **Role-Based Access Control (RBAC)**. Caregivers only see adherence tracking (taken vs. missed doses) and reminders; they cannot view private clinical diagnoses. Doctor access is ephemeral and strictly consent-based through a time-limited 6-digit PIN and QR code generated by the patient.

Q6 Can PolySafe work in rural clinics with spotty or no internet?

Answer: Yes. PolySafe is built as an installable **Progressive Web App (PWA)** with service worker caching. The core medicine schedule, local emergency medical card, and offline fallback databases remain accessible even when the device is completely disconnected.

Q7 Why do you include herbal supplements like Ashwagandha or Ginkgo Biloba?

Answer: Over 60% of patients do not disclose herbal supplements to their doctors. Supplements are biologically active: Ginkgo Biloba and high-dose Turmeric potently inhibit platelets, causing fatal hemorrhages when combined with anticoagulants like Warfarin. Our 526-monograph botanical matrix closes this dangerous blind spot.

Q8 What is an Anticholinergic Cognitive Burden (ACB) and why is it dangerous?

Answer: Many common medications (allergy, bladder, sleep, nerve pain) block acetylcholine in the central nervous system. When multiple low-scoring drugs combine to reach an **ACB score ≥ 3**, elderly patients experience confusion, hallucinations, sedation, and a 3x higher incidence of catastrophic fall fractures.

Q9 What is a 'Prescribing Cascade' and how does your engine detect it?

Answer: A prescribing cascade happens when an adverse drug reaction is misinterpreted as a new disease, leading to unnecessary additional prescriptions (e.g., Amlodipine causes ankle edema → doctor prescribes Furosemide). PolySafe tracks drug start dates chronologically and correlates newly logged symptoms against 581 clinical side-effect profiles.

Q10 What database and hosting infrastructure does PolySafe utilize?

Answer: We use **Neon Serverless Postgres** connected through **Prisma ORM** with connection pooling, hosted on **Node 22 / Express 5 on Vercel Serverless**. This provides auto-scaling compute, instant branch replication, zero-idle cost, and enterprise security.

Q11 How do you prevent brute force attacks on authentication?

Answer: Three layers of defense: IP rate-limiting (50 attempts per 15 min), email-specific OTP rate limits (5 per hour), and automatic per-account lockouts after 5 consecutive failed logins, evaluated with timing-attack-safe bcrypt verification.

Q12 How do you prove this system is technically verified?

Answer: We maintain an automated **18-Step System & API Audit Suite** (`npm test`) that runs through end-to-end user lifecycles, drug additions, DDInter flags, cascade matches, doctor QR pairing, and simulator runs. All 18 steps pass with 100% success.

Q13 What is the Emergency Medical Passport?

Answer: A one-click, printable and scannable summary containing the patient's active drug list, severe allergies, blood group, emergency contacts, and an EMT-scannable QR code formatted for instantaneous triage during ambulance or ER emergencies.

Q14 **Can a doctor override a PolySafe warning?**

Answer: Yes. PolySafe is a **Clinical Decision Support System (CDSS)**, not a prescriptive blocker. If an oncologist or cardiologist intentionally combines two interacting drugs under close inpatient observation, they can acknowledge the alert and document clinical rationale.

Q15 **What is your future commercialization and technical roadmap?**

Answer: (1) Integration with hospital Electronic Health Records (EHR) via **FHIR / HL7 APIs**; (2) Wearable integration with Apple Health and Google Fit to monitor vitals during drug onboarding; and (3) **Pharmacogenomic (PGx)** profile integration to account for genetic metabolic variations.

6. 5-MINUTE FLAWLESS LIVE DEMO WALKTHROUGH (SECOND-BY-SECOND)

TIME MARKER	PRESENTER	SCREEN TARGET	EXACT LIVE ACTION & SPEAKING FOCUS
0:00 – 0:45	**Person 1 (Lead)**	App Landing Page	Hook judges with 30% senior hospitalization stat; introduces team & mission.
0:45 – 1:45	**Person 2 (Frontend)**	Patient Portal (`/home`)	Show Level 5 Red Ring, log morning dose, switch language to Hindi/Gujarati, show Emergency Passport.
1:45 – 2:45	**Person 3 (Engine)**	Regimen & Alerts	Deconstruct Combiflam (Ibuprofen + Paracetamol), show ACB Cognitive Meter, show Prescribing Cascade on Amlodipine.
2:45 – 3:45	**Person 4 (AI/Vision)**	Prescription Scan & Pill Search	Demonstrate prescription dropzone, search pill imprint `L484` (Acetaminophen 500mg), toggle Groq clinical vs layman explanation.
3:45 – 4:30	**Person 5 (DevOps)**	Doctor Dashboard	Enter 6-digit PIN sync, show Prescriber Swimlane, run "What-If" simulator with Ibuprofen 400mg.
4:30 – 5:00	**Person 1 (Lead)**	Architecture & Closing	Show 18/18 test audit badge, live health check endpoint, and closing call to action.

7. HIGH-YIELD CLINICAL & PHARMACOLOGICAL GLOSSARY

TERM	PLAIN ENGLISH DEFINITION FOR JUDGES
Polypharmacy	Concurrent use of 5 or more medications (Hyperpolypharmacy = 10 or more).
Adverse Drug Event (ADE)	Injury or clinical harm resulting from a medical intervention related to a drug or drug combination.
Contraindication	A specific medical situation where a drug should NOT be used because the harm strongly outweighs any benefit.
Anticholinergic	Drugs that block acetylcholine in the central nervous system, impairing memory, balance, and alertness.
Prescribing Cascade	When an adverse reaction to a drug is misinterpreted as a new disease, prompting an unnecessary second prescription.
Fixed-Dose Combination (FDC)	A single tablet containing two or more distinct chemical salts (e.g. Combiflam = Ibuprofen + Paracetamol).
RxCUI	Concept Unique Identifier from the US NLM RxNorm registry, uniquely identifying chemical molecules worldwide.
Beers Criteria	Evidence-based clinical guidelines by the American Geriatrics Society identifying drugs potentially inappropriate for seniors.