Page 1 of 14



Patient's Name : Vanitaben Gothadiya

Age/Sex : 47 Years /Female

Referred by : C/o. Dr At Doorstep Ref.No. : HL-10622-21

Reg. Date : 20/09/2021 15:38

Collection. Time: 20/09/2021

HAEMOGRAM

EDTA whole Blood

| TEST | | RESULT | UNIT | BIOLOGICAL REF INTERVAL |
|--|---|--------|----------------|-------------------------|
| HAEMOGLOBIN RBC INDICES | : | 11.8 | gms/dl | 12.0 - 16.0 |
| Total R.B.C. Count | : | 4.11 | millions/cu.mm | 3.8 - 5.8 |
| Packed Cell Volume | : | 36.1 | % | 37 - 47 |
| M. C. V. | : | 87.8 | cu.micron | 78 - 96 |
| M. C. H. | : | 28.7 | picogram | 27 - 32 |
| M. C. H. C. | : | 32.7 | g / dl | 30 - 35 |
| R. D. W. | : | 12.2 | % | 11 - 15 |
| TOTAL W. B. C. COUNT DIFFERENTIAL COUNT | : | 4270 | /cu.mm | 4000 - 11000 |
| Neutrophils | : | 87.3 | % | 50 - 70 |
| Lymphocytes | : | 8.0 | % | 20 - 40 |
| Eosinophils | : | 0.7 | % | 01 - 04 |
| Monocytes | : | 3.3 | % | 02 - 06 |
| Basophils | : | 0.7 | % | 00 - 01 |
| PLATELET COUNT | : | 2.17 | Lakh | 1.5 - 4.5 |



dr.khushbu chaudhari

verify by: mukesh j

reporting Verification Time report print Date/Time

: 20/09/2021 15:58:00 :20/09/2021 17:53

---: end of report:---

dr. d.p.kapuriya m.d.(path)

m.d.(path) G 15379 G 21850

Page 2 of 14



Patient's Name : Vanitaben Gothadiya

Age/Sex : 47 Years /Female

Referred by : C/o. Dr At Doorstep

Ref.No. : HL-10622-21

Reg. Date : 20/09/2021 15:38

Collection. Time: 20/09/2021

C - REACTIVE PROTEIN serum

PRINCIPLE : Particle enhanced turbidimetric assay

CONCENTRATION : 14 mg/l

Biological Ref Interval : Less than 6 mg / I

RESULT : Positive

P authorized signatory

verify by: mukesh j

reporting Verification Time : 20/09/2021 17:14:00 report print Date/Time :20/09/2021 17:53

---: <u>end of report</u>:---

dr. d.p.kapuriya m.d.(path)

G 15379

dr.khushbu chaudhari

Page 3 of 14



Patient's Name : Vanitaben Gothadiya Ref.No. : HL-10622-21

Age/Sex : 47 Years / Female Reg. Date : 20/09/2021 15:38

Referred by : C/o. Dr At Doorstep Collection. Time : 20/09/2021

Rhematoid arthritis (RA) - Fact file

Rheumatoid arthritis is an autoimmune disease causing chronic inflamation of joints (synovium) with destruction and deformities.

No test results are pathognomic for rheumatoid arthritis, instead diagnsosis is made using combination of clinical laboratory and imaging (radiological) criterias.. Potential useful lab investigations in suspected RA includes

Markers of inflammation

- 1. Erythrocyte Sedimentation Rate (ESR)-
- 2. C Reactive Protein (CRP)

Elevated levels are associated with progressive disease activities and correlates well with radilgraphic destruction of joints

Haematological parameters

3. Complete Blood Count (CBC)

Hypochromic anaemia due to GI blood loss in C/o NSAID and disease modifying antirheumatoid drugs (DMARD) Thrombocytosis

Leukopenia

Immunological parameters

- 4. Rheumatoid Factor (RF)
- 5. Anticyclic Citrullinated Peptide (Anti CCP) antibody
- 6. Anti Nuclear Antibody (ANA)
- 7. Anti RA33 antibody

RF (Rheumatoid Factor) assay is the most commonly asked investigation in suspected RA. It is an immunoglobulin IgM class detected against the Fc fragment of IgG that is present in the 70 - 80 % patient of Rheumatoid arthitis.

Sensitivity of test is 70 - 80 %, as it gives negative test results in c/o early RA (Seronegative RA). **Test specificity is very low** as false positive results are obtained in

- * Hepatitis C with arthritis * SLE * Polymyalgia Rheumatica * Sarcoidosis * Inflammatory bowel disease with arthritis
- * Reiter's syndrome * Psoriatic arthritis * Ankylosing Spondylitis * Parvoviral arthropathy * Fibromyalgia
- * 1 5 % healthy individual

Page 4 of 14



Patient's Name : Vanitaben Gothadiya

Age/Sex : 47 Years /Female

Referred by : C/o. Dr At Doorstep Ref.No. : HL-10622-21

Reg. Date : 20/09/2021 15:38

Collection. Time: 20/09/2021

Due to relative low sensitivity (as a stand alone test) and low specificity of RF assay, anti CCP antibodies, a new biomarker is considered more reliable test for the diagnosis of RA (equally sensitive 70 - 80 % and better specific 96 - 98 %)

How it is used?

Along with or following RF test in RF positive patient to know the disease course and prognosis In patient with undifferentiated arthritis (RF negative) whose symptoms are suggestive of RA but do not yet meet the ACR (American College of Rheumatology) criteria for RA

What does the test results mean

Positive for both anti CCP and RF Very likely having RA and may develop more severe disease Positive for anti CCP / negative RF Early RA (Seronegative RA) and will develop RA in future

Negative for anti CCP / positive RF Clinical sign/symptoms are more vital for definite diagnosis of RA as

specificity of RF is very less

Neative for both anti CCP and RF Very less likely that patient is having RA

Can predict development of RA prior to symptoms onset

In normal population: . First positivity of anti CCP to symptom onset period is app. 0.1 to 13.8 yrs.

with mean of 4.8 yrs. Positive Predictive value is app. 96 %

In "high risk" population (having 2 or more first degree relative with RF positive): 5 year positive predictive value is app. 65 - 70 %.

Considering the facts, anti CCP antibody with RF (immunological), CBC / ESR / PLT (haematological) are the most

lab investigations, along with clinico-radiological correlation for the diagnsosis and disease progression

References:

- 1. Journal of Rheumatology
- 2. Disease forum

authorized signatory

dr.khushbu chaudhari

verify by: mukesh j

reporting Verification Time : 20/09/2021 16:12:00 report print Date/Time :20/09/2021 17:53

---: end of report:---

dr. d.p.kapuriya m.d.(path)

m.d.(path) G 15379 G 21850

Healthcare Laboratory

Patient's Name : Vanitaben Gothadiya

Age/Sex : 47 Years /Female

Referred by : C/o. Dr At Doorstep

Ref.No. : HL-10622-21

Reg. Date : 20/09/2021 15:38

Collection. Time: 20/09/2021

Page 6 of 14



Patient's Name : Vanitaben Gothadiya

Age/Sex : 47 Years /Female

Referred by : C/o. Dr At Doorstep

Ref.No. : HL-10622-21

Reg. Date : 20/09/2021 15:38

Collection. Time: 20/09/2021

RHEUMATOID FACTOR (RF/RA)

Principle : Particle enhanced turbidImetry assay

Concentration : 9.5 IU / ML

Normal : Less than 20 IU / ML

Result : Non-Reactive

P authorized signatory

verify by: mukesh j

reporting Verification Time : 20/09/2021 16:12:00 report print Date/Time :20/09/2021 17:53

:20/09/2021 17:53 ---: end of report :---

dr. d.p.kapuriya

m.d.(path) G 15379 dr.khushbu chaudhari

Page 7 of 14



Patient's Name : Vanitaben Gothadiya

Age/Sex : 47 Years /Female

Referred by : C/o. Dr At Doorstep Ref.No. : HL-10622-21

Reg. Date : 20/09/2021 15:38

Collection. Time: 20/09/2021

CHIKUNGUNYA Ig M

<u>Test</u> **Result**

CHIKUNGUNYA Ig M: **NEGATIVE**

Method : **Immunocromatography**

authorized signatory

verify by: mukesh j

reporting Verification Time : 20/09/2021 16:17:00 report print Date/Time

:20/09/2021 17:53

---: end of report:---

dr. d.p.kapuriya m.d.(path)

G 15379

dr.khushbu chaudhari

Page 8 of 14



Patient's Name : Vanitaben Gothadiya

Age/Sex : 47 Years /Female

Referred by : C/o. Dr At Doorstep

Ref.No. : HL-10622-21

Reg. Date : 20/09/2021 15:38

Collection. Time: 20/09/2021

HAEMOGRAM

EDTA whole Blood

| TEST | | RESULT | UNIT | BIOLOGICAL REF INTERVAL |
|--|---|--------|----------------|-------------------------|
| HAEMOGLOBIN RBC INDICES | : | 11.8 | gms/dl | 12.0 - 16.0 |
| Total R.B.C. Count | : | 4.11 | millions/cu.mm | 3.8 - 5.8 |
| Packed Cell Volume | : | 36.1 | % | 37 - 47 |
| M. C. V. | : | 87.8 | cu.micron | 78 - 96 |
| M. C. H. | : | 28.7 | picogram | 27 - 32 |
| M. C. H. C. | : | 32.7 | g/dl | 30 - 35 |
| R. D. W. | : | 12.2 | % | 11 - 15 |
| TOTAL W. B. C. COUNT DIFFERENTIAL COUNT | : | 4270 | /cu.mm | 4000 - 11000 |
| Neutrophils | : | 87.3 | % | 50 - 70 |
| Lymphocytes | : | 8.0 | % | 20 - 40 |
| Eosinophils | : | 0.7 | % | 01 - 04 |
| Monocytes | : | 3.3 | % | 02 - 06 |
| Basophils | : | 0.7 | % | 00 - 01 |
| PLATELET COUNT | : | 2.17 | Lakh | 1.5 - 4.5 |



dr.khushbu chaudhari

verify by: mukesh j

reporting Verification Time report print Date/Time

: 20/09/2021 15:58:00 :20/09/2021 17:53 ---: end of report:--- dr. d.p.kapuriya m.d.(path) G 15379

Healthcare Laboratory

Patient's Name : Vanitaben Gothadiya

Age/Sex : 47 Years /Female

Referred by : C/o. Dr At Doorstep Ref.No. : HL-10622-21

Reg. Date : 20/09/2021 15:38

Collection. Time: 20/09/2021

C - REACTIVE PROTEIN serum

PRINCIPLE Particle enhanced turbidimetric assay

CONCENTRATION 14 mg/l

Biological Ref Interval Less than 6 mg/l

RESULT Positive :

authorized signatory

verify by: mukesh j

reporting Verification Time : 20/09/2021 17:14:00 report print Date/Time :20/09/2021 17:53

---: end of report:---

dr. d.p.kapuriya

m.d.(path) G 15379

dr.khushbu chaudhari



Patient's Name : Vanitaben Gothadiya

Age/Sex : 47 Years /Female

Referred by : C/o. Dr At Doorstep

Ref.No. : HL-10622-21

Reg. Date : 20/09/2021 15:38

Collection. Time: 20/09/2021

Rhematoid arthritis (RA) - Fact file

Rheumatoid arthritis is an autoimmune disease causing chronic inflamation of joints (synovium) with destruction and deformities.

No test results are pathognomic for rheumatoid arthritis, instead diagnsosis is made using combination of clinical laboratory and imaging (radiological) criterias.. Potential useful lab investigations in suspected RA includes

Markers of inflammation

- 1. Erythrocyte Sedimentation Rate (ESR)-
- 2. C Reactive Protein (CRP)

Elevated levels are associated with progressive disease activities and correlates well with radilgraphic destruction of joints

Haematological parameters

3. Complete Blood Count (CBC)

Hypochromic anaemia due to GI blood loss in C/o NSAID and disease modifying antirheumatoid drugs (DMARD) Thrombocytosis

Leukopenia

Immunological parameters

- 4. Rheumatoid Factor (RF)
- 5. Anticyclic Citrullinated Peptide (Anti CCP) antibody
- 6. Anti Nuclear Antibody (ANA)
- 7. Anti RA33 antibody

RF (Rheumatoid Factor) assay is the most commonly asked investigation in suspected RA. It is an immunoglobulin IgM class detected against the Fc fragment of IgG that is present in the 70 - 80 % patient of Rheumatoid arthitis.

Sensitivity of test is 70 - 80 %, as it gives negative test results in c/o early RA (Seronegative RA). **Test specificity is very low** as false positive results are obtained in

- * Hepatitis C with arthritis * SLE * Polymyalgia Rheumatica * Sarcoidosis * Inflammatory bowel disease with arthritis
- * Reiter's syndrome * Psoriatic arthritis * Ankylosing Spondylitis * Parvoviral arthropathy * Fibromyalgia
- * 1 5 % healthy individual

Page 11 of 14



Patient's Name : Vanitaben Gothadiya

Age/Sex : 47 Years /Female

Referred by : C/o. Dr At Doorstep

Ref.No. : HL-10622-21

Reg. Date : 20/09/2021 15:38

Collection. Time: 20/09/2021

Due to relative low sensitivity (as a stand alone test) and low specificity of RF assay, anti CCP antibodies, a new biomarker is considered more reliable test for the diagnosis of RA (equally sensitive 70 - 80 % and better specific 96 - 98 %)

How it is used?

Along with or following RF test in RF positive patient to know the disease course and prognosis In patient with undifferentiated arthritis (RF negative) whose symptoms are suggestive of RA but do not yet meet the ACR (American College of Rheumatology) criteria for RA

What does the test results mean

Positive for both anti CCP and RF : Very likely having RA and may develop more severe disease Positive for anti CCP / negative RF : Early RA (Seronegative RA) and will develop RA in future

Negative for anti CCP / positive RF : Clinical sign/symptoms are more vital for definite diagnosis of RA as

specificity of RF is very less

Neative for both anti CCP and RF : Very less likely that patient is having RA

Can predict development of RA prior to symptoms onset

In normal population:. First positivity of anti CCP to symptom onset period is app. 0.1 to 13.8 yrs.

with mean of 4.8 yrs . Positive Predictive value is app. 96 %

In "high risk" population (having 2 or more first degree relative with RF positive): 5 year positive predictive value is app. 65 - 70 %.

Considering the facts, anti CCP antibody with RF (immunological), CBC / ESR / PLT (haematological) are the most advised

lab investigations, along with clinico-radiological correlation for the diagnsosis and disease progression

References:

- 1. Journal of Rheumatology
- 2. Disease forum

P authorized signatory

verify by: mukesh j

reporting Verification Time : 20/09/2021 16:12:00 report print Date/Time :20/09/2021 17:53 ---: end of report :---

dr. d.p.kapuriya m.d.(path) G 15379 **dr.khushbu chaudhari** m.d.(path) G 21850

Page 12 of 14



Patient's Name : Vanitaben Gothadiya

Age/Sex : 47 Years /Female

Referred by : C/o. Dr At Doorstep

Ref.No. : HL-10622-21

Reg. Date : 20/09/2021 15:38

Collection. Time: 20/09/2021

Page 13 of 14



Patient's Name : Vanitaben Gothadiya

Age/Sex : 47 Years /Female

Referred by : C/o. Dr At Doorstep

Ref.No. : HL-10622-21

Reg. Date : 20/09/2021 15:38

Collection. Time: 20/09/2021

RHEUMATOID FACTOR (RF/RA)

Principle : Particle enhanced turbidImetry assay

Concentration : 9.5 IU / ML

Normal : Less than 20 IU / ML

Result : Non-Reactive

authorized signatory

verify by: mukesh j

reporting Verification Time : 20/09/2021 16:12:00 report print Date/Time :20/09/2021 17:53

---: end of report:---

dr. d.p.kapuriya m.d.(path)

m.a.(pair G 15379 dr.khushbu chaudhari

Page 14 of 14



Patient's Name : Vanitaben Gothadiya

Age/Sex : 47 Years /Female

Referred by : C/o. Dr At Doorstep Ref.No. : HL-10622-21

Reg. Date : 20/09/2021 15:38

Collection. Time: 20/09/2021

CHIKUNGUNYA Ig M

<u>Test</u> **Result**

CHIKUNGUNYA Ig M: **NEGATIVE**

Method : **Immunocromatography**

authorized signatory

verify by: mukesh j

reporting Verification Time : 20/09/2021 16:17:00 report print Date/Time

:20/09/2021 17:53

---: end of report:---

dr. d.p.kapuriya m.d.(path)

G 15379

dr.khushbu chaudhari