

Two tenants, one platform

Two separate companies now run on the same EA-SYS installation, at the same web address, and neither can see a single row of the other's data. The separation is enforced by the database itself, not by application code that could be bypassed by a bug.

Captured 21 Aug 2026 Tenants Acme Events, Globex Summits

Enforcement PostgreSQL row-level security Tables protected 77

What you are looking at

Every screenshot below comes in a pair. The left is Acme, the right is Globex, always in that order. The two tenants were given deliberately identical data — both run an event called “Annual Summit”, at the identical web address `/e/annual-summit` — because identical inputs are what make the difference in the output mean something.

The mechanism is a Postgres feature called row-level security. Rather than trusting every query in the application to remember to filter by customer, the database refuses to return another tenant's rows at all. If a developer writes a query that forgets the filter, it returns nothing rather than everything. **The safe direction is the default.**

The same address, two different events

This is the claim that matters most, and the one a screenshot cannot make on its own, because an image has no address bar. The exact URL that produced each image is printed above it. Same page, same form, different event, different venue, different prices.

Acme Events

acme.localhost/e/annual-summit

Acme Annual Summit 2026

Nov 1, 2026

Acme Convention Centre, Dubai, United Arab Emirates

Early Bird Registration

Create your account to get started.

AccountDetails

Create your account

You'll use these credentials to sign in, manage your registration, and make payments.

Email Address *

john@example.com

Password *

Min. 6 characters

Confirm Password *

Re-enter password

Continue

Already have an account? Sign in

Dubai · Delegate \$450, Student \$150

Globex Summits

globex.localhost/e/annual-summit

Globex Annual Summit 2026

Nov 1, 2026

Globex Exhibition Hall, Singapore, Singapore

Early Bird Registration

Create your account to get started.

AccountDetails

Create your account

You'll use these credentials to sign in, manage your registration, and make payments.

Email Address *

john@example.com

Password *

Min. 6 characters

Confirm Password *

Re-enter password

Continue

Already have an account? Sign in

Singapore · Delegate \$600, Student \$200

Each tenant sees only its own workspace

Signed in as each company's administrator. Both accounts reach the same application, and each reports *one* event in its workspace. The colour difference is not decoration: each tenant sets its own brand colour, and the interface picks it up. The sidebar is the tenant's own: our internal documentation and infrastructure panels are not on it.

Acme Events

admin@acme.test

Acme Events

Acme Admin

Events

1 event in your workspace

Import from EventsAir

Create Event

Search events...

All years

Published 1

EVENT	DATE	VENUE	REGISTRATIONS	SPEAKERS	STATUS
Acme Annual Summit 2026	Nov 1, 2026 - Nov 3, 2026 72 days to go	Acme Convention Centre	0	0	Published

Shows Acme Annual Summit 2026. Globex's event is absent.

Globex Summits

admin@globex.test

Globex Summits

Globex Admin

Events

1 event in your workspace

Import from EventsAir

Create Event

Search events...

All years


Published 1

EVENT	DATE	VENUE	REGISTRATIONS	SPEAKERS	STATUS
Globex Annual Summit 2026	Nov 1, 2026 - Nov 3, 2026 72 days to go	Globex Exhibition Hall	0	0	Published

Shows Globex Annual Summit 2026. Acme's event is absent.

And only its own records

The contact book is shared infrastructure holding both companies' rows in one table. Each administrator sees a count of one, and it is their own.



The same result, measured at the database

Screenshots show what a person sees. This is the layer underneath, read directly from Postgres. “Everyone” is the true row count with security switched off; the two tenant columns are what each one is permitted to read.

Rows visible per tenant, read as the application's own database user.				
TABLE	EVERYONE	ACME	GLOBEX	NO TENANT
Contacts	2	1	1	0
Speakers	2	1	1	0
Audit log	4	0	0	0
Events	2	2	2	2
The final row is the one outstanding gap and it is covered below. The audit log reading zero for both is correct, not a fault: those entries belong to the platform rather than to any customer, so no customer can read them.				

An unrecognised address gets nothing

The negative case, and the one most easily forgotten. Both tenants hold an event on this exact address. A visitor arriving on a web address we have not registered is not quietly served whichever one happened to be found first.



Event not found

Please check the link and try again.

Resolves to **no tenant**. Neither event is served.

What is not finished

Stated plainly, because the gaps decide the timeline and every one of them is already written down and scheduled.

Three things stand between this and a paying customer

- **The events table is not yet protected at the database layer.** It is the row flagged in the table above. Events are still separated correctly by application code, which is how the whole system worked until now, but it does not yet have the database as a second line of defence. That work is understood and sized: roughly 340 places in the code. It does not block the first customer, who has nobody to be separated from. It must be done before the second.
- **There is no way to create a customer yet.** No sign-up, no administration screen for adding a company, no self-service. Both tenants here were created by a script. This is the largest remaining piece of actual product work.
- **This is a rehearsal environment, not a live one.** It runs on a developer machine. The production platform needs its own server and database, plus backups, monitoring and alerting, before any customer is onboarded.

What the rehearsal caught

Building this rehearsal found several real faults in the isolation machinery, and neither announced itself. Both produced *empty* screens rather than error messages.

One made every protected table return nothing at all. Another, worse, meant every public event page would have shown “Registration Closed” — the single most important flow in the product, dead on arrival, on a page that looked perfectly healthy. A third had our own internal documentation and server metrics reachable by a customer's administrator.

All of them are fixed, and there is now an automated check covering thirteen domains that fails if any of them is reintroduced. The reason this is worth telling you rather than burying: they were found on a laptop, at no cost, rather than on a paid server in front of a customer. **That is what the rehearsal was for, and it is the argument for doing it this way again.**

Every figure on this page is reproducible. The screenshots are generated by an automated suite that verifies each claim before capturing the image, so a broken page fails the run rather than being photographed. The database table comes from a script that reads both tenants' permitted row counts directly.