


# Lambung Bersama

## Jury demo guide - MVP flow, evidence, architecture, and deployment notes

Product framing: a cooperative operating and trust layer for turning village potential signals into verified actions. It is not a marketplace checkout, not a production SIMKOPDES claim, and not an autonomous financing approval system.



|                    |                                                                                                              |
|--------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Live target</b> | <a href="https://lambung-bersama.meetsin.id">https://lambung-bersama.meetsin.id</a>                          |
| <b>Core flow</b>   | Login -> Dashboard -> Peta Potensi -> Score -> Buyer Matching Lite -> Stok Readiness -> Laporan Aksi         |
| <b>Data rule</b>   | App DB is operational. Hackathon shared DB is read-only aggregate evidence and limited exploration material. |
| <b>Safety rule</b> | No secrets, NIK, phone, address, raw document path, photo, or named buyer is exposed in demo outputs.        |



# Demo Scenario


|                         |                                                                                                                         |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------|
| 1. Open landing         | Show the thesis: cooperative opportunity operating layer, not a generic marketplace.                                    |
| 2. Login                | Use the private jury/admin account. Public register remains disabled.                                                   |
| 3. Welcome onboarding   | Start the guided MVP tour: dashboard, data, peta, buyer, readiness, report.                                             |
| 4. Evidence board       | Show /api/dashboard app DB data and shared DB status. Explain missing env vs ready states clearly.                      |
| 5. Lumbung Data         | Show search, filters, pagination, source caveats, and no-PII table management.                                          |
| 6. Peta Unggulan        | Drill down polygon boundaries. Keep source caveats visible and avoid coverage overclaim.                                |
| 7. Opportunity score    | Explain score components and warnings instead of black-box AI claims.                                                   |
| 8. Buyer Matching Lite  | Use buyer archetypes until verified buyer data is available.                                                            |
| 9. Stok readiness       | Show stock ledger, media evidence metadata, and readiness gaps.                                                         |
| 10. Financing readiness | Show aggregate loan/readiness analysis. Never call it approval.                                                         |
| 11. WA agent flow       | Create draft intake or follow-up. Live send requires WhatsApp Cloud API env and user-owned QR is not part of Cloud API. |
| 12. Laporan Aksi        | Close with report/export containing decision status, pending verification, evidence, and caveats.                       |

# Screenshots For The Presenter



Note: the captured local Lumbung Data screenshot intentionally shows the shared DB as env-gated because no shared DB password was written into local files or logs. On the deployed server, the same panel consumes /api/dashboard.hackathonSharedDb when server-side env is configured.

# Map And Report Close



- Peta is kept as a standalone polygon-first workspace with administrative boundaries and visible source labels.
- Laporan Aksi mirrors the pitch: top opportunities, buyer action, stock/readiness gap, evidence/source, pending verification, and decision status.
- Exports must remain free of secrets and PII.

# Architecture And Stack Rationale

- Next.js App Router gives a single deployable surface for landing, auth, dashboard, API routes, WA center, map, and report.
- Server-side API routes keep database, WhatsApp, and AI keys out of browser bundles.
- PostgreSQL is used for auditable cooperative workflows: auth sessions, queue, stock ledger, buyer requirements, report locks, and app-owned team-prefixed evidence tables.
- Hackathon shared DB access is isolated in a read-only pool with SSL requirement and aggregate-only query helpers.
- Leaflet/OpenStreetMap gives a real interactive map surface instead of static mockups.
- The AI adapter is OpenAI-compatible so XAI or another approved gateway can be selected with env variables. Fallback logic avoids fake autonomous claims.
- Docker Compose makes the VPS deployment reproducible; the container now runs migrations and seed before start to keep the demo workspace ready.

| Layer     | Implementation                     | Jury talking point                                                     |
|-----------|------------------------------------|------------------------------------------------------------------------|
| UI        | Next.js, React, Tailwind v4        | Fast MVP iteration with protected management UI and responsive tables. |
| App DB    | PostgreSQL via pg                  | Relational/audit-friendly cooperative state.                           |
| Shared DB | Read-only aggregate helper         | Exploration evidence, not canonical SIMKOPDES production data.         |
| AI        | OpenAI-compatible provider adapter | Model can be swapped by env; decisions remain human-reviewed.          |
| Deploy    | Docker Compose on MeetsIn VPS      | Simple live demo path, portable to Cloud Run/GKE.                      |

# GCP And Production Best Practices

- Preferred GCP path: Cloud Build -> Artifact Registry -> Cloud Run for web/API, or GKE if custom networking/workers are needed.
- Use Cloud SQL for PostgreSQL with automated backups, private IP where possible, and least-privilege roles.
- Store DATABASE\_URL, shared DB credentials, WhatsApp tokens, and AI keys in Secret Manager. Never bake them into Docker images or public docs.
- Use a read-only DB user for shared hackathon evidence and app-owned prefixed tables for derived application data.
- Put HTTPS load balancing and Cloud Armor in front of public traffic for production.
- Add Cloud Logging, Error Reporting, uptime checks, and alerts for /api/health, /api/dashboard, /api/hackathon/\*, and /api/wa/webhook.
- Run migrations explicitly during CI/CD or container startup for demo environments; track migration rollback notes for production.
- Keep PII out of logs and exports. Add cooperative-level row scoping and audit trails before using real member data.

# Demo Guardrails

|                |                                                                                                                       |
|----------------|-----------------------------------------------------------------------------------------------------------------------|
| Shared DB      | Limited exploration material. Aggregate only. Not primary SIMKOPDES production reference.                             |
| Buyer matching | Buyer archetypes only unless verified buyer data is explicitly available. No fake buyer names.                        |
| AI             | Drafts recommendations, explanations, and checklists. Does not approve financing or execute autonomous decisions.     |
| WA             | Cloud API send/webhook are env-gated. Demo intake can create drafts; live send needs configured WhatsApp credentials. |
| Peta           | Polygon-first map with source caveats. Baseline/reference data is not direct village stock.                           |
| Exports        | No credentials, NIK, phone, addresses, bank details, raw media paths, or PII.                                         |

## Fast presenter script

We start from a protected operator dashboard, use shared DB signals only as aggregate evidence, inspect a polygon-first village potential map, explain opportunity and readiness, then close with a human-reviewed action report. The system is designed to help koperasi make better verified actions, not to replace official SIMKOPDES or approve transactions automatically.