

MySQL Installation

1. Download MySQL Installer

1. Go to the official website: [MySQL Downloads](#).
 2. Select **Windows (x86, 32-bit, 64-bit) MySQL Installer**.
 3. Choose :
 - **Full Installer (larger file, includes all components offline)**
-

2. Run the Installer

1. Double-click the downloaded **.msi** file.
 2. Click **Yes** if asked for admin permission.
-

3. Choose Setup Type

You will see several options:

- **Developer Default** → Installs MySQL Server, Workbench, Shell, and connectors.
 - **Server Only** → Only MySQL Server.
 - **Client Only** → Only Workbench & client tools.
 - **Full** → Everything.
 - **Custom** → Choose what you want.
- 

Choose: Full

Click **Next**.

4. Check Requirements

- If any requirements (like Visual Studio redistributables) are missing, the installer will show them.
 - Click **Execute** to install missing packages.
-

5. Installation

- Click **Execute** to install MySQL components.
 - Wait until installation finishes.
-

6. Configuration

After installation, the **MySQL Installer** will guide you through configuration:

a. Type & Networking

- Config type: **Standalone MySQL Server / Classic MySQL Replication**
- Connectivity: Default (TCP/IP, Port **3306**)
- Ensure **Open Windows Firewall port for network access** is checked.

b. Authentication

- Choose **Use Strong Password Encryption** (recommended).

c. Accounts & Roles

- Set a **root password** (remember this!).
 - **Note: everyone should set "manager" as their password.**

e. Apply Configuration

- Click **Execute** to apply.


7. Complete Installation

- Once configuration finishes, click **Finish**.

8. Added MySQL to your Windows PATH

Step 1: Find MySQL Installation Path

1. By default, MySQL is installed in:



```
C:\Program Files\MySQL\MySQL Server 8.0\bin
```

or sometimes:

```
C:\Program Files (x86)\MySQL\MySQL Server 8.0\bin
```

2. Inside that folder, you'll see **mysql.exe**.

Step 2: Add MySQL to System PATH

1. Press **Win + R**, type:

```
sysdm.cpl
```

and hit Enter.

2. Go to the **Advanced** tab → click **Environment Variables**.
3. Under **System variables**, find **Path**, then click **Edit**.
4. Click **New** and paste the path to the **bin** folder, e.g.:

```
C:\Program Files\MySQL\MySQL Server 8.0\bin
```

5. Click **OK** on all windows to save.

Step 3: Verify PATH

1. Close Command Prompt, open a new one.
2. Run:

```
mysql --version
```

🔗 You should now see the MySQL version.

9. Verify Installation

- Open **Command Prompt**.
- Run:

```
mysql -u root -p
```

- Enter the root password you set.
- If successful, you'll see the MySQL shell prompt:

```
mysql>
```

Steps to create a user and set password:

1. Open MySQL Command Line

- Press **Win + R**, type **cmd**, and hit Enter.

- Run:

```
mysql -u root -p
```

- Enter the **root password** you set during installation.
- You should see:

```
mysql>
```

2. Create a New User

Use the following syntax:

```
CREATE USER 'username'@'localhost' IDENTIFIED BY 'password';
```

Example:

```
CREATE USER '92578-meet'@'localhost' IDENTIFIED BY 'manager';
```

- **NOTE: everyone should set "manager" as their password.**

Explanation:

- '92578-meet' → new MySQL username.
- 'localhost' → means this user can only connect from the same PC.
 - If you want remote access, replace `localhost` with `'%'`.
- 'manager' → user password.

3. Grant Privileges

Give the user permissions on a specific database or all databases.

- For a specific database:

```
GRANT ALL PRIVILEGES ON mydatabase.* TO 'username'@'localhost';
```

- For all databases:

```
GRANT ALL PRIVILEGES ON *.* TO 'username'@'localhost' WITH GRANT OPTION;
```

4. Apply Changes

```
FLUSH PRIVILEGES;
```

5. Test Login

Exit MySQL:

```
exit;
```

Now log in with the new user:

```
mysql -u username -p
```

Enter the password → you should be inside MySQL with the new account.

6. Change User Password

If you want to update/change the password later:

```
ALTER USER 'username'@'localhost' IDENTIFIED BY 'manager';
```

Then:

```
FLUSH PRIVILEGES;
```