```
1 D:\DeepFake\pythonProject1\.venv\Scripts\python.exe D
   :\DeepFake\pythonProject1\Main\main.py
 2 2025-09-24 15:04:05.788836: I tensorflow/core/util/
   port.cc:153] oneDNN custom operations are on. You may
    see slightly different numerical results due to
   floating-point round-off errors from different
   computation orders. To turn them off, set the
   environment variable `TF_ENABLE_ONEDNN_OPTS=0`.
 3 2025-09-24 15:04:09.132101: I tensorflow/core/util/
   port.cc:153] oneDNN custom operations are on. You may
    see slightly different numerical results due to
   floating-point round-off errors from different
   computation orders. To turn them off, set the
   environment variable `TF_ENABLE_ONEDNN_OPTS=0`.
 4 Using TensorFlow 2.19.0
 5 Config: {
     "model_name": "mobilenetv3",
     "data_dir": "D:/DeepFake/pythonProject1/Frames/
   Celeb-df/Celeb-df 224 EX",
     "epochs": 20,
8
9
     "batch_size": 32,
10
     "seed": 42,
     "base_trainable_at": -40,
11
     "warmup_epochs": 3,
12
     "learning_rate": 0.001,
13
     "fine_tune_lr": 2e-05,
14
     "use_class_weights": false,
15
     "mixed_precision": false,
16
     "output_dir": "D:/DeepFake/pythonProject1/Main/
17
   Celeb-df/mobilenetv3_1a"
18 }
19 Found 56902 images belonging to 2 classes.
20 Found 12197 images belonging to 2 classes.
21 Found 12195 images belonging to 2 classes.
22 2025-09-24 15:04:20.524617: I tensorflow/core/
   platform/cpu_feature_quard.cc:210] This TensorFlow
   binary is optimized to use available CPU instructions
    in performance-critical operations.
23 To enable the following instructions: SSE3 SSE4.1
   SSE4.2 AVX AVX2 AVX_VNNI FMA, in other operations,
   rebuild TensorFlow with the appropriate compiler
```

```
23 flags.
24 D:\DeepFake\pythonProject1\.venv\Lib\site-packages\
  keras\src\trainers\data_adapters\py_dataset_adapter.
  py:121: UserWarning: Your `PyDataset` class should
  call `super().__init__(**kwargs)` in its constructor
  . `**kwargs` can include `workers`,
  use_multiprocessing`, `max_queue_size`. Do not pass
  these arguments to `fit()`, as they will be ignored.
    self._warn_if_super_not_called()
25
26 Epoch 1/3
27 1779/1779 — Os 457ms/step -
  accuracy: 0.8969 - loss: 0.3593
28 Epoch 1: val_accuracy improved from -inf to 0.90407,
  saving model to D:/DeepFake/pythonProject1/Main/Celeb
  -df/mobilenetv3_1a\best_warmup.keras
29 1779/1779 ------ 925s 517ms/step -
  accuracy: 0.8969 - loss: 0.3593 - val_accuracy: 0.
  9041 - val_loss: 0.3101 - learning_rate: 0.0010
30 Epoch 2/3
31 1779/1779 — Os 461ms/step -
  accuracy: 0.9028 - loss: 0.3233
32 Epoch 2: val_accuracy did not improve from 0.90407
33 1779/1779 — 935s 525ms/step -
  accuracy: 0.9028 - loss: 0.3233 - val_accuracy: 0.
  9039 - val_loss: 0.3133 - learning_rate: 0.0010
34 Epoch 3/3
35 1779/1779 — Os 452ms/step -
  accuracy: 0.9012 - loss: 0.3240
36 Epoch 3: val_accuracy did not improve from 0.90407
37 1779/1779 ------ 913s 513ms/step -
  accuracy: 0.9012 - loss: 0.3240 - val_accuracy: 0.
  9041 - val_loss: 0.3096 - learning_rate: 0.0010
38 Epoch 1/20
                  _____ Os 497ms/step -
39 1779/1779 <del>---</del>
  accuracy: 0.9017 - loss: 0.3190
40 Epoch 1: val_accuracy improved from -inf to 0.91063,
  saving model to D:/DeepFake/pythonProject1/Main/Celeb
  -df/mobilenetv3_1a\best_finetune.keras
accuracy: 0.9017 - loss: 0.3190 - val_accuracy: 0.
  9106 - val_loss: 0.2696 - learning_rate: 2.0000e-05
```

```
42 Epoch 2/20
43 1779/1779 — Os 498ms/step -
  accuracy: 0.9095 - loss: 0.2720
44 Epoch 2: val_accuracy improved from 0.91063 to 0.
  91637, saving model to D:/DeepFake/pythonProject1/
  Main/Celeb-df/mobilenetv3_1a\best_finetune.keras
45 1779/1779 ————— 996s 560ms/step -
  accuracy: 0.9095 - loss: 0.2720 - val_accuracy: 0.
  9164 - val_loss: 0.2443 - learning_rate: 2.0000e-05
46 Epoch 3/20
47 1779/1779 — Os 499ms/step -
  accuracy: 0.9172 - loss: 0.2442
48 Epoch 3: val_accuracy improved from 0.91637 to 0.
  91949, saving model to D:/DeepFake/pythonProject1/
  Main/Celeb-df/mobilenetv3_1a\best_finetune.keras
49 1779/1779 ————— 994s 559ms/step -
  accuracy: 0.9172 - loss: 0.2442 - val_accuracy: 0.
  9195 - val_loss: 0.2281 - learning_rate: 2.0000e-05
50 Epoch 4/20
51 1779/1779 ————— Os 519ms/step -
  accuracy: 0.9200 - loss: 0.2338
52 Epoch 4: val_accuracy improved from 0.91949 to 0.
  92490, saving model to D:/DeepFake/pythonProject1/
  Main/Celeb-df/mobilenetv3_1a\best_finetune.keras
53 1779/1779 ------ 1052s 591ms/step -
  accuracy: 0.9200 - loss: 0.2338 - val_accuracy: 0.
  9249 - val_loss: 0.2147 - learning_rate: 2.0000e-05
54 Epoch 5/20
55 1779/1779 ————— Os 566ms/step -
  accuracy: 0.9230 - loss: 0.2160
56 Epoch 5: val_accuracy did not improve from 0.92490
57 1779/1779 — 1123s 631ms/step -
  accuracy: 0.9230 - loss: 0.2160 - val_accuracy: 0.
  9190 - val_loss: 0.2172 - learning_rate: 2.0000e-05
58 Epoch 6/20
59 1779/1779 — Os 499ms/step -
  accuracy: 0.9273 - loss: 0.2064
60 Epoch 6: val_accuracy improved from 0.92490 to 0.
  92679, saving model to D:/DeepFake/pythonProject1/
  Main/Celeb-df/mobilenetv3_1a\best_finetune.keras
61 1779/1779 — 1002s 563ms/step -
```

```
61 accuracy: 0.9273 - loss: 0.2064 - val_accuracy: 0.
  9268 - val_loss: 0.2008 - learning_rate: 2.0000e-05
62 Epoch 7/20
63 1779/1779 — Os 495ms/step -
  accuracy: 0.9303 - loss: 0.1936
64 Epoch 7: val_accuracy did not improve from 0.92679
65 1779/1779 ————— 995s 559ms/step -
  accuracy: 0.9303 - loss: 0.1936 - val_accuracy: 0.
  9251 - val_loss: 0.2001 - learning_rate: 2.0000e-05
66 Epoch 8/20
67 1779/1779 — Os 493ms/step -
  accuracy: 0.9314 - loss: 0.1904
68 Epoch 8: val_accuracy improved from 0.92679 to 0.
  92793, saving model to D:/DeepFake/pythonProject1/
  Main/Celeb-df/mobilenetv3_1a\best_finetune.keras
69 1779/1779 — 987s 555ms/step -
  accuracy: 0.9314 - loss: 0.1904 - val_accuracy: 0.
  9279 - val_loss: 0.1948 - learning_rate: 2.0000e-05
70 Epoch 9/20
71 1779/1779 — Os 499ms/step -
  accuracy: 0.9324 - loss: 0.1858
72 Epoch 9: val_accuracy did not improve from 0.92793
73 1779/1779 — 1002s 563ms/step -
  accuracy: 0.9324 - loss: 0.1858 - val_accuracy: 0.
  9149 - val_loss: 0.2193 - learning_rate: 2.0000e-05
74 Epoch 10/20
accuracy: 0.9349 - loss: 0.1779
76 Epoch 10: val_accuracy did not improve from 0.92793
77 1779/1779 — 1005s 565ms/step -
  accuracy: 0.9349 - loss: 0.1779 - val_accuracy: 0.
  9106 - val_loss: 0.2248 - learning_rate: 2.0000e-05
78 Epoch 11/20
accuracy: 0.9353 - loss: 0.1776
80 Epoch 11: val_accuracy did not improve from 0.92793
81 1779/1779 — 1103s 620ms/step -
  accuracy: 0.9353 - loss: 0.1776 - val_accuracy: 0.
  9156 - val_loss: 0.2119 - learning_rate: 2.0000e-05
82 Epoch 12/20
83 1779/1779 — Os 499ms/step -
```

```
83 accuracy: 0.9384 - loss: 0.1659
84 Epoch 12: val_accuracy improved from 0.92793 to 0.
   93162, saving model to D:/DeepFake/pythonProject1/
   Main/Celeb-df/mobilenetv3_1a\best_finetune.keras
85 1779/1779 — 1002s 563ms/step -
   accuracy: 0.9384 - loss: 0.1659 - val_accuracy: 0.
   9316 - val_loss: 0.1806 - learning_rate: 1.0000e-05
86 Epoch 13/20
87 1779/1779 — Os 499ms/step -
   accuracy: 0.9378 - loss: 0.1675
88 Epoch 13: val_accuracy did not improve from 0.93162
accuracy: 0.9378 - loss: 0.1675 - val_accuracy: 0.
   9273 - val_loss: 0.1925 - learning_rate: 1.0000e-05
90 Epoch 14/20
91 1779/1779 ————— Os 500ms/step -
   accuracy: 0.9398 - loss: 0.1634
92 Epoch 14: val_accuracy improved from 0.93162 to 0.
   93867, saving model to D:/DeepFake/pythonProject1/
   Main/Celeb-df/mobilenetv3_1a\best_finetune.keras
accuracy: 0.9398 - loss: 0.1634 - val_accuracy: 0.
   9387 - val_loss: 0.1705 - learning_rate: 1.0000e-05
94 Epoch 15/20
: 0.9399 - loss: 0.1602
96 Epoch 15: val_accuracy did not improve from 0.93867
97 1779/1779 ————— 2202s 1s/step -
   accuracy: 0.9399 - loss: 0.1602 - val_accuracy: 0.
   9320 - val_loss: 0.1828 - learning_rate: 1.0000e-05
98 Epoch 16/20
99 1779/1779 — Os 502ms/step -
   accuracy: 0.9398 - loss: 0.1636
100 Epoch 16: val_accuracy did not improve from 0.93867
accuracy: 0.9398 - loss: 0.1636 - val_accuracy: 0.
   9365 - val_loss: 0.1711 - learning_rate: 1.0000e-05
102 Epoch 17/20
103 1779/1779 ----
                  accuracy: 0.9400 - loss: 0.1612
104 Epoch 17: val_accuracy did not improve from 0.93867
```

```
105 1779/1779 — 1002s 563ms/step -
   accuracy: 0.9400 - loss: 0.1612 - val_accuracy: 0.
   9324 - val_loss: 0.1787 - learning_rate: 1.0000e-05
106 Epoch 18/20
accuracy: 0.9422 - loss: 0.1523
108 Epoch 18: val_accuracy did not improve from 0.93867
accuracy: 0.9422 - loss: 0.1523 - val_accuracy: 0.
   9345 - val_loss: 0.1732 - learning_rate: 5.0000e-06
110 Epoch 19/20
111 1779/1779 ————— Os 550ms/step -
   accuracy: 0.9443 - loss: 0.1494
112 Epoch 19: val_accuracy did not improve from 0.93867
accuracy: 0.9443 - loss: 0.1494 - val_accuracy: 0.
   9351 - val_loss: 0.1732 - learning_rate: 5.0000e-06
114 Epoch 20/20
115 1779/1779 — Os 668ms/step -
   accuracy: 0.9433 - loss: 0.1528
116 Epoch 20: val_accuracy did not improve from 0.93867
accuracy: 0.9433 - loss: 0.1528 - val_accuracy: 0.
   9306 - val_loss: 0.1810 - learning_rate: 5.0000e-06
118 Saved final model to: D:/DeepFake/pythonProject1/
   Main/Celeb-df/mobilenetv3_1a\mobilenetv3.keras
119 Evaluating on test set...
120 382/382 — 113s 296ms/step -
   accuracy: 0.8370 - loss: 0.4180
121 Test accuracy: 0.9423 | Test loss: 0.1672
122 382/382 — 117s 299ms/step
123
124 Classification Report:
125
126
                precision recall f1-score
  support
127
128 Celeb-real 0.83 0.51 0.63
  1172
129 Celeb-synthesis 0.95 0.99 0.97
   11023
```

i iie - iiia	III (1 <i>)</i>			
130				
131	accuracy			0.94
	12195			
132	macro avg	0.89	0.75	0.80
	12195			
133	weighted avg	0.94	0.94	0.94
	12195			
134				
135	Confusion Matrix:			
136	[[592 580]			
137	[124 10899]]			
138				
139	Process finished with	exit code	0	
140				