


Talend

DimCustomerPerson

Total Row Count : 8637



The MySQL Workbench screenshot displays the results of a query against the 'dimcustomerperson' table. The query used is:
`use adventureworksdw_neu;
select * from dimcustomerperson
limit 10000;`

The results show 10 rows of customer data:


| CustomerSK | GeoSK | CustomerAlternateSK | Title | FirstName | MiddleName | LastName | NameStyle | BirthDate | MaritalStatus | Suffix |
|------------|-------|---------------------|-------|-----------|------------|------------|-----------|-----------|---------------|--------|
| 1 | 0 | 1 | Mr. | Ken | J | Sánchez | 0 | NULL | NULL | NULL |
| 2 | 0 | 2 | Ms. | Terri | Lee | Duff | 0 | NULL | NULL | NULL |
| 3 | 0 | 3 | Mr. | Roberto | RO | Tamburello | 0 | NULL | NULL | NULL |
| 4 | 0 | 4 | Mr. | Rob | RO | Walters | 0 | NULL | NULL | NULL |
| 5 | 0 | 5 | Ms. | Gail | A | Erickson | 0 | NULL | NULL | NULL |
| 6 | 0 | 6 | Mr. | Jossef | H | Goldber | 0 | NULL | NULL | NULL |
| 7 | 0 | 7 | Mr. | Dylan | A | Miller | 0 | NULL | NULL | NULL |
| 8 | 0 | 8 | Ms. | Diane | L | Marchheim | 0 | NULL | NULL | NULL |
| 9 | 0 | 9 | Mr. | Gidi | N | Matthew | 0 | NULL | NULL | NULL |
| 10 | 0 | 17 | Mr. | Kevin | F | Brown | 0 | NULL | NULL | NULL |
| 11 | 0 | 18 | Mr. | John | I | Wood | 0 | NULL | NULL | NULL |

The 'Output' pane shows the execution history of the query:

| # | Time | Action | Message | Duration / Fetch |
|----|----------|---|----------------------|-----------------------|
| 60 | 14:51:11 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 61 | 14:51:11 | select * from dimcustomerperson LIMIT 0, 1000 | 1000 row(s) returned | 0.016 sec / 0.031 sec |
| 62 | 14:51:28 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 63 | 14:51:28 | select * from dimcustomerperson limit 10000 | 8637 row(s) returned | 0.000 sec / 0.250 sec |

DimDate

Total Row Count : 3652



Select count(*) from DimDate;

```

use adventuredatabase;
select * from dimdate
limit 4000;

```

| DataSk | FullDateAk | DayNumberOfWeek | DayNameOfWeek | DayNameOfWeekAbbr | DayNumberOfMonth | DayNumberOfYear | Week |
|----------|------------|-----------------|---------------|-------------------|------------------|-----------------|------|
| 20050101 | 2005-01-01 | 7 | Saturday | Sat | 1 | 1 | 1 |
| 20050102 | 2005-01-02 | 1 | Sunday | Sun | 2 | 2 | 2 |
| 20050103 | 2005-01-03 | 2 | Monday | Mon | 3 | 3 | 2 |
| 20050104 | 2005-01-04 | 3 | Tuesday | Tue | 4 | 4 | 2 |
| 20050105 | 2005-01-05 | 4 | Wednesday | Wed | 5 | 5 | 2 |
| 20050106 | 2005-01-06 | 5 | Thursday | Thu | 6 | 6 | 2 |
| 20050107 | 2005-01-07 | 6 | Friday | Fri | 7 | 7 | 2 |
| 20050108 | 2005-01-08 | 7 | Saturday | Sat | 8 | 8 | 2 |
| 20050109 | 2005-01-09 | 1 | Sunday | Sun | 9 | 9 | 3 |
| 20050110 | 2005-01-10 | 2 | Monday | Mon | 10 | 10 | 3 |
| 20050111 | 2005-01-11 | 3 | Tuesday | Tue | 11 | 11 | 3 |

```


# Time Action Message Duration / Fetch
64 15:19:49 use adventuredatabase
0 row(s) affected 0.000 sec
65 15:19:49 select * from dimdate LIMIT 0, 1000 1000 row(s) returned 0.031 sec / 0.015 sec
66 15:20:02 use adventuredatabase
0 row(s) affected 0.000 sec
67 15:20:02 select * from dimdate limit 4000 3652 row(s) returned 0.000 sec / 0.109 sec

```

DimEmployee

Total Row Count : 284

Talend Data Fabric (6.4.1.20170623_1246) | MidTerm (Connection: Local)
File Edit View Window Help



The screenshot shows the MySQL Workbench interface. The top menu bar includes File, Edit, View, Query, Database, Server, Tools, Scripting, and Help. The left sidebar has sections for MANAGEMENT (Server Status, Client Connections, Users and Privileges, Status and System Variables, Data Export, Data Import/Restore), INSTANCE (Startup / Shutdown, Server Logs, Options File), PERFORMANCE (Dashboard, Performance Reports, Performance Schema Setup), SCHEMAS (adventureworks2016_eu, adventureworksdw_neu, Tables), and Information (Object Info, Session). The main area has tabs for Query 1 through SQL File 9*. The current tab, SQL File 9*, contains the following SQL code:

```
use adventureworksdw_neu;
select * from dimemployee
limit 4000;
```

The results grid displays the following data:


| EmployeeSK | BusinessEntityID | EmployeeNationalID | ManagerSK | ManagerBusinessEntityID | ManagerEmployeeNationalID | GeoSK | Sales |
|------------|------------------|--------------------|-----------|-------------------------|---------------------------|-------|-------|
| 1 | 1 | 295847284 | NULL | 18 | 446466105 | 0 | NULL |
| 2 | 2 | 245797967 | NULL | 7 | 2475662105 | 0 | NULL |
| 3 | 3 | 509647174 | NULL | 14 | 245797967 | 0 | NULL |
| 4 | 4 | 112457891 | NULL | 3 | 509647174 | 0 | NULL |
| 5 | 5 | 695256908 | NULL | 3 | 509647174 | 0 | NULL |
| 6 | 6 | 998320692 | NULL | 267 | 974026903 | 0 | NULL |
| 7 | 7 | 134969118 | NULL | 112 | 295847284 | 0 | NULL |
| 8 | 8 | 811994146 | NULL | 112 | 295847284 | 0 | NULL |
| 9 | 9 | 658797903 | NULL | 23 | 277173473 | 0 | NULL |
| 10 | 10 | 879342154 | NULL | 189 | 33237992 | 0 | NULL |
| 11 | 11 | 974026903 | NULL | 3 | 509647174 | 0 | NULL |

The bottom pane shows the Action Output log with the following entries:

| # | Time | Action | Message | Duration / Fetch |
|----|----------|--------------------------------------|----------------------|-----------------------|
| 66 | 15:20:02 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 67 | 15:20:20 | select * from dimdate limit 4000 | 3652 row(s) returned | 0.000 sec / 0.109 sec |
| 68 | 15:20:40 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 69 | 15:20:40 | select * from dimemployee limit 4000 | 284 row(s) returned | 0.047 sec / 0.000 sec |

DimLocation


Total Row Count : 14



Select Count(*) from locationdim;


| LocationSK | LocationID | LocationName | CostRate | Availability | ModifiedDate | SOR_ID | SOR_LoadDate |
|------------|------------|------------------------|----------|--------------|-------------------------|--------|-------------------------|
| 1 | 1 | Tool Crib | 0.00 | 0.00 | 2018-04-05 15:22:12.910 | -1 | 2018-04-05 15:22:12.910 |
| 2 | 2 | Sheet Metal Racks | 0.00 | 0.00 | 2018-04-05 15:22:12.922 | -1 | 2018-04-05 15:22:12.922 |
| 3 | 3 | Paint Shop | 0.00 | 0.00 | 2018-04-05 15:22:12.922 | -1 | 2018-04-05 15:22:12.922 |
| 4 | 4 | Paint Storage | 0.00 | 0.00 | 2018-04-05 15:22:12.922 | -1 | 2018-04-05 15:22:12.922 |
| 5 | 5 | Metal Storage | 0.00 | 0.00 | 2018-04-05 15:22:12.922 | -1 | 2018-04-05 15:22:12.922 |
| 6 | 6 | Miscellaneous Storage | 0.00 | 0.00 | 2018-04-05 15:22:12.922 | -1 | 2018-04-05 15:22:12.922 |
| 7 | 7 | Finished Goods Storage | 0.00 | 0.00 | 2018-04-05 15:22:12.922 | -1 | 2018-04-05 15:22:12.922 |
| 8 | 10 | Frame Forming | 22.50 | 96.00 | 2018-04-05 15:22:12.922 | -1 | 2018-04-05 15:22:12.922 |
| 9 | 20 | Frame Welding | 25.00 | 108.00 | 2018-04-05 15:22:12.922 | -1 | 2018-04-05 15:22:12.922 |
| 10 | 30 | Debur and Polish | 14.50 | 120.00 | 2018-04-05 15:22:12.922 | -1 | 2018-04-05 15:22:12.922 |
| 11 | 40 | Paint | 15.75 | 120.00 | 2018-04-05 15:22:12.922 | -1 | 2018-04-05 15:22:12.922 |

DimLocation



DimEmployeePayHistory

Total Row Counts : 316




| PayHistorySK | EmployeeSK | Rate | PayFrequency | ModifiedDate | scd_start | scd_end |
|--------------|------------|--------|--------------|--------------------------|-------------------------|-------------------------|
| 1 | 1 | 125.50 | 2 | 2014-06-30 00:00:00.0000 | 2018-04-05 15:29:09.172 | NULL |
| 2 | 2 | 63.46 | 2 | 2014-06-30 00:00:00.0000 | 2018-04-05 15:29:09.172 | NULL |
| 3 | 3 | 43.27 | 2 | 2014-06-30 00:00:00.0000 | 2018-04-05 15:29:09.172 | NULL |
| 4 | 4 | 8.62 | 1 | 2007-11-21 00:00:00.0000 | 2018-04-05 15:29:09.172 | 2018-04-05 15:29:09.172 |
| 5 | 4 | 23.72 | 2 | 2010-05-16 00:00:00.0000 | 2018-04-05 15:29:09.172 | 2018-04-05 15:29:09.172 |
| 6 | 4 | 29.85 | 2 | 2011-12-01 00:00:00.0000 | 2018-04-05 15:29:09.172 | NULL |
| 7 | 5 | 32.69 | 2 | 2014-06-30 00:00:00.0000 | 2018-04-05 15:29:09.172 | NULL |
| 8 | 6 | 32.69 | 2 | 2014-06-30 00:00:00.0000 | 2018-04-05 15:29:09.172 | NULL |
| 9 | 7 | 50.48 | 2 | 2014-06-30 00:00:00.0000 | 2018-04-05 15:29:09.172 | NULL |
| 10 | 8 | 40.87 | 2 | 2014-06-30 00:00:00.0000 | 2018-04-05 15:29:09.172 | NULL |
| 11 | 9 | 40.87 | 2 | 2014-06-30 00:00:00.0000 | 2018-04-05 15:29:09.172 | NULL |

Action Output:

| # | Time | Action | Message | Duration / Fetch |
|----|----------|--|-------------------|------------------|
| 57 | 14:05:46 | CREATE TABLE Fact_WorkOrder_Rejects (RejectWorkOrderRoutingSK int ...) | 0 row(s) affected | 0.421 sec |
| 58 | 14:06:55 | DROP TABLE Fact_WorkOrderRouting_Rejects | 0 row(s) affected | 0.281 sec |
| 59 | 14:07:02 | CREATE TABLE Fact_WorkOrderRouting_Rejects (RejectWorkOrderRouting...) | 0 row(s) affected | 0.375 sec |
| 60 | 14:51:11 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |

DimPromotion

Total Row Count : 16




Select count(*) from specialoffer;

| PromotionSK | PromotionAlternateSK | PromotionName | PromotionDiscountPct | PromotionType | PromotionCategory | Pro |
|-------------|----------------------|-----------------------------|----------------------|----------------------|-------------------|------|
| 1 | 1 | No Discount | 0 | No Discount | Reseller | 2011 |
| 2 | 2 | Volume Discount 11 to 14 | 0.02 | Volume Discount | Reseller | 2011 |
| 3 | 3 | Volume Discount 15 to 24 | 0.05 | Volume Discount | Reseller | 2011 |
| 4 | 4 | Volume Discount 25 to 40 | 0.1 | Volume Discount | Reseller | 2011 |
| 5 | 5 | Volume Discount 41 to 60 | 0.15 | Volume Discount | Reseller | 2011 |
| 6 | 6 | Volume Discount over 60 | 0.2 | Volume Discount | Reseller | 2011 |
| 7 | 7 | Mountain-100 Clearance Sale | 0.35 | Discontinued Product | Reseller | 2011 |
| 8 | 8 | Sport Helmet Discount-2002 | 0.1 | Seasonal Discount | Reseller | 2011 |
| 9 | 9 | Road-650 Overstock | 0.3 | Excess Inventory | Reseller | 2011 |
| 10 | 10 | Mountain Tire Sale | 0.5 | Excess Inventory | Customer | 2011 |
| 11 | 11 | Short Helmet Discount-2003 | 0.15 | Seasonal Discount | Reseller | 2011 |

DimScrapReason

Total Row Counts : 16




Select count(*) from scrapreason;

The screenshot shows the MySQL Workbench interface. The left sidebar contains navigation panels for Server Status, Client Connections, Users and Privileges, Status and System Variables, Data Export, Data Import/Restore, INSTANCE, PERFORMANCE, and SCHEMAS. The SCHEMAS panel shows the 'adventureworks2016_neu' database selected. The central area displays the results of the query 'SELECT COUNT(*) FROM scrapreason;'. The result grid shows 16 rows. The bottom pane shows the 'Action Output' log with four entries corresponding to the query execution.

| ScrapReasonID | ScrapReasonName | SOR_ID | SOR_LoadDate | SOR_UpdateDate | DI_Job |
|---------------|-------------------------------|--------|-------------------------|-------------------------|--------|
| 1 | Brake assembly not as ordered | -1 | 2018-04-05 01:35:39.174 | 2008-04-30 00:00:00.000 | 01450 |
| 2 | Color incorrect | -1 | 2018-04-05 01:35:39.180 | 2008-04-30 00:00:00.000 | 01450 |
| 3 | Gouge in metal | -1 | 2018-04-05 01:35:39.181 | 2008-04-30 00:00:00.000 | 01450 |
| 4 | Drill pattern incorrect | -1 | 2018-04-05 01:35:39.181 | 2008-04-30 00:00:00.000 | 01450 |
| 5 | Drill size too large | -1 | 2018-04-05 01:35:39.181 | 2008-04-30 00:00:00.000 | 01450 |
| 6 | Drill size too small | -1 | 2018-04-05 01:35:39.181 | 2008-04-30 00:00:00.000 | 01450 |
| 7 | Handling damage | -1 | 2018-04-05 01:35:39.181 | 2008-04-30 00:00:00.000 | 01450 |
| 8 | Paint process failed | -1 | 2018-04-05 01:35:39.182 | 2008-04-30 00:00:00.000 | 01450 |
| 9 | Primer process failed | -1 | 2018-04-05 01:35:39.182 | 2008-04-30 00:00:00.000 | 01450 |
| 10 | Seat assembly not as ordered | -1 | 2018-04-05 01:35:39.182 | 2008-04-30 00:00:00.000 | 01450 |
| 11 | Stress test failed | -1 | 2018-04-05 01:35:39.182 | 2008-04-30 00:00:00.000 | 01450 |

DimProductAll

Total Row Count : 504



The screenshot shows the MySQL Workbench interface. The left sidebar shows the database structure with 'adventureworks2016_eu' and 'adventureworksdw_neu' selected. The main area shows a query editor with the following SQL:

```

use adventurworksdw_neu;
select * from dimproductsall
limit 4000;

```

The results grid shows the following data:


| ProductID | ProductName | ProductNumber | ProductSubcategoryID | ProductSubcategoryName | ProductCategoryID |
|-----------|-----------------------|---------------|----------------------|------------------------|-------------------|
| 1 | Adjustable Race | AR-5381 | 0 | 0 | 0 |
| 2 | Bearno Ball | BA-8227 | 0 | 0 | 0 |
| 3 | BB Ball Bearing | BE-2349 | 0 | 0 | 0 |
| 4 | Headset Ball Bearings | BE-2908 | 0 | 0 | 0 |
| 5 | Blade | BL-2036 | 0 | 0 | 0 |
| 6 | LL Crankarm | CA-5965 | 0 | 0 | 0 |
| 7 | ML Crankarm | CA-6738 | 0 | 0 | 0 |
| 8 | HL Crankarm | CA-7457 | 0 | 0 | 0 |
| 9 | Chainring Bolts | CB-2903 | 0 | 0 | 0 |
| 10 | Chainring Nut | CN-6137 | 0 | 0 | 0 |
| 11 | Chainring | CR-7833 | 0 | 0 | 0 |

The output pane shows the execution history:

| # | Time | Action | Message | Duration / Fetch |
|----|----------|---|---------------------|-----------------------|
| 84 | 15:31:36 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 85 | 15:31:36 | select * from dimscrapreason limit 4000 | 16 row(s) returned | 0.015 sec / 0.000 sec |
| 86 | 15:33:29 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 87 | 15:33:29 | select * from dimproductsall limit 4000 | 504 row(s) returned | 0.031 sec / 0.016 sec |

DimProductPurchased

Total Row Count : 265



The screenshot shows the MySQL Workbench interface. The left sidebar contains navigation panels for MANAGEMENT, INSTANCE, PERFORMANCE, SCHEMAS, and INFORMATION. The central area shows a query editor with the following SQL code:

```

1 use adventurworksdw_neu;
2 select * from dimproducts_purchased
3 limit 4000;
4
5
6
7
8
9
10
11

```

The results grid displays the following data (rows 1-11 of 265 total):


| | ProductPurchasedSK | ProductID | ProductName | ProductSubCategoryID | ProductSubCategoryName | ProductCategoryID |
|----|--------------------|-----------|-----------------------|----------------------|------------------------|-------------------|
| 1 | 1 | AR-5361 | Adjustable Race | 0 | HULL | 0 |
| 2 | 2 | BA-8327 | Bearin Ball | 0 | HULL | 0 |
| 3 | 4 | BE-2908 | Headset Ball Bearinos | 0 | HULL | 0 |
| 4 | 317 | CA-5965 | LL Crankarm | 0 | HULL | 0 |
| 5 | 318 | CA-6738 | ML Crankarm | 0 | HULL | 0 |
| 6 | 319 | CA-7457 | HL Crankarm | 0 | HULL | 0 |
| 7 | 320 | CB-2903 | Chainring Bolts | 0 | HULL | 0 |
| 8 | 321 | CN-6137 | Chainring Nut | 0 | HULL | 0 |
| 9 | 322 | CR-7833 | Chainring | 0 | HULL | 0 |
| 10 | 323 | CR-9981 | Crown Race | 0 | HULL | 0 |
| 11 | 325 | DC-8732 | Dental 1 | 0 | HULL | 0 |

The output pane shows the execution history of the query:

| # | Time | Action | Message | Duration / Fetch |
|----|----------|--|---------------------|-----------------------|
| 86 | 15:33:29 | use adventurworksdw_neu | 0 row(s) affected | 0.000 sec |
| 87 | 15:33:29 | select * from dimproductsall limit 4000 | 504 row(s) returned | 0.031 sec / 0.016 sec |
| 88 | 15:33:55 | use adventurworksdw_neu | 0 row(s) affected | 0.000 sec |
| 89 | 15:33:55 | select * from dimproducts_purchased limit 4000 | 265 row(s) returned | 0.015 sec / 0.000 sec |

DimProductVendor

Total Row Count : 265



MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

INSTANCE

PERFORMANCE

SCHEMAS

adventureworks2016_eu

adventureworksdw_neu

Tables

dimcurrency

dimcustomerperson

dimdate

dimemployee

dimgeography

dimlocation

dimpayhistory

dimproducts_purcha

Information

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 8* SQL File 9*

use adventureworksdw_neu;

select * from dimproductvendor

limit 4000;

Result Grid

| ProductVendorSK | ProductPurchasedSK | VendorSK | ProductID | VendorID | AverageLeadTime | StandardPrice | LastReceiptCost | LastReceived |
|-----------------|--------------------|----------|-----------|----------|-----------------|---------------|-----------------|--------------|
| 1 | 1 | 45 | 1 | 1580 | 17 | 47.87 | 50.26 | 201108: |
| 2 | 2 | 99 | 2 | 1688 | 19 | 39.92 | 41.92 | 201108: |
| 3 | 3 | 80 | 4 | 1650 | 17 | 54.31 | 57.03 | 201108: |
| 4 | 4 | 94 | 317 | 1678 | 17 | 25.77 | 27.06 | 201108: |
| 5 | 5 | 94 | 318 | 1678 | 17 | 31.98 | 33.58 | 201108: |
| 6 | 6 | 94 | 319 | 1678 | 17 | 43.87 | 46.06 | 201108: |
| 7 | 7 | 57 | 320 | 1604 | 17 | 43.21 | 45.37 | 201108: |
| 8 | 8 | 57 | 321 | 1604 | 17 | 38.56 | 40.49 | 201108: |
| 9 | 9 | 57 | 322 | 1604 | 17 | 25.11 | 26.37 | 201108: |
| 10 | 10 | 104 | 323 | 1698 | 17 | 47.87 | 50.26 | 201108: |
| 11 | 11 | 50 | 325 | 1590 | 19 | 0.20 | 0.71 | 201108: |

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|----|----------|--|---------------------|-----------------------|
| 88 | 15:33:55 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 89 | 15:33:55 | select * from dimproducts_purchased limit 4000 | 265 row(s) returned | 0.015 sec / 0.000 sec |
| 90 | 15:34:29 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 91 | 15:34:29 | select * from dimproductvendor limit 4000 | 265 row(s) returned | 0.032 sec / 0.140 sec |

Result Grid

Form Editor


Field Types

Context Help Snippets

DimSalesTerritory

Total Row Count : 5

Talend Data Fabric (6.4.1.20170623_1246) | MidTerm (Connection: Local)
File Edit View Window Help



```
Select count(*) from salesterritory;
```

The screenshot shows the MySQL Workbench interface with the following details:

- Navigator:** Shows the database structure:
 - MANAGEMENT: Server Status, Client Connections, Users and Privileges, Status and System Variables, Data Export, Data Import/Restore.
 - INSTANCE: Startup / Shutdown, Server Logs, Options File.
 - SCHEMAS: Filter objects, adventureworks2016_eu, adventureworksdw_neu (selected), Tables (dimcurrency, dimcustomerperson, dimdate, dimemployee, dimgeography, dimlocation, dimphistory, dimproducts_purcha).
- Query Editor:** SQL File 9* (Title bar), Result Grid (selected tab). The query executed was:

```
adventureworksdw_neu..* dimsalesterritory
```

with a limit of 4000 rows. The results show the following data:


| SalesTerritorySK | SalesTerritoryID | SalesTerritoryName | CountryRegionCode | SalesTerritoryGroup | SOR_ID | SOR_LoadDate | SO |
|------------------|------------------|--------------------|-------------------|---------------------|--------|-------------------------|------|
| 1 | 1 | Northwest | US | North America | -1 | 2018-04-05 01:20:01.781 | 200 |
| 2 | 2 | Northeast | US | North America | -1 | 2018-04-05 01:20:01.789 | 200 |
| 3 | 3 | Central | US | North America | -1 | 2018-04-05 01:20:01.790 | 200 |
| 4 | 4 | Southwest | US | North America | -1 | 2018-04-05 01:20:01.790 | 200 |
| 5 | 5 | Southeast | US | North America | -1 | 2018-04-05 01:20:01.791 | 200 |
| NULL | NULL | NULL | NULL | NULL | NULL | NULL | NULL |

- Output:** Action Output table showing the execution history of the query:


| # | Time | Action | Message | Duration / Fetch |
|----|----------|--|---------------------|-----------------------|
| 90 | 15:34:29 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 91 | 15:34:29 | select * from dimproductvendor limit 4000 | 265 row(s) returned | 0.032 sec / 0.140 sec |
| 92 | 15:35:30 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 93 | 15:35:30 | select * from dimsalesterritory limit 4000 | 5 row(s) returned | 0.031 sec / 0.000 sec |

DimShipMethod

Total Row Count : 5




```
Select count(*) from shipmethod;
```



DimStore

Total Row Count : 427




| ResellerSK | ResellerID | ResellerName | SalesPersonID | AddressName | AddressTypeID | AddressLine1 |
|------------|------------|--------------------------------|---------------|-------------|---------------|------------------------------------|
| 1 | 202 | Next-Door Bike Store | 279 | NULL | Main Office | Mall Of Memphis |
| 2 | 294 | Professional Sales and Service | 276 | NULL | Main Office | 57251 Serene Blvd |
| 3 | 296 | Riders Company | 277 | NULL | Main Office | Taner Factorv |
| 4 | 298 | The Bike Mechanics | 275 | NULL | Main Office | Johnny Appleseed Shoo:center |
| 5 | 302 | Area Bike Accessories | 281 | NULL | Main Office | 6900 Sick Road |
| 6 | 304 | Bicycle Accessories and Kits | 283 | NULL | Main Office | Lewiston Mall |
| 7 | 306 | Clamos & Brackets Co. | 275 | NULL | Main Office | Leesburg Premium Outlet Centre |
| 8 | 308 | Valley Bicycle Specialist | 277 | NULL | Main Office | Blue Ridge Mall |
| 9 | 310 | New Bikes Company | 279 | NULL | Main Office | Hilton Head Factory Outlets No. 25 |
| 10 | 316 | Fun Toys and Bikes | 281 | NULL | Main Office | 6500 East Grant Road |
| 11 | 318 | Great Rides | 283 | NULL | Main Office | Fastride Mall |

Action Output:

| # | Time | Action | Message | Duration / Fetch |
|----|----------|-----------------------------------|---------------------|-----------------------|
| 92 | 15:35:30 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 93 | 15:35:30 | select * from dimstore limit 4000 | 5 row(s) returned | 0.031 sec / 0.000 sec |
| 94 | 15:37:22 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 95 | 15:37:22 | select * from dimstore limit 4000 | 427 row(s) returned | 0.031 sec / 0.031 sec |

DimVendors

Total Row Count : 104



MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Local instance MySQL Router

Navigator MANAGEMENT INSTANCE SCHEMAS INFORMATION Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 8* SQL File 9* SQL Additions

```
1 use adventurworksdw_neu;
2 select * from dimvendors
3 limit 80000;
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Contents: Result Grid Form Editor Field Types Context Help Snippets


| VendorSK | BusinessEntityID | AccountNumber | VendorName | CreditRating | PreferredVendorStatus | ActiveFlag | Purcha |
|----------|------------------|-------------------|----------------------------|--------------|-----------------------|------------|--------|
| 1 | 1492 | AUSTRALI0001 | Australia Bike Retailer | 1 | 1 | 1 | HULL |
| 2 | 1494 | ALLLENSON0001 | Allenson Cycles | 2 | 1 | 1 | HULL |
| 3 | 1496 | ADVANCED0001 | Advanced Bicycles | 1 | 1 | 1 | HULL |
| 4 | 1498 | TRIKES0001 | Trikes, Inc. | 2 | 1 | 1 | HULL |
| 5 | 1500 | MORGANB0001 | Morgan Bike Accessories | 1 | 1 | 1 | HULL |
| 6 | 1502 | CYCLING0001 | Cycling Master | 1 | 1 | 1 | HULL |
| 7 | 1504 | CHICAGO0000 | Chicago Rent-All | 2 | 1 | 1 | HULL |
| 8 | 1506 | GREENWOOD0001 | Greenwood Athletic Company | 1 | 1 | 1 | HULL |
| 9 | 1508 | COMPETE0001 | Compete Enterprises, Inc | 1 | 1 | 1 | HULL |
| 10 | 1510 | INTERNATIONAL0001 | International | 1 | 1 | 1 | HULL |
| 11 | 1512 | IGHTSP0001 | Light Speed | 1 | 1 | 1 | HULL |

Output Action Output

| # | Time | Action | Message | Duration / Fetch |
|-----|----------|---|----------------------|-----------------------|
| 119 | 15:48:13 | use adventurworksdw_neu | 0 row(s) affected | 0.000 sec |
| 120 | 15:48:13 | select * from factpurchases limit 80000 | 9784 row(s) returned | 0.000 sec / 0.140 sec |
| 121 | 16:00:11 | use adventurworksdw_neu | 0 row(s) affected | 0.000 sec |
| 122 | 16:00:11 | select * from dimvendors limit 80000 | 104 row(s) returned | 0.016 sec / 0.000 sec |

FactPurchase

Total Row Count : 9730




The screenshot shows the MySQL Workbench interface with a query results grid for the "factpurchases" table. The results show 11 rows of data. Below the grid, the SQL history pane shows the following execution details:

| Action | Time | Message | Duration / Fetch |
|--|--------------|----------------------|-----------------------|
| use adventureworksdw_neu; | 117 15:45:59 | 0 row(s) affected | 0.000 sec |
| select * from factpurchases limit 80000; | 118 15:45:59 | 9730 row(s) returned | 0.000 sec / 0.125 sec |
| use adventureworksdw_neu; | 119 15:48:13 | 0 row(s) affected | 0.000 sec |
| select * from factpurchases limit 80000; | 120 15:48:13 | 9784 row(s) returned | 0.000 sec / 0.140 sec |

FactPurchaseRejects

Total Row Count: 152



The screenshot shows the MySQL Workbench interface. The left sidebar contains navigation panels for "MANAGEMENT", "INSTANCE", "PERFORMANCE", and "SCHEMAS". Under "SCHEMAS", the "adventureworksdw_neu" database is selected, and its "Tables" panel shows the "factpurchases_rejects" table. A query editor window titled "Query 1" is open, displaying the following SQL code:

```

use adventureworksdw_neu;
select * from factpurchases_rejects
limit 80000;


```

The results grid shows 152 rows of data from the "factpurchases_rejects" table. The output pane at the bottom shows the execution log with the following entries:

- 113 15:45:20 select * from factpurchases_rejects limit 80000 152 row(s) returned
- 114 15:45:20 limit 9000 SET @rank := 0 Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'SET @rank := 0' at line 1 0.016 sec
- 115 15:45:24 use adventureworksdw_neu 0 row(s) affected 0.000 sec
- 116 15:45:24 select * from factpurchases_rejects limit 80000 152 row(s) returned 0.000 sec / 0.000 sec

FactWorkOrderRejects

Total Row Count : 729



The screenshot shows the MySQL Workbench interface. The left sidebar contains navigation panels for Management, Performance, and Schemas. The central area shows a query editor with the following SQL code:

```


use adventurworksdw_neu;
select * from fact_workorder_rejects
limit 80000;
    
```

The results grid displays 51 rows of data from the "fact_workorder_rejects" table. The columns are: RejectWorkOrderRoutingSK, WorkOrderSK, WorkOrderID, ProductSK, OrderQty, StockedQty, ScrappedQty, and WorkOrder_StartDateSK. The data includes various work order IDs and their corresponding reject details. The bottom pane shows the execution history with three entries:

- # 100 15:39:50 use adventurworksdw_neu 0 row(s) affected 0.000 sec
- # 101 15:39:50 select * from fact_workorder_rejects limit 80000 72591 row(s) returned 0.000 sec / 0.546 sec
- # 102 15:40:23 use adventurworksdw_neu 0 row(s) affected 0.000 sec
- # 103 15:40:23 select * from fact_workorder_rejects limit 80000 729 row(s) returned 0.031 sec / 0.016 sec

WorkOrderRouting

Total Row Count : 67131




The screenshot shows the MySQL Workbench interface with a query window running the following SQL:

```
use adventurworksdw_neu;
select * from fact_workorderrouting
limit 80000;
```

The results grid displays 11 rows of data from the fact_workorderrouting table. The columns include WorkOrderRoutingSK, WorkOrderSK, ProductSK, OperationSequence, LocationSK, ScheduledStartDate, and ScheduledEndDate. The data shows various routing details for different work orders and products.

WorkOrderRoutingRejects

Total Row Count : 662



MySQL Workbench

Local instance MySQL Router

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SCHEMAS

adventureworks2016_eu

adventureworksdw_neu

Tables

- dimcurrency
- dimcustomerperson
- dimdate
- dimemployee
- dimgeography
- dimlocation
- dimpayhistory
- dimproducts_purcha

Fact_workorderrouting_rejects


Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|-----|----------|---|-----------------------|-----------------------|
| 104 | 15:41:30 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 105 | 15:41:30 | select * from fact_workorderrouting limit 80000 | 67131 row(s) returned | 0.000 sec / 0.765 sec |
| 106 | 15:42:11 | use adventureworksdw_neu | 0 row(s) affected | 0.000 sec |
| 107 | 15:42:11 | select * from fact_workorderrouting_rejects limit 80000 | 729 row(s) returned | 0.016 sec / 0.000 sec |

DimVendorContact

Total Row Count : 104



| VendorContactsSK | Person_BusinessEntityID | VendorSK | Vendor_BusinessEntityID | ContactType | Title | FirstName | MiddleName |
|------------------|-------------------------|----------|-------------------------|-----------------------|-------|-----------|------------|
| 1 | 0 | 1 | 1492 | Sales Agent | NULL | A | NULL |
| 2 | 0 | 2 | 1494 | Sales Associate | NULL | A | NULL |
| 3 | 0 | 3 | 1496 | Sales Agent | NULL | A | NULL |
| 4 | 0 | 4 | 1498 | Sales Associate | NULL | A | NULL |
| 5 | 0 | 5 | 1500 | Sales Associate | NULL | A | NULL |
| 6 | 0 | 6 | 1502 | Sales Agent | NULL | A | NULL |
| 7 | 0 | 7 | 1504 | Sales Manager | NULL | A | NULL |
| 8 | 0 | 8 | 1506 | Sales Manager | NULL | A | NULL |
| 9 | 0 | 9 | 1508 | Sales Agent | NULL | A | NULL |
| 10 | 0 | 10 | 1510 | Assistant Sales Agent | NULL | A | NULL |
| 11 | 0 | 11 | 1512 | Sales Agent | NULL | A | NULL |