

```
<!DOCTYPE html>
<head>
<title>Flex Box</title>
<style>
body {
font-family: Arial;
font-size: 20px;
padding: 0 20px 30px 0;
line-height: 1.4;
background-color: ■rgb(215, 247, 159);
}
.flex-container{
display: flex;
flex-wrap: wrap;
}
.flex-item{
width: 75px;
height: 75px;
background-color: ■blueviolet;
border: 2px solid □black;
text-align: center;
font-size: 2em;
color: ■goldenrod;
font-weight: bold;
line-height: 1.8;
}
</style>
</head>
<body>
<div class="flex-container">
<div class="flex-item" id="flex-item-1">M</div>
<div class="flex-item" id="flex-item-2">E</div>
<div class="flex-item" id="flex-item-3">E</div>
<div class="flex-item" id="flex-item-4">T</div>
</div>
</body>
</html>
```



```
styles.css > 📄 footer p
body {
  margin: 0;
  font-family: 'Poppins', sans-serif;
  line-height: 1.6;
  color: #333;
  background-color: #f4f4f4;}
.container {
  width: 90%;
  max-width: 1200px;
  margin: auto;}
header, footer {
  background: #333;
  color: #fff;
  text-align: center;
  padding: 1rem 0;}
header h1 {
  font-weight: 600;
  font-size: 2.5rem;
  letter-spacing: 1px;}
nav {
  display: flex;
  justify-content: center;
  gap: 1.5rem;
  margin-top: 0.5rem;}
nav a {
  text-decoration: none;
  color: #fff;
  font-weight: 400;
  font-size: 1.1rem;}
section {
  padding: 2rem 0;
  text-align: center;}
section h2 {
  font-weight: 500;
  font-size: 2rem;
  margin-bottom: 1rem;}
section p {
  font-weight: 300;
  font-size: 1.1rem;
  line-height: 1.8;
  max-width: 900px;
  margin: 0 auto;}
.shoe-grid {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
  gap: 1.5rem;}
.shoe-card {
  background: #fff;
  border: 1px solid #ddd;
  border-radius: 5px;
  padding: 1rem;}
.shoe-card img {
  max-width: 100%;
  border-radius: 5px;}
.shoe-card h3 {
  font-weight: 500;
  font-size: 1.2rem;
  margin-top: 0.5rem;}
.shoe-card p {
  color: #f4a261;
  font-weight: 600;
  font-size: 1.1rem;}
footer p {
  font-weight: 300;
  font-size: 1rem;}
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Box Model Example</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 0;
      padding: 0;
      background-color: ■rgb(113, 154, 187);
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
    }

    .box {
      width: 300px; /* Content width */
      height: 150px; /* Content height */
      padding: 20px; /* Padding around content */
      border: 5px solid ■#060b1c; /* Border around padding */
      margin: 40px; /* Space outside the border */
      background-color: ■rgb(199, 138, 255); /* Background of the content */
      box-shadow: 0 4px 8px ■rgba(0, 0, 0, 0.1);
    }
  </style>
</head>
<div class="box">
  <h3>This is an example of the CSS box model.</h3>
  <p>Content, padding, border, and margin are all demonstrated here.</p>
</div>
</body>
</html>
```



You

3 minutes ago



```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Simple Media Queries Example</title>
  <style>
    /* Default styles for small screens */
    body {
      font-family: Arial, sans-serif;
      background-color: lightcoral;
      color: white;
      text-align: center;
      padding: 20px;
    }
    /* For screens wider than 600px */
    @media (min-width: 600px) {
      body {
        background-color: lightblue;
      }
    }
    /* For screens wider than 900px */
    @media (min-width: 900px) {
      body {
        background-color: lightgreen;
      }
    }
  </style>
</head>
<body>
  <h1>Responsive Design with Media Queries</h1>
  <p>This is a simple example of using media queries to change the background color and font size based on screen size.
  Resize the browser window to see the changes!</p>
  <p>At small screen sizes, the background is light coral. On medium screens (600px and above),
  it changes to light blue. For larger screens (900px and above), the background becomes light green.
  Additionally, the font sizes increase for larger screens to enhance readability.</p>
</body>
</html>
```



↩ Reply



You

3 minutes ago



```
<!DOCTYPE html>
<head>
<title>Fluid layout</title>
<style>
<body [
margin:0 auto;
max-width: 900px;
width: 90%;
]
#box{
float: left;
margin: 15px;
width: 150px;
height: 150px;
border-radius: 5px;
background-color: blue;
padding: 1em;
}
.special{
background-color: green;
padding: 15px; color: white;
}
</style>
</head>
<body>
<h1>Float Property</h1>

<h1 class="special">Resume</h1>
<p>The company itself is a very successful company. Some body blinded them
</p>
<p class="cleared">It's very important that the customer is able to follow the adipiscing process. Those of the body c
</p>
<p>The company itself is a very successful company. They were blinded by the body somewhere</p>
</body>
</html>
```



↩ Reply