

Code-Layout, Readability and Reusability

Date	30 th September 2026
Team ID	SWTID-2026-2214
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	5 Marks

Code-Layout, Readability and Reusability:

This document evaluates the quality of the codebase in terms of its structure, readability, and reusability. Well-organized code with proper naming conventions, comments, and modular design ensures that the project is maintainable and can be extended or reused in future development.

Code Layout Checklist:

S.No	Code Quality Parameter	Description	Followed (Yes / No / Partial)	Remarks
1	Consistent Indentation	Uniform spacing/tabs used throughout	Yes	ACL scripts use consistent indentation and formatting.
2	Proper File Structure	Files and folders are logically organized	Yes	ServiceNow organizes ACLs, users, roles, and tables in their respective modules.
3	Meaningful Variable Names	Variables reflect their purpose clearly	Yes	Role names, table names, and field names clearly represent their purpose.
4	Function / Method Names	Functions are descriptively named	Yes	The ACL script uses clear role and access-checking logic.
5	Code Comments	Inline and block comments explain log	Yes	Comments explain administrator access and branch-based access logic.
6	Modular Design	Code is split into reusable functions/m	Yes	Read, Create, Write, and Delete permissions are handled through separate ACL configurations.
7	No Redundant Code	Duplicate or unused code is removed	Yes	Access is denied by default when the required role is not available, but detailed

				error handling is not implemented.
8	Error Handling	Exceptions and errors are handled gracefully.	Partial	Access is denied by default when the required role is not available, but detailed error handling is not implemented.

Reusable Components / Modules:

S.No	Component / Module Name	Language / Technology	Where Reused	Reusability Level (High / Medium / Low)
1	Script-Controlled Read ACL	ServiceNow ACL / JavaScript	Institution Details records	High
2	Role-Based Access Control	ServiceNow Roles	Read, Create, Write and Delete operations	High
3	Branch-Based Access Logic	JavaScript / ServiceNow ACL	EEE branch record access	Medium
4	Institution Details Table	ServiceNow Table	Student/institution record management	High
5	User Impersonation Testing	ServiceNow	ACL access verification	Medium

Overall Code Quality Assessment:

Aspect	Rating (1-5)	Comments
Code Layout & Structure	4	ACLs and roles are organized according to their specific access operations.
Readability	4	The script and configuration use clear role and field references.
Reusability	4	ACL and role-based access concepts can be reused for other tables and departments.
Documentation / Comments	4	Comments explain the main access-control logic.
Overall Score	4	The project has a clear structure, readable ACL logic, and reusable security components.