

Performance Testing

Date	30 th September 2026
Team ID	SWTID-2026-2214
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	5 Marks

Performance Testing

Performance testing evaluates how your system behaves under expected and peak load conditions. Complete the sections below to document your testing approach, tools used, and results obtained.

Step 1: Testing Overview

Field	Details
Testing Tool Used	ServiceNow Platform – User Impersonation
Type of Testing	Functional and Access Control Performance Testing
Target Module / API	Institution Details (u_institution_details) and ACLs
Test Environment	ServiceNow Cloud Instance
Test Date	30 th September 2026

Step 2: Test Scenarios

S.No	Test Scenario / Description	No. of Virtual Users	Duration (sec)	Expected Outcome
1	EEE User with bb1 role accesses Institution Details records	1	60	User can view permitted EEE records
2	User without required role attempts to access records	1	60	Access is denied
3	User with bb1 + bb2 + bb3 attempts to view, create and edit records	1	60	User can perform permitted operations on EEE records
4	User with bb1 + bb2 + bb3 + bb4 attempts all operations	1	60	User can view, create, edit and delete permitted EEE records

Step 3: Performance Test Results


S.No	Metric	Target Value	Actual Value	Status (Pass / Fail)	Remarks
1	Response Time (Avg)	< 2 seconds	Not measured	N/A	No dedicated load-testing tool was used.
2	Response Time (Max)	< 5 seconds	Not measured	N/A	No dedicated load-testing tool was used.
3	Throughput (Req/sec)		Not measured	N/A	ACL functionality was tested through ServiceNow.
4	Error Rate	< 1%	No critical errors observed during testing	Pass	ACL tests completed successfully.
5	CPU Utilization	< 80%	Not measured	N/A	Instance-level CPU monitoring was not performed.
6	Memory Utilization	< 80%	Not measured	N/A	Instance-level memory monitoring was not performed.

Step 4: Observations & Analysis

The ACL configuration was tested using ServiceNow user impersonation. The tests verified that access is controlled according to user roles and the Branch field. EEE users with the required roles can access the permitted EEE records, while users without the required permissions are denied access. Create, Write, and Delete operations are also restricted according to the assigned roles. Administrators retain full access. No critical errors were observed during the functional testing.

Step 5: Screenshots / Evidence

Attach screenshots of your performance testing tool results below (e.g., JMeter report, Locust graphs, k6 output):



The image shows three screenshots of the ServiceNow 'Role - New Record' form. The top screenshot shows the form with the 'Name' field containing 'bb4', 'Application' set to 'Global', and 'Elevated privilege' unchecked. The middle screenshot shows the 'User Role - Edit Members' dialog box with a search for 'bb' in the 'Collection' field, resulting in a list of roles: 'bb1', 'bb2', 'bb3', and 'bb4'. The bottom screenshot shows the form again, but with the 'Name' field containing 'bb2'.

ServiceNow Role - New Record Form

Navigation: All Favorites History Workspaces : Role - New Record ☆ Search

Role: New record

* Name: Application: Elevated privilege: ☐

Description:

Submit

User Role - Edit Members Dialog

Buttons: Add Filter Run filter ⓘ

Search: -- choose field -- -- oper -- -- value --

Collection: --None--

Roles List:

Buttons: > < Cancel Save

ServiceNow Role - New Record Form (Updated)

Navigation: All Favorites History Workspaces : Role - New Record ☆ Search

Role: New record

* Name: Application: Elevated privilege: ☐

Description:

Submit

The screenshot shows the 'Impersonate user' dialog box in the ServiceNow interface. The dialog has a title bar with a close button (X). Inside, there's a section 'Select a user' with a search input field containing 'EEE User' and a magnifying glass icon. Below the search field is a dropdown menu showing two options: 'EU EEE User' (highlighted) and 'EEE User'. Underneath the dropdown is a section titled 'RECENT IMPERSONATIONS' with a clock icon. At the bottom of the dialog are two buttons: 'Cancel' and 'Impersonate user'. The background shows the ServiceNow user interface with a list of users and a sidebar menu.

Access Control - New Record

Advanced Condition

Controlled by References

Script ☒ Turn on ECMAScript 2021 (ES12) mode ⓘ

```

1  (function () {
2      // Allow admin users full access
3      if (gs.hasRole('admin')) {
4          return true;
5      }
6      // Allow only EEE branch users to see EEE records
7      if (gs.hasRole('bb1')){
8          return true;
9      }
10     // Deny access for all others
11     return false;
12 })();
13 
```

Submit