

Solution Requirements

Date	30 th September 2026
Team ID	SWTID-2026-2214
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

Define Functional and Non-Functional Requirements:

Create a comprehensive list of requirements to define exactly what your solution will do and how well it will perform.

- **Functional Requirements (FR)** :The template provides 8 categories: Authentication, Authorization levels, External interfaces, Transactions processing, Reporting, Business rules, Compliance, and Other.
- **Non-Functional Requirements (NFR)** The template asks for an NFR category, requirement description, and Target Metric / Acceptance Criteria.

Fill out the descriptions and necessary details for each category provided below.

Step 1: Functional Requirements (FR)

S.No	Requirement Category	Requirement Description	Priority (High/Medium/Low)
1	Authentication	<i>Users must log in to ServiceNow with valid credentials before accessing the Institution Details table.</i>	High
2	Authorization levels	<i>Access is controlled using custom roles bb1, bb2, bb3, and bb4. bb1 allows READ access to EEE records, bb2 allows CREATE, bb3 allows WRITE, and bb4 allows DELETE.</i>	High

3	External interfaces	No external APIs, third-party databases, or external services are required. The solution operates within the ServiceNow platform	Low
4	Transactions processing	The system evaluates each user's roles and ACL conditions when viewing, creating, updating, or deleting Institution Details records.	High
5	Reporting	Administrators can review Institution Details records and verify whether users operations based on their assigned roles.	High

Step 2: Non-Functional Requirements (NFR)

S.No	NFR Category	Requirement Description	Target Metric / Acceptance Criteria
6	Business rules, etc.	READ access is restricted to records where Branch is EEE for users with role bb1. CREATE, WRITE, and DELETE operations require bb2, bb3, and bb4 respectively.	High
1	Performance & Speed	ACL checks should be performed during normal ServiceNow record access without unnecessary processing delays.	Access requests should complete within normal ServiceNow response time.
7	Compliance to laws or regulations	The solution must protect Institution Details from unauthorized access by applying role-based and record-level access controls.	High
2	Scalability	The ACL solution should continue to work when the number of Institution Details records and users increases.	ACL rules should apply consistently to all applicable records and users.
8	Other	The system must support testing with users having different combinations of bb1, bb2, bb3, and bb4 roles.	Medium
3	Security & Data Privacy	Institution Details must be protected from unauthorized READ, CREATE, WRITE, and DELETE operations using roles and ACL conditions.	Users without the required role cannot perform the corresponding operation.
4	Reliability & Availability	Access control should be consistently enforced whenever users access the Institution Details table.	ACL rules remain active and correctly enforce permissions for all applicable requests.

5	Usability & Accessibility	<i>Authorized users should be able to access the Institution Details table through the normal ServiceNow interface according to their permissions.</i>	<i>Users see only the functions and records permitted by their assigned roles.</i>
6	Other	<i>ACL rules and scripts should be clearly configured so administrators can review and update access requirements when necessary.</i>	<i>ACLs have clear names, roles, conditions, and scripts that can be maintained by administrators.</i>