

Pair Eyewear, Inc. v. Stoggles Inc.

The public pleading analysis describes a modular-eyewear dispute about a base eyeglass frame, a decorative lensless top frame, and removable magnetic attachment. The issue map is preliminary and does not express an infringement, validity, damages, or claim-construction opinion.

Independent preliminary research based on public information.

FILED	FORUM	DOCKET	MATTER
2026-08-24	U.S. District Court for the Central District of California	2:26-cv-09429	Patent Infringement

Prepared 2026-08-27. No attorney or expert contacted. Availability, interest, compensation, and conflicts not checked.

Public filing, likely recipient, and technical frame

CAPTION

Pair Eyewear, Inc. v. Stoggles Inc.

FORUM / DOCKET

U.S. District Court for the Central District of California / 2:26-cv-09429

FILED / TYPE

2026-08-24 / patent infringement

PUBLIC DOCKET[Open docket](#)**VERIFIED PUBLIC RECORD**

CourtListener's public docket search and the Justia docket identify Pair Eyewear, Inc. v. Stoggles Inc., Civil Action No. 2:26-cv-09429, in the Central District of California, filed August 24, 2026. A secondary public analysis of the filed complaint reports that Pair alleges Stoggles' Roen product line infringes claim 1 of U.S. Patent No. 11,762,223 concerning a removably attachable top frame for eyewear. The allegations are not findings.

LIKELY RESEARCH PURCHASER

Joseph F. Jennings - Partner, Knobbe Martens. Verified docket/counsel fact and analytical inference: the public complaint analysis identifies Knobbe Martens as plaintiff's counsel, and Jennings' firm profile identifies him as an IP-litigation partner with a primary emphasis on patent cases. This supports him as a plausible initial recipient for preliminary expert-search research; it does not establish purchasing authority.

joe.jennings@knobbe.com - publicly printed in the [linked professional source](#); not inferred.

TECHNICAL FRAME

The public pleading analysis describes a modular-eyewear dispute about a base eyeglass frame, a decorative lensless top frame, and removable magnetic attachment. The issue map is preliminary and does not express an infringement, validity, damages, or claim-construction opinion.

Secondary-source limitation: The filed complaint, asserted claim, patent specification and prosecution history, accused-product samples, measurements, product versions, and discovery must control any final technical opinion. [Open public synopsis](#)

REPORTED ASSERTED PATENTS

[U.S. Patent No. 11.762.223](#)

Questions likely to require expert input

This issue map is a research plan, not a legal conclusion. The filed complaint, patent exhibits, intrinsic record, and discovery must control.

01 Claimed base-frame and top-frame architecture

Does the accused Roen configuration include the structural relationship required by the asserted claim between a base eyeglass frame and a distinct removable top frame, including the alleged lensless decorative front?

Potential evidence: Asserted claim language, patent specification and prosecution history, product samples, product photography, CAD files, bills of materials, teardown measurements, and technical testimony.

02 Magnetic coupling geometry and polarity

Where are magnets or magnetically responsive components placed in the base and top frames; how are they aligned; and what coupling, retention, and removal behavior results in ordinary use?

Potential evidence: Physical inspection, magnetometry, polarity mapping, force-versus-gap and shear testing, dimensions, materials records, design files, and manufacturing documents.

03 Top-frame fit and visual coverage

How does the top frame overlay, expose, or interact with the base frame and lenses, and which claimed structural boundaries are visible in the actual assembled product?

Potential evidence: Accused-product samples, photographs, 3D scans, optical/physical measurements, CAD drawings, marketing specifications, and controlled assembly demonstrations.

04 Functional retention under foreseeable use

Is the coupling sufficiently repeatable and stable during ordinary wearing, handling, vibration, and removal to support the architectural and functional characterizations advanced by either side?

Potential evidence: Test protocols, force measurements, product specifications, quality-control records, user instructions, durability studies, and inspection of production units.

Questions likely to require expert input

05 Alternative mechanical and magnetic implementations

Which design choices—magnet size, material, orientation, embedded placement, frame curvature, clearances, and alignment features—are technically consequential, and which would have been ordinary design options at the relevant time?

Potential evidence: Contemporaneous patents and publications, product history, engineering specifications, prototype records, supplier documentation, and a supported POSITA analysis.

06 Optical and ergonomic implications

Do the top-frame geometry, lens clearance, weight distribution, field of view, or frame alignment create technically meaningful constraints on a modular eyewear design?

Potential evidence: Eyewear fitting data, optical measurements, lens/frame specifications, product samples, CAD models, human-factors studies, and expert inspection.

07 Comparison to prior modular eyewear

What did the relevant art disclose about magnetic clip-ons, lensless decorative fronts, and removably attachable eyewear components before the asserted patent's priority date?

Potential evidence: Patents, prosecution history, contemporaneous catalogues, technical literature, product samples, inventor and supplier records, and a supported prior-art chronology.

Candidates 1-2 for further diligence

Ranked for preliminary research priority based on subject-matter fit, relevant public work, testimony, and visible diligence burden. This is not a retention recommendation.

01 Jannick P. Rolland, PhD

Brian J. Thompson Professor of Optical Engineering, Professor of Optics and Biomedical Engineering, University of Rochester

TECHNICAL FIT

Optical-system engineering, freeform optics, eyewear displays, alignment, and optical metrology are a strong fit for geometry, fit, alignment, and optical constraints of a modular eyewear assembly.

RELEVANT WORK

Her University of Rochester profile identifies optical instrumentation and system engineering, including work applied to eyewear displays, system alignment, freeform optics, and optical metrology.

PUBLIC LITIGATION EXPERIENCE

Not stated in the cited public profile; no conclusion is drawn about the existence or absence of other expert-witness experience.

POINTS FOR FURTHER DILIGENCE

The cited profile supports design and optical-system fit, but does not establish specific experience with the asserted patent, accused product, eyewear-market damages, or prior testimony; those matters require diligence.

[Source 1](#)

[Draft email](#) | rolland@optics.rochester.edu | [public email source](#)

02 Hong Hua, PhD

Jean M. Bennett Optica Endowed Chair in Optical Sciences and Professor of Optical Sciences, University of Arizona

TECHNICAL FIT

Lens design, optical engineering, freeform optics, and head-worn display research bear on eyewear geometry, alignment, fit, and optical-performance constraints.

RELEVANT WORK

The cited University of Arizona profile reports research in lens design, freeform optics, optical imaging/display technology, calibration, and head-worn systems, and identifies more than 40 patents in the linked university research-support profile.

PUBLIC LITIGATION EXPERIENCE

Not stated in the cited public profile; no conclusion is drawn about the existence or absence of other expert-witness experience.

POINTS FOR FURTHER DILIGENCE

Her most direct documented work is advanced optical/display systems rather than consumer modular eyewear or magnet retention; product-specific fit and opinions history require diligence.

[Source 1](#) | [Source 2](#)

[Draft email](#) | hhua@optics.arizona.edu | [public email source](#)

Candidates 3-4 for further diligence

03 John C. Lambropoulos, PhD

Professor of Mechanical Engineering and Materials Science; Senior Scientist, University of Rochester Laboratory for Laser Energetics

TECHNICAL FIT

Optomechanics, mechanics and materials in optical manufacturing, fracture, and optical surfaces provide a close fit for frame/top-frame construction, material interfaces, embedded components, and physical inspection methodology.

RELEVANT WORK

The cited University of Rochester page identifies his research as optical manufacturing and optomechanics; cited Optica publications identify work on deterministic microgrinding, lapping, polishing, and glass-material response.

PUBLIC LITIGATION EXPERIENCE

Not stated in the cited public sources; no conclusion is drawn about the existence or absence of other expert-witness experience.

POINTS FOR FURTHER DILIGENCE

The public sources focus on precision optical manufacturing rather than consumer eyewear product design or magnetic coupling; any patent-testimony background must be independently confirmed.

[Source 1](#) | [Source 2](#)

[Draft email](#) | JCL@me.rochester.edu | [public email source](#)

04 Brian A. Barsky, PhD

Professor of Computer Science and Vision Science; Affiliate Professor of Optometry, University of California, Berkeley (retired)

TECHNICAL FIT

Computer-aided geometric design, contact-lens design/fabrication, vision optics, and optical design support analysis of frame geometry, lens interfaces, visual clearance, and illustrated product comparisons.

RELEVANT WORK

The cited Berkeley profile identifies research in computer-aided geometric design and modeling, contact-lens design and fabrication, optometry/ophthalmology computer methods, and display technology.

PUBLIC LITIGATION EXPERIENCE

Not stated in the cited public profile; no conclusion is drawn about the existence or absence of other expert-witness experience.

POINTS FOR FURTHER DILIGENCE

He is listed as retired, and the cited source does not establish experience with permanent magnets or current availability; both must be checked before any approach.

[Source 1](#)

[Draft email](#) | barsky@berkeley.edu | [public email source](#)

Candidates 5-6 for further diligence

05 Ian L. Bailey, OD, MS

Professor Emeritus of Vision Science and Optometry, University of California, Berkeley

TECHNICAL FIT

Ophthalmic and physical optics, optical systems, apertures/stops, aberrations, and eye optics are useful for assessing eyewear geometry and any claimed or disputed visual-function constraints.

RELEVANT WORK

The cited Berkeley profile describes his teaching in optical systems and physical optics, including optical instruments, aberrations, and optics of the eye.

PUBLIC LITIGATION EXPERIENCE

Not stated in the cited public profile; no conclusion is drawn about the existence or absence of other expert-witness experience.

POINTS FOR FURTHER DILIGENCE

His documented profile is an ophthalmic-optics fit rather than a magnets or consumer-product-engineering fit, and he is emeritus; scope and availability must be diligenced.

[Source 1](#)

[Draft email](#) | ibailey@berkeley.edu | [public email source](#)

06 Caroline A. Ross, PhD

Ford Professor of Engineering, Massachusetts Institute of Technology

TECHNICAL FIT

Magnetic materials, device fabrication, and structure-property relationships are relevant to the composition, strength, integration, and long-term behavior of any permanent magnets used in the accused and asserted eyewear assemblies.

RELEVANT WORK

The cited MIT profile identifies research in magnetic materials, device applications, fabrication, and magneto-optical films and states that she teaches magnetic materials.

PUBLIC LITIGATION EXPERIENCE

Not stated in the cited public profile; no conclusion is drawn about the existence or absence of other expert-witness experience.

POINTS FOR FURTHER DILIGENCE

Her focus is materials and devices at a different scale from consumer frames; she may be better suited to a narrow magnet-materials question than overall product comparison.

[Source 1](#)

[Draft email](#) | caross@mit.edu | [public email source](#)

Candidates 7-8 for further diligence

07 Laura H. Lewis, PhD

Distinguished University and Cabot Professor of Chemical Engineering; Professor of Mechanical and Industrial Engineering, Northeastern University

TECHNICAL FIT

Structure-property relationships in advanced permanent-magnet materials are directly relevant to magnet selection, magnetic performance, material alternatives, and the limits of a component-level coupling analysis.

RELEVANT WORK

The cited Northeastern profile identifies research in magnetofunctional materials, advanced permanent magnets, and magnetocaloric materials; the university also describes her work on strong permanent magnets and their materials constraints.

PUBLIC LITIGATION EXPERIENCE

Not stated in the cited public profile; no conclusion is drawn about the existence or absence of other expert-witness experience.

POINTS FOR FURTHER DILIGENCE

The materials fit is narrow: the cited work does not establish expertise in eyeglass-frame design, attachment geometry, or consumer-product testing.

[Source 1](#) | [Source 2](#)

[Draft email](#) | l.lewis@northeastern.edu | [public email source](#)

08 Kannan M. Krishnan, PhD

Professor Emeritus, Materials Science & Engineering; Adjunct Professor of Physics, University of Washington

TECHNICAL FIT

Magnetic materials, material characterization, and magnetic-material applications are relevant to identifying components, analyzing magnetic orientation and behavior, and assessing component-level alternatives.

RELEVANT WORK

The cited University of Washington profile identifies electronic, optical, and magnetic materials, material characterization, a book titled Fundamentals and Applications of Magnetic Materials, and startup work on tailored magnetic carriers.

PUBLIC LITIGATION EXPERIENCE

Not stated in the cited public profile; no conclusion is drawn about the existence or absence of other expert-witness experience.

POINTS FOR FURTHER DILIGENCE

He is emeritus and his public research profile is broad magnetic-materials science rather than eyewear products; current role, availability, and opinions history require diligence.

[Source 1](#) | [Source 2](#)

[Draft email](#) | kannanmk@uw.edu | [public email source](#)

Candidates 9-10 for further diligence

09 David C. Jiles, DSc

Distinguished Professor, Electrical and Computer Engineering, Iowa State University

TECHNICAL FIT

Magnetic-field modeling and magnetic hardware systems are relevant to evaluating magnetic field geometry, component orientation, coupling force, and testing methods for embedded magnetic attachments.

RELEVANT WORK

The cited Iowa State profile identifies work using magnetic methods and computer modeling of magnetic fields; the university's materials-science materials separately identify his work with permanent-magnet research.

PUBLIC LITIGATION EXPERIENCE

Not stated in the cited public profile; no conclusion is drawn about the existence or absence of other expert-witness experience.

POINTS FOR FURTHER DILIGENCE

His cited current work centers on biomedical magnetic systems rather than eyewear; any fit should be limited to physical magnetics rather than product design or ophthalmic questions.

[Source 1](#) | [Source 2](#)

[Draft email](#) | dcjiles@iastate.edu | [public email source](#)

10 Austin Roorda, PhD

Professor of Optometry and Vision Science, University of California, Berkeley

TECHNICAL FIT

Physiological optics, optical limitations of the eye, and adaptive-optics instrumentation can inform narrow questions about eyewear alignment, optical quality, and the significance of frame/top-frame geometry to a wearer.

RELEVANT WORK

The cited Berkeley profile identifies physiological optics, high-resolution retinal imaging, adaptive optics, and research into the optical limits of human vision.

PUBLIC LITIGATION EXPERIENCE

Not stated in the cited public profile; no conclusion is drawn about the existence or absence of other expert-witness experience.

POINTS FOR FURTHER DILIGENCE

The source supports physiological-optics expertise but not magnetic attachment design or commercial eyewear engineering; he is a potential issue-specific candidate rather than a universal product-comparison expert.

[Source 1](#)

[Draft email](#) | aroorda@berkeley.edu | [public email source](#)

Preliminary candidates; no conflicts or availability determination

- Run party, affiliate, counsel, inventor, funder, and technology conflicts.
- Confirm testimony history, exclusions, compensation, publications, patents, and deposition performance.
- Investigate licensing, grants, consulting, commercial interests, and prior technical positions.
- Confirm role fit, availability, and interest only after counsel authorizes outreach.

ONGOING MATTER-SPECIFIC RESEARCH

Flint Witness Research works in the post-filing window, turning pleadings and public technical records into issue maps, researched candidate slates, and diligence starting points as the case develops.

[Schedule a 15-minute conversation](#)

CORE SOURCES

Public docket: <https://www.courtlistener.com/api/rest/v4/search/?type=r&q=2%3A26-cv-09429>

Public professional email source: <https://www.knobbe.com/professionals/je-iennings/>

Public technical context source: <https://ai-lab.exparte.com/case/dct/cacd/2%3A26-cv-09429/doc/analysis/1>

LIMITATIONS

The filed complaint, asserted claim, patent specification and prosecution history, accused-product samples, measurements, product versions, and discovery must control any final technical opinion.

No attorney or expert was contacted. Availability, interest, compensation, and conflicts were not checked.