

Bishop Display Tech v. HKC Corporation Ltd.

A separate four-patent display portfolio concerning transparent and composite LCD electrodes, calibrated current-driving circuits, and impedance-aware LED backlight control loops.

Independent preliminary research based on public information.

FILED	FORUM	DOCKET	MATTER
2026-08-18	E.D. Tex.	2:26-cv-00711	Patent Infringement

Prepared 2026-08-25. No attorney or expert contacted. Availability, interest, compensation, and conflicts not checked.

Public filing, likely recipient, and technical frame

CAPTION	Bishop Display Tech LLC v. HKC Corporation Ltd. et al.
FORUM / DOCKET	E.D. Tex. / 2:26-cv-00711
FILED / TYPE	2026-08-18 / patent infringement
PUBLIC DOCKET	Open docket

VERIFIED PUBLIC RECORD

Bishop Display Tech LLC v. HKC Corporation Ltd. et al., No. 2:26-cv-00711, filed 2026-08-18 in E.D. Tex..

LIKELY RESEARCH PURCHASER

Patrick J. Conroy - Nelson Bumgardner Conroy PC; named matter counsel. Named plaintiff attorney and complaint filer in the exact matter; likely-purchaser status is an analytical inference from that role.

pat@nelbum.com - publicly listed on the [official firm biography](#); not inferred.

TECHNICAL FRAME

A separate four-patent display portfolio concerning transparent and composite LCD electrodes, calibrated current-driving circuits, and impedance-aware LED backlight control loops.

Secondary-source limitation: This is a preliminary technical frame based on public sources. Filed pleadings, claim charts, discovery, source code, product versions, and admissible evidence must control. [Open public synopsis](#)

Questions likely to require expert input

This issue map is a research plan, not a legal conclusion. The filed complaint, patent exhibits, intrinsic record, and discovery must control.

01 Whether accused panels use the claimed transparent/composite electrode materials and geometric relationships.

Whether accused panels use the claimed transparent/composite electrode materials and geometric relationships.

Potential evidence: Pleadings and claim charts; source code or engineering records; product and version documentation; standards and prior art; reproducible testing; and fact or technical testimony as applicable.

02 How calibrated current-driving circuits set or compensate pixel current and whether those operations meet the asserted limitations.

How calibrated current-driving circuits set or compensate pixel current and whether those operations meet the asserted limitations.

Potential evidence: Pleadings and claim charts; source code or engineering records; product and version documentation; standards and prior art; reproducible testing; and fact or technical testimony as applicable.

03 Whether LED backlight drivers measure or respond to impedance in the claimed closed-loop manner.

Whether LED backlight drivers measure or respond to impedance in the claimed closed-loop manner.

Potential evidence: Pleadings and claim charts; source code or engineering records; product and version documentation; standards and prior art; reproducible testing; and fact or technical testimony as applicable.

04 What panel teardowns, schematics, driver IC data and waveform measurements are needed to separate panel, timing-controller and backlight functions.

What panel teardowns, schematics, driver IC data and waveform measurements are needed to separate panel, timing-controller and backlight functions.

Potential evidence: Pleadings and claim charts; source code or engineering records; product and version documentation; standards and prior art; reproducible testing; and fact or technical testimony as applicable.

Questions likely to require expert input

Candidates 1-2 for further diligence

Ranked for preliminary research priority based on subject-matter fit, relevant public work, testimony, and visible diligence burden. This is not a retention recommendation.

01 Shuji Nakamura

CREE Distinguished Professor of Materials and Electrical and Computer Engineering, UC Santa Barbara

TECHNICAL FIT

Pioneer of GaN thin-film technology and blue LEDs; directly suited to epitaxy, junction structure, light extraction and LED operating physics. Matter-specific fit: HKC transparent/composite electrodes, calibrated pixel-current drivers and impedance-aware LED backlight loops.

RELEVANT WORK

Inventor of the high-brightness blue LED; continues research on GaN crystals, LEDs, lasers and high-power devices.

PUBLIC LITIGATION EXPERIENCE

The reviewed UCSB profile documents major invention and awards but does not identify expert-testimony work.

POINTS FOR FURTHER DILIGENCE

Exceptional LED-device authority, but less focused on downstream phone-module packaging, TFT-LCD drive circuits or accused-product reverse engineering.

[Source 1](#)

[Draft email](#) | shuji@engineering.ucsb.edu | [public email source](#)

02 Steven DenBaars

Mitsubishi Distinguished Professor of Materials and Electrical & Computer Engineering, UC Santa Barbara

TECHNICAL FIT

GaN materials, blue LEDs, laser diodes and solid-state lighting map to epitaxial structure, efficiency and device-operation questions. Matter-specific fit: HKC transparent/composite electrodes, calibrated pixel-current drivers and impedance-aware LED backlight loops.

RELEVANT WORK

Led the first U.S. university demonstration of a blue GaN laser diode; extensive wide-bandgap semiconductor and LED research.

PUBLIC LITIGATION EXPERIENCE

The reviewed UCSB profile does not identify expert-testimony work.

POINTS FOR FURTHER DILIGENCE

Primary depth is GaN materials and emitters rather than complete camera-flash module packaging or LCD signal electronics.

[Source 1](#)

[Draft email](#) | denbaars@engineering.ucsb.edu | [public email source](#)

Candidates 3-4 for further diligence

03 James Speck

Seoul Optodevice Distinguished Professor of Solid State Lighting, UC Santa Barbara

TECHNICAL FIT

GaN growth modes, defects, nonpolar and semipolar structures bear on crystalline layers, junction quality and asserted LED structures. Matter-specific fit: HKC transparent/composite electrodes, calibrated pixel-current drivers and impedance-aware LED backlight loops.

RELEVANT WORK

More than 725 publications; extensive GaN/alloy work; co-founded Soraa.

PUBLIC LITIGATION EXPERIENCE

The reviewed UCSB profile does not identify expert-testimony work.

POINTS FOR FURTHER DILIGENCE

Materials-growth emphasis is stronger than camera-flash module architecture, packaging or LCD driving.

[Source 1](#)

[Draft email](#) | speck@mrl.ucsb.edu | [public email source](#)

04 Daniel Feezell

Professor and Associate Chair for Graduate Studies, Electrical & Computer Engineering, University of New Mexico

TECHNICAL FIT

III-nitride LEDs, laser diodes, epitaxial growth and commercial Soraa device work fit LED structure, efficiency and operation. Matter-specific fit: HKC transparent/composite electrodes, calibrated pixel-current drivers and impedance-aware LED backlight loops.

RELEVANT WORK

Former Soraa senior device scientist; more than 70 publications and several patents on III-nitride devices.

PUBLIC LITIGATION EXPERIENCE

His public UNM CV lists expert consulting for Williams & Connolly and Skadden, including technical expertise in solid-state lighting and LED devices for patent litigation.

POINTS FOR FURTHER DILIGENCE

Strong LED-litigation experience; thinner fit for LCD/TFT circuitry and may require careful review of prior engagements and testimony.

[Source 1](#) | [Source 2](#)

[Draft email](#) | dfeezell@unm.edu | [public email source](#)

Candidates 5-6 for further diligence

05 Vladimir Bulovic

Fariborz Maseeh Professor of Emerging Technology and Director of MIT.nano, MIT

TECHNICAL FIT

Thin-film optoelectronics, OLEDs and nanostructured emitters fit transparent/composite electrodes, emissive devices and display integration. Matter-specific fit: HKC transparent/composite electrodes, calibrated pixel-current drivers and impedance-aware LED backlight loops.

RELEVANT WORK

Author of more than 140 articles and inventor on more than 50 U.S. patents in LEDs, lasers, photovoltaics and programmable memories.

PUBLIC LITIGATION EXPERIENCE

The reviewed MIT profiles do not identify expert-testimony work.

POINTS FOR FURTHER DILIGENCE

OLED and nanostructured-device focus is less direct for conventional IPS/TFT-LCD orientation films and storage-capacitance circuits.

[Source 1](#) | [Source 2](#)

[Draft email](#) | bulovic@mit.edu | [public email source](#)

06 Ioannis Kymissis

Kenneth Brayer Professor of Electrical Engineering and Vice Dean of Infrastructure and Innovation, Columbia University

TECHNICAL FIT

Thin-film electronics, device fabrication, display technology and pixelated optoelectronics fit TFT backplanes, electrodes and display addressing. Matter-specific fit: HKC transparent/composite electrodes, calibrated pixel-current drivers and impedance-aware LED backlight loops.

RELEVANT WORK

Teaches display technology; research covers organic semiconductors, recrystallized silicon devices and thin-film systems; co-founded display-related ventures.

PUBLIC LITIGATION EXPERIENCE

The reviewed Columbia profiles do not identify expert-testimony work.

POINTS FOR FURTHER DILIGENCE

Broad thin-film/display expertise; less specialized in GaN camera-flash emitters or specific commercial LCD process recipes.

[Source 1](#) | [Source 2](#)

[Draft email](#) | ik2174@columbia.edu | [public email source](#)

Candidates 7-8 for further diligence

07 Shin-Tson Wu

UCF Trustee Chair Professor of Optics and Photonics, University of Central Florida

TECHNICAL FIT

Liquid-crystal materials, viewing angle, mini/micro-LED light engines and display optics directly fit IPS/LCD and backlight issues. Matter-specific fit: HKC transparent/composite electrodes, calibrated pixel-current drivers and impedance-aware LED backlight loops.

RELEVANT WORK

Co-author of seven books and 710 journal papers; 106 issued U.S. patents; work spans LCDs, mini-LEDs, micro-LEDs, OLEDs and quantum dots.

PUBLIC LITIGATION EXPERIENCE

The reviewed UCF profiles do not identify expert-testimony work.

POINTS FOR FURTHER DILIGENCE

Deep display physics expertise; less focused on accused-product source-code control loops or semiconductor manufacturing discovery.

[Source 1](#) | [Source 2](#)

[Draft email](#) | swu@creol.ucf.edu | [public email source](#)

08 Deng-Ke Yang

Professor, Advanced Materials and Liquid Crystal Institute and Department of Physics, Kent State University

TECHNICAL FIT

Liquid-crystal physics and devices fit orientation films, viewing-angle control, electro-optic response and display unevenness. Matter-specific fit: HKC transparent/composite electrodes, calibrated pixel-current drivers and impedance-aware LED backlight loops.

RELEVANT WORK

More than 200 papers, three books and over 30 patents; pioneering polymer-stabilized and reflective liquid-crystal displays.

PUBLIC LITIGATION EXPERIENCE

The reviewed Kent State profile does not identify expert-testimony work.

POINTS FOR FURTHER DILIGENCE

Best suited to LC layer/device physics; less direct for TFT current-driver electronics, LED packaging or firmware control.

[Source 1](#)

[Draft email](#) | dyang@kent.edu | [public email source](#)

Candidates 9-10 for further diligence

09 Philip Bos

Professor, Advanced Materials and Liquid Crystal Institute, Kent State University

TECHNICAL FIT

Inventor and device researcher in liquid-crystal displays; fit for LC alignment, pixel operation and display-device architecture. Matter-specific fit: HKC transparent/composite electrodes, calibrated pixel-current drivers and impedance-aware LED backlight loops.

RELEVANT WORK

Inventor of the pi cell and an alignment method for SmC devices; research in novel liquid-crystal devices and applications.

PUBLIC LITIGATION EXPERIENCE

The reviewed Kent State profile does not identify expert-testimony work.

POINTS FOR FURTHER DILIGENCE

Emeritus-stage profile and LC-device emphasis may be less current for modern TFT fabrication and LED-driver circuitry.

[Source 1](#)

[Draft email](#) | pbos@kent.edu | [public email source](#)

10 Marc Baldo

Director of the Research Laboratory of Electronics and Professor of Electrical Engineering, MIT

TECHNICAL FIT

Pioneering OLED and light-emitting-device work fits emissive-device physics, electrodes, efficiency and display backlighting. Matter-specific fit: HKC transparent/composite electrodes, calibrated pixel-current drivers and impedance-aware LED backlight loops.

RELEVANT WORK

Pioneered phosphorescent OLEDs; research includes light-emitting devices and electrical/exciton transport in organic materials.

PUBLIC LITIGATION EXPERIENCE

The reviewed MIT profiles do not identify expert-testimony work.

POINTS FOR FURTHER DILIGENCE

OLED emphasis is less direct for conventional IPS/TFT-LCD pixel geometry, orientation-film manufacturing or accused LED control firmware.

[Source 1](#) | [Source 2](#)

[Draft email](#) | baldo@mit.edu | [public email source](#)

Preliminary candidates; no conflicts or availability determination

- Run party, affiliate, counsel, inventor, funder, and technology conflicts.
- Confirm testimony history, exclusions, compensation, publications, patents, and deposition performance.
- Investigate licensing, grants, consulting, commercial interests, and prior technical positions.
- Confirm role fit, availability, and interest only after counsel authorizes outreach.

ONGOING MATTER-SPECIFIC RESEARCH

Flint Witness Research works in the post-filing window, turning pleadings and public technical records into issue maps, researched candidate slates, and diligence starting points as the case develops.

[Schedule a 15-minute conversation](#)

CORE SOURCES

Public docket: <https://dockets.justia.com/docket/texas/txedce/2%3A2026cv00711/248498>

Official attorney biography and email: https://insight.rpxcorp.com/litigation_documents/15563835

Public technical context source: <https://ai-lab.exparte.com/case/dct/txed/2%3A26-cv-00711/doc/analysis/1>

LIMITATIONS

This is a preliminary technical frame based on public sources. Filed pleadings, claim charts, discovery, source code, product versions, and admissible evidence must control.

No attorney or expert was contacted. Availability, interest, compensation, and conflicts were not checked.