

Cogent Insights Licensing Inc. v. Caterpillar Inc.

Induction-motor generator power supplies, AC-to-DC conversion, energy storage, and closed-loop throttle control under U.S. Patent No. 7,330,016.

Independent preliminary research based on public information.

FILED	FORUM	DOCKET	MATTER
2026-08-21	N.D. Tex.	3:26-cv-02817	Patent Infringement

Prepared 2026-08-25. No attorney or expert contacted. Availability, interest, compensation, and conflicts not checked.

Public filing, likely recipient, and technical frame

CAPTION Cogent Insights Licensing Inc. v. Caterpillar Inc.

FORUM / DOCKET N.D. Tex. / 3:26-cv-02817

FILED / TYPE 2026-08-21 / patent infringement

PUBLIC DOCKET [Open docket](#)

VERIFIED PUBLIC RECORD

The public docket verifies that Cogent Insights Licensing Inc. v. Caterpillar Inc. was filed on 2026-08-21 in N.D. Tex. under docket 3:26-cv-02817.

LIKELY RESEARCH PURCHASER

Isaac Philip Rabicoff - Outside counsel, Rabicoff Law LLC. The individual docket identifies Rabicoff as the appearing plaintiff attorney and filer of the complaint and every opening paper. Selecting him as purchaser is an analytical inference from that role.

isaac@rabilaw.com - publicly listed on the [official firm biography](#); not inferred.

TECHNICAL FRAME

Induction-motor generator power supplies, AC-to-DC conversion, energy storage, and closed-loop throttle control under U.S. Patent No. 7,330,016.

Secondary-source limitation: This record does not identify an accused Caterpillar product, generator type, controller, operating mode, or claim-by-claim product mapping as verified fact. The issue map and expert ranking are technology-first preliminary research, not a product-level infringement opinion. [Open public synopsis](#)

REPORTED ASSERTED PATENTS

[U.S. Patent No. 7,330,016](#)

Questions likely to require expert input

This issue map is a research plan, not a legal conclusion. The filed complaint, patent exhibits, intrinsic record, and discovery must control.

01 Which Caterpillar product or product family is actually accused, and what physical and control architecture does it use?

Exhibit 2 is unavailable. Product identification is the prerequisite to determining whether the system contains an induction machine, a different generator technology, an energy reservoir, the claimed conversion path, and the asserted control elements.

Potential evidence: Exhibit 2 and any claim chart; Product manuals, bills of material, wiring diagrams, and supplier documentation; Physical inspection, teardown, nameplate evidence, and bench testing

02 Does the accused machine operate as an induction generator, rather than as a permanent-magnet, wound-field synchronous, switched-reluctance, or other generator?

The induction-motor-as-generator limitation is foundational. Machine type cannot be established merely from a product's ability to generate electricity.

Potential evidence: Rotor and stator construction; Slip, excitation, magnetization-current, and speed-frequency behavior; Controller and power-stage documentation

03 If an induction machine is present, is it driven above synchronous or rated speed in the manner required by the asserted claim, and how should 'overspeed' be construed and measured?

The patent discusses operation above rated speed and resulting changes in voltage and frequency. The relevant baseline, operating range, and transient-versus-steady-state behavior may be disputed.

Potential evidence: Machine ratings and pole count; Measured shaft speed, electrical frequency, slip, torque, and output waveforms; Engine and generator control maps over the accused operating envelope

04 What circuit couples generator output to the alleged energy reservoir, and does it perform the claimed AC-to-DC conversion and decoupling function?

A rectifier, active front end, DC link, bidirectional inverter, or multi-stage converter may differ materially in topology and operation. The exact current path and operating modes need to be mapped, not assumed.

Potential evidence: Power-electronics schematics and component identification; Gate signals, DC-link measurements, current-flow tests, and control-state logs; Battery, capacitor-bank, or other storage specifications

Questions likely to require expert input

05 Is there a transducer-to-control-module-to-servomechanism throttle-control loop satisfying the claimed signal path and response relationship?

Modern engine control can include multiple sensors, distributed ECUs, governors, torque requests, and electronic fuel controls. Functional similarity to generic closed-loop control is not by itself proof of every claimed relationship.

Potential evidence: Sensor lists and calibration data; ECU architecture, software logic, CAN messages, and throttle or fuel-actuator commands; Dynamic testing correlating sensed variables with control outputs

06 Does any energy reservoir buffer average generator power against peak load demand in the claimed arrangement, and in which operating modes?

A starting battery, transient DC-link capacitor, hybrid battery, or external storage system may serve different functions. The nature, location, and control of the reservoir may determine whether a limitation is met.

Potential evidence: Energy-storage sizing and integration documents; Charge/discharge traces under representative loads; System energy-flow and operating-mode analysis

07 Which claim terms require technical construction, including 'induction motor,' 'overspeed,' 'energy reservoir,' 'control module,' 'transducer,' and 'servomechanism throttle control'?

The technical meaning at the 2001 priority date and the patent's use of each term will shape both infringement and invalidity analyses.

Potential evidence: Intrinsic record and prosecution history; Contemporaneous electrical-machine, generator, power-conversion, and engine-control literature; Standards, textbooks, manuals, and skilled-artisan usage

08 What did pre-October 2001 systems and publications teach about self-excited induction generation, rectification to DC storage, overspeed operation, hybrid power systems, and feedback control?

Validity may turn on whether the claimed combination, not isolated components, was anticipated or obvious to a person of ordinary skill in the art.

Potential evidence: Patents, textbooks, IEEE papers, generator manuals, and commercial system documents predating October 1, 2001; Element-by-element prior-art charts; Motivation-to-combine and reasonable-expectation-of-success analysis

09 What testing can distinguish accused operation from noninfringing modes without damaging the product or relying on undocumented assumptions?

A defensible protocol should capture shaft speed, frequency, excitation, power flow, storage behavior, sensor inputs, and throttle response across relevant loads and modes.

Potential evidence: Joint inspection protocol; Instrument calibration and uncertainty budget; Repeatable dynamometer or load-bank tests with synchronized electrical and mechanical measurements

Candidates 1-2 for further diligence

Ranked for preliminary research priority based on subject-matter fit, relevant public work, testimony, and visible diligence burden. This is not a retention recommendation.

01 Pragasen Pillay

Professor of Electrical and Computer Engineering and Concordia University Research Chair, Concordia University

TECHNICAL FIT

The strongest direct fit for induction-machine identity, modeling, performance, and hybrid/renewable generator questions. His public profile covers electric machines and drives, traction motors for hybrid and electric vehicles, renewable energy, and storage; his professional record includes chairing the IEEE Power Engineering Society Induction Machinery Sub-Committee.

RELEVANT WORK

Concordia identifies his research in modeling, analysis, design, and control of electrical machines and electric motor drives, including hybrid-electric traction and renewable energy. His teaching includes Energy Conversion, Electric Machines & Drives, Advanced Machines & Drives, Power Electronics, and Electric Machine Design.

PUBLIC LITIGATION EXPERIENCE

No candidate-specific expert report, declaration, deposition, or trial-testimony source was located in the public sources reviewed.

POINTS FOR FURTHER DILIGENCE

His public profile emphasizes research and teaching rather than Caterpillar products or generator-set field service. Canadian location may add scheduling and cross-border logistics. Industry relationships through the Hydro-Québec chair require conflict review.

[Source 1](#) | [Source 2](#) | [Source 3](#)

[Draft email](#) | pragasen.pillay@concordia.ca | [public email source](#)

02 James R. Hendershot

President and CEO, MotorSolver LLC; IEEE Fellow

TECHNICAL FIT

Exceptional hands-on fit for identifying and testing motor/generator types and analyzing induction-machine construction. MotorSolver publicly describes prototype manufacture, final electrical testing, and dynamometer performance testing; his technical materials cover AC induction, switched-reluctance, and permanent-magnet machines.

RELEVANT WORK

His public biography describes decades designing motors for hybrid vehicles, microturbines, and diesel generators, publications and tutorials on electric-machine design, and prototype/test services. An Oak Ridge National Laboratory report includes his work comparing AC induction, internal permanent-magnet, and switched-reluctance traction motors.

PUBLIC LITIGATION EXPERIENCE

His public CV describes expert-witness deposition/report work in a patent case, a prior-art engagement for AMETEK, and expert services in Finmeccanica v. General Motors.

POINTS FOR FURTHER DILIGENCE

His published work is especially strong on practical motor design and several non-induction machine types, so a converter-controls specialist may still be needed. The public CV is dated and all listed engagements and present capacity require verification.

[Source 1](#) | [Source 2](#) | [Source 3](#) | [Source 4](#)

[Draft email](#) | Hendershot@ieee.org | [public email source](#)

Candidates 3-4 for further diligence

03 Zhe Chen

Professor, AAU Energy, Aalborg University; Electric Power Systems and Microgrids / Power Grids for the Green Transition

TECHNICAL FIT

Direct fit for induction-generator behavior, DFIG and fixed-speed wind-turbine machines, converters, grid interaction, and generator-system controls. His public research record expressly includes a project on variable-speed wind turbines with DFIG and a laboratory DFIG test system.

RELEVANT WORK

Aalborg's research portal lists more than 1,300 publications and ongoing power-system work. Public AAU materials identify him as the former leader of its Wind Power Systems program and describe research in power systems, power electronics, and electric machines, including DFIG test facilities.

PUBLIC LITIGATION EXPERIENCE

No candidate-specific expert report, declaration, deposition, or trial-testimony source was located in the public sources reviewed.

POINTS FOR FURTHER DILIGENCE

Much of his generator work is wind/grid focused rather than mobile diesel equipment. Denmark-based participation may create travel, scheduling, and disclosure logistics; collaborations require conflict review.

[Source 1](#) | [Source 2](#) | [Source 3](#)

[Draft email](#) | zch@energy.aau.dk | [public email source](#)

04 Ned Mohan

Regents Professor and Oscar A. Schott Professor of Power Electronics and Systems, University of Minnesota; member, National Academy of Engineering

TECHNICAL FIT

High fit for the converter, rectifier, energy-reservoir, wind-energy, and AC-machine portions of the asserted architecture. His record bridges power electronics, electric drives, grid integration, and wind-energy conversion.

RELEVANT WORK

His university pages list publications on induction-motor drives, open-end-winding AC machines, rectifiers, converters, and renewable integration, plus twenty patents including 'Wind energy conversion system,' standby power supplies, DC-DC converters, and modular conversion.

PUBLIC LITIGATION EXPERIENCE

No candidate-specific expert report, declaration, deposition, or trial-testimony source was located in the public sources reviewed.

POINTS FOR FURTHER DILIGENCE

His breadth may be more useful for system architecture and prior art than for a Caterpillar-specific teardown. Emeritus/senior status and current engagement capacity require confirmation.

[Source 1](#) | [Source 2](#) | [Source 3](#) | [Source 4](#)

[Draft email](#) | mohan@umn.edu | [public email source](#)

Candidates 5-6 for further diligence

05 Frede Blaabjerg

Professor, AAU Energy, Aalborg University

TECHNICAL FIT

Strong fit for power converters, adjustable-speed drives, wind-turbine applications, harmonics, reliability, and control. He would be especially useful for mapping the generator-output conversion stage and distinguishing ordinary converter functions from the claimed arrangement.

RELEVANT WORK

Aalborg identifies his research in power electronics and applications including wind turbines, power quality, reliability, and adjustable-speed drives. His profile reports more than 900 journal papers, ten co-authored monographs, extensive industrial collaboration, and major IEEE awards.

PUBLIC LITIGATION EXPERIENCE

No candidate-specific expert report, declaration, deposition, or trial-testimony source was located in the public sources reviewed.

POINTS FOR FURTHER DILIGENCE

He is more converter- and drive-focused than Caterpillar engine/throttle-control focused. His international prominence and extensive industry collaborations may create availability and conflict constraints that were not checked.

[Source 1](#) | [Source 2](#) | [Source 3](#)

[Draft email](#) | fbl@energy.aau.dk | [public email source](#)

06 Bimal K. Bose

Emeritus Professor, Min H. Kao Department of Electrical Engineering and Computer Science, University of Tennessee, Knoxville

TECHNICAL FIT

Deep period-appropriate expertise in power converters, PWM, electric-machine drives, system simulation, renewable systems, and hybrid-vehicle drives. His long career is valuable for explaining skilled-artisan knowledge before the patent's October 2001 priority date.

RELEVANT WORK

UT states that he authored or co-authored more than 250 papers, holds 21 U.S. patents, authored or edited seven books on power electronics and AC drives, spent eleven years at GE Corporate R&D, and served as EPRI Power Electronics Applications Center chief/distinguished scientist.

PUBLIC LITIGATION EXPERIENCE

His profile documents extensive industry consulting, but no candidate-specific expert report, declaration, deposition, or trial-testimony source was located in the public sources reviewed.

POINTS FOR FURTHER DILIGENCE

Emeritus status and current capacity must be confirmed. His very broad and distinguished record does not by itself establish recent hands-on generator-set testing or Caterpillar product familiarity.

[Source 1](#) | [Source 2](#)

[Draft email](#) | bbose@utk.edu | [public email source](#)

Candidates 7-8 for further diligence

07 Thomas M. Jahns

Grainger Emeritus Professor of Power Electronics and Electric Machines, University of Wisconsin-Madison; active WEMPEC emeritus faculty

TECHNICAL FIT

Strong bridge across electric machines, power electronics, adjustable-speed drives, vehicle systems, wind generators, and microgrids. His twenty years of industry work before academia adds product-development perspective.

RELEVANT WORK

Wisconsin states that he continues active research in electric-machine drives and modular power electronics; its energy profile identifies renewable-energy work on wind power generators and electrical microgrids, as well as automotive and aerospace electrical systems.

PUBLIC LITIGATION EXPERIENCE

No candidate-specific expert report, declaration, deposition, or trial-testimony source was located in the public sources reviewed.

POINTS FOR FURTHER DILIGENCE

His current work emphasizes permanent-magnet synchronous machines and integrated drives, not specifically self-excited induction generation. Potential WEMPEC sponsor relationships require careful conflict review.

[Source 1](#) | [Source 2](#) | [Source 3](#)

[Draft email](#) | jahns@engr.wisc.edu | [public email source](#)

08 Babak Fahimi

Distinguished Chair in Engineering and Professor of Electrical Engineering, University of Texas at Dallas

TECHNICAL FIT

Strong fit for distinguishing machine types, adjustable-speed AC-machine behavior, vehicular power electronics, energy harvesting, and fault-resilient systems. His location in the Dallas forum may also make laboratory or inspection work logistically practical, without implying availability.

RELEVANT WORK

UT Dallas describes him as an electric-machines-and-drives expert with research in power electronics, renewable energy, vehicular technology, and motor-drive control; the university reports more than 400 articles and 23 U.S. patents on his current faculty page.

PUBLIC LITIGATION EXPERIENCE

No candidate-specific expert report, declaration, deposition, or trial-testimony source was located in the public sources reviewed.

POINTS FOR FURTHER DILIGENCE

His public work prominently features switched-reluctance and permanent-magnet machines as well as induction drives; a narrower self-excited induction-generator specialist may be needed. University and industry project relationships require conflict diligence.

[Source 1](#) | [Source 2](#) | [Source 3](#)

[Draft email](#) | fahimi@utdallas.edu | [public email source](#)

Candidates 9-10 for further diligence

09 Robert W. Erickson

Distinguished Professor of Electrical, Computer and Energy Engineering and Co-Director of the Colorado Power Electronics Center, University of Colorado Boulder

TECHNICAL FIT

Excellent converter-circuit, control, modeling, DC-link, and renewable-energy fit. He is well positioned to analyze whether a rectifier or active converter actually performs the claimed generator-output-to-reservoir coupling and to develop a measured test protocol.

RELEVANT WORK

CU identifies him as author of Fundamentals of Power Electronics and approximately one hundred papers. His public research materials list converter-control work, a variable-speed wind-power patent, electric-vehicle power electronics, and numerous power-conversion patents.

PUBLIC LITIGATION EXPERIENCE

No candidate-specific expert report, declaration, deposition, or trial-testimony source was located in the public sources reviewed.

POINTS FOR FURTHER DILIGENCE

His strongest fit is the power-conversion portion, not induction-machine construction or diesel-engine throttle control. CoPEC industrial relationships require conflict review.

[Source 1](#) | [Source 2](#) | [Source 3](#) | [Source 4](#)

[Draft email](#) | rwe@colorado.edu | [public email source](#)

10 Adel Nasiri

Thomas L. Gregory Endowed Professor of Electrical Engineering and Director of the Center for Sustainable Electrical Energy Systems, University of South Carolina

TECHNICAL FIT

Strong system-level fit for high-power conversion, distributed generation, microgrids, grid interfaces, energy storage, and controls. He would complement an induction-machine specialist on reservoir behavior, operating modes, and converter/controller integration.

RELEVANT WORK

South Carolina reports research in power electronics, distributed generation, microgrids, grid interfaces, resilient energy systems, storage, and controls; his profile states that he holds seven patents, co-authored two books, and previously led the NSF GRAPES site at Wisconsin-Milwaukee.

PUBLIC LITIGATION EXPERIENCE

No candidate-specific expert report, declaration, deposition, or trial-testimony source was located in the public sources reviewed.

POINTS FOR FURTHER DILIGENCE

His expertise is more system- and converter-level than machine-type identification, and the public profile does not establish Caterpillar or engine-governor experience. Federal and industrial project relationships require conflict review.

[Source 1](#) | [Source 2](#) | [Source 3](#)

[Draft email](#) | nasiri@sc.edu | [public email source](#)

Preliminary candidates; no conflicts or availability determination

- Run party, affiliate, counsel, inventor, funder, and technology conflicts.
- Confirm testimony history, exclusions, compensation, publications, patents, and deposition performance.
- Investigate licensing, grants, consulting, commercial interests, and prior technical positions.
- Confirm role fit, availability, and interest only after counsel authorizes outreach.

ONGOING MATTER-SPECIFIC RESEARCH

Flint Witness Research works in the post-filing window, turning pleadings and public technical records into issue maps, researched candidate slates, and diligence starting points as the case develops.

[Schedule a 15-minute conversation](#)

CORE SOURCES

Public docket: <https://dockets.justia.com/docket/texas/txndce/3%3A2026cv02817/425324>

Official attorney biography and email: https://insight.rpxcorp.com/litigation_documents/15903702

Public technical context source: <https://ai-lab.exparte.com/case/dct/txnd/3%3A26-cv-02817/doc/analysis/1>

LIMITATIONS

This record does not identify an accused Caterpillar product, generator type, controller, operating mode, or claim-by-claim product mapping as verified fact. The issue map and expert ranking are technology-first preliminary research, not a product-level infringement opinion.

No attorney or expert was contacted. Availability, interest, compensation, and conflicts were not checked.