

# Progress in ~~Nitrogen~~ Novel Combustion Chemistry

**Mark E. Fuller, Ph.D.**

Physico-Chemical Fundamentals of Combustion


31. Januar 2021

# NO<sub>x</sub> interactions in hydrocarbon combustion



Physico-Chemical  
Fundamentals of  
Combustion

RWTH AACHEN  
UNIVERSITY



And when RH is replaced with QOOH or OOQOOH?

- The  $\text{HNO}_2$  potential energy surface (PES) reactions calculated by Chen *et al.*<sup>1</sup>
- Rates for the  $\text{H}_2\text{NO}_2$  and  $\text{CH}_4\text{NO}_2$  PES from Fuller and Goldsmith<sup>2</sup>
- Hydrogen abstraction by  $\text{NO}_2$  from alkanes and alkenes refit to the exothermic direction<sup>3</sup>
- Decomposition rates for alkyl nitrites<sup>4</sup>, and isopropyl nitrate<sup>5</sup>

---

<sup>1</sup>Chen.2019.

<sup>2</sup>Fuller.2018.

<sup>3</sup>Fuller.2018, Fuller.2020.

<sup>4</sup>Randazzo.2018.


<sup>5</sup>Fuller.2019.A.

Develop mechanism by systematic inclusion of reaction classes


- **Hydrogen abstractions by  $\text{NO}_x$  to form HONO,  $\text{HNO}_2$ , HNO**
- **Unimolecular conformer formation and dissociation**
  - $\text{RNO}_2 \rightleftharpoons \text{R} + \text{NO}_2$
  - $\text{RONO} \rightleftharpoons \text{RO} + \text{NO}$
  - $\text{RONO}_2 \rightleftharpoons \text{RO} + \text{NO}_2$
- **Isomerizations**
  - $\text{RONO} \rightleftharpoons \text{RNO}_2$
- **Concerted HONO elimination**
  - $\text{RONO} \rightleftharpoons \text{alkene} + \text{HONO}$
- **$\text{NO}_x$  cycling reactions**
  - $\text{RO}_2 + \text{NO} \rightleftharpoons \text{RO} + \text{NO}_2$
  - $\text{RO} + \text{NO} \rightleftharpoons \text{R} + \text{NO}_2$

## 1. Calculate sensitivities

## 2. Tweak/add some rates\*




...becomes this (or worse!)



## 3. Run simulations

## 4. Feel sad and start over



Generalized potential energy surface for alkoxy radical (RO) + NO<sub>2</sub> system. Energies in kcal/mol. Well-skipping occurs at virtually all combustion-relevant temperatures and pressures.

Reaction	<i>A</i>	<i>n</i>	<i>E<sub>a</sub></i>
CH <sub>3</sub> O <sub>2</sub> + NO ⇌ CH <sub>3</sub> O + NO <sub>2</sub>	4.62E+15	-0.38	97.8
C <sub>2</sub> H <sub>5</sub> O <sub>2</sub> + NO ⇌ C <sub>2</sub> H <sub>5</sub> O + NO <sub>2</sub>	2.11E+14	-0.12	-470.6
NC <sub>3</sub> H <sub>7</sub> O <sub>2</sub> + NO ⇌ NC <sub>3</sub> H <sub>7</sub> O + NO <sub>2</sub>	1.07E+14	-0.25	-1302.0

Units: centimeters, kelvin, calories, moles

**Mark E. Fuller, Ph.D.** – [fuller@pcfc.rwth-aachen.de](mailto:fuller@pcfc.rwth-aachen.de)

Physico-Chemical Fundamentals of Combustion  
RWTH Aachen University  
Schinkelstr. 8  
52062 Aachen

[www.pcfc.rwth-aachen.de](http://www.pcfc.rwth-aachen.de)