v2.0.7-tls12-100p

__

trimstray

NGINX HARDENING CHEATSHEET



HOWTO: A+ with all 100%'s on SSL Labs and Mozilla Observatory

The following rules are security-oriented but blindly deploying of some of them (e.g. CSP) will broke the most of web apps!

O Hide Nginx version number

server_tokens off;

• Hide Nginx server signature

more_clear_headers 'Server';

Use strong ECC/RSA keys

min. 256-bit for ECDSA (ECC) # min. 2048-bit for RSA

• Keep only TLS 1.2

ssl_protocols TLSv1.2;

Use only strong ciphers for TLS 1.2

ssl_ciphers "ECDHE-ECDSA-AES256-GCM-SHA384:ECDHE-RSA-AES256-GCM-SHA384:ECDHE-ECDSA-CHACHA20-POLY1305:ECDHE-RSA-CHACHA20-POLY1305:ECDHE-ECDSA-AES256-SHA384";

Use more secure ECDH Curves

ssl_ecdh_curve secp521r1:secp384r1:prime256v1;

• Enable DNS CAA (On your DNS service that supports CAA Policy

your.domain. CAA 0 issue "certificate-authority"

Keep NGINX up-to-date!

Do not follow guides just to get 100% of something. Think about what you actually do at your server!

Enable OCSP Stapling

ssl_stapling on;
ssl_stapling_verify on;
ssl_trusted_certificate ssl/inter-CA-chain.pem
resolver 1.1.1.1 8.8.8.8 valid=300s;
resolver_timeout 5s;

Force all connections over TLS

return 301 https://\$host\$request_uri;

O Defend against the BEAST attack

ssl_prefer_server_ciphers on;

O HTTP Strict Transport Security

add_header Strict-Transport-Security
"max-age=63072000; includeSubdomains" always;

O Disable HTTP compression

gzip off;
Only for private resources when using TLS.

Reduce XSS risks (Content-Security-Policy)

add_header Content-Security-Policy "default-src 'none'; script-src 'self'; connect-src 'self'; img-src
'self'; style-src 'self';" always;



Based on trimstray/nginx-admins-handbook

Control the behavior of the Referer header (Referrer-Policy)

add_header Referrer-Policy "no-referrer";

Provide clickjacking protection (X-Frame-Options)

add_header X-Frame-Options "SAMEORIGIN" always;

Prevent some categories of XSS attacks (X-XSS-Protection)

add_header X-XSS-Protection "1; mode=block" always

Prevent Sniff Mimetype (X-Content-Type-Options)

add_header X-Content-Type-Options "nosniff" always;

Deny the use of browser features (Feature-Policy)

add_header Feature-Policy "geolocation 'none'; midi 'none'; notifications 'none'; push 'none'; sync-xhr 'none'; microphone 'none'; camera 'none'; magnetometer 'none'; gyroscope 'none'; speaker 'none'; vibrate 'none'; fullscreen 'none'; payment 'none'; usb 'none';";