

# **Laporan Proyek**

## **Pengujian Dan Kualitas Perangkat Lunak**



### **Kelompok 05 :**

- 11321020 – Mega Marbun  
11321021 – Luana Banjarnahor  
11321031 – Albert Aritonang  
11321058 – Megaria Napitupulu

**INSTITUT TEKNOLOGI DEL**  
**FAKULTAS VOKASI**

**Video dapat dilihat pada link berikut:**

<https://drive.google.com/file/d/1HGZLr-CeaOtgCshxxG0bqQVeccM00yOs/view?usp=drivesdk>

**Source code dapat dilihat pada link berikut:**

<https://drive.google.com/file/d/1VuzO4Is0jJClWTB-D6BQLrFnsIYKbM7a/view?usp=sharing>

## **PENERAPAN PADA CUCUMBER**

### **FUNGSI LOGIN**

Test Frame Fungsi Login

Test Fungsi Login	Input		Jumlah Test Case
	Parameter 1	Parameter 2	
Variasi 1	Email valid	Password valid	25 test case
Variasi 2	Email invalid	Password invalid	25 test case
Variasi 3	Email valid	Password invalid	25 test case
Variasi 4	Email invalid	Password valid	25 test case

## Test case 1

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
1 package stepDefinition;
2
3 import org.openqa.selenium.By;
4 import org.openqa.selenium.WebDriver;
5 import org.openqa.selenium.WebElement;
6 import org.openqa.selenium.chrome.ChromeDriver;
7
8 import cucumber.api.java.en.And;
9 import cucumber.api.java.en.Given;
10 import cucumber.api.java.en.Then;
11 import cucumber.api.java.en.When;
12
13 public class LoginTest {
14     WebDriver driver;
15
16     @Given("^open chrome and start application$")
17     public void open_chrome_and_start_application() throws Throwable {
18         System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
19
20         driver = new ChromeDriver();
21         driver.manage().window().maximize();
22         driver.get("http://127.0.0.1:8000/login");
23     }
24
25     @When("^I enter valid username and valid password$")
26     public void I_enter_valid_username_and_valid_password() throws Throwable {
27         driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("user@gmail.com");
28         driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("user123");
29     }
30
31     @When("I click on the submit button")
32     public void iClickOnTheSubmitButton() {
33         WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
34         submitButton.click();
35     }
36 }
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 10338
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 24, 2023 3:32:33 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```

1 package stepDefinition;
2
3 import org.openqa.selenium.By;
4 import org.openqa.selenium.WebDriver;
5 import org.openqa.selenium.WebElement;
6 import org.openqa.selenium.chrome.ChromeDriver;
7
8 import cucumber.api.java.en.And;
9 import cucumber.api.java.en.Given;
10 import cucumber.api.java.en.Then;
11 import cucumber.api.java.en.When;
12
13 public class LoginTest {
14     WebDriver driver;
15
16     @Given("^open chrome and start application$")
17     public void open_chrome_and_start_application() throws Throwable {
18         System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
19
20         driver = new ChromeDriver();
21         driver.manage().window().maximize();
22         driver.get("http://127.0.0.1:8000/login");
23     }
24
25     @When("^I enter valid username and valid password$")
26     public void I_enter_valid_username_and_valid_password() throws Throwable {
27         driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("user@gmail.com");
28         driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("user123");
29     }
30
31     @When("I click on the submit button")
32     public void iClickOnTheSubmitButton() {
33         WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
34         submitButton.click();
35     }
36 }
```

## ➤ Test Runner

```


1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22922
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 24, 2023 4:06:55 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

➤ Definition

```

1 package stepDefinition;
2
3 import org.openqa.selenium.By;
4 import org.openqa.selenium.WebDriver;
5 import org.openqa.selenium.WebElement;
6 import org.openqa.selenium.chrome.ChromeDriver;
7
8 import cucumber.api.java.en.And;
9 import cucumber.api.java.en.Given;
10 import cucumber.api.java.en.Then;
11 import cucumber.api.java.en.When;
12
13 public class LoginTest {
14     WebDriver driver;
15
16     @Given("^open chrome and start application$")
17     public void open_chrome_and_start_application() throws Throwable {
18         System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
19
20         driver = new ChromeDriver();
21         driver.manage().window().maximize();
22         driver.get("http://127.0.0.1:8000/login");
23     }
24
25     @When("^I enter valid username and valid password$")
26     public void I_enter_valid_username_and_valid_password() throws Throwable {
27         driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("user@gmail.com");
28         driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("user123");
29     }
30
31     @When("I click on the submit button")
32     public void iClickOnTheSubmitButton() {
33         WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
34         submitButton.click();
35     }
36 }
```

## ➤ Test Runner

```


1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22922
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 24, 2023 4:06:55 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
1 package stepDefinition;
2
3 import org.openqa.selenium.By;
4 import org.openqa.selenium.WebDriver;
5 import org.openqa.selenium.WebElement;
6 import org.openqa.selenium.chrome.ChromeDriver;
7
8 import cucumber.api.java.en.And;
9 import cucumber.api.java.en.Given;
10 import cucumber.api.java.en.Then;
11 import cucumber.api.java.en.When;
12
13 public class LoginTest {
14     WebDriver driver;
15
16     @Given("^open chrome and start application$")
17     public void open_chrome_and_start_application() throws Throwable {
18         System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
19
20         driver = new ChromeDriver();
21         driver.manage().window().maximize();
22         driver.get("http://127.0.0.1:8000/login");
23     }
24
25     @When("^I enter valid username and valid password$")
26     public void I_enter_valid_username_and_valid_password() throws Throwable {
27         driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("user@gmail.com");
28         driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("user123");
29     }
30
31     @When("I click on the submit button")
32     public void iClickOnTheSubmitButton() {
33         WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
34         submitButton.click();
35     }
36 }
```

### ➤ Test Runner

```


1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```

## ➤ Console after Running

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 28287  
 Only local connections are allowed.  
 Please see <https://chromedriver.chromium.org/security-considerations> for suggestions on keeping ChromeDriver safe.  
 ChromeDriver was started successfully.  
 May 24, 2023 4:18:36 PM org.openqa.selenium.remote.ProtocolHandshake createSession  
 INFO: Detected dialect: W3C

## ➤ Browser After Running



## Test case 2

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("saii@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("saii123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 14755
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 24, 2023 4:33:18 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

➤ Browser After Running



Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("saii@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("saii123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 9924
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 24, 2023 4:38:18 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("saii@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("saii123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 10313
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 24, 2023 4:46:02 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("saii@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("saii123");
    }
}
```

```

@When("I click on the submit button")
public void iClickOnTheSubmitButton() {
    WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
    submitButton.click();
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 10313
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 24, 2023 4:46:02 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 3

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("sarah@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("sarah123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 32429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 24, 2023 5:18:06 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

➤ Browser After Running



Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("sarah@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("sarah123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 13394
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 24, 2023 5:22:26 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("sarah@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("sarah123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 18378
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 24, 2023 5:26:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

## ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("sarah@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("sarah123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 34630
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 24, 2023 5:28:46 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test case 4

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("emy@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("emy123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 37107
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 24, 2023 5:35:49 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

➤ Browser After Running



Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("emy@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("emy123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 38749
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 24, 2023 5:37:54 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("emy@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("emy123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:18:44 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("emy@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("emy123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

Please see <https://chromedriver.chromium.org/security-considerations> for suggestions on keeping ChromeDriver safe.  
ChromeDriver was started successfully.  
May 25, 2023 1:21:45 AM org.openqa.selenium.remote.ProtocolHandshake createSession  
INFO: Detected dialect: W3C

## ➤ Browser After Running



## Test case 5

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("renova@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("renova123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 32235
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:26:47 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("renova@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("renova123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 32235
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:26:47 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("renova@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("renova123");
    }

    @When("I click on the submit button")
    public void iclickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 32235
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:26:47 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("renova@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("renova123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 32235
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:26:47 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test case 6

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("mesya@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("mesya123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 19038
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:34:59 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

➤ Browser After Running



Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("mesya@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("mesya123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 19038
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:34:59 AM org.openqa.selenium.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("mesya@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("mesya123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 19038
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:34:59 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

## ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("mesya@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("mesya123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 19038
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:34:59 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test case 7

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("amanda@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("amanda123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3537
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:39:32 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("amanda@gmail.com");
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("amanda123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3537
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:39:32 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("amanda@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("amanda123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3537
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:39:32 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("amanda@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("amanda123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3537
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:39:32 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test case 8

Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

### ➤ Definition

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("cici@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("cici123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 12614
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:42:28 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("cici@gmail.com");
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("cici123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 12614
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:42:28 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("cici@gmail.com");
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("cici123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 12614
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:42:28 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("cici@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("cici123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 12614
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:42:28 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test case 9

Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("lovinta@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("lovinta123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23451
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:45:20 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("lovinta@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("lovinta123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23451
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:45:20 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("lovinta@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("lovinta123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23451
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:45:20 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("lovinta@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("lovinta123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23451
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:45:20 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test case 10

Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("ester@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("ester123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 39936
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:49:52 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("ester@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("ester123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 39936
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:49:52 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("ester@gmail.com");
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("ester123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 39936
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:49:52 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("ester@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("ester123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 39936
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:49:52 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test case 5

Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("maria@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("maria123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22967
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:51:30 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("maria@gmail.com");
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("maria123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22967
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:51:30 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("maria@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("maria123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22967
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:51:30 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("maria@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("maria123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22967
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:51:30 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test case 12

Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("angel@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("angel123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 36273
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:54:48 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("angel@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("angel123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 36273
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:54:48 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("angel@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("angel123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 36273
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:54:48 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("angel@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("angel123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 36273
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 1:54:48 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 13

Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("lawy@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("lawy123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 31496
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 2:01:34 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("lawy@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("lawy123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 31496
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 2:01:34 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("lawy@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("lawy123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 31496
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 2:01:34 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("lawy@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("lawy123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 31496
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 2:01:34 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test case 14

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("megi@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("megi123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 48335
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 2:04:35 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath( "/html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("megi@gmail.com");
        driver.findElement(By.xpath( "/html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("megi123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 48335
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 2:04:35 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("I enter valid username and valid password")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("mogi@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("mogi123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 48335
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 2:04:35 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/div[1]/div/input")).sendKeys("megin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("megin123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 48335
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 2:04:35 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 15

Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("mega@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("megai23");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 24243
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 2:08:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("mega@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("mega123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 24243
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 2:08:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("mega@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("mega123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 24243
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 2:08:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("mega@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("mega123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 24243
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 2:08:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test case 16

Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("albert@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("albert123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```

### ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features", glue="stepDefinition")

public class TestRunner {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 11236
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:22:29 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("albert@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("albert123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 11236
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:22:29 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("albert@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("albert123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 11236
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:22:29 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("albert@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("albert123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 11236
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:22:29 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test case 17

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("luana@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("luana123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 28062
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:26:46 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("luana@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("luana123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 28062
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:26:46 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("luana@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("luana123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 28062
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:26:46 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("luana@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("luana123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 28062
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:26:46 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test case 18

Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("oliv@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("oliv123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2463
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:31:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("oliv@gmail.com");
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("oliv123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2463
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:31:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("oliv@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("oliv123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2463
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:31:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

## ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("oliv@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("oliv123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2463
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:31:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 19

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("lina@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("lina123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 1728
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:35:54 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("lina@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("lina123");
    }
}
```

```

1  @When("I click on the submit button")
2  public void iClickOnTheSubmitButton() {
3      WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
4      submitButton.click();
5  }

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 1728
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:35:54 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("lina@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("lina123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 1728
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:35:54 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("lina@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("lina123");
    }
}
```

```

1  @When("I click on the submit button")
2  public void iClickOnTheSubmitButton() {
3      WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
4      submitButton.click();
5  }

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 1728
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:35:54 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 20

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("putri@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("putri123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 11957
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:39:26 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("putri@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("putri123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 11957
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:39:26 AM org.openqa.selenium.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("putri@gmail.com");
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("putri123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 11957
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:39:26 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("putri@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("putrii23");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 11957
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:39:26 AM org.openqa.selenium.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 21

Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

### ➤ Definition

```
1 package stepDefinition;
2
3 import org.openqa.selenium.By;
4 import org.openqa.selenium.WebDriver;
5 import org.openqa.selenium.WebElement;
6 import org.openqa.selenium.chrome.ChromeDriver;
7
8 import cucumber.api.java.en.And;
9 import cucumber.api.java.en.Given;
10 import cucumber.api.java.en.Then;
11 import cucumber.api.java.en.When;
12
13 public class LoginTest {
14     WebDriver driver;
15
16     @Given("^open chrome and start application$")
17     public void open_chrome_and_start_application() throws Throwable {
18         System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
19
20         driver = new ChromeDriver();
21         driver.manage().window().maximize();
22         driver.get("http://127.0.0.1:8000/login");
23     }
24
25     @When("^I enter valid username and valid password$")
26     public void I_enter_valid_username_and_valid_password() throws Throwable {
27         driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("claudia@gmail.com");
28         driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("claudia123");
29     }
30
31     @When("I click on the submit button")
32     public void iClickOnTheSubmitButton() {
33         WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
34         submitButton.click();
35     }
36 }
```


### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 16145
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:44:44 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("claudia@gmail.com");
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("claudia123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 16145
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:44:44 AM org.openqa.selenium.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
1 package stepDefinition;
2
3 import org.openqa.selenium.By;
4 import org.openqa.selenium.WebDriver;
5 import org.openqa.selenium.WebElement;
6 import org.openqa.selenium.chrome.ChromeDriver;
7
8 import cucumber.api.java.en.And;
9 import cucumber.api.java.en.Given;
10 import cucumber.api.java.en.Then;
11 import cucumber.api.java.en.When;
12
13 public class LoginTest {
14     WebDriver driver;
15
16     @Given("^open chrome and start application$")
17     public void open_chrome_and_start_application() throws Throwable {
18         System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
19
20         driver = new ChromeDriver();
21         driver.manage().window().maximize();
22         driver.get("http://127.0.0.1:8000/login");
23     }
24
25     @When("^I enter valid username and valid password$")
26     public void I_enter_valid_username_and_valid_password() throws Throwable {
27         driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("claudia@gmail.com");
28         driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("claudia123");
29     }
30
31     @When("I click on the submit button")
32     public void iClickOnTheSubmitButton() {
33         WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
34         submitButton.click();
35     }
36 }
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 16145
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:44:44 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/div[1]/div/input")).sendKeys("claudia@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/div[2]/div/input")).sendKeys("claudia123");
    }
}
```

```

1  @When("I click on the submit button")
2  public void iClickOnTheSubmitButton() {
3      WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
4      submitButton.click();
5  }

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 16145
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:44:44 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 22

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("rian@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("rian123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 5814
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:50:26 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("rian@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("rian123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 5814
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:50:26 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("rian@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("rian123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 5814
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:50:26 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("rian@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("rian123");
    }
}
```

```

1  @When("I click on the submit button")
2  public void iClickOnTheSubmitButton() {
3      WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
4      submitButton.click();
5  }

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 5814
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:50:26 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 23

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("fritz@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("fritz123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 36012
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:53:15 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("fritz@gmail.com");
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("fritz123");
    }
}
```

```

1  @When("I click on the submit button")
2  public void iClickOnTheSubmitButton() {
3      WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
4      submitButton.click();
5  }

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 36012
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:53:15 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("fritz@gmail.com");
        driver.findElement(By.xpath("/html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("fritz123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 36012
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:53:15 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("fritz@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("fritz123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 36012
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:53:15 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 24

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("yosafat@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("yosafat123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 14390
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:56:29 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("yosafat@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("yosafati23");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 14390
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:56:29 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("yosafat@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("yosafat123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 14390
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:56:29 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("yosafat@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("yosafat123");
    }
}
```

```

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 14390
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 5:56:29 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 25

### Test Frame Fungsi Login Variasi 1 (Email Valid & Password Valid)

#### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("kia@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("kia123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


#### ➤ Test Runners

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 13123
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:02:01 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 2 (Email Invalid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("kia@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("kia123");
    }
}
```

```

1  @When("I click on the submit button")
2  public void iClickOnTheSubmitButton() {
3      WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
4      submitButton.click();
5  }

```

## ➤ Test Runner

```

1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 13123
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:02:01 AM org.openqa.selenium.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 3 (Email Valid & Password Invalid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("/html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("kia@gmail.com");
        driver.findElement(By.xpath("/html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("kia123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


### ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 13123
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:02:01 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Login Variasi 4 (Email Invalid & Password Valid)

### ➤ Definition

```
package stepDefinition;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class LoginTest {
    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I enter valid username and valid password$")
    public void I_enter_valid_username_and_valid_password() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("kia@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("kia123");
    }

    @When("I click on the submit button")
    public void iClickOnTheSubmitButton() {
        WebElement submitButton = driver.findElement(By.cssSelector("input[type='submit']"));
        submitButton.click();
    }
}
```


## ➤ Test Runner

```
1 package runner;
2
3 import org.junit.runner.RunWith;
4
5 import cucumber.api.junit.Cucumber;
6
7 @RunWith(Cucumber.class)
8 @Cucumber.Options(features="Features", glue="stepDefinition")
9
10 public class TestRunner {
11
12 }
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 13123
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:02:01 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



**PENERAPAN PADA CUCUMBER**  
**FUNGSI REGISTRASI**

Test Frame Fungsi Registrasi

Test Fungsi Registrasi	Input				Jumlah Test Case
	Parameter 1	Parameter 2	Parameter 3	Parameter 4	
Variasi 1	Name qualify	Email qualify	Phone number qualify	Password qualify	7 test case
Variasi 2	Name doesn't qualify	Email qualify	Phone number qualify	Password qualify	7 test case
Variasi 3	Name qualify	Email doesn't qualify	Phone number qualify	Password qualify	7 test case
Variasi 4	Name qualify	Email qualify	Phone number doesn't qualify	Password qualify	7 test case
Variasi 5	Name qualify	Email qualify	Phone number qualify	Password doesn't qualify	6 test case
Variasi 6	Name doesn't qualify	Email doesn't qualify	Phone number doesn't qualify	Password qualify	6 test case
Variasi 7	Name qualify	Email qualify	Phone number doesn't qualify	Password doesn't qualify	6 test case
Variasi 8	Name doesn't qualify	Email doesn't qualify	Phone number qualify	Password qualify	6 test case
Variasi 9	Name qualify	Email doesn't qualify	Phone number doesn't qualify	Password doesn't qualify	6 test case
Variasi 10	Name doesn't qualify	Email qualify	Phone number doesn't qualify	Password doesn't qualify	6 test case
Variasi 11	Name doesn't qualify	Email doesn't qualify	Phone number qualify	Password doesn't qualify	6 test case
Variasi 12	Name qualify	Email doesn't qualify	Phone number qualify	Password doesn't qualify	6 test case
Variasi 13	Name doesn't qualify	Email qualify	Phone number doesn't qualify	Password qualify	6 test case

Variasi 14	Name doesn't qualify	Email qualify	Phone number qualify	Password doesn't qualify	6 test case
Variasi 15	Name qualify	Email doesn't qualify	Phone doesn't number qualify	Password qualify	6 test case
Variasi 16	Name doesn't qualify	Email doesn't qualify	Phone number doesn't qualify	Password doesn't qualify	6 test case

## Test case 1

### Test Frame Fungsi Registrasi Variasi 1

(Name qualify, Email qualify, Phone Number qualify, Password qualify)

#### ➤ Definition

```

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")
public class TestRunner_Registrasi {
}
```

➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 2

(Name doesn't qualify, Email qualify, Phone Number qualify, Password qualify)

### ➤ Definition

```
import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 3

(Name qualify, Email doesn't qualify, Phone Number qualify, Password qualify)

### ➤ Definition

```
import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 4

(Name qualify, Email qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 5

(Name qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 6

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 7

(Name qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

## ➤ Definition

```
import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 8

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password qualify)

### ➤ Definition

```
import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 9

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

## ➤ Definition

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 10

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 11

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

## ➤ Definition

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 12

(Name qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("sam123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 13

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password qualify)

## ➤ Definition

```
import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 14

(Name doesn't qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 15

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

## ➤ Definition

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 16

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Samuel Sibuea");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("sam@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420245");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("sam123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 27429
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 9:20:51 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test case 2

### Test Frame Fungsi Registrasi Variasi 1

(Name qualify, Email qualify, Phone Number qualify, Password qualify)

#### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start applications$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

#### ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 2

(Name doesn't qualify, Email qualify, Phone Number qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("gab123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 3

(Name qualify, Email doesn't qualify, Phone Number qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("gab123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 4

(Name qualify, Email qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 5

(Name qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 6

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 7

(Name qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 8

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 9

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 10

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Runnings



## Test Frame Fungsi Registrasi Variasi 11

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 12

(Name qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 13

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 14

(Name doesn't qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 15

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 16

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Gabriel Sigalingging");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("gab@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420247");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("gab123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 3

### Test Frame Fungsi Registrasi Variasi 1

(Name qualify, Email qualify, Phone Number qualify, Password qualify)

#### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

#### ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 2

(Name doesn't qualify, Email qualify, Phone Number qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 3

(Name qualify, Email doesn't qualify, Phone Number qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 4

(Name qualify, Email qualify, Phone Number doesn't qualify, Password qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("siska123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 5

(Name qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 6

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 7

(Name qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void i_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("siska123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 8

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 9

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void i_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 10

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Runnings



## Test Frame Fungsi Registrasi Variasi 11

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 12

(Name qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 13

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 14

(Name doesn't qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 15

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 16

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Fransiska");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("siska@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081266420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("siska123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 47076
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 3:24:29 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 4

### Test Frame Fungsi Registrasi Variasi 1

(Name qualify, Email qualify, Phone Number qualify, Password qualify)

#### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("juan123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

#### ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 2

(Name doesn't qualify, Email qualify, Phone Number qualify, Password qualify)

➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("juan123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 3

(Name qualify, Email doesn't qualify, Phone Number qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("juan123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 4

(Name qualify, Email qualify, Phone Number doesn't qualify, Password qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nophp']]")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("juan123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 5

(Name qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("juan123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 6

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("juan123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@(#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 7

(Name qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("juan123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 8

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("juan123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 9

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("juan123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 10

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("juan123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Runnings



## Test Frame Fungsi Registrasi Variasi 11

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("juan123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 12

(Name qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("juan123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 13

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("juan123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 14

(Name doesn't qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("juan123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 15

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("juan123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 16

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Juan Carlos");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("juan@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081366420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("juan123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 22094
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 6:56:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 5

### Test Frame Fungsi Registrasi Variasi 5

(Name qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

#### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Agus Sitorus");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("agus@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("agus123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

#### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3741
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 7:29:52 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 6

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Agus Sitorus");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("agus@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("agus123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3741
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 7:29:52 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 7

(Name qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Agus Sitorus");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("agus@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("agus123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3741
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 7:29:52 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 8

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Agus Sitorus");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("agus@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081356420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("agus123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3741
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 7:29:52 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 9

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Agus Sitorus");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("agus@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("agus123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3741
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 7:29:52 PM org.openqa.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 10

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Agus Sitorus");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("agus@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("agus123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3741
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 7:29:52 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 11

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Agus Sitorus");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("agus@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("agus123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3741
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 7:29:52 PM org.openqa.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 12

(Name qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Agus Sitorus");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("agus@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081356420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("agus123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3741
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 7:29:52 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 13

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Agus Sitorus");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("agus@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("agus123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3741
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 7:29:52 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 14

(Name doesn't qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Agus Sitorus");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("agus@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("agus123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3741
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 7:29:52 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 15

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Agus Sitorus");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("agus@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("agus123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3741
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 7:29:52 PM org.openqa.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 16

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Agus Sitorus");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("agus@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081356420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("agus123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 3741
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 25, 2023 7:29:52 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 6

### Test Frame Fungsi Registrasi Variasi 5

(Name qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

#### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Theofil Oktafia");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("theo@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081156420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("theo123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

#### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 7946
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:11:49 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 6

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Theofil Oktafia");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("theo@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081156420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("theo123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 7946
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:11:49 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 7

(Name qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Theofil_Oktafia");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("theo@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081156420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("theo123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;


import org.junit.runner.RunWith;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 7946
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:11:49 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 8

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Theofil_Oktafia");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("theo@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081156420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("theo123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 7946
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:11:49 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 9

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Theofil Oktafia");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("theo@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081156420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("theo123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 7946
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:11:49 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 10

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Theofil Oktafia");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("theo@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081156420257");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("theo123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 7946
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:11:49 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 11

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Theofil Oktafia");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("theo@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081156420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("theo123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 7946
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:11:49 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 12

(Name qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {
    WebDriver driver;
    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }
    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Theofil Oktafia");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("theo@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081156420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("theo123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 7946
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:11:49 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 13

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Theofil Oktafia");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("theo@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081156420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("theo123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 7946
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:11:49 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 14

(Name doesn't qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Theofil_Oktafia");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("theo@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081156420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("theo123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 7946
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:11:49 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 15

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Theofil_Oktafia");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("theo@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081156420257");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("theo123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 7946
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:11:49 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 16

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_fields() throws Throwable {
        driver.findElement(By.xpath("//[@id='name']")).sendKeys("@Theofil Oktafia");
        driver.findElement(By.xpath("//[@id='email']")).sendKeys("theo@gmail.com");
        driver.findElement(By.xpath("//[@id='nohp']")).sendKeys("081156420257");
        driver.findElement(By.xpath("//[@id='password']")).sendKeys("theo123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 7946
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:11:49 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test case 7

### Test Frame Fungsi Registrasi Variasi 5

(Name qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

#### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("Tesya Siahaan");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("tesya@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420252");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("tesya123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

#### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23439
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:25:10 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 6

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Tesya Siahaan");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("tesya@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081356420252");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("tesya123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23439
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:25:10 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 7

(Name qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Tesya Siahaan");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("tesya@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420252");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("tesya123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23439
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:25:10 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 8

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Tesya Siahaan");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("tesya@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420252");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("tesya123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23439
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:25:10 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 9

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Tesya Siahaan");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("tesya@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420252");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("tesya123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23439
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:25:10 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 10

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password doesn't qualify)

## ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Tesya Siahaan");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("tesya@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420252");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("tesya123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23439
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:25:10 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 11

(Name doesn't qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Tesya Siahaan");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("tesya@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420252");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("tesya123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23439
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:25:10 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 12

(Name qualify, Email doesn't qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Tesya Siahaan");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("tesya@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081356420252");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("tesya123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23439
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:25:10 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 13

(Name doesn't qualify, Email qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void i_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Tesya Sahaan");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("tesya@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420252");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("tesya123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23439
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:25:10 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 14

(Name doesn't qualify, Email qualify, Phone Number qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\\\Program Files\\\\chromedriver_win32\\\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Tesy Siahaan");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("tesya@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420252");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("tesya123");
    }
}
```

```

@And("I click the create account button")
public void iClickTheCreateAccountButton() {
    WebElement createAccountButton =
        driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
    createAccountButton.click();
}
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23439
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:25:10 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 15

(Name qualify, Email doesn't qualify, Phone Number doesn't qualify, Password qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']")).sendKeys("@Tesya Siahaan");
        driver.findElement(By.xpath("//*[@id='email']")).sendKeys("tesya@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']")).sendKeys("081356420252");
        driver.findElement(By.xpath("//*[@id='password']")).sendKeys("tesya123");
    }

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}
```

### ➤ Test Runner

```
package runner;

import org.junit.runner.RunWith;


@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
```

### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23439
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:25:10 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Registrasi Variasi 16

(Name doesn't qualify, Email doesn't qualify, Phone Number doesn't qualify, Password doesn't qualify)

### ➤ Definition

```
package stepDefinition_Registrasi;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class RegistrasiTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/register");
    }

    @When("^I fills all required fields$")
    public void I_fills_all_required_and_fields() throws Throwable {
        driver.findElement(By.xpath("//*[@id='name']]")).sendKeys("@Tesya Siahaan");
        driver.findElement(By.xpath("//*[@id='email']]")).sendKeys("tesya@gmail.com");
        driver.findElement(By.xpath("//*[@id='nohp']]")).sendKeys("081356420252");
        driver.findElement(By.xpath("//*[@id='password']]")).sendKeys("tesya123");
    }
}
```

```

    @And("I click the create account button")
    public void iClickTheCreateAccountButton() {
        WebElement createAccountButton =
            driver.findElement(By.cssSelector("/html/body/section/div/div[2]/div/form/div[5]/button"));
        createAccountButton.click();
    }
}

```

## ➤ Test Runner

```

package runner;

import org.junit.runner.RunWith;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_Registrasi", glue="stepDefinition_Registrasi")

public class TestRunner_Registrasi {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 23439
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 8:25:10 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



**PENERAPAN PADA CUCUMBER**  
**FUNGSI ADD PRODUCT**

Test Frame Fungsi Registrasi

Tabel Fungsi Add Produk	Input					Jumlah Test case
	Parameter 1	Parameter 2	Parameter 3	Parameter 4	Parameter 5	
Variasi 1	Name qualify	Package type qualify	Price qualify	Description qualify	Image qualify	4 test case
Variasi 2	Name doesn't qualify	Package type qualify	Price qualify	Description qualify	Image qualify	4 test case
Variasi 3	Name qualify	Package type doesn't qualify	Price qualify	Description qualify	Image qualify	4 test case
Variasi 4	Name qualify	Package type qualify	Price doesn't qualify	Description qualify	Image qualify	4 test case
Variasi 5	Name qualify	Package type qualify	Price qualify	Description doesn't qualify	Image qualify	3 test case
Variasi 6	Name qualify	Package type qualify	Price qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 7	Name qualify	Package type doesn't qualify	Price doesn't qualify	Description doesn't qualify	Image doesn't qualify	3 test case
Variasi 8	Name doesn't qualify	Package type qualify	Price doesn't qualify	Description doesn't qualify	Image doesn't qualify	3 test case
Variasi 9	Name doesn't qualify	Package type doesn't qualify	Price qualify	Description doesn't qualify	Image doesn't qualify	3 test case

Variasi 10	Name doesn't qualify	Package type doesn't qualify	Price doesn't qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 11	Name doesn't qualify	Package type doesn't qualify	Price doesn't qualify	Description doesn't qualify	Image qualify	3 test case
Variasi 12	Name qualify	Package type qualify	Price qualify	Description qualify	Image qualify	3 test case
Variasi 12	Name qualify	Package type qualify	Price doesn't qualify	Description doesn't qualify	Image doesn't qualify	3 test case
Variasi 13	Name doesn't qualify	Package type qualify	Price qualify	Description doesn't qualify	Image doesn't qualify	3 test case
Variasi 14	Name doesn't qualify	Package type doesn't qualify	Price qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 15	Name doesn't qualify	Package type doesn't qualify	Price doesn't qualify	Description qualify	Image qualify	3 test case
Variasi 16	Name doesn't qualify	Package type doesn't qualify	Price qualify	Description qualify	Image qualify	3 test case
Variasi 17	Name qualify	Package type doesn't qualify	Price doesn't qualify	Description qualify	Image qualify	3 test case
Variasi 18	Name qualify	Package type qualify	Price doesn't qualify	Description doesn't qualify	Image qualify	3 test case
Variasi 19	Name qualify	Package type qualify	Price qualify	Description doesn't qualify	Image doesn't qualify	3 test case
Variasi 20	Name qualify	Package type qualify	Price doesn't qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 21	Name doesn't qualify	Package type qualify	Price qualify	Description qualify	Image doesn't qualify	3 test case

Variasi 22	Name doesn't qualify	Package type doesn't qualify	Price qualify	Description qualify	Image qualify	3 test case
Variasi 23	Name doesn't qualify	Package type doesn't qualify	Price doesn't qualify	Description qualify	Image qualify	3 test case
Variasi 24	Name qualify	Package type doesn't qualify	Price doesn't qualify	Description qualify	Image qualify	3 test case
Variasi 25	Name qualify	Package type qualify	Price doesn't qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 26	Name qualify	Package type doesn't qualify	Price qualify	Description doesn't qualify	Image qualify	3 test case
Variasi 27	Name doesn't qualify	Package type qualify	Price doesn't qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 28	Name qualify	Package type qualify	Price doesn't qualify	Description qualify	Image qualify	3 test case
Variasi 29	Name doesn't qualify	Package type doesn't qualify	Price doesn't qualify	Description doesn't qualify	Image doesn't qualify	3 test case
Variasi 30	Name doesn't qualify	Package type doesn't qualify	Price qualify	Description doesn't qualify	Image qualify	3 test case
Variasi 31	Name qualify	Package type qualify	Price doesn't qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 32	Name doesn't qualify	Package type doesn't qualify	Price doesn't qualify	Description doesn't qualify	Image doesn't qualify	3 test case

## Test case 1

Test Frame Fungsi Add Produk Variasi 1

(Name qualify, Package type qualify, Price qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;
public class AddProductTest {
    WebDriver driver;
    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }
    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }
}
```

```

@And("I click the Ecommerce menu")
public void I_Click_The_Ecommerce_Menu() {
    WebElement EcommerceMenu =
        driver.findElement(By.xpath("//*[@id=\"simple-bar\"]/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
}

@And("And I click the Produk button")
public void i_Click_The_Produk_Button() {
    WebElement ProdukButton =
        driver.findElement(By.xpath("//*[@id=\"simple-bar\"]/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
}

@And("And I click the Add Product Package button")
public void I_Click_The_Add_Product_Package_Button() {
    WebElement AddProductPackageButton =
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
}

@And("And I fill in the product details")
public void i_Fill_In_The_Product_Button() throws Throwable {
    driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
    ("Ayam Goreng");
    driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
    ("Paket Makanan");
    driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
    ("15000");
    driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
    driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
    ("ayam.jpeg");
}

@And("And I click the Add button")
public void I_Click_The_Add_Button() {
    WebElement AddButton =
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button"));AddButton.click();
}

@Then("And I see Product added successfully message")
public void I_See_Product_Added_SuccessfullyMessage() {
    WebElement AddButton =
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div[1]"));AddButton.click();
}

```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.CucumberOptions(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk`. The page title is "Paket Dekorasi". On the left, there is a sidebar with navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area has a header "Paket" and a success message "Data Berhasil Ditambahkan". Below this is a table with columns: Produk, Produk Name, Jenis, Price, Deskripsi, and Action. The table contains four rows of data:

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Gulai	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Penyet	Paket Makanan	Rp. 25.000,00	Enak	
	Tongseng Ayam	Paket Makanan	Rp. 25.000,00	Enak	

## Test Frame Fungsi Add Produk Variasi 2

(Name doesn't qualify, Package type qualify, Price qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }
}
```

```

@And("I click the Ecommerce menu")
public void I_Click_The_Ecommerce_Menu() {
    WebElement EcommerceMenu =
        driver.findElement(By.xpath("//*[@id=\"simple-bar\"]/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
}

@And("And I click the Produk button")
public void i_Click_The_Produk_Button() {
    WebElement ProdukButton =
        driver.findElement(By.xpath("//*[@id=\"simple-bar\"]/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
}

@And("And I click the Add Product Package button")
public void I_Click_The_Add_Product_Package_Button() {
    WebElement AddProductPackageButton =
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
}

@And("And I fill in the product details")
public void i_Fill_In_The_Product_Button() throws Throwable {
    driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
    ("Ayam Goreng");
    driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
    ("Paket Makanan");
    driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
    ("15000");
    driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
    driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
    ("ayam.jpeg");
}

@And("And I click the Add button")
public void I_Click_The_Add_Button() {
    WebElement AddButton =
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button"));AddButton.click();
}

@Then("And I see Product added successfully message")
public void I_See_Product_Added_SuccessfullyMessage() {
    WebElement AddButton =
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]/div[2]/div[2]/div[1]"));AddButton.click();
}

```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



### Test Frame Fungsi Add Produk Variasi 3

(Name qualify, Package type doesn't qualify, Price qualify, Description qualify, Image qualify)

➤ Definition

```

package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}

```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

#### ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 4

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page title is "Tambah Paket Produk". On the left, there is a sidebar with navigation links: Dashboards, E-Commerce (which is selected), Produk, Pemasukan, and Gallery. The main content area contains a form for adding a product package. The form fields are: Name (input field), Jenis (dropdown menu labeled "Pilih Jenis Paket"), Harga (input field with a red border and the error message "The harga field is required."), Deskripsi (text area), and Gambar (file input field with the placeholder "Choose File" and "No file chosen").

Test Frame Fungsi Add Produk Variasi 5

(Name qualify, Package type qualify, Price qualify, Description doesn't qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.junit.RunWith;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



(Name qualify, Package type qualify, Price qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



(Name qualify, Package doesn't type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page title is "Tambah Paket Dekorasi". On the left, there's a sidebar with navigation links: Dashboards, E-Commerce (which is selected), Produk, Pemasukan, and Gallery. The main content area contains a form for adding a product. The form fields are:

- Name: A text input field.
- Jenis: A dropdown menu labeled "Pilih Jenis Paket".
- Harga: A text input field with the error message "The harga field is required." displayed below it.
- Deskripsi: A text area with the error message "The deskripsi field is required." displayed below it.
- Gambar: A file upload input field with the placeholder "Choose File" and the message "No file chosen".

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

Test Frame Fungsi Add Produk Variasi 8

(Name doesn't qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 9

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page title is "Tambah Paket Dekorasi". On the left, there is a sidebar with navigation links: Dashboards, E-Commerce (which is selected), Produk, Pemasukan, and Gallery. The main content area contains a form for adding a product. The form fields are:

- Name:** A text input field with the placeholder "Name". An error message "The name field is required." is displayed below it.
- Jenis:** A dropdown menu labeled "Pilih Jenis Paket".
- Harga:** A text input field with the placeholder "Harga".
- Deskripsi:** A text area with the placeholder "Deskripsi". An error message "The deskripsi field is required." is displayed below it.
- Gambar:** A file upload input field with the placeholder "Choose File" and "No file chosen". An error message "The gambar field is required." is displayed below it.

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

Test Frame Fungsi Add Produk Variasi 10

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page is titled "Tambah Paket Dekorasi". On the left, there's a sidebar with navigation links: Dashboards, E-Commerce (which is selected), Produk, Pemasukan, and Gallery. The main content area contains a form for adding a product. The fields and their validation errors are:

- Name**: The name field is required.
- Jenis**: Pilih Jenis Paket
- Harga**: The harga field is required.
- Deskripsi**: (empty)
- Gambar**: Choose File No file chosen. The gambar field is required.

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

Test Frame Fungsi Add Produk Variasi 11

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

### ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 12

(Name qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.junit.CucumberOptions(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



(Name doesn't qualify, Package type qualify, Price qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 14

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 16

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description qualify, Image qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page displays a form for adding a product. On the left, there is a sidebar with navigation links: Dashboards, E-Commerce (which is selected), Produk, Pemasukan, and Gallery. The main content area has fields for Name, Jenis, Harga, Deskripsi, and Gambar. The 'Name' field is highlighted in red with the error message "The name field is required." Below the form are 'Add' and 'Cancel' buttons.

Test Frame Fungsi Add Produk Variasi 17

(Name qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[3]/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[5]/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 18

(Name qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 19

(Name qualify, Package type qualify, Price qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page title is "Tambah Paket Dekorasi". On the left, there is a sidebar with navigation links: Dashboards, E-Commerce (which is selected and highlighted in blue), Produk, Pemasukan, and Gallery. The main content area contains a form for adding a product. The form fields are:

- Name:** An input field labeled "Name".
- Jenis:** A dropdown menu labeled "Pilih Jenis Paket".
- Harga:** An input field labeled "Harga".
- Deskripsi:** A text area with a red border and the validation message "The deskripsi field is required.".
- Gambar:** A file input field labeled "Choose File" with the placeholder "No file chosen". Below it is another validation message "The gambar field is required.".

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

Test Frame Fungsi Add Produk Variasi 20

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 21

(Name doesn't qualify, Package type qualify, Price qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description qualify, Image qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 24

(Name qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.junit.RunWith;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 25

(Name qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page title is "Tambah Paket Dekorasi". On the left, there is a sidebar with navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area contains a form for adding a product. The form fields are:

- Name: A text input field.
- Jenis: A dropdown menu labeled "Pilih Jenis Paket".
- Harga: A text input field with a red error message: "The harga field is required."
- Deskripsi: A text area with a red error message: "The deskripsi field is required."
- Gambar: A file upload input field showing "No file chosen".

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

(Name qualify, Package type doesn't qualify, Price qualify, Description doesn't qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.junit.RunWith;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



(Name doesn't qualify, Package type qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("I click the ECommerce menu")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

#### ➤ Browser After Running



(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 29

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;

import cucumber.api.junit.Cucumber;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {

}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description doesn't qualify, Image qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running

The screenshot shows a web browser window with a form for adding a product. The URL in the address bar is 127.0.0.1:8000/admin/produk/create. The left sidebar shows navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area contains the following fields:

- Name:** An input field with the placeholder "Name". An error message "The name field is required." is displayed next to it.
- Jenis:** A dropdown menu labeled "Pilih Jenis Paket".
- Harga:** An input field with the placeholder "Harga".
- Deskripsi:** A text area with the placeholder "Deskripsi". An error message "The deskripsi field is required." is displayed below it.
- Gambar:** A file upload input labeled "Choose File" with the placeholder "No file chosen".

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. On the left, there is a sidebar with navigation links: Dashboards, E-Commerce (which is selected), Produk, Pemasukan, and Gallery. The main content area contains a form for adding a product. The form fields are:

- Name:** A text input field.
- Jenis:** A dropdown menu labeled "Pilih Jenis Paket".
- Harga:** A text input field with a red border and the error message "The harga field is required.".
- Deskripsi:** A text area input field.
- Gambar:** A file upload input field with the placeholder "Choose File No file chosen" and a red border, with the error message "The gambar field is required.".

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

#### ➤ Browser After Running



## Test case 2

Test Frame Fungsi Add Produk Variasi 1

(Name qualify, Package type qualify, Price qualify, Description qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

➤ Browser After Running

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Gulai	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Penyet	Paket Makanan	Rp. 25.000,00	Enak	
	Tongseng Ayam	Paket Makanan	Rp. 25.000,00	Enak	

## Test Frame Fungsi Add Produk Variasi 2

(Name doesn't qualify, Package type qualify, Price qualify, Description qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;

import cucumber.api.junit.Cucumber;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")


public class TestRunner_AddProduct {

}
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

#### ➤ Browser After Running



(Name qualify, Package type doesn't qualify, Price qualify, Description qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[1]/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div/form/div[3]/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.junit.CucumberOptions(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Gulai	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Penyet	Paket Makanan	Rp. 25.000,00	Enak	
	Tongseng Ayam	Paket Makanan	Rp. 25.000,00	Enak	

Test Frame Fungsi Add Produk Variasi 4

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.CucumberOptions(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running

The screenshot shows a web browser window with the following details:

- Title Bar:** Tambah Paket Dekorasi
- Address Bar:** 127.0.0.1:8000/admin/produk/create
- Page Content:**
  - Left Sidebar (E-Commerce):** Dashboards, E-Commerce (selected), Produk, Pemasukan, Gallery.
  - Main Form Title:** Tambah Paket Produk
  - Form Fields:**
    - Name: Placeholder 'Name'
    - Jenis: Placeholder 'Pilih Jenis Paket'
    - Harga: Placeholder 'Harga', with an error message: 'The harga field is required.'
    - Deskripsi: Placeholder 'Deskripsi'
    - Gambar: Placeholder 'Choose File' (No file chosen)
  - Page Headers:** / Paket produk / Tambah Paket Produk

Test Frame Fungsi Add Produk Variasi 5

(Name qualify, Package type qualify, Price qualify, Description doesn't qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 6

(Name qualify, Package type qualify, Price qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[3]/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[5]/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.CucumberOptions(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 7

(Name qualify, Package doesn't type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;
import org.junit.Test;
import static org.junit.Assert.*;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page is titled "Tambah Paket Dekorasi". On the left, there's a sidebar with navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area contains a form for adding a product. The form fields are:

- Name: A text input field.
- Jenis: A dropdown menu labeled "Pilih Jenis Paket".
- Harga: A text input field with a red border and the error message "The harga field is required." below it.
- Deskripsi: A text area with a red border and the error message "The deskripsi field is required." below it.
- Gambar: A file upload input field showing "No file chosen".

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

Test Frame Fungsi Add Produk Variasi 8

(Name doesn't qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 9

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 10

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running

The screenshot shows a web browser window with the following details:

- Address Bar:** 127.0.0.1:8000/admin/produk/create
- Page Title:** Tambah Paket Dekorasi
- Left Sidebar (E-Commerce):**
  - Dashboard
  - E-Commerce (selected)
  - Produk
  - Pemasukan
  - Gallery
- Form Fields (All required):**
  - Name: The name field is required.
  - Jenis: Pilih Jenis Paket
  - Harga: The harga field is required.
  - Deskripsi
  - Gambar: Choose File No file chosen
- Buttons:** Add (yellow), Cancel (red)

Test Frame Fungsi Add Produk Variasi 11

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running

The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. The page displays a form for adding a new product. The sidebar on the left shows navigation links for Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area contains fields for Name, Jenis, Harga, Deskripsi, and Gambar. The Gambar field is highlighted in red, indicating it is required. An error message 'The gambar field is required.' is displayed below the field. At the bottom right of the form are 'Add' and 'Cancel' buttons.

Test Frame Fungsi Add Produk Variasi 12

(Name qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running

The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. The page is titled 'Tambah Paket Dekorasi'. On the left, there's a sidebar with categories: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area has a form for adding a product. The form fields are:

- Name: A text input field.
- Jenis: A dropdown menu labeled 'Pilih Jenis Paket'.
- Harga: A text input field with a red border and the error message 'The harga field is required.' below it.
- Deskripsi: A large text area with a red border and the error message 'The deskripsi field is required.' below it.
- Gambar: A file upload input field with the placeholder 'Choose File' and 'No file chosen', also with a red border and the error message 'The gambar field is required.' below it.

At the bottom right of the form are 'Add' and 'Cancel' buttons.

(Name doesn't qualify, Package type qualify, Price qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 14

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[3]/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[5]/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 15

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.CucumberOptions(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 16

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description qualify, Image qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 17

(Name qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[3]/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[5]/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



(Name qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 19

(Name qualify, Package type qualify, Price qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 20

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running

The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. The page displays a form for adding a new product. On the left, there's a sidebar with navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main area has fields for Name, Jenis, Harga, Deskripsi, and Gambar. Below the Harga field, an error message says "The harga field is required." Below the Gambar field, another error message says "The gambar field is required." At the bottom right of the form are "Add" and "Cancel" buttons.

Test Frame Fungsi Add Produk Variasi 21

(Name doesn't qualify, Package type qualify, Price qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```


➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

➤ Browser After Running



(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description qualify, Image qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 23

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[3]/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[5]/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;
import org.junit.Test;
import static org.junit.Assert.*;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



(Name qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 25

(Name qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

```

package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}

```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 26

(Name qualify, Package type doesn't qualify, Price qualify, Description doesn't qualify, Image qualify)

## ➤ Definition

```

package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}

```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



(Name doesn't qualify, Package type qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 28

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[3]/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[5]/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 30

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description doesn't qualify, Image qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 31

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 32

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page displays an error form for adding a new product. The left sidebar has a navigation menu with items like 'Dashboards', 'E-Commerce' (which is selected), 'Produk', 'Pemasukan', and 'Gallery'. The main content area shows fields for 'Name', 'Jenis', 'Harga', 'Deskripsi', and 'Gambar'. Each field has a red border and a red error message indicating it is required: 'The name field is required.', 'The jenis field is required.', 'The harga field is required.', 'The deskripsi field is required.', and 'The gambar field is required.' At the bottom right are 'Add' and 'Cancel' buttons.

## PENERAPAN PADA CUCUMBER

### FUNGSI REGISTRASI

Test Frame Fungsi Registrasi

Tabel Fungsi Edit Produk	Input					Jumlah Test case
	Parameter 1	Parameter 2	Parameter 3	Parameter 4	Parameter 5	
Variasi 1	Name qualify	Package type qualify	Price qualify	Description qualify	Image qualify	4 test case
Variasi 2	Name doesn't qualify	Package type qualify	Price qualify	Description qualify	Image qualify	4 test case
Variasi 3	Name qualify	Package type doesn't qualify	Price qualify	Description qualify	Image qualify	4 test case
Variasi 4	Name qualify	Package type qualify	Price doesn't qualify	Description qualify	Image qualify	4 test case
Variasi 5	Name qualify	Package type qualify	Price qualify	Description doesn't qualify	Image qualify	3 test case
Variasi 6	Name qualify	Package type qualify	Price qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 7	Name qualify	Package type doesn't qualify	Price doesn't qualify	Description doesn't qualify	Image doesn't qualify	3 test case
Variasi 8	Name doesn't qualify	Package type qualify	Price doesn't qualify	Description doesn't qualify	Image doesn't qualify	3 test case
Variasi 9	Name doesn't qualify	Package type doesn't qualify	Price qualify	Description doesn't qualify	Image doesn't qualify	3 test case

Variasi 10	Name doesn't qualify	Package type doesn't qualify	Price doesn't qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 11	Name doesn't qualify	Package type doesn't qualify	Price doesn't qualify	Description doesn't qualify	Image qualify	3 test case
Variasi 12	Name qualify	Package type qualify	Price qualify	Description qualify	Image qualify	3 test case
Variasi 12	Name qualify	Package type qualify	Price doesn't qualify	Description doesn't qualify	Image doesn't qualify	3 test case
Variasi 13	Name doesn't qualify	Package type qualify	Price qualify	Description doesn't qualify	Image doesn't qualify	3 test case
Variasi 14	Name doesn't qualify	Package type doesn't qualify	Price qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 15	Name doesn't qualify	Package type doesn't qualify	Price doesn't qualify	Description qualify	Image qualify	3 test case
Variasi 16	Name doesn't qualify	Package type doesn't qualify	Price qualify	Description qualify	Image qualify	3 test case
Variasi 17	Name qualify	Package type doesn't qualify	Price doesn't qualify	Description qualify	Image qualify	3 test case
Variasi 18	Name qualify	Package type qualify	Price doesn't qualify	Description doesn't qualify	Image qualify	3 test case
Variasi 19	Name qualify	Package type qualify	Price qualify	Description doesn't qualify	Image doesn't qualify	3 test case
Variasi 20	Name qualify	Package type qualify	Price doesn't qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 21	Name doesn't qualify	Package type qualify	Price qualify	Description qualify	Image doesn't qualify	3 test case

Variasi 22	Name doesn't qualify	Package type doesn't qualify	Price qualify	Description qualify	Image qualify	3 test case
Variasi 23	Name doesn't qualify	Package type doesn't qualify	Price doesn't qualify	Description qualify	Image qualify	3 test case
Variasi 24	Name qualify	Package type doesn't qualify	Price doesn't qualify	Description qualify	Image qualify	3 test case
Variasi 25	Name qualify	Package type qualify	Price doesn't qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 26	Name qualify	Package type doesn't qualify	Price qualify	Description doesn't qualify	Image qualify	3 test case
Variasi 27	Name doesn't qualify	Package type qualify	Price doesn't qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 28	Name qualify	Package type qualify	Price doesn't qualify	Description qualify	Image qualify	3 test case
Variasi 29	Name doesn't qualify	Package type doesn't qualify	Price doesn't qualify	Description doesn't qualify	Image doesn't qualify	3 test case
Variasi 30	Name doesn't qualify	Package type doesn't qualify	Price qualify	Description doesn't qualify	Image qualify	3 test case
Variasi 31	Name qualify	Package type qualify	Price doesn't qualify	Description qualify	Image doesn't qualify	3 test case
Variasi 32	Name doesn't qualify	Package type doesn't qualify	Price doesn't qualify	Description doesn't qualify	Image doesn't qualify	3 test case

## Test case 1

### Test Frame Fungsi Edit Produk Variasi 1

(Name qualify, Package type qualify, Price qualify, Description qualify, Image qualify)

#### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



The screenshot shows a web browser window titled "Paket Dekorasi". The address bar indicates the URL is 127.0.0.1:8000/admin/produk. The page content is controlled by automated test software, as shown by the message "Chrome is being controlled by automated test software." on the left.

The main content area displays a table titled "Paket" with a green header bar containing the message "Data Berhasil Ditambahkan". The table has columns: Produk, Produk Name, Jenis, Price, Deskripsi, and Action. There are four rows of data:

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Gulai	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Penyet	Paket Makanan	Rp. 25.000,00	Enak	
	Tongseng Ayam	Paket Makanan	Rp. 25.000,00	Enak	

A blue button labeled "Tambah Paket Produk" is visible at the top right of the table area.

## Test Frame Fungsi Add Produk Variasi 2

(Name doesn't qualify, Package type qualify, Price qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

### ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.junit.CucumberOptions(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL [127.0.0.1:8000/admin/produk/create](http://127.0.0.1:8000/admin/produk/create). The page title is "Tambah Paket Dekorasi". On the left, there is a sidebar with navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area is titled "Tambah Paket Produk". It contains several input fields: "Name" (with an error message "The name field is required"), "Jenis" (dropdown placeholder "Pilih Jenis Paket"), "Harga" (text input placeholder "Harga"), "Deskripsi" (text area placeholder "Deskripsi"), and "Gambar" (file input placeholder "Choose File" showing "No file chosen").

(Name qualify, Package type doesn't qualify, Price qualify, Description qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

#### ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 4

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page title is "Tambah Paket Dekorasi". On the left, there is a sidebar with navigation links: Dashboards, E-Commerce (which is selected), Produk, Pemasukan, and Gallery. The main content area is titled "Tambah Paket Produk". It contains several input fields: "Name", "Jenis" (with a dropdown placeholder "Pilih Jenis Paket"), "Harga" (with a red border and the error message "The harga field is required."), "Deskripsi" (with a large text area), and "Gambar" (with a file input field showing "Choose File" and "No file chosen").

## Test Frame Fungsi Add Produk Variasi 5

(Name qualify, Package type qualify, Price qualify, Description doesn't qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

### ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {

}
```


### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

### ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 6

(Name qualify, Package type qualify, Price qualify, Description qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/form/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 7

(Name qualify, Package doesn't type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 8

(Name doesn't qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {

}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 9

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;

import cucumber.api.junit.Cucumber;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {

}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 10

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 11

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



The screenshot shows a web browser window with the title "Tambah Paket Dekorasi". The address bar indicates the URL is 127.0.0.1:8000/admin/produk/create. The browser status bar says "Chrome is being controlled by automated test software".

The main content area displays a form for adding a product. The form fields are:

- Name: A text input field.
- Jenis: A dropdown menu with the placeholder "Pilih Jenis Paket".
- Harga: A text input field.
- Deskripsi: A text input field.
- Gambar: A file input field with the placeholder "Choose File" and a note "No file chosen". Below it, an error message "The gambar field is required." is displayed.

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

The left sidebar contains a navigation menu with the following items:

- Dashboard
- E-Commerce (selected)
- Produk
- Pemasukan
- Gallery

## Test Frame Fungsi Add Produk Variasi 12

(Name qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 13

(Name doesn't qualify, Package type qualify, Price qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 14

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 15

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;

import cucumber.api.junit.Cucumber;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {

}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 16

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 17

(Name qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 18

(Name qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 19

(Name qualify, Package type qualify, Price qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 20

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



The screenshot shows a web browser window with a title bar "Tambah Paket Dekorasi". The address bar displays the URL "127.0.0.1:8000/admin/produk/create". A message at the top of the page states "Chrome is being controlled by automated test software.".

The left sidebar contains navigation links: "Dashboards", "E-Commerce" (which is currently selected), "Pemasukan", and "Gallery".

The main content area is a form for creating a product. The fields and their current values are:

- Name: Name
- Jenis: Pilih Jenis Paket
- Harga: Harga  
Error message: The harga field is required.
- Deskripsi: (empty text area)
- Gambar: Choose File No file chosen  
Error message: The gambar field is required.

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

## Test Frame Fungsi Add Produk Variasi 21

(Name doesn't qualify, Package type qualify, Price qualify, Description qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

### ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.CucumberOptions(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}

```

## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```


You can implement missing steps with the snippets below:

```

@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}

```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 22

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 23

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 24

(Name qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify,  
Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^Open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/input")).sendKeys("Ayan Goreng");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div/div[3]/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div/div[5]/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {

}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running

The screenshot shows a web browser window with a form for adding a product. The URL is 127.0.0.1:8000/admin/produk/create. The sidebar navigation includes Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main form has fields for Name, Jenis, Harga, Deskripsi, and Gambar. The Harga and Deskripsi fields have red borders and error messages: "The harga field is required." and "The deskripsi field is required." respectively. The Gambar field shows "No file chosen". At the bottom right are "Add" and "Cancel" buttons.

## Test Frame Fungsi Add Produk Variasi 25

(Name qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^Open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;

import cucumber.api.junit.Cucumber;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {

}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running

The screenshot shows a web browser window with the title "Tambah Paket Dekorasi". The URL in the address bar is "127.0.0.1:8000/admin/produk/create". The page displays a form for adding a new product. On the left, there's a sidebar with navigation links: Dashboards, E-Commerce (which is selected), Produk, Pemasukan, and Gallery. The main content area has fields for Name, Jenis, Harga, and Deskripsi. The Harga field is highlighted in red with the error message "The harga field is required.". The Deskripsi field is also highlighted in red with the error message "The deskripsi field is required.". The Gambar field shows "No file chosen" and has the error message "The gambar field is required.". At the bottom right are "Add" and "Cancel" buttons.

## Test Frame Fungsi Add Produk Variasi 26

(Name qualify, Package type doesn't qualify, Price qualify, Description doesn't qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div[1]"));AddButton.click();
    }
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;

import cucumber.api.junit.Cucumber;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {

}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 27

(Name doesn't qualify, Package type qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div[1]"));AddButton.click();
    }
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {

}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running

The screenshot shows a web browser window with a form for adding a product. The URL is 127.0.0.1:8000/admin/produk/create. The sidebar shows categories like Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main form has fields for Name, Jenis, Harga, Deskripsi, and Gambar. Each required field has a red error message: 'The name field is required.', 'The harga field is required.', and 'The gambar field is required.'.

## Test Frame Fungsi Add Produk Variasi 28

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 29

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;

import cucumber.api.junit.Cucumber;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {

}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 30

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description doesn't qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;

import cucumber.api.junit.Cucumber;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {

}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 31

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;

import cucumber.api.junit.Cucumber;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {

}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 32

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;

import cucumber.api.junit.Cucumber;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {

}
```


## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 44269
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 26, 2023 2:13:39 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

You can implement missing steps with the snippets below:

```
@When("^I click the ECommerce menu$")
public void I_click_the_ECommerce_menu() throws Throwable {
    // Express the Regexp above with the code you wish you had
    throw new PendingException();
}
```

## ➤ Browser After Running



## Test case 2

### Test Frame Fungsi Add Produk Variasi 1

(Name qualify, Package type qualify, Price qualify, Description qualify, Image qualify)

#### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk`. The page is titled "Paket". A green banner at the top says "Data Berhasil Ditambahkan". Below is a table with the following data:

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Gulai	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Penyet	Paket Makanan	Rp. 25.000,00	Enak	
	Tongseng Ayam	Paket Makanan	Rp. 25.000,00	Enak	

## Test Frame Fungsi Add Produk Variasi 2

(Name doesn't qualify, Package type qualify, Price qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id=\"simple-bar\"]//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id=\"exampleFormControlTextarea4\"]")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div/div/form/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id=\"pageWrapper\"]//div[2]/div[2]/div/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")


public class TestRunner_AddProduct {

}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



The screenshot shows a web browser window titled "Tambah Paket Dekorasi". The URL is 127.0.0.1:8000/admin/produk/create. The page displays a form titled "Tambah Paket Produk". The form fields are:

- Name: The field is empty and has a red border, indicating it is required. An error message "The name field is required." is displayed below the input field.
- Jenis: A dropdown menu labeled "Pilih Jenis Paket".
- Harga: An input field labeled "Harga".
- Deskripsi: A text area labeled "Deskripsi".
- Gambar: A file upload input field labeled "Gambar". It shows "Choose File" and "No file chosen".

The left sidebar shows navigation links for Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery.

## Test Frame Fungsi Add Produk Variasi 3

(Name qualify, Package type doesn't qualify, Price qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[2]/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[3]/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/form/div[5]/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {

}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk`. The page title is "Paket". A green banner at the top says "Data Berhasil Ditambahkan". Below it is a table with the following data:

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Gulai	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Penyet	Paket Makanan	Rp. 25.000,00	Enak	
	Tongseng Ayam	Paket Makanan	Rp. 25.000,00	Enak	

## Test Frame Fungsi Add Produk Variasi 4

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/form/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running

The screenshot shows a web browser window with the following details:

- Title Bar:** Tambah Paket Dekorasi
- Address Bar:** 127.0.0.1:8000/admin/produk/create
- Page Content:**
  - Sidebar:** E-Commerce (selected), Dashboards, Pemasukan, Gallery.
  - Form Title:** Tambah Paket Produk
  - Fields:** Name, Jenis, Harga (with error message: "The harga field is required."), Deskripsi, Gambar (Choose File: No file chosen).

## Test Frame Fungsi Add Produk Variasi 5

(Name qualify, Package type qualify, Price qualify, Description doesn't qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



(Name qualify, Package type qualify, Price qualify, Description qualify, Image doesn't qualify)

## ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div/div/form/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

#### ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 7

(Name qualify, Package doesn't type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```

package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")

public class TestRunner_AddProduct {
}

```


## ➤ Console after Running

```

Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C

```

## ➤ Browser After Running



Test Frame Fungsi Add Produk Variasi 8

(Name doesn't qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

## ➤ Definition

---

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 9

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;

import cucumber.api.junit.Cucumber;

@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")


public class TestRunner_AddProduct {

}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. On the left, there's a sidebar with navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area displays a form for adding a product. The form fields are:

- Name: A text input field with the placeholder "Name". An error message "The name field is required." is displayed below it.
- Jenis: A dropdown menu labeled "Pilih Jenis Paket".
- Harga: A text input field with the placeholder "Harga".
- Deskripsi: A text area with the placeholder "Deskripsi". An error message "The deskripsi field is required." is displayed below it.
- Gambar: A file input field with the placeholder "Choose File" and "No file chosen". An error message "The gambar field is required." is displayed below it.

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

## Test Frame Fungsi Add Produk Variasi 10

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running

The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. The page displays a form for creating a new product. The sidebar on the left shows navigation links for Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area contains the following fields:

- Name:** A text input field with the placeholder "Name". An error message "The name field is required" is displayed below it.
- Jenis:** A dropdown menu with the placeholder "Pilih Jenis Paket".
- Harga:** A text input field with the placeholder "Harga". An error message "The harga field is required" is displayed below it.
- Deskripsi:** A text area for product description.
- Gambar:** A file upload input field with the placeholder "Choose File" and "No file chosen". An error message "The gambar field is required" is displayed below it.

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

## Test Frame Fungsi Add Produk Variasi 11

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;


import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {

}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



The screenshot shows a web browser window with the title "Tambah Paket Dekorasi". The address bar displays the URL "127.0.0.1:8000/admin/produk/create". The page content is a form for adding a product, specifically a "Paket Dekorasi". The form fields are:

- Name: An input field labeled "Name".
- Jenis: An input field labeled "Jenis" with the placeholder "Pilih Jenis Paket".
- Harga: An input field labeled "Harga".
- Deskripsi: A text area labeled "Deskripsi".
- Gambar: An input field labeled "Gambar" with a "Choose File" button and a message "No file chosen". Below this, a red error message "The gambar field is required." is displayed.

At the bottom right of the form are two buttons: a yellow "Add" button and a red "Cancel" button.

## Test Frame Fungsi Add Produk Variasi 12

(Name qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running

The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. The page is titled "Tambah Paket Dekorasi". On the left, there's a sidebar with "E-Commerce" selected, showing sub-options like "Produk". The main content area has fields for "Name", "Jenis", "Harga", "Deskripsi", and "Gambar". Each of these fields has a red border and a red error message below it: "The harga field is required.", "The deskripsi field is required.", and "The gambar field is required.". At the bottom right are "Add" and "Cancel" buttons.

## Test Frame Fungsi Add Produk Variasi 13

(Name doesn't qualify, Package type qualify, Price qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 14

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. The page displays an E-commerce product creation form. On the left, there's a sidebar with categories: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main form has fields for Name, Jenis, Harga, Deskripsi, and Gambar. The Name field is highlighted with a red border and the error message "The name field is required". The Gambar field also has a red border and the error message "The gambar field is required". At the bottom right of the form are "Add" and "Cancel" buttons.

## Test Frame Fungsi Add Produk Variasi 15

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page displays a form for adding a new product. The sidebar on the left shows navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main form has the following fields:

- Name:** The input field is empty, and a red error message "The name field is required." is displayed next to it.
- Jenis:** A dropdown menu labeled "Pilih Jenis Paket" is shown.
- Harga:** The input field is empty, and a red error message "The harta field is required." is displayed next to it.
- Deskripsi:** A large text area for product description is empty.
- Gambar:** A file upload input field labeled "Choose File" with the placeholder "No file chosen".

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

## Test Frame Fungsi Add Produk Variasi 16

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. The page displays a form for adding a new product. The left sidebar shows navigation links for Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area contains the following fields:

- Name:** A text input field with the placeholder "Name". An error message "The name field is required." is displayed below it.
- Jenis:** A dropdown menu labeled "Pilih Jenis Paket".
- Harga:** A text input field with the placeholder "Harga".
- Deskripsi:** A text area for product description.
- Gambar:** A file input field with the placeholder "Choose File" and a message "No file chosen".

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

## Test Frame Fungsi Add Produk Variasi 17

(Name qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 18

(Name qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 19

(Name qualify, Package type qualify, Price qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. The page displays a form for adding a new product. On the left, there's a sidebar with categories: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main form has fields for Name, Jenis, Harga, and Deskripsi. The 'Deskripsi' field is highlighted with a red border and contains the error message "The deskripsi field is required.". The 'Gambar' section shows a file input field with "Choose File" and "No file chosen", also with a red border and the error message "The gambar field is required.". At the bottom right are "Add" and "Cancel" buttons.

## Test Frame Fungsi Add Produk Variasi 20

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running

The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. On the left, there's a sidebar with navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area displays a form for creating a product. The form fields are:

- Name: A text input field.
- Jenis: A dropdown menu labeled "Pilih Jenis Paket".
- Harga: A text input field with a red error message: "The harga field is required."
- Deskripsi: A text area for description.
- Gambar: A file upload input field with a red error message: "The gambar field is required."

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

## Test Frame Fungsi Add Produk Variasi 21

(Name doesn't qualify, Package type qualify, Price qualify, Description qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe");

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page is titled "Tambah Paket Dekorasi". On the left, there's a sidebar with navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area contains a form for adding a product. The form fields are:

- Name: A text input field with the placeholder "Name". An error message "The name field is required." is displayed next to it.
- Jenis: A dropdown menu with the placeholder "Pilih Jenis Paket".
- Harga: A text input field with the placeholder "Harga".
- Deskripsi: A text area for description.
- Gambar: A file upload input field with the placeholder "Choose File" and "No file chosen". An error message "The gambar field is required." is displayed next to it.

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

## Test Frame Fungsi Add Produk Variasi 22

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 23

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page displays a form for adding a product. The left sidebar has navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area shows the following fields:

- Name:** The input field is empty and has a red border, indicating it is required. The error message "The name field is required." is displayed below the field.
- Jenis:** A dropdown menu labeled "Pilih Jenis Paket".
- Harga:** An input field for price, which is empty and has a red border, indicating it is required. The error message "The harga field is required." is displayed below the field.
- Deskripsi:** A text area for description.
- Gambar:** A file input field labeled "Choose File" with the placeholder "No file chosen".

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

## Test Frame Fungsi Add Produk Variasi 24

(Name qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 25

(Name qualify, Package type qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running

The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. On the left, there's a sidebar with categories: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main area contains a form for adding a product:

- Name:** Input field (empty)
- Jenis:** Input field (empty) with placeholder "Pilih Jenis Paket"
- Harga:** Input field (empty) with error message "The harga field is required."
- Deskripsi:** Textarea (empty) with error message "The deskripsi field is required."
- Gambar:** Input field with placeholder "Choose File" and "No file chosen" text, with error message "The gambar field is required."

At the bottom right of the form are "Add" and "Cancel" buttons.

## Test Frame Fungsi Add Produk Variasi 26

(Name qualify, Package type doesn't qualify, Price qualify, Description doesn't qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



The screenshot shows a web browser window displaying a product creation form. The URL in the address bar is 127.0.0.1:8000/admin/produk/create. The left sidebar shows navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area contains the following fields:

- Name: A text input field.
- Jenis: A dropdown menu labeled "Pilih Jenis Paket".
- Harga: A text input field.
- Deskripsi: A text area with a red border and the error message "The deskripsi field is required." displayed below it.
- Gambar: A file upload input field with the placeholder "Choose File" and "No file chosen".

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

## Test Frame Fungsi Add Produk Variasi 27

(Name doesn't qualify, Package type qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void i_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void i_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void i_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void i_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void i_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running

The screenshot shows a web browser window with the URL `127.0.0.1:8000/admin/produk/create`. The page is titled "Tambah Paket Dekorasi". On the left, there's a sidebar with navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area contains a form for adding a product. The form fields and their validation errors are:

- Name: The name field is required.
- Jenis: The jenis field is required.
- Harga: The harga field is required.
- Deskripsi: (empty)
- Gambar: Choose File No file chosen. The gambar field is required.

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

## Test Frame Fungsi Add Produk Variasi 28

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



## Test Frame Fungsi Add Produk Variasi 29

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. On the left, there's a sidebar with navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area displays a form for adding a product. The form fields are:

- Name: A text input field with the placeholder "Name". An error message "The name field is required." is displayed below it.
- Jenis: A dropdown menu labeled "Pilih Jenis Paket".
- Harga: A text input field with the placeholder "Harga".
- Deskripsi: A text area with the placeholder "Deskripsi". An error message "The deskripsi field is required." is displayed below it.
- Gambar: A file input field with the placeholder "Choose File" and "No file chosen". An error message "The gambar field is required." is displayed below it.

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

## Test Frame Fungsi Add Produk Variasi 30

(Name doesn't qualify, Package type doesn't qualify, Price qualify, Description doesn't qualify, Image qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. The page displays a form for adding a new product. On the left, there is a sidebar with navigation links: Dashboards, E-Commerce (which is selected), Produk, Pemasukan, and Gallery. The main content area has fields for Name, Jenis, Harga, Deskripsi, and Gambar. Both the Name and Deskripsi fields have validation errors: "The name field is required." and "The deskripsi field is required." respectively. Below the form are "Add" and "Cancel" buttons.

## Test Frame Fungsi Add Produk Variasi 31

(Name qualify, Package type qualify, Price doesn't qualify, Description qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );
        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//[@id='simple-bar']/div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/form/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//[@id='pageWrapper']/div[2]/div[2]/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners

```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running

The screenshot shows a web browser window with a URL of 127.0.0.1:8000/admin/produk/create. On the left, there's a sidebar with navigation links: Dashboards, E-Commerce (selected), Produk, Pemasukan, and Gallery. The main content area displays a form for adding a product. The form fields are:

- Name: A text input field.
- Jenis: A dropdown menu set to "Pilih Jenis Paket".
- Harga: A text input field with a red error message: "The harga field is required."
- Deskripsi: A text area input field.
- Gambar: A file upload input field with a red error message: "The gambar field is required."

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

## Test Frame Fungsi Add Produk Variasi 32

(Name doesn't qualify, Package type doesn't qualify, Price doesn't qualify, Description doesn't qualify, Image doesn't qualify)

### ➤ Definition

```
package stepDefinition_AddProduct;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

import cucumber.api.java.en.And;
import cucumber.api.java.en.Given;
import cucumber.api.java.en.Then;
import cucumber.api.java.en.When;

public class AddProductTest {

    WebDriver driver;

    @Given("^open chrome and start application$")
    public void open_chrome_and_start_application() throws Throwable {
        System.setProperty("webdriver.chrome.driver", "C:\\Program Files\\chromedriver_win32\\chromedriver.exe" );

        driver = new ChromeDriver();
        driver.manage().window().maximize();
        driver.get("http://127.0.0.1:8000/login");
    }

    @When("^I login as an Admin$")
    public void I_login_as_an_Admin() throws Throwable {
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[1]/div/input")).sendKeys("admin@gmail.com");
        driver.findElement(By.xpath("//html/body/section/div/div/div[2]/div/form/div[2]/div/input")).sendKeys("admin123");
    }

    @And("I click the Ecommerce menu")
    public void I_Click_The_Ecommerce_Menu() {
        WebElement EcommerceMenu =
            driver.findElement(By.xpath("//*[@id='simple-bar']//div[1]/div[2]/div/div/li[3]/a"));EcommerceMenu.click();
    }

    @And("And I click the Produk button")
    public void i_Click_The_Produk_Button() {
        WebElement ProdukButton =
            driver.findElement(By.xpath("//*[@id='simple-bar']//div[1]/div[2]/div/div/li[3]/ul/li/a"));ProdukButton.click();
    }

    @And("And I click the Add Product Package button")
    public void I_Click_The_Add_Product_Package_Button() {
        WebElement AddProductPackageButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div/div/div/div[1]/div/a"));AddProductPackageButton.click();
    }

    @And("And I fill in the product details")
    public void i_Fill_In_The_Product_Button() throws Throwable {
        driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div/div/div/div[1]/div/div/input")).sendKeys
        ("Ayam Goreng");
        driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div/div/div/div[2]/div/div/select")).sendKeys
        ("Paket Makanan");
        driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div/div/div/div[3]/div/div/input")).sendKeys
        ("15000");
        driver.findElement(By.xpath("//*[@id='exampleFormControlTextarea4']")).sendKeys("Ayam yang di goreng dengan bumbu");
        driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div/div/div/div[5]/div/div/input")).sendKeys
        ("ayam.jpeg");
    }

    @And("And I click the Add button")
    public void I_Click_The_Add_Button() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div/div/div/div[6]/div/div/button"));AddButton.click();
    }

    @Then("And I see Product added successfully message")
    public void I_See_Product_Added_SuccessfullyMessage() {
        WebElement AddButton =
            driver.findElement(By.xpath("//*[@id='pageWrapper']//div[2]/div[2]/div/div[1]"));AddButton.click();
    }
}
```

## ➤ Test Runners


```
package runner;

import org.junit.runner.RunWith;
import cucumber.api.junit.Cucumber;
@RunWith(Cucumber.class)
@Cucumber.Options(features="Features_AddProduct", glue="stepDefinition_AddProduct")
public class TestRunner_AddProduct {
}
```

## ➤ Console after Running

```
Starting ChromeDriver 113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}) on port 2494
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
May 27, 2023 9:28:17 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
```

## ➤ Browser After Running



The screenshot shows a web browser window with a form for adding a product. The URL in the address bar is 127.0.0.1:8000/admin/produk/create. The left sidebar has a navigation menu with 'E-Commerce' selected, showing sub-options like 'Produk'. The main form has the following fields:

- Name**: The input field contains 'Name' and has a red border with the error message "The name field is required."
- Jenis**: The input field contains 'Pilih Jenis Paket'.
- Harga**: The input field contains 'Harga' and has a red border with the error message "The harga field is required."
- Deskripsi**: The input field is empty and has a red border with the error message "The deskripsi field is required."
- Gambar**: The input field has a "Choose File" button and the text "No file chosen". It has a red border with the error message "The gambar field is required."

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

<b>Laporan Proyek Pengujian dan Kualitas Perangkat Lunak</b>		
<b>BDD - Automation Testing Using Cucumber dan</b>		
<b>ATDD - Automation Testing with Selenium and Robot Framework</b>		
Team	:	05
		1. 11321020 – Mega Kristina Marbun
		2. 11321021– Luana Banjar Nahor
		3. 11321031 – Albert Aritonang
		4. 11321058 – Megaria Napitupulu

## **Pengujian Aplikasi Gaol Production Berbasis Web**

### **1. Fungsi yang diuji**

#### **A. Acceptance Test Driven Development (ATDD) – Robot Framework**

Adapun fungsi yang di uji menggunakan robot framework yaitu 4 fungsi inputan dan 1 fungsi melihat, antara lain:

- 1) Fungsi Tambah gallery
- 2) Fungsi Tambah gallery
- 3) Fungsi
- 4) Fungsi
- 5) Fungsi Melihat

#### **B. Behavior Driven Development BDD – Cucumber**

Adapun fungsi yang di uji menggunakan cucumber yaitu 4 fungsi inputan dan 1 fungsi melihat, antara lain:

- 1) Fungsi Tambah gallery
- 2) Fungsi Tambah gallery
- 3) Fungsi Pemesanan Makanan
- 4) Fungsi Pemesanan Bangku
- 5) Fungsi Melihat Menu

## 2. Implementasi Fungsi yang diuji

### 1) Fungsi Tambah Galeri

Kerangka yang digunakan pada setiap test case

Test Fungsi Registrasi	Input			
	Parameter 1	Parameter 2	Parameter 3	Parameter 4
Variasi 1	Username valid	Nama valid	Email valid	Password valid
Variasi 2	Username <del>tidak</del> valid	Nama valid	Email valid	Password valid
Variasi 3	Username valid	Nama <del>tidak</del> valid	Email valid	Password valid
Variasi 4	Username valid	Nama valid	Email <del>tidak</del> valid	Password valid
Variasi 5	Username valid	Nama valid	Email valid	Password <del>tidak</del> valid
Variasi 6	Username <del>tidak</del> valid	Nama <del>tidak</del> valid	Email valid	Password valid
Variasi 7	Username <del>tidak</del> valid	Nama valid	Email valid	Password <del>tidak</del> valid
Variasi 8	Username valid	Nama valid	Email <del>tidak</del> valid	Password <del>tidak</del> valid
Variasi 9	Username valid	Nama <del>tidak</del> valid	Email <del>tidak</del> valid	Password valid
Variasi 10	Username <del>tidak</del> valid	Nama valid	Email <del>tidak</del> valid	Password valid
Variasi 11	Username valid	Nama <del>tidak</del> valid	Email valid	Password <del>tidak</del> valid
Variasi 12	Username valid	Nama <del>tidak</del> valid	Email <del>tidak</del> valid	Password <del>tidak</del> valid
Variasi 13	Username <del>tidak</del> valid	Nama valid	Email <del>tidak</del> valid	Password <del>tidak</del> valid
Variasi 14	Username <del>tidak</del> valid	Nama <del>tidak</del> valid	Email valid	Password <del>tidak</del> valid
Variasi 15	Username <del>tidak</del> valid	Nama <del>tidak</del> valid	Email <del>tidak</del> valid	Password valid
Variasi 16	Username <del>tidak</del> valid	Nama <del>tidak</del> valid	Email <del>tidak</del> valid	Password <del>tidak</del> valid

### Variasi 1 (Semua Data valid)

1. 1

a. Scenario 1

```

/* Test Cases */
galeri1
  Open Browser      http://127.0.0.1:8000/login      Chrome
  Set Selenium Implicit Wait  5
  Input Text        email    admin@gmail.com
  Input Password    password  admin123
  Sleep 2
  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
  sleep 2
  Click Element    xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
  sleep 2
  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div[1]/div/a
  Input Text        judul    Dekorasi
  Sleep 2
  Input Text        tempat   jakarta
  Sleep 2
  Input Text        tanggal  05/12/2024
  Sleep 2
  Input Text        deskripsi  dekorasi nya bagus banget
  Sleep 2
  Choose File      //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALERY\\late night spotify.jpg
  sleep 2
  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
  Sleep 2
  Close Browser

```

### b. Test Case

galeri1	
Open Browser	http://127.0.0.1:8000/login
Set Selenium Implicit Wait	5
Input Text	email
Input Password	password
Sleep	2
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button
sleep	2
Click Element	xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
sleep	2
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div[1]/div/a
Input Text	judul
Sleep	2
Input Text	tempat
Sleep	2
Input Text	tanggal
Sleep	2
Input Text	deskripsi
Sleep	2
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div <input type="file"/> D:\\AESTETIC GALERY\\late night spotify.jpg
sleep	2
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
Sleep	2
Close Browser	

### c. Test Runner

#### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
All Tests		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
Statistics by Tag						
No Tags						
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>

#### Test Execution Log

+ SUITE LoginTest	
Full Name:	LoginTest
Source:	D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+ SUITE TestSuite	

## d. Browser Testing

The screenshot shows a web browser window titled "Galeri" with the URL "127.0.0.1:8000/admin/galeri". A message at the top says "Data Berhasil Ditambahkan". The main content is a table with columns: Gambar, Judul, Tempat, Tanggal, Deskripsi, and Action. The table contains six rows of data:

Gambar	Judul	Tempat	Tanggal	Deskripsi	Action
	Birthday Party Bule	Tarutung	2023-05-01	Pesta ini diadakan dengan meriah. Yang dimana dekorasinya di desain oleh Gaol Production	
	Dekorasi Photoshot Sederhana Ala Barat	Tarutung	2023-04-30	Dekorasi untuk photoshoot ini di desain oleh Gaol PRODUCTION	
	Prom Night SMANSA TARUTUNG	Tarutung	2023-05-27	Dekorasi prom night ini di desain oleh Gaol Production. Pesta prom night tersebut sangat meriah. Konsep desain yang simple tetapi mewah dapat menghipnotis mata untuk bersenang-senang	
	Dekorasi	jakarta	2024-05-12	dekorasi nya bagus banget	
	Dekorasi	jakarta	2024-05-12	dekorasi nya bagus banget	
	makanan	silimbat	2021-05-11	dekorasi nya bagus banget	

## 2. Tambah Galery 2

### a. Scenario

```
galeri2
Open Browser http://127.0.0.1:8000/login Chrome
Set Selenium Implicit Wait 5
Input Text email admin@gmail.com
Input Password password admin123
Sleep 2
Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
sleep 2
Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
sleep 2
Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
Input Text judul music
Sleep 2
Input Text tempat medan
Sleep 2
Input Text tanggal 05/11/2023
Sleep 2
Input Text deskripsi dekorasi nya bagus banget
Sleep 2
Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
sleep 2
Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
Sleep 2
Close Browser
```

### b. Test Case

galeri2						
Open Browser	http://127.0.0.1:8000/login	Chrome				
Set Selenium Implicit Wait	5					
Input Text	email	admin@gmail.com				
Input Password	password	admin123				
Sleep	2					
Click Element	xpath=/html/body/section/div/div...					
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div...					
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div...					
Input Text	judul	music				
Sleep	2					
Input Text	tempat	medan				
Sleep	2					
Input Text	tanggal	05/11/2023				
Sleep	2					
Input Text	deskripsi	dekorasi nya bagus banget				
Sleep	2					
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]	D:\AESTETIC GALLERY\late night spotify.jpg				
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div...					
Sleep	2					
Close Browser						

c. Test Runner

## LoginTest Log

Generated  
20230531 10:00:36 UTC+07:00  
14 seconds ago

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:44	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:44	<div style="width: 100%; background-color: green;"></div>
<b>Statistics by Tag</b>						
No Tags						<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:46	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:46	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:46	<div style="width: 100%; background-color: green;"></div>

### Test Execution Log

+ <b>SUITE</b> LoginTest	
Full Name:	LoginTest
Source:	D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest
Start / End / Elapsed:	20230531 09:59:50.934 / 20230531 10:00:36.615 / 00:00:45.681
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+ <b>SUITE</b> TestSuite	

d. Browser Testing

Gambar	Judul	Tempat	Tanggal	Deskripsi	Action
	Birthday Party Bule	Tarutung	2023-05-01	Pesta ini diadakan dengan meriah. Yang dimana dekorasinya di desain oleh Gaol Production	
	Dekorasi Photoshot Sederhana Ala Barat	Tarutung	2023-04-30	Dekorasi untuk photoshoot ini di desain oleh Gaol PRODUCTION	
	Prom Night SMANSA TARUTUNG	Tarutung	2023-05-27	Dekorasi prom night ini di desain oleh Gaol Production. Pesta prom night tersebut sangat meriah. Konsep desain yang simple tetapi mewah dapat menghipnotis mata untuk bersenang-senang	
	Dekorasi	jakarta	2024-05-12	dekorasi nya bagus banget	
	Dekorasi	jakarta	2024-05-12	dekorasi nya bagus banget	
	makanan	sillimbat	2021-05-11	dekorasi nya bagus banget	

### 3. Galeri 3

#### a. Scenario

```

galeri3
Open Browser      http://127.0.0.1:8000/login    Chrome
Set Selenium Implicit Wait 5
Input Text email admin@gmail.com
Input Password password admin123
Sleep 2
Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
sleep 2
Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div[1]/div/a/span
sleep 2
Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
Input Text judul Dekorasi
Sleep 2
Input Text tempat jakarta
Sleep 2
Input Text tanggal 05/12/2024
Sleep 2
Input Text deskripsi dekorasi nya bagus banget
Sleep 2
Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
sleep 2
Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
Sleep 2
Close Browser

```

#### b. Test Case

galeri3		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	Dekorasi
Sleep	2	
Input Text	tempat	jakarta
Sleep	2	
Input Text	tanggal	05/12/2024
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[2]/div[1]	D:\AESTETIC GALLERY\late night spotify.jpg
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

### c. Test Runner

#### LoginTest Log

Generated  
20230602 14:53:34 UTC+07:00  
3 seconds ago

##### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:32	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:32	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:33	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:33	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Tambahgaler		1	1	0	00:00:33	<div style="width: 100%; background-color: green;"></div>

##### Test Execution Log

-	<b>SUITE</b>	LoginTest
Full Name:		LoginTest
Source:	D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest	
Start / End / Elapsed:	20230602 14:53:01.603 / 20230602 14:53:34.183 / 00:00:32.580	
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed	
+	<b>SUITE</b>	TestSuite

### d. Browser Testing

Gambar	Judul	Tempat	Tanggal	Deskripsi	Action
	Birthday Party Bule	Tarutung	2023-05-01	Pesta ini diadakan dengan meriah. Yang dimana dekorasinya di desain oleh Gaol Production	
	Dekorasi Photoshot Sederhana Ala Barat	Tarutung	2023-04-30	Dekorasi untuk photoshoot ini di desain oleh Gaol PRODUCTION	
	Prom Night SMANSA TARUTUNG	Tarutung	2023-05-27	Dekorasi prom night ini di desain oleh Gaol Production. Pesta prom night tersebut sangat meriah. Konsep desain yang simple tetapi mewah dapat menghipnotis mata untuk bersenang-senang	
	Dekorasi	jakarta	2024-05-12	dekorasi nya bagus banget	
	Dekorasi	jakarta	2024-05-12	dekorasi nya bagus banget	
	makanan	sillimbat	2021-05-11	dekorasi nya bagus banget	

#### 4. Tambah gallery 4

##### a. Scenario

```

83@galeri4
84  Open Browser      http://127.0.0.1:8000/login      Chrome
85  Set Selenium Implicit Wait  5
86  Input Text  email    admin@gmail.com
87  Input Password  password  admin123
88  Sleep  2
89  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
90  sleep  2
91  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
92  sleep  2
93  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div[1]/div/a
94  Input Text  judul    music
95  Sleep  2
96  Input Text  tempat   medan
97  Sleep  2
98  Input Text  tanggal  05/11/2022
99  Sleep  2
100 Input Text  deskripsi  dekorasi nya bagus banget
101 Sleep  2
102 Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
103 sleep  2
104 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
105 Sleep  2
106 Close Browser
107
108

```

##### b. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

### c. Test runner

#### d. Browser test

## 5. Tambah gallery 5

**a. Scenario**

```
testRegistrasi5
Open Browser      http://127.0.0.1:8000/register      chrome
Set Selenium Implicit Wait    20
Sleep    10
Input Text    name    Luana Breka
Input Text    email    brekal2300@gmail.com
Input Text    nohp    6285311807912
Input Password  password  breka2003
Set Selenium Implicit Wait    15
Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
Sleep    15
Close Browser
Log      Test Completed

testRegistrasi6
```

### b. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div[di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

### c. Test runner

#### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

##### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
Statistics by Tag					
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>

##### Test Execution Log

-	<b>SUITE</b> LoginTest	
Full Name:	LoginTest	
Source:	D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\LoginTest	
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394	
Status:	1 critical test, 1 passed, 0 failed	
	1 test total, 1 passed, 0 failed	
+	<b>SUITE</b> TestSuite	

### d. Browser test

#### 6. Tambah gallery 6

##### a. Scenario

## b. Test case

Open Browser		http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[1]		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]		
Input Text	judul	music	
Sleep	2		
Input Text	tempat	medan	
Sleep	2		
Input Text	tanggal	05/11/2023	
Sleep	2		
Input Text	deskripsi	dekorasi nya bagus banget	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]		
Sleep	2		
Close Browser			

### c. Test runner

## Login Test Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

## Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<span style="background-color: green;">Success</span>
All Tests		1	1	0	00:00:40	<span style="background-color: green;">Success</span>
<hr/>						
	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<span style="background-color: lightgray;">N/A</span>
<hr/>						
	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<span style="background-color: green;">Success</span>
LoginTest.TestSuite		1	1	0	00:00:40	<span style="background-color: green;">Success</span>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<span style="background-color: green;">Success</span>

## Test Execution Log

- SUITE LoginTest	
Full Name:	LoginTest
Source:	D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed

**d. Browser test**

## 7. Tambah gallery 7

### a. Scenario

### b. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Close Browser		

### c. Test runner

#### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

##### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

##### Test Execution Log

<b>- SUITE</b> LoginTest	
Full Name:	LoginTest
Source:	D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<b>+ SUITE</b> TestSuite	

### d. Browser test

**Tambah Galeri**

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy  
**The tanggal field is required.**

Deskripsi

Gambar  
Choose File No file chosen

Add Cancel

## 8. Tambah gallery 8 (Email )

### a. Scenario

```
galeri8
Open Browser http://127.0.0.1:8000/login Chrome
Set Selenium Implicit Wait 5
Input Text email admin@gmail.com
Input Password password admin123
Sleep 2
Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
sleep 2
Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
sleep 2
Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
Input Text judul music
Sleep 2
Input Text tempat medan
Sleep 2
Input Text tanggal hsttt
Sleep 2
Input Text deskripsi dekorasi nya bagus banget
Sleep 2
Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spo
sleep 2
Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
Sleep 2
Close Browser
```

### b. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

### c. Test runner

## Login Test Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

## Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<span style="background-color: green;">OK</span>
All Tests		1	1	0	00:00:40	<span style="background-color: green;">OK</span>
	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<span style="background-color: lightgray;">N/A</span>
	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<span style="background-color: green;">OK</span>
LoginTest.TestSuite		1	1	0	00:00:40	<span style="background-color: green;">OK</span>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<span style="background-color: green;">OK</span>

## Test Execution Log

- SUITE LoginTest	
Full Name:	LoginTest
Source:	D:\PERKULIAHAAN SEMS 4\PKPLPROYEK>LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed



#### d. Browser test

##### Tambah Galeri

/ Galeri / Tambah Galeri

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy  
**The tanggal field is required.**

Deskripsi

Gambar  
Choose File No file chosen

Add Cancel

#### 9 Tambah gallery 9

##### a. Scenario

```
• TestRegistrasi9
  Open Browser      http://127.0.0.1:8000/register      chrome
  Set Selenium Implicit Wait      20
  Sleep      10
  Input Text      name      melince sinaga
  Input Text      email      melincenaga@gmail.com
  Input Text      nohp      087899570212
  Input Password    password      sinagamelince123
  Set Selenium Implicit Wait      15
  Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
  Sleep      15
  Close Browser
  Log      Test Completed
```

##### b. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

### c. Test runner

#### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

##### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
<hr/>					
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: lightgray;"></div>
<hr/>					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

##### Test Execution Log

<span style="color: green;">[SUITE]</span> LoginTest	
Full Name:	LoginTest
Source:	D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="color: green;">[SUITE]</span> TestSuite	

### d. Browser test

**Tambah Galeri**

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy  
**The tanggal field is required.**

Deskripsi

Gambar  
Choose File No file chosen

Add Cancel

## 9. Register 10

### a. Scenario

```

241  Open Browser      http://127.0.0.1:8000/login    Chrome
242  Set Selenium Implicit Wait  5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep  2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep  2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep  2
253  Input Text  tempat  medan
254  Sleep  2
255  Input Text  tanggal  05/11/2023
256  Sleep  2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep  2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep  2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep  2
263  Close Browser
264

```

### b. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

### c. Test runner

#### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

##### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag					
No Tags					<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest. TestSuite	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest. TestSuite. Tambahgalery	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

##### Test Execution Log

-	<b>SUITE</b>	LoginTest
Full Name:	LoginTest	
Source:	D:\\PERKULIAHAAN SEMS 4\\PKPLI\\PROYEK\\LoginTest	
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394	
Status:	1 critical test, 1 passed, 0 failed	
	1 test total, 1 passed, 0 failed	
+	<b>SUITE</b>	TestSuite

### d. Browser test

Tambah Galeri

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy  
**The tanggal field is required.**

Deskripsi

Gambar  
Choose File No file chosen

Add Cancel

e. Register 11

f. Scenario

```

241 Open Browser      http://127.0.0.1:8000/login    Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email    admin@gmail.com
244 Input Password password    admin123
245 Sleep 2
246 Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul    music
252 Sleep 2
253 Input Text tempat    medan
254 Sleep 2
255 Input Text tanggal   05/11/2023
256 Sleep 2
257 Input Text deskripsi  dekorasi nya bagus banget
258 Sleep 2
259 Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264

```

g. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//[@id="pageWrapper"]/div[2]/div[2]/div[1]/input	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		

## h. Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: white;"></div>
Statistics by Suite						
LoginTest		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

#### Test Execution Log

-	<b>SUITE</b> LoginTest
Full Name:	LoginTest
Source:	D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEKI\\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+ <b>SUITE</b> TestSuite	

## i. Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy  
The tanggal field is required.

Deskripsi

Gambar  
Choose File No file chosen

Add Cancel

## j. Tambah gallery 12

## k. Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
```

## l. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//[@id="pageWrapper"]/div[2]/div[2]/div[1]/input	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		

## m. Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: white;"></div>
Statistics by Suite						
LoginTest		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

#### Test Execution Log

-	<b>SUITE</b> LoginTest
Full Name:	LoginTest
Source:	D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEKI\\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+ <b>SUITE</b> TestSuite	

## n. Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy  
The tanggal field is required.

Deskripsi

Gambar  
Choose File No file chosen

Add Cancel

## o. Tambah gallery 13

### p. Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
```

### q. Test case

r. Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Tambahgaler	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

#### Test Execution Log

- <span style="background-color: #2e7131; color: white; padding: 2px 5px;">SUITE</span> LoginTest
Full Name: LoginTest
Source: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+ <span style="background-color: #2e7131; color: white; padding: 2px 5px;">SUITE</span> TestSuite

s. Browser test

Tambah Galeri

[/ Galeri](#) / Tambah Galeri

Judul

Tempat

Tanggal

 The tanggal field is required.

Deskripsi

Gambar

Choose File

Add Cancel

a. Tambah gallery 14

## b. Scenario

```
241 Open Browser      http://127.0.0.1:8000/login      Chrome
242 Set Selenium Implicit Wait 5
243 Input Text      email      admin@gmail.com
244 Input Password    password      admin123
245 Sleep      2
246 Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep      2
248 Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep      2
250 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text      judul      music
252 Sleep      2
253 Input Text      tempat      medan
254 Sleep      2
255 Input Text      tanggal      05/11/2023
256 Sleep      2
257 Input Text      deskripsi      dekorasi nya bagus banget
258 Sleep      2
259 Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep      2
261 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep      2
263 Close Browser
264
```

## c. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

## d. Test runner

## LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

### Test Execution Log

- <span style="background-color: #00A0A0; color: white; padding: 2px 5px;">SUITE</span> LoginTest
Full Name: LoginTest
Source: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+ <span style="background-color: #00A0A0; color: white; padding: 2px 5px;">SUITE</span> TestSuite

### e. Browser test

#### Tambah Galeri

[/ Galeri](#) / Tambah Galeri

Judul

Tempat

Tanggal  
 The tanggal field is required.

Deskripsi

Gambar  
 No file chosen

Add Cancel

1. Tambah gallery 15

2. Scenario

3. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[3]	
Sleep	2	
Close Browser		

#### 4. Test runner

##### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

##### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
<hr/>					
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: lightgray;"></div>
<hr/>					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

##### Test Execution Log

- <b>SUITE</b> LoginTest	
Full Name:	LoginTest
Source:	D:\PERKULIAHAN SEMS 4\PKPL\PROYEK>LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+ <b>SUITE</b> TestSuite	

#### 5. Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

Judul  
Judul

Tempat  
Tempat


Tanggal  
mm/dd/yyyy

The tanggal field is required.

Deskripsi

Gambar  
Choose File No file chosen

Add Cancel



1. Tambah gallery 16

a) Scenario

```
TestRegistrasi16
Open Browser      http://127.0.0.1:8000/register      chrome
Set Selenium Implicit Wait      20
Sleep      10
Input Text      name      there sinaga
Input Text      email      singa00@gmail.com
Input Text      nohp      002312021
Input Password    password      sinagal23
Set Selenium Implicit Wait      15
Click Element    Xpath=/html/body/section/div/div[div[2]/div/form/div[5]/button
Sleep      15
Close Browser
Log      Test Completed
```

b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

### c) Test runner

#### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
All Tests		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
<hr/>						
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						
<hr/>						
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>

#### Test Execution Log

- <span style="color: green;">SUITE</span> LoginTest
Full Name:
LoginTest
Source:
D:\PERKULIAHAN SEMS 4\PKPL\PROYEK>LoginTest
Start / End / Elapsed:
20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
+ <span style="color: green;">SUITE</span> TestSuite

### d) Browser test

**Tambah Galeri**

[Home](#) / Galeri / Tambah Galeri

Judul	<input type="text"/>
Tempat	<input type="text"/>
Tanggal	<input type="text"/> mm/dd/yyyy <span style="color: red;">The tanggal field is required.</span>
Deskripsi	<input type="text"/>
Gambar	<input type="button" value="Choose File"/> No file chosen
<span style="background-color: yellow; border: 1px solid black; padding: 2px 10px;">Add</span> <span style="background-color: red; color: white; border: 1px solid black; padding: 2px 10px;">Cancel</span>	

## 17. Tambah gallery 17

### a) Scenario

```

141  Open Browser      http://127.0.0.1:8000/login    Chrome
142  Set Selenium Implicit Wait  5
143  Input Text  email  admin@gmail.com
144  Input Password  password  admin123
145  Sleep  2
146  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
147  sleep  2
148  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
149  sleep  2
150  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
151  Input Text  judul  music
152  Sleep  2
153  Input Text  tempat  medan
154  Sleep  2
155  Input Text  tanggal  05/11/2023
156  Sleep  2
157  Input Text  deskripsi  dekorasi nya bagus banget
158  Sleep  2
159  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
160  sleep  2
161  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[6]/div/div/button
162  Sleep  2
163  Close Browser

```

### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

### c) Test runner

#### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>

	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

#### Test Execution Log

<span style="color: green;">+</span> <span style="background-color: #00A0A0; color: white; padding: 2px 5px;">SUITE</span> LoginTest
Full Name: LoginTest
Source: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
<span style="color: green;">+</span> <span style="background-color: #00A0A0; color: white; padding: 2px 5px;">SUITE</span> TestSuite

### d) Browser test

### e) Tambah gallery 18

### a) Scenario

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait      5
243  Input Text      email      admin@gmail.com
244  Input Password    password      admin123
245  Sleep      2
246  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep      2
248  Click Element    xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep      2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep      2
253  Input Text      tempat      medan
254  Sleep      2
255  Input Text      tanggal      05/11/2023
256  Sleep      2
257  Input Text      deskripsi      dekorasi nya bagus banget
258  Sleep      2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep      2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep      2
263  Close Browser
```

### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">-</span> <span style="background-color: #00AEEF; color: white; border-radius: 50%; padding: 2px 5px;">SUITE</span> LoginTest
Full Name: LoginTest
Source: D:\PERKULIAHAAN SEMS 4\PKPLPROYEK>LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> <span style="background-color: #00AEEF; color: white; border-radius: 50%; padding: 2px 5px;">SUITE</span> TestSuite

d) Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

Judul	music
Tempat	medan
Tanggal	05/11/yyyy
Deskripsi	<span style="color: red;">dekorasi nya bagus banget</span>  <div style="border: 1px solid #ccc; padding: 5px; width: fit-content; margin-left: auto; margin-right: 0;"><span style="color: orange;">!</span> Please enter a valid value. The field is incomplete or has an invalid date.</div>
Gambar	<input type="file" value="Choose File"/> asas.mp4 <div style="text-align: right; margin-top: -20px;"> <span style="border: 1px solid #ccc; padding: 2px 10px; background-color: yellow;">Add</span> <span style="border: 1px solid #ccc; padding: 2px 10px; background-color: red; color: white;">Cancel</span> </div>

f) Tambah gallery 19

a) Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264
```

b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">-</span> <span style="background-color: #00AEEF; color: white; border-radius: 50%; padding: 2px 5px;">SUITE</span> LoginTest
Full Name: LoginTest
Source: D:\PERKULIAHAAN SEMS 4\PKPLPROYEK>LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> <span style="background-color: #00AEEF; color: white; border-radius: 50%; padding: 2px 5px;">SUITE</span> TestSuite

d) Browser test

### Tambah Galeri

[Home](#) / Galeri / Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Please enter a valid value. The field is incomplete or has an invalid date.

dekorasi nya bagus banget

Gambar

Choose File asas.mp4

Add
Cancel

20. Tambah gallery 20

a) Scenario

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait 5
243  Input Text      email      admin@gmail.com
244  Input Password    password      admin123
245  Sleep 2
246  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep 2
248  Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep 2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep 2
253  Input Text      tempat      medan
254  Sleep 2
255  Input Text      tanggal      05/11/2023
256  Sleep 2
257  Input Text      deskripsi      dekorasi nya bagus banget
258  Sleep 2
259  Choose File     //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.j
260  sleep 2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262  Sleep 2
263  Close Browser
```

b) Test case

c) Test runner

**LoginTest Log**

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

### Test Statistics

	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>

	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					

	Total	Pass	Fail	Elapsed	Pass / Fail
<a href="#">LoginTest</a>	1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
<a href="#">LoginTest.TestSuite</a>	1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
<a href="#">LoginTest.TestSuite.Tambahgaler</a>	1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>

### Test Execution Log

- <span style="color: green;">SUITE</span> LoginTest
Full Name: LoginTest
Source: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
+ <span style="color: green;">SUITE</span> TestSuite

d) Browser test

**Tambah Galeri**

Judul  
music

Tempat  
medan

Tanggal  
05/11/yyyy

Deskripsi  
dekorasi nya bagus banget

Gambar  
Choose File asas.mp4

Add Cancel

## 21. Tambah gallery 21

### a) Scenario

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser

```

### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

### c) Test runner

# Login Test Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

## Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: #2e6b2e;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: #2e6b2e;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: #cccccc;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<div style="width: 100%; background-color: #2e6b2e;"></div>
LoginTest.TestSuite		1	1	0	00:00:40	<div style="width: 100%; background-color: #2e6b2e;"></div>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<div style="width: 100%; background-color: #2e6b2e;"></div>

## Test Execution Log

- SUITE LoginTest	
Full Name:	LoginTest
Source:	D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:01:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed

#### d) Browser test

**Tambah Galeri**

Judul  
music

Tempat  
medan

Tanggal  
05/11/yyyy

Deskripsi  
*dekorasi nya bagus banget*

Gambar  
Choose File asas.mp4

Add Cancel

## 22. Tambah gallery 22

### a) Scenario

```

241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait  5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep  2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep  2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep  2
253  Input Text  tempat  medan
254  Sleep  2
255  Input Text  tanggal  05/11/2023
256  Sleep  2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep  2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep  2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262  Sleep  2
263  Close Browser
264

```

### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

### c) Test runner

# Login Test Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

## Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: #2e6b2e;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: #2e6b2e;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: #cccccc;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<div style="width: 100%; background-color: #2e6b2e;"></div>
LoginTest.TestSuite		1	1	0	00:00:40	<div style="width: 100%; background-color: #2e6b2e;"></div>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<div style="width: 100%; background-color: #2e6b2e;"></div>

## Test Execution Log

- SUITE LoginTest	
Full Name:	LoginTest
Source:	D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:01:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed

#### d) Browser test

Tambah Galeri

[/ Galeri / Tambah Galeri](#)

Judul	music
Tempat	medan
Tanggal	05/11/yyyy
Deskripsi	dekorasi nya bagus banget
Gambar	<input type="button" value="Choose File"/> asas.mp4
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

Please enter a valid value. The field is incomplete or has an invalid date.

### 23. Tambah gallery 23

#### a) Scenario

#### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Close Browser		

c) Test runner

**LoginTest Log**

Generated  
2023-06-02 14:43:10 UTC+07:00  
26 seconds ago

**Test Statistics**

	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>

**Statistics by Tag**

	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					

**Statistics by Suite**

	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>

**Test Execution Log**

- **SUITE** LoginTest
  - Full Name: LoginTest
  - Source: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest
  - Start / End / Elapsed: 2023-06-02 14:42:29.691 / 2023-06-02 14:43:10.085 / 00:00:40.394
  - Status: 1 critical test, 1 passed, 0 failed  
1 test total, 1 passed, 0 failed

+ **SUITE** TestSuite

d) Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi  
  
Please enter a valid value. The field is incomplete or has an invalid date.

Gambar

**Add** **Cancel**

e) Tambah gallery 24

**f) Scenario**

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait  5
243  Input Text      email      admin@gmail.com
244  Input Password    password    admin123
245  Sleep      2
246  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep      2
248  Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep      2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep      2
253  Input Text      tempat      medan
254  Sleep      2
255  Input Text      tanggal     05/11/2023
256  Sleep      2
257  Input Text      deskripsi    dekorasi nya bagus banget
258  Sleep      2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.mp4
260  sleep      2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262  Sleep      2
263  Close Browser
```

**g) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div/div/div/div[1]/div/a	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/input	D:\\AESTETIC GALLERY\\late night spotify.mp4
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button	
Sleep	2	
Close Browser		

## h) Test runner

**LoginTest Log**

Generated  
2023-06-02 14:43:10 UTC+07:00  
26 seconds ago

### Test Statistics

	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>

	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					

	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>
LoginTest.TestSuite.Tambahgaler	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>

### Test Execution Log

- **SUITE** LoginTest
  - Full Name: LoginTest
  - Source: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest
  - Start / End / Elapsed: 2023-06-02 14:42:29.691 / 2023-06-02 14:43:10.085 / 00:00:40.394
  - Status: 1 critical test, 1 passed, 0 failed  
1 test total, 1 passed, 0 failed
- + **SUITE** TestSuite

## i) Browser test

Tambah Galeri

[/ Galeri / Tambah Galeri](#)

Judul

Tempat

Tanggal  
 Please enter a valid value. The field is incomplete or has an invalid date.

Deskripsi

Gambar  
 Add Cancel

## j) Tambah gallery 25

### k) Scenario

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait  5
243  Input Text      email      admin@gmail.com
244  Input Password    password    admin123
245  Sleep 2
246  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep 2
248  Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep 2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep 2
253  Input Text      tempat      medan
254  Sleep 2
255  Input Text      tanggal     05/11/2023
256  Sleep 2
257  Input Text      deskripsi   dekorasi nya bagus banget
258  Sleep 2
259  Choose File     //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.j...
260  sleep 2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262  Sleep 2
263  Close Browser
```

### l) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

**m) Test runner**

**LoginTest Log**

Generated  
2023-06-02 14:43:10 UTC+07:00  
26 seconds ago

**Test Statistics**

	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>

	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					

	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>
LoginTest.TestSuite.Tambahgaler	1	1	0	00:00:40	<span style="background-color: green; color: black;">P</span>

**Test Execution Log**

- **SUITE** LoginTest
  - Full Name: LoginTest
  - Source: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest
  - Start / End / Elapsed: 2023-06-02 14:42:29.691 / 2023-06-02 14:43:10.085 / 00:00:40.394
  - Status: 1 critical test, 1 passed, 0 failed  
1 test total, 1 passed, 0 failed
- + **SUITE** TestSuite

**n) Browser test**

Tambah Galeri

[/ Galeri / Tambah Galeri](#)

Judul

Tempat

Tanggal  
 ! Please enter a valid value. The field is incomplete or has an invalid date.

Deskripsi

Gambar  
 Add Cancel

**o) Tambah gallery 26**

**p) Scenario**

**q) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

### r) Test runner

#### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

##### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: white;"></div>
Statistics by Suite						
<a href="#">LoginTest</a>		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
<a href="#">LoginTest.TestSuite</a>		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
<a href="#">LoginTest.TestSuite.Tambahgalery</a>		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

##### Test Execution Log

-	<b>SUITE</b> LoginTest
Full Name:	LoginTest
Source:	D:\PERKULIAHAN SEMS 4\PKPL\PROYEKI>LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+ <b>SUITE</b> TestSuite	

### s) Browser test

**Tambah Galeri**

Judul  
music

Tempat  
medan

Tanggal  
05/11/yyyy

Deskripsi  
dekorasi nya bagus banget

Gambar  
Choose File asas.mp4

Add Cancel

t) Tambah gallery 27

a) Scenario

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264

```

b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

### c) Test runner

#### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

##### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: white;"></div>
Statistics by Suite						
LoginTest		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

##### Test Execution Log

- <span style="background-color: #2e7131; color: white; padding: 2px 5px;">SUITE</span> LoginTest	Full Name: LoginTest Source: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEKI\\LoginTest Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394 Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+ <span style="background-color: #2e7131; color: white; padding: 2px 5px;">SUITE</span> TestSuite	

### d) Browser test

28. Tambah gallery 28

#### a) Scenario

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264

```

**b) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[ @id = "pageWrapper" ] / div [2] / d... C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

**c) Test runner**

## LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
<a href="#">LoginTest</a>	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
<a href="#">LoginTest.TestSuite</a>	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
<a href="#">LoginTest.TestSuite.Tambahgalery</a>	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

### Test Execution Log

- <a href="#">SUITE</a> LoginTest
Full Name: LoginTest
Source: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+ <a href="#">SUITE</a> TestSuite

### d) Browser test

Tambah Galeri

[/ Galeri / Tambah Galeri](#)

Judul

Tempat

Tanggal

 mm/dd/yyyy

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add

Cancel

29. Tambah gallery 22

a) Scenario

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait      5
243  Input Text      email      admin@gmail.com
244  Input Password    password      admin123
245  Sleep      2
246  Click Element    xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247  sleep      2
248  Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep      2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep      2
253  Input Text      tempat      medan
254  Sleep      2
255  Input Text      tanggal      05/11/2023
256  Sleep      2
257  Input Text      deskripsi      dekorasi nya bagus banget
258  Sleep      2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input      D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep      2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262  Sleep      2
263  Close Browser
```

b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">+</span> <span style="background-color: #00AEEF; color: white; border-radius: 50%; padding: 2px 5px;">SUITE</span> LoginTest
Full Name: LoginTest
Source: D:\PERKULIAHAAN SEMS 4\PKPLPROYEK>LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> <span style="background-color: #00AEEF; color: white; border-radius: 50%; padding: 2px 5px;">SUITE</span> TestSuite

d) Browser test

Tambah Galeri

[Home](#) / Galeri / Tambah Galeri

Judul

Tempat

Tanggal

 mm/dd/yyyy

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

30. Tambah gallery 23

a) Scenario

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait      5
243  Input Text      email      admin@gmail.com
244  Input Password    password      admin123
245  Sleep      2
246  Click Element    xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247  sleep      2
248  Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep      2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep      2
253  Input Text      tempat      medan
254  Sleep      2
255  Input Text      tanggal      05/11/2023
256  Sleep      2
257  Input Text      deskripsi      dekorasi nya bagus banget
258  Sleep      2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input      D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep      2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262  Sleep      2
263  Close Browser
```

b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">+</span> SUITE	LoginTest
Full Name:	LoginTest
Source:	D:\PERKULIAHAAN SEMS 4\PKPLPROYEK\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> SUITE	TestSuite

d) Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

Judul	<input type="text" value="Judul"/>
Tempat	<input type="text" value="Tempat"/>
Tanggal	<input type="text" value="mm/dd/yyyy"/> <span style="float: right;">□</span>
Deskripsi	<input type="text"/>
Gambar	<input type="file" value="Choose File"/> No file chosen <span style="float: right;">○</span> <small>The gambar field must be an image.</small>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

31. Tambah gallery 24

a) Scenario

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait      5
243  Input Text      email      admin@gmail.com
244  Input Password    password      admin123
245  Sleep      2
246  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep      2
248  Click Element    xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep      2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep      2
253  Input Text      tempat      medan
254  Sleep      2
255  Input Text      tanggal      05/11/2023
256  Sleep      2
257  Input Text      deskripsi      dekorasi nya bagus banget
258  Sleep      2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input      D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep      2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep      2
263  Close Browser
```

b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[ @id = "pageWrapper" ]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">+</span> SUITE	LoginTest
Full Name:	LoginTest
Source:	D:\PERKULIAHAAN SEMS 4\PKPLPROYEK\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> SUITE	TestSuite

d) Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

Judul	<input type="text" value="Judul"/>
Tempat	<input type="text" value="Tempat"/>
Tanggal	<input type="text" value="mm/dd/yyyy"/> <span style="float: right;"><input type="button" value=""/></span>
Deskripsi	<input type="text"/>
Gambar	<input type="file" value="Choose File"/> No file chosen <span style="float: right;"><input type="button" value=""/></span> <small>The gambar field must be an image.</small>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

32. Tambah gallery 25

a) Scenario

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait      5
243  Input Text      email      admin@gmail.com
244  Input Password    password      admin123
245  Sleep      2
246  Click Element    xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247  sleep      2
248  Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep      2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep      2
253  Input Text      tempat      medan
254  Sleep      2
255  Input Text      tanggal      05/11/2023
256  Sleep      2
257  Input Text      deskripsi      dekorasi nya bagus banget
258  Sleep      2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input      D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep      2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262  Sleep      2
263  Close Browser
```

b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">-</span> <span style="background-color: #00AEEF; color: white; border: 1px solid #ccc; padding: 2px 5px;">SUITE</span> LoginTest
Full Name: LoginTest
Source: D:\PERKULIAHAAN SEMS 4\PKPLPROYEK>LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> <span style="background-color: #00AEEF; color: white; border: 1px solid #ccc; padding: 2px 5px;">SUITE</span> TestSuite

d) Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

Judul	<input type="text" value="Judul"/>
Tempat	<input type="text" value="Tempat"/>
Tanggal	<input type="text" value="mm/dd/yyyy"/> <span style="border: 1px solid #ccc; padding: 2px;">□</span>
Deskripsi	<input type="text"/>
Gambar	<input type="file" value="Choose File"/> No file chosen <span style="border: 1px solid #ccc; padding: 2px;">○</span> <small>The gambar field must be an image.</small>
<span style="border: 1px solid #ccc; background-color: #FFC107; color: white; padding: 2px 10px; margin-right: 10px;">Add</span> <span style="border: 1px solid #dc3545; background-color: #dc3545; color: white; padding: 2px 10px;">Cancel</span>	

33. Tambah gallery

a) Scenario

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264

```

**b) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

**c) Test runner**

## LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Tambahgaler	1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

### Test Execution Log

-	<span style="background-color: #00A0A0; color: white; padding: 2px 5px;">SUITE</span> LoginTest
Full Name:	LoginTest
Source:	D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
*	<span style="background-color: #00A0A0; color: white; padding: 2px 5px;">SUITE</span> TestSuite

### d) Browser test

Tambah Galeri [/ Galeri](#) / [Tambah Galeri](#)

Judul

Tempat

Tanggal  □

Deskripsi

Gambar ○

No file chosen

The gambar field must be an image.

Add Cancel

34. Tambah gallery 27

a) Scenario

```

241  Open Browser  http://127.0.0.1:8000/login  Chrome
242  Set Selenium Implicit Wait  5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep  2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep  2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep  2
253  Input Text  tempat  medan
254  Sleep  2
255  Input Text  tanggal  05/11/2023
256  Sleep  2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep  2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep  2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep  2
263  Close Browser
264

```

**b) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/di...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Input Text	judul	music	
Sleep	2		
Input Text	tempat	medan	
Sleep	2		
Input Text	tanggal	05/11/2023	
Sleep	2		
Input Text	deskripsi	dekorasi nya bagus banget	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Close Browser			

**c) Test runner**

## LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

### Test Execution Log

-	<b>SUITE</b>	LoginTest
	Full Name:	LoginTest
	Source:	D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest
	Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
	Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+	<b>SUITE</b>	TestSuite

### d) Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

 mm/dd/yyyy

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

35. Tambah gallery 28

### a) Scenario

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264

```

**b) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[ @id = "pageWrapper" ] / div [2] / d... C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

**c) Test runner**

## LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 100%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
>LoginTest.TestSuite		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
>LoginTest.TestSuite.Tambahgaler		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

### Test Execution Log

-	<span style="background-color: #00A0A0; color: white; padding: 2px 5px;">SUITE</span> LoginTest
Full Name:	LoginTest
Source:	D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+	<span style="background-color: #00A0A0; color: white; padding: 2px 5px;">SUITE</span> TestSuite

### d) Browser test

Tambah Galeri

[/ Galeri / Tambah Galeri](#)

Judul

Tempat

Tanggal

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add

Cancel

### 36. Tambah gallery

### a) Scenario

```
241  Open Browser      http://127.0.0.1:8000/login    Chrome
242  Set Selenium Implicit Wait  5
243  Input Text      email      admin@gmail.com
244  Input Password   password   admin123
245  Sleep 2
246  Click Element   xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep 2
248  Click Element   xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep 2
250  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep 2
253  Input Text      tempat     medan
254  Sleep 2
255  Input Text      tanggal    05/11/2023
256  Sleep 2
257  Input Text      deskripsi  dekorasi nya bagus banget
258  Sleep 2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep 2
261  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep 2
263  Close Browser
```

### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: black;">Pass</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: black;">Pass</span>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
<a href="#">LoginTest</a>	1	1	0	00:00:40	<span style="background-color: green; color: black;">Pass</span>
<a href="#">LoginTest.TestSuite</a>	1	1	0	00:00:40	<span style="background-color: green; color: black;">Pass</span>
<a href="#">LoginTest.TestSuite.Tambahgalery</a>	1	1	0	00:00:40	<span style="background-color: green; color: black;">Pass</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">-</span> <span style="background-color: #00AEEF; color: white; border-radius: 50%; padding: 2px 5px;">SUITE</span> <a href="#">LoginTest</a>
Full Name: LoginTest
Source: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> <span style="background-color: #00AEEF; color: white; border-radius: 50%; padding: 2px 5px;">SUITE</span> <a href="#">TestSuite</a>

d) Browser test

Tambah Galeri

[/ Galeri / Tambah Galeri](#)

Judul	<input type="text" value="Judul"/>
Tempat	<input type="text" value="Tempat"/>
Tanggal	<input type="text" value="mm/dd/yyyy"/> <span style="border: 1px solid #ccc; padding: 2px;">x</span>
Deskripsi	<input type="text" value=""/>
Gambar	<input type="file" value="Choose File"/> No file chosen <span style="color: red;">(Required)</span> <small>The gambar field must be an image.</small>
	<span style="background-color: yellow; border: 1px solid black; padding: 2px 10px; float: right;">Add</span> <span style="background-color: red; border: 1px solid black; padding: 2px 10px; float: right;">Cancel</span>

37. Tambah gallery 21

### a) Scenario

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait      5
243  Input Text      email      admin@gmail.com
244  Input Password    password      admin123
245  Sleep      2
246  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep      2
248  Click Element    xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep      2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep      2
253  Input Text      tempat      medan
254  Sleep      2
255  Input Text      tanggal      05/11/2023
256  Sleep      2
257  Input Text      deskripsi      dekorasi nya bagus banget
258  Sleep      2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep      2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep      2
263  Close Browser
```

### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
All Tests		1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
>LoginTest.TestSuite		1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
>LoginTest.TestSuite.Tambahgaler		1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">-</span> <span style="background-color: #00AEEF; color: white; border: 1px solid #ccc; padding: 2px 5px;">SUITE</span> LoginTest
Full Name: LoginTest
Source: D:\PERKULIAHAAN SEMS 4\PKPLPROYEK>LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> <span style="background-color: #00AEEF; color: white; border: 1px solid #ccc; padding: 2px 5px;">SUITE</span> TestSuite

d) Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

---

Judul

Tempat

Tanggal

 (dd/mm/yyyy)

Deskripsi

Gambar

No file chosen (i)

The gambar field must be an image.

Add Cancel

38. Tambah gallery 22

### a) Scenario

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait      5
243  Input Text      email      admin@gmail.com
244  Input Password    password      admin123
245  Sleep      2
246  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep      2
248  Click Element    xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep      2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep      2
253  Input Text      tempat      medan
254  Sleep      2
255  Input Text      tanggal      05/11/2023
256  Sleep      2
257  Input Text      deskripsi      dekorasi nya bagus banget
258  Sleep      2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep      2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep      2
263  Close Browser
```

### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
All Tests		1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
>LoginTest.TestSuite		1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
>LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">-</span> <span style="border: 1px solid #007bff; border-radius: 4px; padding: 2px 5px;">SUITE</span> LoginTest
Full Name: LoginTest
Source: D:\PERKULIAHAAN SEMS 4\PKPLPROYEK>LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> <span style="border: 1px solid #007bff; border-radius: 4px; padding: 2px 5px;">SUITE</span> TestSuite

d) Browser test

39. Tambah gallery 23

a) Scenario

```

241  Open Browser  http://127.0.0.1:8000/login    Chrome
242  Set Selenium Implicit Wait  5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep  2
246  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[5]/a/span
249  sleep  2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep  2
253  Input Text  tempat  medan
254  Sleep  2
255  Input Text  tanggal  05/11/2023
256  Sleep  2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep  2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep  2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262  Sleep  2
263  Close Browser
264

```

b) Test case

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">+</span> SUITE	LoginTest
Full Name:	LoginTest
Source:	D:\PERKULIAHAAN SEMS 4\PKPLPROYEK\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> SUITE	TestSuite

d) Browser test

Tambah Galeri

[/ Galeri](#) / [Tambah Galeri](#)

**Judul**

**Tempat**

**Tanggal**

mm/dd/yyyy

□

**Deskripsi**

**Gambar**

Choose File

No file chosen
✖

The gambar field must be an image.

Add
Cancel

40. Tambah gallery 24

**a) Scenario**

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait      5
243  Input Text      email      admin@gmail.com
244  Input Password    password      admin123
245  Sleep      2
246  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep      2
248  Click Element    xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep      2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep      2
253  Input Text      tempat      medan
254  Sleep      2
255  Input Text      tanggal      05/11/2023
256  Sleep      2
257  Input Text      deskripsi      dekorasi nya bagus banget
258  Sleep      2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep      2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep      2
263  Close Browser
```

**b) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
LoginTest.TestSuite.Tambahgaler	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">-</span> <span style="background-color: #00A000; color: white; border: 1px solid #ccc; padding: 2px;">SUITE</span> LoginTest
Full Name: LoginTest
Source: D:\PERKULIAHAAN SEMS 4\PKPLPROYEK>LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> <span style="background-color: #00A000; color: white; border: 1px solid #ccc; padding: 2px;">SUITE</span> TestSuite

d) Browser test

41. Tambah gallery 25

a) Scenario

b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		

### c) Test runner

#### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
All Tests		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
Statistics by Tag						
No Tags						<span style="background-color: #e0e0e0;"></span>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
LoginTest. TestSuite		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
LoginTest. TestSuite. Tambahgalery		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>

#### Test Execution Log

-	<span style="color: green;">SUITE</span>	LoginTest
	Full Name:	LoginTest
	Source:	D:\PERKULIAHAN SEMS 4\PKPL\PROYEK>LoginTest
	Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
	Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+	<span style="color: green;">SUITE</span>	TestSuite

### d) Browser test

**Tambah Galeri**

[/ Galeri / Tambah Galeri](#)

Judul	<input type="text" value="Judul"/>
Tempat	<input type="text" value="Tempat"/>
Tanggal	<input type="text" value="mm/dd/yyyy"/> <span style="font-size: small;">□</span>
Deskripsi	<input type="text"/>
Gambar	<input type="button" value="Choose File"/> <span style="font-size: small;">No file chosen</span> <span style="font-size: small;"> ⓘ</span> <span style="color: red; font-size: small;">The gambar field must be an image.</span>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

## 42. Tambah gallery 26

### a) Scenario

```

241 Open Browser      http://127.0.0.1:8000/login      Chrome
242 Set Selenium Implicit Wait 5
243 Input Text      email      admin@gmail.com
244 Input Password    password      admin123
245 Sleep 2
246 Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text      judul      music
252 Sleep 2
253 Input Text      tempat      medan
254 Sleep 2
255 Input Text      tanggal      05/11/2023
256 Sleep 2
257 Input Text      deskripsi      dekorasi nya bagus banget
258 Sleep 2
259 Choose File     //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264

```

### b) Test case

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">+</span> SUITE	LoginTest
Full Name:	LoginTest
Source:	D:\PERKULIAHAAN SEMS 4\PKPLPROYEK\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> SUITE	TestSuite

d) Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

Judul	<input type="text" value="Judul"/>
Tempat	<input type="text" value="Tempat"/>
Tanggal	<input type="text" value="mm/dd/yyyy"/> <span style="border: 1px solid #ccc; padding: 2px;">□</span>
Deskripsi	<input type="text"/>
Gambar	<input type="file" value="Choose File"/> No file chosen <span style="border: 1px solid #ccc; padding: 2px;">○</span> <span style="color: red;">The gambar field must be an image.</span>
<span style="border: 1px solid #ccc; padding: 2px 10px; background-color: yellow;">Add</span> <span style="border: 1px solid #ccc; padding: 2px 10px; background-color: red; color: white;">Cancel</span>	

43. Tambah gallery 27

a) Scenario

```

241  Open Browser  http://127.0.0.1:8000/login  Chrome
242  Set Selenium Implicit Wait  5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep  2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep  2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep  2
253  Input Text  tempat  medan
254  Sleep  2
255  Input Text  tanggal  05/11/2023
256  Sleep  2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep  2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep  2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep  2
263  Close Browser
264

```

### b) Test case

### c) Test runner

#### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
<a href="#">LoginTest</a>		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
<a href="#">LoginTest.TestSuite</a>		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
<a href="#">LoginTest.TestSuite.Tambahgalery</a>		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

#### Test Execution Log

<span style="color: green;">[SUITE]</span> <a href="#">LoginTest</a>	
Full Name:	LoginTest
Source:	D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="color: green;">[SUITE]</span> <a href="#">TestSuite</a>	

### d) Browser test

Tambah Galeri

[/ Galeri / Tambah Galeri](#)

Judul	<input type="text" value="Judul"/>
Tempat	<input type="text" value="Tempat"/>
Tanggal	<input type="text" value="mm/dd/yyyy"/> <input type="button" value=""/>
Deskripsi	<input type="text"/>
Gambar	<input type="file" value="Choose File"/> No file chosen <small>The gambar field must be an image.</small>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

#### 44. Tambah gallery 29

##### a) Scenario

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div[1]
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264

```

##### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

### c) Test runner

#### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
<hr/>						
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
<hr/>						
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Tambahgalery		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

#### Test Execution Log

-	<b>SUITE</b>	LoginTest
Full Name:	LoginTest	
Source:	D:\PERKULIAHAN SEMS 4\PKPL\PROYEK>LoginTest	
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394	
Status:	1 critical test, 1 passed, 0 failed	
		1 test total, 1 passed, 0 failed
+	<b>SUITE</b>	TestSuite

### d) Browser test

**Tambah Galeri**

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

#### 45. Tambah gallery 30

##### a) Scenario

```

241  Open Browser      http://127.0.0.1:8000/login    Chrome
242  Set Selenium Implicit Wait  5
243  Input Text      email      admin@gmail.com
244  Input Password   password   admin123
245  Sleep 2
246  Click Element   xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247  sleep 2
248  Click Element   xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep 2
250  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep 2
253  Input Text      tempat     medan
254  Sleep 2
255  Input Text      tanggal    05/11/2023
256  Sleep 2
257  Input Text      deskripsi  dekorasi nya bagus banget
258  Sleep 2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep 2
261  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262  Sleep 2
263  Close Browser

```

##### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[1]/input	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]/div[1]/div[1]	
Sleep	2	
Close Browser		

### c) Test runner

#### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

##### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
All Tests		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
Statistics by Tag						
No Tags						
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
LoginTest. TestSuite		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>
LoginTest. TestSuite. Tambahgalery		1	1	0	00:00:40	<span style="background-color: green; color: white;">█</span>

##### Test Execution Log

-	<span style="color: green;">SUITE</span>	LoginTest
	Full Name:	LoginTest
	Source:	D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest
	Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
	Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+	<span style="color: green;">SUITE</span>	TestSuite

### d) Browser test

**Tambah Galeri**

Judul

Tempat

Tanggal  
 □

Deskripsi

Gambar  
 No file chosen  ⓘ  
The gambar field must be an image.

Add Cancel

46. Tambah gallery 31

a) Scenario

b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Close Browser		

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<span style="background-color: green; color: white;">P</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">+</span> SUITE	LoginTest
Full Name:	LoginTest
Source:	D:\PERKULIAHAAN SEMS 4\PKPLPROYEK\LoginTest
Start / End / Elapsed:	20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> SUITE	TestSuite

d) Browser test

Tambah Galeri

[/ Galeri](#) / [Tambah Galeri](#)

**Judul**

**Tempat**

**Tanggal**

mm/dd/yyyy

□

**Deskripsi**

**Gambar**

Choose File No file chosen

The gambar field must be an image.

Add
Cancel

47. Tambah gallery 32

a) Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
```

b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

c) Test runner

### LoginTest Log

Generated  
20230602 14:43:10 UTC+07:00  
26 seconds ago

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
All Tests	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
LoginTest.TestSuite	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>
LoginTest.TestSuite.Tambahgalery	1	1	0	00:00:40	<span style="background-color: green; color: white;">Pass</span>

#### Test Execution Log

<span style="border: 1px solid #ccc; padding: 2px;">-</span> <span style="background-color: #00AEEF; color: white; border: 1px solid #ccc; padding: 2px;">SUITE</span> LoginTest
Full Name: LoginTest
Source: D:\PERKULIAHAAN SEMS 4\PKPLPROYEK>LoginTest
Start / End / Elapsed: 20230602 14:42:29.691 / 20230602 14:43:10.085 / 00:00:40.394
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
<span style="border: 1px solid #ccc; padding: 2px;">+</span> <span style="background-color: #00AEEF; color: white; border: 1px solid #ccc; padding: 2px;">SUITE</span> TestSuite

d) Browser test

Tambah Galeri

[/ Galeri](#) / Tambah Galeri

Judul	<input type="text" value="Judul"/>
Tempat	<input type="text" value="Tempat"/>
Tanggal	<input type="text" value="mm/dd/yyyy"/> <span style="float: right;">□</span>
Deskripsi	<input style="height: 40px; width: 100%;" type="text"/>
Gambar	<input type="file" value="Choose File"/> No file chosen <span style="float: right;">✖</span> <small>The gambar field must be an image.</small>

Add Cancel

e) Tambah gallery 34

**f) Scenario**

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
```

**g) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d... C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

**h) Test runner**

**i) Browser test**

## Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar  
Choose File No file chosen !

The gambar field must be an image.

Add Cancel

### j) Tambah gallery 34

### k) Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264
```

### l) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

**m) Test runner**

**n) Browser test**

Tambah Galeri

[/ Galeri / Tambah Galeri](#)

Judul

Tempat

Tanggal  
 The tanggal field is required.

Deskripsi

Gambar  
 No file chosen Add Cancel

**o) Tambah gallery 36**

**p) Scenario**

```

241  Open Browser  http://127.0.0.1:8000/login  Chrome
242  Set Selenium Implicit Wait  5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep  2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep  2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep  2
253  Input Text  tempat  medan
254  Sleep  2
255  Input Text  tanggal  05/11/2023
256  Sleep  2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep  2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep  2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep  2
263  Close Browser
264

```

**q) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

**r) Test runner**

**s) Browser test**

**Tambah Galeri**

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal  
 The tanggal field is required.

Deskripsi

Gambar  
 No file chosen

Add Cancel

t) Tambah gallery 38

**u) Scenario**

```

241 Open Browser      http://127.0.0.1:8000/login      Chrome
242 Set Selenium Implicit Wait 5
243 Input Text      email      admin@gmail.com
244 Input Password    password      admin123
245 Sleep 2
246 Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]/div/div/div[1]/div/a
251 Input Text      judul      music
252 Sleep 2
253 Input Text      tempat      medan
254 Sleep 2
255 Input Text      tanggal      05/11/2023
256 Sleep 2
257 Input Text      deskripsi      dekorasi nya bagus banget
258 Sleep 2
259 Choose File      //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 Sleep 2
261 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264

```

v) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

## w) Test runner

## x) Browser test

Tambah Galeri

[/ Galeri / Tambah Galeri](#)

Judul

Tempat

Tanggal  
 The tanggal field is required.

Deskripsi

Gambar  
 No file chosen

Add Cancel

y) Scenario 37

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
```

z) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d... C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

aa) Test runner

bb) Browser test

**Tambah Galeri**

[/ Galeri / Tambah Galeri](#)

Judul	<input type="text"/>
Tempat	<input type="text"/>
Tanggal	<input type="text"/> mm/dd/yyyy <span style="color: red;">The tanggal field is required.</span>
Deskripsi	<input type="text"/>
Gambar	<input type="button" value="Choose File"/> No file chosen
<span style="background-color: yellow; border: 1px solid black; padding: 2px 10px;">Add</span> <span style="background-color: red; color: white; border: 1px solid black; padding: 2px 10px;">Cancel</span>	

cc) Tambah gallery 38

**dd) Scenario**

```

241  Open Browser      http://127.0.0.1:8000/login    Chrome
242  Set Selenium Implicit Wait 5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep 2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep 2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep 2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep 2
253  Input Text  tempat  medan
254  Sleep 2
255  Input Text  tanggal  05/11/2023
256  Sleep 2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep 2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep 2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep 2
263  Close Browser
264

```

**ee) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]/div[1]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]/div[1]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]/div[1]/div[1]	
Sleep	2	
Close Browser		

ff) Test runner

gg) Browser test

#### Tambah Galeri

[Home](#) / Galeri / Tambah Galeri

Judul

Tempat

Tanggal

The tanggal field is required.

Deskripsi

Gambar

No file chosen

hh) Tambah gallery 39

ii) Scenario

```

241  Open Browser  http://127.0.0.1:8000/login  Chrome
242  Set Selenium Implicit Wait  5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep  2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep  2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep  2
253  Input Text  tempat  medan
254  Sleep  2
255  Input Text  tanggal  05/11/2023
256  Sleep  2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep  2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep  2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep  2
263  Close Browser
264

```

### **jj) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/di...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Input Text	judul	music	
Sleep	2		
Input Text	tempat	medan	
Sleep	2		
Input Text	tanggal	05/11/2023	
Sleep	2		
Input Text	deskripsi	dekorasi nya bagus banget	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Close Browser			

### **kk) Test runner**

### **ll) Browser test**

**Tambah Galeri**

[/ Galeri / Tambah Galeri](#)

Judul	<input type="text" value="Judul"/>
Tempat	<input type="text" value="Tempat"/>
Tanggal	<input type="text" value="mm/dd/yyyy"/> <span style="color: red;">The tanggal field is required.</span>
Deskripsi	<input type="text"/>
Gambar	<input type="button" value="Choose File"/> No file chosen
<span style="background-color: yellow; border: 1px solid black; padding: 2px 10px;">Add</span> <span style="background-color: red; border: 1px solid black; color: white; padding: 2px 10px;">Cancel</span>	

mm) Tambah gallery 40

### nn) Scenario

```

241 Open Browser      http://127.0.0.1:8000/login      Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 Sleep 2
261 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264

```

### oo) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

pp) Test runner

qq) Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

The tanggal field is required.

Deskripsi

Gambar

No file chosen

Add Cancel

rr) Tambah gallery 41

## ss) Scenario

```
241  Open Browser      http://127.0.0.1:8000/login    Chrome
242  Set Selenium Implicit Wait  5
243  Input Text      email      admin@gmail.com
244  Input Password   password   admin123
245  Sleep 2
246  Click Element   xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep 2
248  Click Element   xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep 2
250  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep 2
253  Input Text      tempat     medan
254  Sleep 2
255  Input Text      tanggal    05/11/2023
256  Sleep 2
257  Input Text      deskripsi  dekorasi nya bagus banget
258  Sleep 2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep 2
261  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep 2
263  Close Browser
```

## tt) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[ @id = "pageWrapper" ]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

## uu) Test runner

## vv) Browser test

**Tambah Galeri**

Judul

Tempat

Tanggal  
 

The tanggal field is required.

Deskripsi

Gambar  
 No file chosen

**Add** **Cancel**

ww) Tambah gallery 42

**xx) Scenario**

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264

```

**yy) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

## zz) Test runner

### aaa) Browser test

Tambah Galeri

[/ Galeri / Tambah Galeri](#)

Judul	<input type="text" value="Judul"/>
Tempat	<input type="text" value="Tempat"/>
Tanggal	<input type="text" value="mm/dd/yyyy"/> <span style="color: red;">The tanggal field is required.</span>
Deskripsi	<input type="text"/>
Gambar	<input type="file" value="Choose File"/> No file chosen
<span style="background-color: yellow; border: 1px solid black; padding: 2px 10px;">Add</span> <span style="background-color: red; border: 1px solid black; color: white; padding: 2px 10px;">Cancel</span>	

### bbb) Tambah gallery 43

### ccc) Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264
```

### ddd) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

### eee) Test runner

### fff) Browser test

**Tambah Galeri**

/ Galeri / Tambah Galeri

Judul	<input type="text" value="Judul"/>
Tempat	<input type="text" value="Tempat"/>
Tanggal	<input type="text" value="mm/dd/yyyy"/> <span style="color: red;">The tanggal field is required.</span>
Deskripsi	<input type="text"/>
Gambar	<input type="button" value="Choose File"/> No file chosen
<span style="background-color: yellow; border: 1px solid black; padding: 2px 10px;">Add</span> <span style="background-color: red; border: 1px solid black; color: white; padding: 2px 10px;">Cancel</span>	

ggg)    Tambah gallery 44

hhh)    Scenario

```

241  Open Browser      http://127.0.0.1:8000/login    Chrome
242  Set Selenium Implicit Wait  5
243  Input Text      email      admin@gmail.com
244  Input Password   password   admin123
245  Sleep 2
246  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247  sleep 2
248  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep 2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep 2
253  Input Text      tempat     medan
254  Sleep 2
255  Input Text      tanggal    05/11/2023
256  Sleep 2
257  Input Text      deskripsi  dekorasi nya bagus banget
258  Sleep 2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep 2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/div/form/div[6]/div/div/button
262  Sleep 2
263  Close Browser
264

```

iii) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

### jjj) Test runner

### kkk) Browser test

Tambah Galeri

[/ Galeri / Tambah Galeri](#)

Judul	<input type="text" value="Judul"/>
Tempat	<input type="text" value="Tempat"/>
Tanggal	<input type="text" value="mm/dd/yyyy"/> <span style="color: red;">The tanggal field is required.</span>
Deskripsi	<input type="text"/>
Gambar	<input type="button" value="Choose File"/> No file chosen
<span style="background-color: yellow; border: 1px solid black; padding: 2px 10px;">Add</span> <span style="background-color: red; color: white; border: 1px solid black; padding: 2px 10px;">Cancel</span>	

### lll) Tambah gallery 45

### mmm) Scenario

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264

```

### **nnn) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[ @id = "pageWrapper" ] / div [2] / d... C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

### **ooo) Test runner**

### **ppp) Browser test**

qqq) Tambah gallery 46

rrr) Scenario

```

241  Open Browser  http://127.0.0.1:8000/login  Chrome
242  Set Selenium Implicit Wait  5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep  2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep  2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep  2
253  Input Text  tempat  medan
254  Sleep  2
255  Input Text  tanggal  05/11/2023
256  Sleep  2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep  2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep  2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262  Sleep  2
263  Close Browser
264

```

### sss) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/di...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Input Text	judul	music	
Sleep	2		
Input Text	tempat	medan	
Sleep	2		
Input Text	tanggal	05/11/2023	
Sleep	2		
Input Text	deskripsi	dekorasi nya bagus banget	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Close Browser			

### ttt) Test runner

#### uuu) Browser test

**Tambah Galeri**

[/ Galeri / Tambah Galeri](#)

Judul	<input type="text" value="Judul"/>
Tempat	<input type="text" value="Tempat"/>
Tanggal	<input type="text" value="mm/dd/yyyy"/> <span style="color: red;">The tanggal field is required.</span>
Deskripsi	<input type="text"/>
Gambar	<input type="button" value="Choose File"/> <input type="file" value="No file chosen"/>
<span style="background-color: yellow; border: 1px solid black; padding: 2px 10px;">Add</span> <span style="background-color: red; border: 1px solid black; color: white; padding: 2px 10px;">Cancel</span>	

vvv) Tambah gallery 47

### www) Scenario

```

241 Open Browser      http://127.0.0.1:8000/login      Chrome
242 Set Selenium Implicit Wait 5
243 Input Text    email    admin@gmail.com
244 Input Password  password  admin123
245 Sleep 2
246 Click Element   xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element   xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text    judul    music
252 Sleep 2
253 Input Text    tempat    medan
254 Sleep 2
255 Input Text    tanggal  05/11/2023
256 Sleep 2
257 Input Text    deskripsi  dekorasi nya bagus banget
258 Sleep 2
259 Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264

```

xxx) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[...]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

### yyy) Test runner

### zzz) Browser test

Variasi 1 (Nama valid, Email valid, No HP valid dan password valid)

#### 10. Tambah gallery 1

##### e. Scenario 48

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264

```

##### f. Test Case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

#### g. Test Runner

#### h. Browser Testing

Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

The tanggal field is required.

Deskripsi

Gambar

Choose File No file chosen

Add Cancel

### e. Scenario

```
141 Open Browser http://127.0.0.1:8000/login Chrome
142 Set Selenium Implicit Wait 5
143 Input Text email admin@gmail.com
144 Input Password password admin123
145 Sleep 2
146 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
147 sleep 2
148 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
149 sleep 2
150 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
151 Input Text judul music
152 Sleep 2
153 Input Text tempat medan
154 Sleep 2
155 Input Text tanggal 05/11/2023
156 Sleep 2
157 Input Text deskripsi dekorasi nya bagus banget
158 Sleep 2
159 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/form/div[5]/div/input D:\\\\AESTETIC GALLERY\\\\late night spotify.jpg
160 sleep 2
161 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
162 Sleep 2
163 Close Browser
164
```

### f. Test Case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[ @id = "pageWrapper" ]/div[2]/d... C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

### g. Test Runner

### h. Browser Testing

**Tambah Galeri**

[/ Galeri / Tambah Galeri](#)

Judul	<input type="text"/>
Tempat	<input type="text"/>
Tanggal	<input type="text"/> mm/dd/yyyy <span style="color: red;">The tanggal field is required.</span>
Deskripsi	<input type="text"/>
Gambar	<input type="button" value="Choose File"/> No file chosen
<span style="background-color: yellow; border: 1px solid black; padding: 2px 10px;">Add</span> <span style="background-color: red; border: 1px solid black; color: white; padding: 2px 10px;">Cancel</span>	

## 50. Tambah gallery 50

### a) Scenario

```

241  Open Browser      http://127.0.0.1:8000/login    Chrome
242  Set Selenium Implicit Wait 5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep 2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep 2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep 2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep 2
253  Input Text  tempat  medan
254  Sleep 2
255  Input Text  tanggal  05/11/2023
256  Sleep 2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep 2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep 2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262  Sleep 2
263  Close Browser
264

```

### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]/div[1]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]/div[1]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]/div[1]/div[1]	
Sleep	2	
Close Browser		

c) Test runner

d) Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

The tanggal field is required.

Deskripsi

Gambar

Choose File No file chosen

Add Cancel

51. Tambah gallery 51

e. Scenario

```

241  Open Browser  http://127.0.0.1:8000/login  Chrome
242  Set Selenium Implicit Wait  5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep  2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep  2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep  2
253  Input Text  tempat  medan
254  Sleep  2
255  Input Text  tanggal  05/11/2023
256  Sleep  2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep  2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep  2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262  Sleep  2
263  Close Browser
264

```

#### f. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

#### g. Test runner

#### h. Browser test

## Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar  
Choose File No file chosen (1)  
The gambar field must be an image.

Add Cancel

## 52. Tambah gallery 52

### a. Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
```

### e. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

#### f. Test runner

#### g. Browser test

Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

53. Tambah gallery 53

#### e. Scenario

```

041 Open Browser      http://127.0.0.1:8000/login      Chrome
042 Set Selenium Implicit Wait    5
043 Input Text      email      admin@gmail.com
044 Input Password    password    admin123
045 Sleep    2
046 Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
047 sleep    2
048 Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
049 sleep    2
050 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
051 Input Text      judul      music
052 Sleep    2
053 Input Text      tempat      medan
054 Sleep    2
055 Input Text      tanggal     05/11/2023
056 Sleep    2
057 Input Text      deskripsi    dekorasi nya bagus banget
058 Sleep    2
059 Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
060 sleep    2
061 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
062 Sleep    2
063 Close Browser
064

```

#### f. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

#### g. Test runner

#### h. Browser test

## Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar  
 No file chosen (1)  
The gambar field must be an image.

Add Cancel

### 54. Tambah gallery 55

#### e. Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File /*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
```

#### f. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

#### g. Test runner

#### h. Browser test

Tambah Galeri

[/ Galeri / Tambah Galeri](#)

Judul	<input type="text"/>
Tempat	<input type="text"/>
Tanggal	<input type="text"/> mm/dd/yyyy
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> No file chosen <small>The gambar field must be an image.</small>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

10 Tambah gallery 56

#### e. Scenario

```

041 Open Browser      http://127.0.0.1:8000/login      Chrome
042 Set Selenium Implicit Wait    5
043 Input Text      email      admin@gmail.com
044 Input Password    password      admin123
045 Sleep    2
046 Click Element    xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
047 sleep    2
048 Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
049 sleep    2
050 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
051 Input Text      judul      music
052 Sleep    2
053 Input Text      tempat      medan
054 Sleep    2
055 Input Text      tanggal      05/11/2023
056 Sleep    2
057 Input Text      deskripsi      dekorasi nya bagus banget
058 Sleep    2
059 Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
060 sleep    2
061 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
062 Sleep    2
063 Close Browser
064

```

#### f. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

#### g. Test runner

#### h. Browser test

## Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

 mm/dd/yyyy 

Deskripsi

Gambar

Choose File No file chosen  ⓘ

The gambar field must be an image.

Add  Cancel

### 55. Register 57

#### f. Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div[1]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264
```

#### g. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

## h. Test runner

### i. Browser test

Tambah Galeri

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

## j. Register 58

## k. Scenario

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait  5
243  Input Text      email      admin@gmail.com
244  Input Password    password    admin123
245  Sleep 2
246  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep 2
248  Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep 2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep 2
253  Input Text      tempat      medan
254  Sleep 2
255  Input Text      tanggal     05/11/2023
256  Sleep 2
257  Input Text      deskripsi    dekorasi nya bagus banget
258  Sleep 2
259  Choose File     //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep 2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep 2
263  Close Browser
264
```

## l. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.jpg
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

## m. Test runner

## n. Browser test

### Tambah Galeri

/ Galeri / Tambah Galeri

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy

Deskripsi

Gambar  
Choose File No file chosen  
The gambar field must be an image.

Add Cancel

## o. Tambah gallery 59

## p. Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
```

## q. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

## r. Test runner

### s. Browser test

### t. Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264
```

#### **u. Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

## v. Test runner

## w. Browser test

Tambah Galeri

[/ Galeri](#) / Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar

Choose File

①

The gambar field must be an image.

Add
Cancel

Tambah gallery 62

## x. Scenario

```
241 Open Browser      http://127.0.0.1:8000/login      Chrome
242 Set Selenium Implicit Wait 5
243 Input Text      email      admin@gmail.com
244 Input Password    password      admin123
245 Sleep      2
246 Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep      2
248 Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep      2
250 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text      judul      music
252 Sleep      2
253 Input Text      tempat      medan
254 Sleep      2
255 Input Text      tanggal      05/11/2023
256 Sleep      2
257 Input Text      deskripsi      dekorasi nya bagus banget
258 Sleep      2
259 Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep      2
261 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep      2
263 Close Browser
264
```

## y. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

## z. Test runner

### aa. Browser test

## Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar  
 No file chosen (1)  
The gambar field must be an image.

Add Cancel

## 6. Tambah gallery 63

### 7. Scenario

```
241  Open Browser      http://127.0.0.1:8000/login    Chrome
242  Set Selenium Implicit Wait  5
243  Input Text      email      admin@gmail.com
244  Input Password    password    admin123
245  Sleep  2
246  Click Element   xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element   xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep  2
250  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep  2
253  Input Text      tempat      medan
254  Sleep  2
255  Input Text      tanggal     05/11/2023
256  Sleep  2
257  Input Text      deskripsi    dekorasi nya bagus banget
258  Sleep  2
259  Choose File     //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALERY\\late night spotify.jpg
260  sleep  2
261  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262  Sleep  2
263  Close Browser
264
```

### 8. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]	
Sleep	2	
Close Browser		

## 9. Test runner

## 10. Browser test

aaaa) Tambah gallery 64

#### **bbbb) Scenario**

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264
```

#### **cccc) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]	
Sleep	2	
Close Browser		

#### **dddd) Test runner**

#### **eeee) Browser test**

ffff) Tambah gallery 65

### gggg) Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File /*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 Sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
```

#### **hhhh) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

### iiii) Test runner

#### jjjj) Browser test

Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

kkkk) Tambah gallery 67

### llll) Scenario

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait      5
243  Input Text      email      admin@gmail.com
244  Input Password    password      admin123
245  Sleep      2
246  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep      2
248  Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep      2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep      2
253  Input Text      tempat      medan
254  Sleep      2
255  Input Text      tanggal      05/11/2023
256  Sleep      2
257  Input Text      deskripsi      dekorasi nya bagus banget
258  Sleep      2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep      2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262  Sleep      2
263  Close Browser
```

### mmmm) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[ @id = "pageWrapper" ]/div[2]/d... C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

### nnnn) Test runner

### oooo) Browser test

### pppp) Tambah gallery 68

## qqqq) Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264
```

## rrrr) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[ @id = "pageWrapper" ]/div[2]/d... C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

## ssss) Test runner

## tttt) Browser test

**Tambah Galeri**

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy

Deskripsi

Gambar  
Choose File No file chosen (1)  
The gambar field must be an image.

Add Cancel

## 69. Tambah gallery 69

### a) Scenario

```

241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait  5
243  Input Text    email    admin@gmail.com
244  Input Password  password  admin123
245  Sleep  2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep  2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[1]/div/a
251  Input Text    judul    music
252  Sleep  2
253  Input Text    tempat    medan
254  Sleep  2
255  Input Text    tanggal   05/11/2023
256  Sleep  2
257  Input Text    deskripsi  dekorasi nya bagus banget
258  Sleep  2
259  Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep  2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262  Sleep  2
263  Close Browser
264

```

### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[3]	
Sleep	2	
Close Browser		

### c) Test runner

### d) Browser test

Tambah Galeri / Galeri / Tambah Galeri

---

Judul

Tempat

Tanggal

Deskripsi

Gambar  No file chosen (i)

The gambar field must be an image.

Add Cancel

70. Tambah gallery 70

**a) Scenario**

```
241 Open Browser      http://127.0.0.1:8000/login      Chrome
242 Set Selenium Implicit Wait 5
243 Input Text      email      admin@gmail.com
244 Input Password    password      admin123
245 Sleep      2
246 Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep      2
248 Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep      2
250 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text      judul      music
252 Sleep      2
253 Input Text      tempat      medan
254 Sleep      2
255 Input Text      tanggal      05/11/2023
256 Sleep      2
257 Input Text      deskripsi      dekorasi nya bagus banget
258 Sleep      2
259 Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep      2
261 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep      2
263 Close Browser
```

**b) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

**c) Test runner**

**d) Browser test**

## Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

 mm/dd/yyyy 

Deskripsi

Gambar

Choose File No file chosen  ⓘ

The gambar field must be an image.

Add Cancel

e) Tambah gallery 71

f) Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File /*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
```

g) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

## h) Test runner

### i) Browser test

Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

## j) Tambah gallery 72

### k) Scenario

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait  5
243  Input Text      email      admin@gmail.com
244  Input Password    password    admin123
245  Sleep 2
246  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep 2
248  Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep 2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep 2
253  Input Text      tempat      medan
254  Sleep 2
255  Input Text      tanggal     05/11/2023
256  Sleep 2
257  Input Text      deskripsi    dekorasi nya bagus banget
258  Sleep 2
259  Choose File     //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep 2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep 2
263  Close Browser
```

### l) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

### m) Test runner

**n) Browser test**

**Tambah Galeri**

/ Galeri / Tambah Galeri

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy

Deskripsi

Gambar  
Choose File No file chosen

The gambar field must be an image.

Add Cancel

**o) Tambah gallery 73**

**p) Scenario**

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264
```

**q) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

r) Test runner

s) Browser test

Tambah Galeri

[/ Galeri / Tambah Galeri](#)

Judul	<input type="text"/>
Tempat	<input type="text"/>
Tanggal	<input type="text"/> mm/dd/yyyy
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen <small>The gambar field must be an image.</small>
	<input type="button" value="Add"/> <input type="button" value="Cancel"/>

t) Tambah gallery 74

**u) Scenario**

```
241  Open Browser      http://127.0.0.1:8000/login      Chrome
242  Set Selenium Implicit Wait  5
243  Input Text      email      admin@gmail.com
244  Input Password    password    admin123
245  Sleep      2
246  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep      2
248  Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep      2
250  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep      2
253  Input Text      tempat      medan
254  Sleep      2
255  Input Text      tanggal     05/11/2023
256  Sleep      2
257  Input Text      deskripsi    dekorasi nya bagus banget
258  Sleep      2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep      2
261  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep      2
263  Close Browser
264
```

**v) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

**w) Test runner**

**x) Browser test**

**Tambah Galeri**

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

y) Tambah gallery 75

**z) Scenario**

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[2]/div[2]/div/div/div[1]/div/a
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264

```

**aa) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

## bb) Test runner

## cc) Browser test

Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

## dd) Tambah gallery 76

## ee) Scenario

```

241  Open Browser  http://127.0.0.1:8000/login  Chrome
242  Set Selenium Implicit Wait  5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep  2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep  2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep  2
253  Input Text  tempat  medan
254  Sleep  2
255  Input Text  tanggal  05/11/2023
256  Sleep  2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep  2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep  2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262  Sleep  2
263  Close Browser
264

```

#### **ff) Test case**

<b>Open Browser</b>	http://127.0.0.1:8000/login	Chrome
<b>Set Selenium Implicit Wait</b>	5	
<b>Input Text</b>	email	admin@gmail.com
<b>Input Password</b>	password	admin123
<b>Sleep</b>	2	
<b>Click Element</b>	xpath=/html/body/section/div/di...	
<b>sleep</b>	2	
<b>Click Element</b>	xpath=/html/body/div[2]/div[2]/d...	
<b>sleep</b>	2	
<b>Click Element</b>	xpath=/html/body/div[2]/div[2]/d...	
<b>Input Text</b>	judul	music
<b>Sleep</b>	2	
<b>Input Text</b>	tempat	medan
<b>Sleep</b>	2	
<b>Input Text</b>	tanggal	05/11/2023
<b>Sleep</b>	2	
<b>Input Text</b>	deskripsi	dekorasi nya bagus banget
<b>Sleep</b>	2	
<b>Choose File</b>	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
<b>sleep</b>	2	
<b>Click Element</b>	xpath=/html/body/div[2]/div[2]/d...	
<b>Sleep</b>	2	
<b>Close Browser</b>		

#### **gg) Test runner**

#### **hh) Browser test**

**Tambah Galeri**

[/ Galeri / Tambah Galeri](#)

Judul	<input type="text"/>
Tempat	<input type="text"/>
Tanggal	<input type="text"/> mm/dd/yyyy <input type="button" value=""/>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen <span style="color: red;">The gambar field must be an image.</span>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

ii) Tambah gallery 77

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]/div[1]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]/div[1]/div[1]	
Sleep	2	
Close Browser		

jj) Scenario

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264

```

### kk) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

### ll) Test runner

#### mm) Browser test

## Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

 mm/dd/yyyy X

Deskripsi

Gambar

Choose File No file chosen (1)

The gambar field must be an image.

Add Cancel

## 71. Tambah gallery 22

## 72. Scenario 78

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264
```

## 73. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

## 74. Test runner

## 75. Browser test

Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

## 76. Tambah gallery 79

## 77. Scenario

```
241  Open Browser      http://127.0.0.1:8000/login    Chrome
242  Set Selenium Implicit Wait  5
243  Input Text      email      admin@gmail.com
244  Input Password   password   admin123
245  Sleep 2
246  Click Element   xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep 2
248  Click Element   xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep 2
250  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep 2
253  Input Text      tempat     medan
254  Sleep 2
255  Input Text      tanggal    05/11/2023
256  Sleep 2
257  Input Text      deskripsi  dekorasi nya bagus banget
258  Sleep 2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep 2
261  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262  Sleep 2
263  Close Browser
```

## 78. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

## 79. Test runner

## 80. Browser test

**Tambah Galeri**

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy

Deskripsi

Gambar  
Choose File No file chosen

The gambar field must be an image.

Add Cancel

81. Tambah gallery 80

## 82. Scenario

```

241 Open Browser      http://127.0.0.1:8000/login      Chrome
242 Set Selenium Implicit Wait      5
243 Input Text      email      admin@gmail.com
244 Input Password    password      admin123
245 Sleep      2
246 Click Element    xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247 sleep      2
248 Click Element    xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep      2
250 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text      judul      music
252 Sleep      2
253 Input Text      tempat      medan
254 Sleep      2
255 Input Text      tanggal      05/11/2023
256 Sleep      2
257 Input Text      deskripsi      dekorasi nya bagus banget
258 Sleep      2
259 Choose File      //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input      D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep      2
261 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262 Sleep      2
263 Close Browser
...

```

## 83. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

## 84. Test runner

## 85. Browser test

Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar

Choose File No file chosen !

The gambar field must be an image.

Add Cancel

86. Tambah gallery 81

## 87. Scenario

```
241  Open Browser      http://127.0.0.1:8000/login    Chrome
242  Set Selenium Implicit Wait  5
243  Input Text      email      admin@gmail.com
244  Input Password   password   admin123
245  Sleep 2
246  Click Element   xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep 2
248  Click Element   xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep 2
250  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251  Input Text      judul      music
252  Sleep 2
253  Input Text      tempat     medan
254  Sleep 2
255  Input Text      tanggal    05/11/2023
256  Sleep 2
257  Input Text      deskripsi  dekorasi nya bagus banget
258  Sleep 2
259  Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep 2
261  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262  Sleep 2
263  Close Browser
```

## 88. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

## 89. Test runner

### Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input type="radio"/> All Tests		

## 90. Browser test

### Tambah Galeri

[/ Galeri](#) / Tambah Galeri

Judul

Tempat

Tanggal

 mm/dd/yyyy 

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add

Cancel

## 91. Tambah gallery 82

## 92. Scenario

```

241  Open Browser  http://127.0.0.1:8000/login  Chrome
242  Set Selenium Implicit Wait  5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep  2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep  2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep  2
253  Input Text  tempat  medan
254  Sleep  2
255  Input Text  tanggal  05/11/2023
256  Sleep  2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep  2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep  2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep  2
263  Close Browser
264

```

### 93. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/di...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Input Text	judul	music	
Sleep	2		
Input Text	tempat	medan	
Sleep	2		
Input Text	tanggal	05/11/2023	
Sleep	2		
Input Text	deskripsi	dekorasi nya bagus banget	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Close Browser			

## 94. Test runner

### Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input type="radio"/> All Tests		

## 95. Browser test

### Tambah Galeri

[/ Galeri](#) / Tambah Galeri

Judul	<input type="text"/>
Tempat	<input type="text"/>
Tanggal	<input type="text"/> mm/dd/yyyy <span style="float: right;">□</span>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen <span style="float: right;">✖</span> <small>The gambar field must be an image.</small>
<span style="background-color: yellow; border: 1px solid black; padding: 2px 10px;">Add</span> <span style="background-color: red; color: white; border: 1px solid black; padding: 2px 10px;">Cancel</span>	

96. Tambah gallery 84

## 97. Scenario

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264

```

## 98. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

## 99. Test runner

### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search  
Type:  Critical Tests  
 All Tests

## 100. Browser test

### Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar  
 No file chosen  
The gambar field must be an image.

Add Cancel

### nn) Scenario 85

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/liv[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File /*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264
```

### oo) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]/input	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		

## pp) Test runner

### Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## qq) Browser test

**Tambah Galeri**

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

rr) Tambah gallery 86

ss) Scenario

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Choose File /*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
259 sleep 2
260 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
261 Sleep 2
262 Close Browser
263
264

```

tt) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]/input	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		

## uu) Test runner

### Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## vv) Browser test

## Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

 mm/dd/yyyy

Deskripsi

Gambar

Choose File

No file chosen



The gambar field must be an image.

Add

Cancel

ww) Tambah gallery 87

### xx) Scenario

```
241 Open Browser      http://127.0.0.1:8000/login      Chrome
242 Set Selenium Implicit Wait 5
243 Input Text      email      admin@gmail.com
244 Input Password    password      admin123
245 Sleep      2
246 Click Element    xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247 sleep      2
248 Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep      2
250 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text      judul      music
252 Sleep      2
253 Input Text      tempat      medan
254 Sleep      2
255 Input Text      tanggal      05/11/2023
256 Sleep      2
257 Input Text      deskripsi      dekorasi nya bagus banget
258 Sleep      2
259 Choose File      //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep      2
261 Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
262 Sleep      2
263 Close Browser
```

### yy) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]/input	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		

## zz) Test runner

### Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## aaa) Browser test

**Tambah Galeri**

Judul

Tempat

Tanggal

Deskripsi

Gambar  
 Choose File No file chosen  ⓘ  
 The gambar field must be an image.

**bbb)**      Tambah gallery 88  
**ccc)**      Scenario

**ddd)      Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Close Browser		

**eee)      Test runner**

### fff) Browser test

#### Tambah Galeri

Judul  
Tempat  
Tanggal  
mm/dd/yyyy  
Deskripsi  
Gambar  
Choose File No file chosen  
The gambar field must be an image.  
Add Cancel

ggg)            Tambah gallery 89  
hhh)            Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264
```

iii)

jjj) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]/input	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		

### kkk) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>

Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

**Test Details**

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

### III) Browser test

## Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

 mm/dd/yyyy

### Deskripsi

### Gambar

Choose File No file chosen

The gambar field must be an image.



Add

Cancel

## mmm) Tambah gallery 90 nnn) Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div[1]
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264
```

## ooo) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]/input	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		

## ppp) Test runner

### Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## qqq) Browser test

**Tambah Galeri**

[/ Galeri / Tambah Galeri](#)

Judul	<input type="text"/>
Tempat	<input type="text"/>
Tanggal	<input type="text"/> mm/dd/yyyy <input type="button" value=""/>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen <span style="color: red;">The gambar field must be an image.</span>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

rrr) Tambah gallery 26

### sss) Scenario

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[2]/div[2]/div[1]/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264

```

ttt) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

## uuu) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>

Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

**Test Details**

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## vvv) Browser test

## Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal  
 □

Deskripsi

Gambar  
 No file chosen  ⓘ

The gambar field must be an image.

Add Cancel

www)      Tambah gallery 92  
xxx)      Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File /*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264
```

yyy)      Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]/input	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		

### zzz) Test runner

#### Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

#### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

### aaaa) Browser test

bbbb) Tambah gallery 93

### cccc) Scenario

```

241  Open Browser  http://127.0.0.1:8000/login  Chrome
242  Set Selenium Implicit Wait  5
243  Input Text  email  admin@gmail.com
244  Input Password  password  admin123
245  Sleep  2
246  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247  sleep  2
248  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249  sleep  2
250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251  Input Text  judul  music
252  Sleep  2
253  Input Text  tempat  medan
254  Sleep  2
255  Input Text  tanggal  05/11/2023
256  Sleep  2
257  Input Text  deskripsi  dekorasi nya bagus banget
258  Sleep  2
259  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
260  sleep  2
261  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262  Sleep  2
263  Close Browser
264

```

#### **dddd) Test case**

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

#### **eeee) Test runner**

#### **ffff) Browser test**

## Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

 mm/dd/yyyy X

Deskripsi

Gambar

Choose File No file chosen (1)

The gambar field must be an image.

Add Cancel

### 101. Tambah gallery 95

#### 102. Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264
```

#### 103. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]/input	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		

#### 104. Test runner

##### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

##### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
<hr/>					
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: grey;"></div>
<hr/>					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

##### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input type="radio"/> All Tests		

#### 105. Browser test

## Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal  
 □

Deskripsi

Gambar  
 No file chosen (1)  
The gambar field must be an image.

Add Cancel

## 106. Tambah gallery 96

### 107. Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264
```

## 108. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dékorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[1]/input	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		

## 109. Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
<hr/>					
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: grey;"></div>
<hr/>					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input type="radio"/> All Tests		

## 110. Browser test

### Tambah Galeri

/ Galeri / Tambah Galeri

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy

Deskripsi

Gambar  
Choose File No file chosen  
The gambar field must be an image.

Add Cancel

## 111. Tambah gallery 97

## 112. Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264
```

## 113. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

## 114. Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	
All Tests	1	1	0	00:00:22	

Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					

Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	
LoginTest.TestSuite	1	1	0	00:00:22	
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	

**Test Details**

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## 115. Browser test

## Tambah Galeri

/ Galeri / Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar  
Choose File No file chosen   
The gambar field must be an image.

Add Cancel

### 116. Tambah gallery 98

### 117. Scenario

```
241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]//div[2]//div[2]//div//div//div//form//div//input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
262 Sleep 2
263 Close Browser
264
```

### 118. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[3]	
Sleep	2	
Close Browser		

## 119. Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
<hr/>					
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: lightgray;"></div>
<hr/>					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input type="radio"/> All Tests		

## 120. Browser test

**Tambah Galeri**

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy

Deskripsi

Gambar  
Choose File No file chosen

The gambar field must be an image.

Add Cancel

## 121. Tambah gallery 99

### 122. Scenario

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[2]/div[2]/div[1]/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser
264

```

### 123. Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

## 124. Test runner

### Summary Information

**Status:** All tests passed  
**Start Time:** 2023-05-31 16:10:26.348  
**End Time:** 2023-05-31 16:10:48.533  
**Elapsed Time:** 00:00:22.185  
**Log File:** [log.html](#)

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
<hr/>					
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: grey;"></div>
<hr/>					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

**Totals**    **Tags**    **Suites**    **Search**  
**Type:**  Critical Tests  
 All Tests

## 125. Browser test

**Tambah Galeri**

Judul  
Judul

Tempat  
Tempat

Tanggal  
mm/dd/yyyy

Deskripsi

Gambar  
Choose File No file chosen

The gambar field must be an image.

Add Cancel

## 126. Tambah gallery 100

### a) Scenario

```

241 Open Browser http://127.0.0.1:8000/login Chrome
242 Set Selenium Implicit Wait 5
243 Input Text email admin@gmail.com
244 Input Password password admin123
245 Sleep 2
246 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
247 sleep 2
248 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[5]/a/span
249 sleep 2
250 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
251 Input Text judul music
252 Sleep 2
253 Input Text tempat medan
254 Sleep 2
255 Input Text tanggal 05/11/2023
256 Sleep 2
257 Input Text deskripsi dekorasi nya bagus banget
258 Sleep 2
259 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
260 sleep 2
261 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
262 Sleep 2
263 Close Browser

```

### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	judul	music
Sleep	2	
Input Text	tempat	medan
Sleep	2	
Input Text	tanggal	05/11/2023
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		

### c) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>

Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

**Test Details**

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

### d) Browser testing

## Tambah Galeri

[Home](#) / Galeri / Tambah Galeri

Judul

Tempat

Tanggal

Deskripsi

Gambar

No file chosen



The gambar field must be an image.

## **ATDD-REGISTRASI**

<b>Laporan Proyek Pengujian dan Kualitas Perangkat Lunak</b>		
<b>BDD - Automation Testing Using Cucumber dan</b>		
<b>ATDD - Automation Testing with Selenium and Robot Framework</b>		
Team	:	14
		1. 11321020 – Mega Kristina Marbun
		2. 11321021 – Luana Banjar Nahor
		3. 11321031 – Albert Aritonang
		4. 11321058 – Megaria Napitupulu

## **Pengujian Website Sistem Informasi Desa Sipahutar**

### **3. Fungsi yang diuji**

#### **C. Acceptance Test Driven Development (ATDD) – Robot Framework**

Adapun fungsi yang di uji menggunakan robot framework yaitu 4 fungsi inputan dan 1 fungsi melihat, antara lain:

- 6) Fungsi Login
- 7) Fungsi Registrasi
- 8) Fungsi
- 9) Fungsi
- 10) Fungsi Melihat

#### **D. Behavior Driven Development BDD – Cucumber**

Adapun fungsi yang di uji menggunakan cucumber yaitu 4 fungsi inputan dan 1 fungsi melihat, antara lain:

- 6) Fungsi Login
- 7) Fungsi Registrasi
- 8) Fungsi Pemesanan Makanan
- 9) Fungsi Pemesanan Bangku
- 10) Fungsi Melihat Menu

#### 4. Implementasi Fungsi yang diuji

##### 2) Fungsi Registrasi

Kerangka yang digunakan pada setiap test case

Test Fungsi Registrasi	Input			
	Parameter 1	Parameter 2	Parameter 3	Parameter 4
Variasi 1	Username valid	Nama valid	Email valid	Password valid
Variasi 2	Username <del>tidak</del> valid	Nama valid	Email valid	Password valid
Variasi 3	Username valid	Nama <del>tidak</del> valid	Email valid	Password valid
Variasi 4	Username valid	Nama valid	Email <del>tidak</del> valid	Password valid
Variasi 5	Username valid	Nama valid	Email valid	Password <del>tidak</del> valid
Variasi 6	Username <del>tidak</del> valid	Nama <del>tidak</del> valid	Email valid	Password valid
Variasi 7	Username <del>tidak</del> valid	Nama valid	Email valid	Password <del>tidak</del> valid
Variasi 8	Username valid	Nama valid	Email <del>tidak</del> valid	Password <del>tidak</del> valid
Variasi 9	Username valid	Nama <del>tidak</del> valid	Email <del>tidak</del> valid	Password valid
Variasi 10	Username <del>tidak</del> valid	Nama valid	Email <del>tidak</del> valid	Password valid
Variasi 11	Username valid	Nama <del>tidak</del> valid	Email valid	Password <del>tidak</del> valid
Variasi 12	Username valid	Nama <del>tidak</del> valid	Email <del>tidak</del> valid	Password <del>tidak</del> valid
Variasi 13	Username <del>tidak</del> valid	Nama valid	Email <del>tidak</del> valid	Password <del>tidak</del> valid
Variasi 14	Username <del>tidak</del> valid	Nama <del>tidak</del> valid	Email valid	Password <del>tidak</del> valid
Variasi 15	Username <del>tidak</del> valid	Nama <del>tidak</del> valid	Email <del>tidak</del> valid	Password valid
Variasi 16	Username <del>tidak</del> valid	Nama <del>tidak</del> valid	Email <del>tidak</del> valid	Password <del>tidak</del> valid

##### Variasi 1 (Nama valid, Email valid, No HP valid dan password valid)

###### 12. Registrasi 1

###### i. Scenario 1

```

@| TestRegistrasi
  Open Browser      http://127.0.0.1:8000/register      chrome
  Set Selenium Implicit Wait  20
  Sleep  10
  Input Text    name    Albert Aritonang
  Input Text    email   albertaritonang12@gmail.com
  Input Text    nohp    6286781263384
  Input Password password aritonang12345
  Set Selenium Implicit Wait  15
  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
  Sleep  15
  Close Browser
  Log    Test Completed

```

#### j. Test Case

TestRegistrasi			
Open Browser	http://127.0.0.1:8000/register	chrome	
Set Selenium Implicit Wait	20		
Sleep	10		
Input Text	name	Albert Aritonang	
Input Text	email	albertaritonang12@gmail.com	
Input Text	nohp	6286781263384	
Input Password	password	aritonang12345	
Set Selenium Implicit Wait	15		
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button		
Sleep	15		
Close Browser			
Log	Test Completed		
...			

#### k. Test Runner

### LoginTest Log

Generated  
20230531 09:42:45 UTC+07:00  
1 minute 52 seconds ago


#### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:01:39	<span style="background-color: green; color: white;">█</span>
All Tests		1	1	0	00:01:39	<span style="background-color: green; color: white;">█</span>
<hr/>						
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						
<hr/>						
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:01:43	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite		1	1	0	00:01:43	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite.Registrasi		1	1	0	00:01:43	<span style="background-color: green; color: white;">█</span>

#### Test Execution Log

-	<span style="background-color: green; border: 1px solid black; padding: 2px;">SUITE</span> LoginTest
Full Name:	LoginTest
Source:	D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest
Start / End / Elapsed:	20230531 09:41:02.538 / 20230531 09:42:45.745 / 00:01:43.207
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+	<span style="background-color: green; border: 1px solid black; padding: 2px;">SUITE</span> TestSuite

## I. Browser Testing



### 13. Registrasi 2

#### e. Scenario

```
|TestRegistrasi2
Open Browser      http://127.0.0.1:8000/register      chrome
Set Selenium Implicit Wait      20
Sleep      10
Input Text      name      yohana tambunan
Input Text      email      tambunanyohana@gmail.com
Input Text      nohp      628237468235
Input Password    password      tambunanyohanall
Set Selenium Implicit Wait      15
Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
Sleep      15
Close Browser
Log      Test Completed
```

#### f. Test Case

	TestRegistrasi2		
Open Browser	http://127.0.0.1:8000/register	chrome	
Set Selenium Implicit Wait	20		
Sleep	10		
Input Text	name	yohana tambunan	
Input Text	email	tambunanyohana@gmail.com	
Input Text	nohp	628237468235	
Input Password	password	tambunanyohana11	
Set Selenium Implicit Wait	15		
Click Element	Xpath=/html/body/section/div/di...		
Sleep	15		
Close Browser			
Log	Test Completed		

g. Test Runner

## LoginTest Log

Generated  
20230531 10:00:36 UTC+07:00  
14 seconds ago


### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:44	
All Tests	1	1	0	00:00:44	
<b>Statistics by Tag</b>					
No Tags	Total	Pass	Fail	Elapsed	Pass / Fail
<b>Statistics by Suite</b>					
LoginTest	1	1	0	00:00:46	
LoginTest.TestSuite	1	1	0	00:00:46	
LoginTest.TestSuite.Registrasi	1	1	0	00:00:46	

### Test Execution Log

	<b>SUITE</b>	LoginTest
Full Name:	LoginTest	
Source:	D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest	
Start / End / Elapsed:	20230531 09:59:50.934 / 20230531 10:00:36.615 / 00:00:45.681	
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed	
	<b>SUITE</b>	TestSuite

h. Browser Testing



#### 14. Registrasi 3

##### i. Scenario


```
TestRegistras3
Open Browser      http://127.0.0.1:8000/register      chrome
Set Selenium Implicit Wait    20
Sleep    10
Input Text    name    dafne s
Input Text    email    simanjuntakdafne1@gmail.com
Input Text    nohp    6285311807993
Input Password    password    christian123
Set Selenium Implicit Wait    15
Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
Sleep    15
Close Browser
Log    Test Completed
```

##### j. Test Case

TestRegistras3		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	dafne s
Input Text	email	simanjuntakdafne1@gmail.com
Input Text	nohp	6285311807993
Input Password	password	christian123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

##### k. Test Runner

## I. Browser Testing



### 15. Registrasi 4

#### e. Scenario

```
TestRegistrasi4
Open Browser      http://127.0.0.1:8000/register      chrome
Set Selenium Implicit Wait    20
Sleep    10
Input Text    name    cici yanti L
Input Text    email    cicilubis@gmail.com
Input Text    nohp    6285311807925
Input Password  password    lubisll
Set Selenium Implicit Wait    15
Click Element   Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
Sleep    15
Close Browser
Log      Test Completed
```

#### f. Test case

Test Registrasi		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	cici yanti L
Input Text	email	cicilubis@gmail.com
Input Text	nohp	6285311807925
Input Password	password	lubis11
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]	
Sleep	15	
Close Browser		
Log	Test Completed	

### g. Test runner

#### LoginTest Log

Generated  
2023-05-31 10:09:58 UTC+07:00  
3 seconds ago


##### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:41	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:41	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag					
No Tags					<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite					
LoginTest	1	1	0	00:00:42	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:42	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:42	<div style="width: 100%; background-color: green;"></div>

##### Test Execution Log

-	<b>SUITE</b>	LoginTest
Full Name:	LoginTest	
Source:	D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest	
Start / End / Elapsed:	2023-05-31 10:09:16.475 / 2023-05-31 10:09:58.367 / 00:00:41.892	
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed	
+	<b>SUITE</b>	TestSuite

### h. Browser test



## 16. Registrasi 5

### i. Scenario

```
testRegistrasi5
  Open Browser      http://127.0.0.1:8000/register      chrome
  Set Selenium Implicit Wait    20
  Sleep    10
  Input Text    name    Luana Breka
  Input Text    email   brekal2300@gmail.com
  Input Text    nohp    6285311807912
  Input Password  password  breka2003
  Set Selenium Implicit Wait    15
  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
  Sleep    15
  Close Browser
  Log     Test Completed

testRegistrasi5
```

### j. Test case

...			
TestRegistrasi5			
Open Browser	http://127.0.0.1:8000/register	chrome	
Set Selenium Implicit Wait	20		
Sleep	10		
Input Text	name	Luana Breka	
Input Text	email	breka12300@gmail.com	
Input Text	nohp	6285311807912	
Input Password	password	breka2003	
Set Selenium Implicit Wait	15		
Click Element	Xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]/div[1]		
Sleep	15		
Close Browser			
Log	Test Completed		
...			

## k. Test runner

### LoginTest Log

Generated  
20230531 10:12:06 UTC+07:00  
2 seconds ago


#### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						
	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:40	<div style="width: 100%; background-color: green;"></div>

#### Test Execution Log

- <span style="color: green;">SUITE</span> LoginTest	Full Name: LoginTest
Source:	D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest
Start / End / Elapsed:	20230531 10:11:26.461 / 20230531 10:12:06.568 / 00:00:40.107
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
• <span style="color: green;">SUITE</span> TestSuite	

## I. Browser test



## 17. Registrasi 6

### a. Scenario

```
7● TestRegistrasi6
8      Open Browser      http://127.0.0.1:8000/register      chrome
9      Set Selenium Implicit Wait      20
0      Sleep      10
1      Input Text      name      yosevyn sipahutar
2      Input Text      email      yoyos1212@gmail.com
3      Input Text      nohp      6285311834912
4      Input Password      password      aritonangzicol23
5      Set Selenium Implicit Wait      15
6      Click Element      Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
7      Sleep      15
8      Close Browser
9      Log      Test Completed
0
```

### h. Test case

Test Registrasi		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	yosevyn sipahutar
Input Text	email	yoyos1212@gmail.com
Input Text	nohp	6285311834912
Input Password	password	aritonangzico123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]	
Sleep	15	
Close Browser		
Log	Test Completed	

### i. Test runner

#### LoginTest Log

Generated  
20230531 11:36:05 UTC+07:00  
3 seconds ago


##### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:41	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:41	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:41	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:41	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:41	<div style="width: 100%; background-color: green;"></div>

##### Test Execution Log

-	<span style="color: green;">SUITE</span>	LoginTest
Full Name:		LoginTest
Source:		D:\PERKULIAHAN SEMS 4\PKPL\PROYEK>LoginTest
Start / End / Elapsed:		20230531 11:35:24.055 / 20230531 11:36:05.154 / 00:00:41.099
Status:		1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+	<span style="color: green;">SUITE</span>	TestSuite

### j. Browser test



## 18. Login 7

### i. Scenario

```
TestRegistrasi7
Open Browser      http://127.0.0.1:8000/register      chrome
Set Selenium Implicit Wait  20
Sleep  10
Input Text    name    elsa.s
Input Text    email   ojensilalahi@gmail.com
Input Text    nohp    6285311834911
Input Password  password  ojenfrozen123
Set Selenium Implicit Wait  15
Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
Sleep  15
Close Browser
Log    Test Completed
```

### j. Test case



 TestRegistrasi7			
Open Browser	http://127.0.0.1:8000/register	chrome	
Set Selenium Implicit Wait	20		
Sleep	10		
Input Text	name	elsa.s	
Input Text	email	ojensilalahi@gmail.com	
Input Text	nohp	6285311834911	
Input Password	password	ojenfrozen123	
Set Selenium Implicit Wait	15		
Click Element	Xpath=/html/body/section/div/div...		
Sleep	15		
Close Browser			
Log	Test Completed		

## k. Test runner

### LoginTest Log

Generated  
20230531 11:36:05 UTC+07:00  
1 minute 48 seconds ago


#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:41	
All Tests	1	1	0	00:00:41	
<hr/>					
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:41	
LoginTest.TestSuite	1	1	0	00:00:41	
LoginTest.TestSuite.Registrasi	1	1	0	00:00:41	

#### Test Execution Log

 SUITE LoginTest	
Full Name:	LoginTest
Source:	D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest
Start / End / Elapsed:	20230531 11:35:24.055 / 20230531 11:36:05.154 / 00:00:41.099
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
 SUITE TestSuite	

## I. Browser test



## 19. Login 8 (Email )

### i. Scenario

```
TestRegistrasi8
Open Browser      http://127.0.0.1:8000/register      chrome
Set Selenium Implicit Wait    20
Sleep    10
Input Text    name    bintang tambun
Input Text    email    bintangtambungmail.com
Input Text    nohp    087899570216
Input Password    password    tambunanbintang
Set Selenium Implicit Wait    15
Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
Sleep    15
Close Browser
Log    Test Completed
```

### j. Test case

Test Registrasi 8		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	bintang tambun
Input Text	email	bintangtambungmail.com
Input Text	nohp	087899570216
Input Password	password	tambunanbintang
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## k. Test runner



## I. Browser test

**Registrasi**  
Silahkan buat akun anda

**Nama Lengkap**

**Email**  
 ! Please include an '@' in the email address. 'bintangtambungmail.com' is missing an '@'.

**No HP**

**Password**  
 Show

**DAFTAR**

Sudah punya akun? [Login](#)

## 11 Login 9

### i. Scenario

```

TestRegistrasi9
  Open Browser      http://127.0.0.1:8000/register      chrome
  Set Selenium Implicit Wait    20
  Sleep    10
  Input Text    name      melince sinaga
  Input Text    email     melincenaga@gmail.com
  Input Text    nohp      087899570212
  Input Password  password  sinagamelince123
  Set Selenium Implicit Wait    15
  Click Element   Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
  Sleep    15
  Close Browser
  Log      Test Completed

```

#### j. Test case

TestRegistrasi9		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	melince sinaga
Input Text	email	melincenaga@gmail.com
Input Text	nohp	087899570212
Input Password	password	sinagamelince123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

#### k. Test runner

## LoginTest Log

Generated  
2023-05-31 15:02:00 UTC+07:00  
1 minute 45 seconds ago

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:33	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:33	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:34	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:34	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:34	<div style="width: 100%; background-color: green;"></div>

### Test Execution Log

- <span style="background-color: #2e7131; color: white; border-radius: 50%; padding: 2px 5px;">SUITE</span> LoginTest
Full Name: LoginTest
Source: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest
Start / End / Elapsed: 2023-05-31 15:01:26.743 / 2023-05-31 15:02:00.428 / 00:00:33.685
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
+ <span style="background-color: #2e7131; color: white; border-radius: 50%; padding: 2px 5px;">SUITE</span> TestSuite

## I. Browser test

**Registrasi**  
Silahkan buat akun anda

**Nama Lengkap**

**Email**  
 ! Please include @ in the email address. 'melincenaga.gmail.com' is missing an '@'.

**Phone**

**Password**  
 Show

**DAFTAR**

Sudah punya akun? [Login](#)

### 20. Register 10 bb. Scenario

```

TestRegistrasi10
  Open Browser      http://127.0.0.1:8000/register      chrome
  Set Selenium Implicit Wait    20
  Sleep    10
  Input Text    name      ridwan tambunan
  Input Text    email     tambunanridwan0@gmail.com
  Input Text    nohp      087899289216
  Input Password  password  yohanaborupudan123
  Set Selenium Implicit Wait    15
  Click Element   Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
  Sleep    15
  Close Browser
  Log      Test Completed

```

### cc. Test case

TestRegistrasi10			
Open Browser	http://127.0.0.1:8000/register	chrome	
Set Selenium Implicit Wait	20		
Sleep	10		
Input Text	name	ridwan tambunan	
Input Text	email	tambunanridwan0@gmail.com	
Input Text	nohp	087899289216	
Input Password	password	yohanaborupudan123	
Set Selenium Implicit Wait	15		
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button		
Sleep	15		
Close Browser			
Log	Test Completed		
...			

### dd. Test runner

#### LoginTest Log

Generated  
20230531 15:06:10 UTC+07:00  
40 seconds ago


#### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:31	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:31	<div style="width: 100%; background-color: green;"></div>
<hr/>						
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: grey;"></div>
<hr/>						
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:32	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:32	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:32	<div style="width: 100%; background-color: green;"></div>

#### Test Execution Log

-	<b>SUITE</b> LoginTest	
Full Name:	LoginTest	
Source:	D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest	
Start / End / Elapsed:	20230531 15:05:39.129 / 20230531 15:06:10.892 / 00:00:31.763	
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed	
+	<b>SUITE</b> TestSuite	

### ee. Browser test



ff. Register 11

gg. Scenario

```
➊ TestRegistrasi11
    Open Browser      http://127.0.0.1:8000/register      chrome
    Set Selenium Implicit Wait      20
    Sleep      10
    Input Text      name      david vincent
    Input Text      email      dvdvnct100@gmail.com
    Input Text      nohp      087899187216
    Input Password      password      dvdvnct1102
    Set Selenium Implicit Wait      15
    Click Element      Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
    Sleep      15
    Close Browser
    Log      Test Completed
```

hh. Test case

Test Registrasi 11		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	david vincent
Input Text	email	dvdvnct100@gmail.com
Input Text	nohp	087899187216
Input Password	password	dvdvnct1102
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## ii. Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 15:08:12.151
End Time:	2023-05-31 15:08:43.296
Elapsed Time:	00:00:31.145
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:31	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:31	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:31	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:31	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:31	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input type="radio"/> All Tests		

## jj. Browser test

**Registrasi**  
Silahkan buat akun anda

**Nama Lengkap**

**Email**

**Please include an '@' in the email address. 'dvdvnct100@gmail.com' is missing an '@'.**

**087899187216**

**Password**

**DAFTAR**

Sudah punya akun? [Login](#)

kk. Registrasi 12

## II. Scenario

```
TestRegistrasi12
    Open Browser      http://127.0.0.1:8000/register      chrome
    Set Selenium Implicit Wait      20
    Sleep      10
    Input Text      name      horas silaban
    Input Text      email      silabanhoras_gmail.com
    Input Text      nohp      0878995700976
    Input Password      password      silabanwelcome132
    Set Selenium Implicit Wait      15
    Click Element      Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
    Sleep      15
    Close Browser
    Log      Test Completed
```

## mm. Test case

- 🚧 TestRegistrasi12			
Open Browser	http://127.0.0.1:8000/register	chrome	
Set Selenium Implicit Wait	20		
Sleep	10		
Input Text	name	horas silaban	
Input Text	email	silabanhoras_gmail.com	
Input Text	nohp	0878995700976	
Input Password	password	silabanwelcome132	
Set Selenium Implicit Wait	15		
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button		
Sleep	15		
Close Browser			
Log	Test Completed		

## nn. Test runner


### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:32	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:32	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:33	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:32	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:32	<div style="width: 100%; background-color: green;"></div>

### Test Execution Log

- 💡 SUITE LoginTest	
Full Name:	LoginTest
Source:	D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest
Start / End / Elapsed:	20230531 15:39:08.340 / 20230531 15:39:40.872 / 00:00:32.532
Status:	1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed
- 💡 SUITE TestSuite	

## oo. Browser test



pp. Login 13

## qq. Scenario

```
TestRegistrasi13
  Open Browser      http://127.0.0.1:8000/register      chrome
  Set Selenium Implicit Wait    20
  Sleep    10
  Input Text    name    gundando situmorang
  Input Text    email   gunadooo@gmail.com
  Input Text    nohp    087899570109
  Input Password  password  gunadovscox
  Set Selenium Implicit Wait    15
  Click Element   Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
  Sleep    15
  Close Browser
  Log      Test Completed
```

## rr. Test case

Test Registrasi13		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	gundando situmorang
Input Text	email	gunadooo@gmail.com
Input Text	nohp	087899570109
Input Password	password	gunadovscox
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## ss. Test runner

### Summary Information

Status:	All tests passed
Start Time:	20230531 15:40:52.425
End Time:	20230531 15:41:23.732
Elapsed Time:	00:00:31.307
Log File:	<a href="#">log.html</a>


### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:31	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:31	<div style="width: 100%; background-color: green;"></div>
	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						
	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:31	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:31	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:31	<div style="width: 100%; background-color: green;"></div>

### Test Details

	Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests	<input type="radio"/> All Tests		

## tt. Browser test



## uu. Login 14


## vv. Scenario

```
TestRegistrasi14
  Open Browser      http://127.0.0.1:8000/register      chrome
  Set Selenium Implicit Wait  20
  Sleep  10
  Input Text  name  Juli sitorus
  Input Text  email  jualsitorusmail.com
  Input Text  nohp  087196570216
  Input Password  password  sayngtulang
  Set Selenium Implicit Wait  15
  Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
  Sleep  15
  Close Browser
  Log  Test Completed
```

## ww. Test case

TestRegistrasi14	
Open Browser	http://127.0.0.1:8000/register
Set Selenium Implicit Wait	20
Sleep	10
Input Text	name
	Juli sitorus
Input Text	email
	jualsitorusmail.com
Input Text	nohp
	087196570216
Input Password	password
	sayngtulang
Set Selenium Implicit Wait	15
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
Sleep	15
Close Browser	
Log	Test Completed

## xx. Test runner



## yy. Browser test

**Registrasi**  
Silahkan buat akun anda

**Nama Lengkap**

**Email**

**Phone**

**Password**

Sudah punya akun? [Login](#)

## NO HP

11. Registrasi 15

## 12. Scenario

```
TestRegistrasi15
  Open Browser      http://127.0.0.1:8000/register      chrome
  Set Selenium Implicit Wait    20
  Sleep   10
  Input Text    name      rahel sigalingging
  Input Text    email     rahelpotter@gmail.com
  Input Text    nohp      002
  Input Password password  potterheadhell
  Set Selenium Implicit Wait    15
  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
  Sleep   15
  Close Browser
  Log     Test Completed
```

## 13. Test case

TestRegistrasi15		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	rahel sigalingging
Input Text	email	rahelpotter@gmail.com
Input Text	nohp	002
Input Password	password	potterheadhell
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## 14. Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:00:29.007
End Time:	2023-05-31 16:01:02.757
Elapsed Time:	00:00:33.750

Log File: [log.html](#)

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:33	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:33	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:34	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:34	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:34	<div style="width: 100%; background-color: green;"></div>

### Test Details

[Totals](#) [Tags](#) [Suites](#) [Search](#)

Type:

Critical Tests

All Tests

## 15. Browser test

### Registrasi

Silahkan buat akun anda

**Nama Lengkap**



**Email**



**Nomor Telepon**

!

The nohp field must be at least 10 characters.

**Password**

  Show

**DAFTAR**

Sudah punya akun? [Login](#)

## 2. Registrasi 16


### 3. Scenario

```
TestRegistrasi16
  Open Browser      http://127.0.0.1:8000/register      chrome
  Set Selenium Implicit Wait      20
  Sleep      10
  Input Text      name      there sinaga
  Input Text      email      singa00@gmail.com
  Input Text      nohp      002312021
  Input Password    password      sinagal23
  Set Selenium Implicit Wait      15
  Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
  Sleep      15
  Close Browser
  Log      Test Completed
```

### 4. Test case

Test Registrasi 16			
Open Browser	http://127.0.0.1:8000/register	chrome	
Set Selenium Implicit Wait	20		
Sleep	10		
Input Text	name	there sinaga	
Input Text	email	singa00@gmail.com	
Input Text	nohp	002312021	
Input Password	password	sinagal123	
Set Selenium Implicit Wait	15		
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button		
Sleep	15		
Close Browser			
Log	Test Completed		

### 5. Test runner



### 6. Browser test

The screenshot shows a registration form titled "Registrasi" with the sub-instruction "Silahkan buat akun anda". The form fields include "Nama Lengkap" (Name), "Email", and "Nomor Telepon" (Phone Number). The phone number field contains "628xxxxxxxxx" and has a red error message below it: "The nohp field must be at least 10 characters." The password field is masked with asterisks. A "DAFTAR" (Register) button is at the bottom, and a "Login" link is below it.

**Registrasi**  
Silahkan buat akun anda

**Nama Lengkap**

Nama Lengkap

**Email**

Masukkan email anda

**Nomor Telepon**

628xxxxxxxxx !

The nohp field must be at least 10 characters.

**Password**

Show

**DAFTAR**

Sudah punya akun? [Login](#)

## 7. Registrasi 17

## 8. Scenario

```
❶ TestRegistrasi17
    Open Browser      http://127.0.0.1:8000/register      chrome
    Set Selenium Implicit Wait      20
    Sleep      10
    Input Text      name      riel sigalingging
    Input Text      email      megariel@gmail.com
    Input Text      nohp      01231205
    Input Password      password      gabrielllll23
    Set Selenium Implicit Wait      15
    Click Element      Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
    Sleep      15
    Close Browser
    Log      Test Completed
```

## 9. Test case

Test Registrasi 17		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	riel sigalingging
Input Text	email	megarie@gmail.com
Input Text	nohp	01231205
Input Password	password	gabriellll123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]	
Sleep	15	
Close Browser		
Log	Test Completed	

## 10. Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:08:24.341
End Time:	2023-05-31 16:08:57.763
Elapsed Time:	00:00:33.422
Log File:	<a href="#">log.html</a>

**Test Statistics**

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:33	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:33	<div style="width: 100%; background-color: green;"></div>

Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						

Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:33	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:33	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:33	<div style="width: 100%; background-color: green;"></div>

**Test Details**

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests		
	<input type="radio"/> All Tests		

## 11. Browser test

The screenshot shows a registration form titled "Registrasi" with the sub-instruction "Silahkan buat akun anda". The form fields include:

- Nama Lengkap**: An input field with a user icon and placeholder "Nama Lengkap".
- Email**: An input field with an envelope icon and placeholder "Masukkan email anda".
- Nomor Telepon**: An input field with a phone icon containing "628xxxxxxxxx" and a red circular error icon.
- Message**: A red error message below the phone number field: "The nohp field must be at least 10 characters."
- Password**: An input field with a lock icon showing "\*\*\*\*\*" and a "Show" link.
- DAFTAR**: A blue "DAFTAR" button.
- Login Link**: A link "Sudah punya akun? [Login](#)" at the bottom.

## 12. Registrasi 18

### 13. Scenario

```
TestRegistrasi18
  Open Browser      http://127.0.0.1:8000/register      chrome
  Set Selenium Implicit Wait    20
  Sleep    10
  Input Text    name    demian simanjuntak
  Input Text    email    miandemian@gmail.com
  Input Text    nohp    01231205
  Input Password  password  sempurnal23
  Set Selenium Implicit Wait    15
  Click Element   Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
  Sleep    15
  Close Browser
  Log    Test Completed
```

### 14. Test case

Test Registrasi 18		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	demian simanjuntak
Input Text	email	miandemian@gmail.com
Input Text	nohp	01231205
Input Password	password	sempurnal23
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## 15. Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search

Type:  
 Critical Tests  
 All Tests

## 16. Browser test

### Registrasi

Silahkan buat akun anda

**Nama Lengkap**

**Email**

**Nomor Telepon**

 ⓘ

The nohp field must be at least 10 characters.

**Password**

 ⓘ [Show](#)

**DAFTAR**

Sudah punya akun? [Login](#)

## 17. Registrasi 19

## 18. Scenario

```
'TestRegistrasi19
    Open Browser      http://127.0.0.1:8000/register      chrome
    Set Selenium Implicit Wait      20
    Sleep      10
    Input Text      name      lulis siahaan
    Input Text      email      liliscantik@gmail.com
    Input Text      nohp      00231205
    Input Password    password    lilissiagiancantik123
    Set Selenium Implicit Wait      15
    Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
    Sleep      15
    Close Browser
    Log      Test Completed
```

## 19. Test case

Test Registrasi 19		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	lulis siahaan
Input Text	email	liliscantik@gmail.com
Input Text	nohp	00231205
Input Password	password	lilissiagiancantik123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## 20. Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						Pass / Fail
No Tags						<div style="width: 100%; background-color: #f0f0f0;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search

Type:  
 Critical Tests  
 All Tests

## 21. Browser test

**Registrasi**  
Silahkan buat akun anda

Nama Lengkap

Email

Nomor Telepon  
 (\*)  
The nohp field must be at least 10 characters.

Password  
 Show

**DAFTAR**

Sudah punya akun? [Login](#)

## 22. Registrasi 20

### 23. Scenario

```
7@ TestRegistrasi20
8    Open Browser      http://127.0.0.1:8000/register      chrome
9    Set Selenium Implicit Wait      20
0    Sleep      10
1    Input Text      name      hana maria
2    Input Text      email      hanamariasiahaan@gmail.com
3    Input Text      nohp      03231205
4    Input Password      password      siahaancantik
5    Set Selenium Implicit Wait      15
6    Click Element      Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
7    Sleep      21
8    Close Browser
9    Log      Test Completed
0
1
```

### 24. Test case

Test Registrasi 20		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	hana maria
Input Text	email	hanamariasiahaan@gmail.com
Input Text	nohp	03231205
Input Password	password	siahaancantik
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	21	
Close Browser		
Log	Test Completed	

## 25. Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## 26. Browser test

### Registrasi

Silahkan buat akun anda

Nama Lengkap

Email

Nomor Telepon

 628xxxxxxxxx ⓘ

The nohp field must be at least 10 characters.

Password

 \*\*\*\*

[DAFTAR](#)

Sudah punya akun? [Login](#)

## 27. Registrasi 21

## 28. Scenario

```
8@ TestRegistrasi22
9  Open Browser      http://127.0.0.1:8000/register      chrome
0  Set Selenium Implicit Wait    20
1  Sleep    10
2  Input Text    name    ziv zemy simanjuntak
3  Input Text    email    zemysimanjuntak@gmail.com
4  Input Text    nohp    0878923
5  Input Password    password    zemyjuntak123
6  Set Selenium Implicit Wait    15
7  Click Element    Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
8  Sleep    15
9  Close Browser
0  Log    Test Completed
1
```

## 29. Test case

Test Registrasi22		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	ziv zemy simanjuntak
Input Text	email	zemysimanjuntak@gmail.com
Input Text	nohp	0878923
Input Password	password	zemyjuntak123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## 30. Test runner

### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag					
No Tags					<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite					
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals    Tags    Suites    Search  
Type:  Critical Tests  
 All Tests

## 31. Browser test

The screenshot shows a registration form titled "Registrasi" with the sub-instruction "Silahkan buat akun anda". The form fields include:

- Nama Lengkap**: An input field with a user icon containing "Nama Lengkap".
- Email**: An input field with an envelope icon containing "Masukkan email anda".
- Nomor Telepon**: An input field containing "628xxxxxxxxx" with a red error message below it: "The nohp field must be at least 10 characters." A small "i" icon is also present.
- Password**: An input field with a lock icon containing "\*\*\*\*\*" and a "Show" link.

Below the form is a blue "DAFTAR" button and a link "Sudah punya akun? [Login](#)".

### 32. Registrasi 22

### 33. Scenario

```
8@ TestRegistrasi22
9  Open Browser      http://127.0.0.1:8000/register      chrome
0  Set Selenium Implicit Wait    20
1  Sleep    10
2  Input Text    name    ziv zemy simanjuntak
3  Input Text    email   zemysimanjuntak@gmail.com
4  Input Text    nohp    0878923
5  Input Password password zemyjuntak123
6  Set Selenium Implicit Wait    15
7  Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
8  Sleep    15
9  Close Browser
0  Log    Test Completed
1
```

### 34. Test case

8@ TestRegistrasi22		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	ziv zemy simanjuntak
Input Text	email	zemysimanjuntak@gmail.com
Input Text	nohp	0878923
Input Password	password	zemyjuntak123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## 35. Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search

Type:  Critical Tests  
 All Tests

## 36. Browser test

The screenshot shows a registration form titled "Registrasi". The form fields include "Nama Lengkap", "Email", "Nomor Telepon", and "Password". The "Nomor Telepon" field has an error message: "The nohp field must be at least 10 characters." A "DAFTAR" button is at the bottom.

**Registrasi**  
Silahkan buat akun anda

Nama Lengkap

Email

Nomor Telepon

628xxxxxxxxx ①

The nohp field must be at least 10 characters.

Password

\*\*\*\*\* Show

**DAFTAR**

Sudah punya akun? [Login](#)

## 37. Registrasi 23

## 38. Scenario

```
TestRegistrasi23
  Open Browser      http://127.0.0.1:8000/register      chrome
  Set Selenium Implicit Wait    20
  Sleep   10
  Input Text      name      samuel siahaan
  Input Text      email     samuelshaan@gmail.com
  Input Text      nohp      08172723
  Input Password    password  samuelshaan00123
  Set Selenium Implicit Wait    15
  Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
  Sleep   15
  Close Browser
  Log      Test Completed
```

## 39. Test case

TestRegistrasi23	
Open Browser	http://127.0.0.1:8000/register
Set Selenium Implicit Wait	20
Sleep	10
Input Text	name
	samuel siahaan
Input Text	email
	samuelshaan@gmail.com
Input Text	nohp
	08172723
Input Password	password
	samuelshaan00123
Set Selenium Implicit Wait	15
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
Sleep	15
Close Browser	
Log	Test Completed

## 40. Test runner

### Summary Information

Status: All tests passed  
Start Time: 20230531 16:10:26.348  
End Time: 20230531 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: white;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals    Tags    Suites    Search  
Type:  Critical Tests  
 All Tests

## 41. Browser test

The screenshot shows a registration form titled "Registrasi" with the sub-instruction "Silahkan buat akun anda". The form fields include "Nama Lengkap" (Full Name) with placeholder "Nama Lengkap", "Email" with placeholder "Masukkan email anda", "Nomor Telepon" (Phone Number) with placeholder "628xxxxxxxxx" and a red error message "The nohp field must be at least 10 characters.", and "Password" with placeholder "\*\*\*\*\*" and a "Show" button. A blue "DAFTAR" (Register) button is at the bottom, and a link "Sudah punya akun? Login" is below it.

## 42. Registrasi 24

### 43. Scenario

```
6@ TestRegistrasi24
7  Open Browser      http://127.0.0.1:8000/register      chrome
8  Set Selenium Implicit Wait    20
9  Sleep    10
0  Input Text      name      santi sandrina
1  Input Text      email     loyomuet@gmail.com
2  Input Text      nohp      2348924
3  Input Password  password  santiyyyyy123
4  Set Selenium Implicit Wait    15
5  Click Element   Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
6  Sleep    15
7  Close Browser
8  Log      Test Completed
9
```

### 44. Test case

-	TestRegistrasi24		
Open Browser	http://127.0.0.1:8000/register	chrome	
Set Selenium Implicit Wait	20		
Sleep	10		
Input Text	name	santi sandrina	
Input Text	email	loyomuet@gmail.com	
Input Text	nohp	2348924	
Input Password	password	santiyyyyy123	
Set Selenium Implicit Wait	15		
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button		
Sleep	15		
Close Browser			
Log	Test Completed		

## 45. Test runner

### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search

Type:  Critical Tests  
 All Tests

## 46. Browser test

### Registrasi

Silahkan buat akun anda

Nama Lengkap

Email

Nomor Telepon

 628xxxxxxxxx ⓘ

The nohp field must be at least 10 characters.

Password

 \*\*\*\* Show

**DAFTAR**

Sudah punya akun? [Login](#)

## 47. Registrasi 25

## 48. Scenario


```
TestRegistrasi25
  Open Browser      http://127.0.0.1:8000/register      chrome
  Set Selenium Implicit Wait    20
  Sleep    10
  Input Text      name      yerobeam
  Input Text      email     yeroyerol23@gmail.com
  Input Text      nohp      08612631
  Input Password   password    iisma2022
  Set Selenium Implicit Wait    15
  Click Element   Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
  Sleep    15
  Close Browser
  Log      Test Completed
```

## 49. Test case

...		
TestRegistrasi25		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	yerobeam
Input Text	email	yeroyerol23@gmail.com
Input Text	nohp	08612631
Input Password	password	iisma2022
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## 50. Test runner

## 51. Browser test



## 52. Registrasi 26

### 53. Scenario

```

365
366 @TestRegistrasi26
367     Open Browser      http://127.0.0.1:8000/register      chrome
368     Set Selenium Implicit Wait    20
369     Sleep    10
370     Input Text    name    samuel tobing
371     Input Text    email    tobining123@gmail.com
372     Input Text    nohp    08126371
373     Input Password    password    samtobining121
374     Set Selenium Implicit Wait    15
375     Click Element    Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
376     Sleep    15
377     Close Browser
378     Log    Test Completed
379


```

### 54. Test case

...		
TestRegistrasi25		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	yerobeam
Input Text	email	yeroyer123@g...
Input Text	nohp	08612631
Input Password	password	iisma2022
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

### 55. Test runner

### 56. Browser test



57. Registrasi 27

## 58. Scenario

```
379
380@TestRegistrasi27
381    Open Browser      http://127.0.0.1:8000/register      chrome
382    Set Selenium Implicit Wait    20
383    Sleep    10
384    Input Text      name      jusepril simanjuntak
385    Input Text      email     jusep123@gmail.com
386    Input Text      nohp      0912381
387    Input Password    password      jusepsempurna
388    Set Selenium Implicit Wait    15
389    Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
390    Sleep    15
391    Close Browser
392    Log      Test Completed
393
394
395
396
```

## 59. Test case

... └ TestRegistrasi27		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	jusepri simanjuntak
Input Text	email	jusep123@gmail.com
Input Text	nohp	0912381
Input Password	password	jusepsempurna
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[...]	
Sleep	15	
Close Browser		
Log		Test Completed

## 60. Test runner

## 61. Browser test

62. Registrasi 28

### e) Scenario

```
416└ TestRegistrasi29
417  Open Browser  http://127.0.0.1:8000/register  chrome
418  Set Selenium Implicit Wait  20
419  Sleep 10
420  Input Text name samuel sibuea
421  Input Text email samif20@gmail.com
422  Input Text nohp 085311807887
423  Input Password password ak
424  Set Selenium Implicit Wait 15
425  Click Element Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
426  Sleep 15
427  Close Browser
428  Log Test Completed
```

### f) Test case

... └ TestRegistrasi29		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	samuel sibuea
Input Text	email	samif20@gmail.com
Input Text	nohp	085311807887
Input Password	password	ak
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[...]	
Sleep	15	
Close Browser		
Log		Test Completed

### g) Test runner

### h) Browser test

**Registrasi**  
Silahkan buat akun anda

**Nama Lengkap**

**Email**

**Nomor Telepon**  
 628xxxxxxxxx ①  
The nohp field must be at least 10 characters.

**Password**  
 \*\*\*\* Show

**DAFTAR**

Sudah punya akun? [Login](#)

## 1. Registrasi 22

### e) Scenario

```

429
430@ TestRegistrasi30
431  Open Browser      http://127.0.0.1:8000/register      chrome
432  Set Selenium Implicit Wait   20
433  Sleep   10
434  Input Text    name    samuel tobing
435  Input Text    email   tobing123@gmail.com
436  Input Text    nohp    085311807864
437  Input Password password   er
438  Set Selenium Implicit Wait   15
439  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
440  Sleep   15
441  Close Browser
442  Log    Test Completed
443

```

### f) Test case

Test Registrasi 30		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	samuel tobing
Input Text	email	tobing123@gmail.com
Input Text	nohp	085311807864
Input Password	password	er
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

### g) Test runner

### h) Browser test

**Registrasi**  
Silahkan buat akun anda

**Nama Lengkap**

**Email**

**Nomor Telepon**  
628xxxxxxxxx ⓘ  
The nohp field must be at least 10 characters.

**Password**

**DAFTAR**

Sudah punya akun? [Login](#)

i) Registrasi 23

j) Scenario

```

443
444 @TestRegistrasi31
445     Open Browser      http://127.0.0.1:8000/register      chrome
446     Set Selenium Implicit Wait    20
447     Sleep    10
448     Input Text    name    sandro panjaitan
449     Input Text    email    panjaitansandro1212@gmail.com
450     Input Text    nohp    085311807833
451     Input Password    password    e
452     Set Selenium Implicit Wait    15
453     Click Element    Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
454     Sleep    15
455     Close Browser
456     Log    Test Completed
457

```

k) Test case

...		
- ⚒ TestRegistrasi31		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	sandro panjaitan
Input Text	email	panjaitansandro1212@gmail.com
Input Text	nohp	085311807833
Input Password	password	e
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

l) Test runner

**m) Browser test**

**Registrasi**  
Silahkan buat akun anda

**Nama Lengkap**

**Email**

**Nomor Telepon**  
 628xxxxxxxx (i)  
The nohp field must be at least 10 characters.

**Password**  
 \*\*\*\*\*

**DAFTAR**

Sudah punya akun? [Login](#)

**n) Registrasi 24**

**o) Scenario**

```
458@ TestRegistrasi32
459  Open Browser      http://127.0.0.1:8000/register      chrome
460  Set Selenium Implicit Wait   20
461  Sleep   10
462  Input Text    name    putri wita
463  Input Text    email   na70putriwital212@gmail.com
464  Input Text    nohp    08531180782312
465  Input Password password   er
466  Set Selenium Implicit Wait   15
467  Click Element   Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
468  Sleep   15
469  Close Browser
470  Log     Test Completed
471
```

**p) Test case**

...			
TestRegistrasi31			
Open Browser	http://127.0.0.1:8000/register	chrome	
Set Selenium Implicit Wait	20		
Sleep	10		
Input Text	name	sandro panjaitan	
Input Text	email	panjaitansandro1212@gmail.com	
Input Text	nohp	085311807833	
Input Password	password	e	
Set Selenium Implicit Wait	15		
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button		
Sleep	15		
Close Browser			
Log	Test Completed		

q) **Test runner**

r) **Browser test**

s) Registrasi 25

t) **Scenario**

```
1
2@ TestRegistrasi33
3  Open Browser      http://127.0.0.1:8000/register      chrome
4  Set Selenium Implicit Wait    20
5  Sleep    10
6  Input Text      name      theofil nainggolan
7  Input Text      email      theosamosir88@gmail.com
8  Input Text      nohp      085311807823
9  Input Password  password      as
0  Set Selenium Implicit Wait    15
1  Click Element    Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
2  Sleep    15
3  Close Browser
4  Log      Test Completed
5
```

u) **Test case**

Test Registrasi 32		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	putri wita
Input Text	email	na70putriwita1212@gmail.com
Input Text	nohp	08531180782312
Input Password	password	er
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

v) **Test runner**

w) **Browser test**

x) Registrasi 26

e) **Scenario**

```

491
492@ TestRegistrasi34
493    Open Browser      http://127.0.0.1:8000/register      chrome
494    Set Selenium Implicit Wait    20
495    Sleep    10
496    Input Text    name    yudhi purba
497    Input Text    email    purbagarang@gmail.com
498    Input Text    nohp    085311807880
499    Input Password    password    purbapura
500    Set Selenium Implicit Wait    15
501    Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
502    Sleep    15
503    Close Browser
504    Log    Test Completed

```

**f) Test case**

...		
TestRegistrasi34		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	yudhi purba
Input Text	email	purbagarang@gmail.com
Input Text	nohp	085311807880
Input Password	password	purbapura
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

**g) Test runner**

**h) Browser test**

**i) Registrasi 27**

**j) Scenario**

```

505
506@ TestRegistrasi35
507    Open Browser      http://127.0.0.1:8000/register      chrome
508    Set Selenium Implicit Wait    20
509    Sleep    10
510    Input Text    name    bundaresa
511    Input Text    email    bundaresa2@gmail.com
512    Input Text    nohp    085311807844
513    Input Password    password    yayaadalah
514    Set Selenium Implicit Wait    15
515    Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
516    Sleep    15
517    Close Browser
518    Log    Test Completed
519

```

**k) Test case**

	TestRegistrasi35		
Open Browser	http://127.0.0.1:8000/register	chrome	
Set Selenium Implicit Wait	20		
Sleep	10		
Input Text	name	bundaresa	
Input Text	email	bundaresa12@gmail.com	
Input Text	nohp	085311807844	
Input Password	password	yayaadalah	
Set Selenium Implicit Wait	15		
Click Element	Xpath=/html/body/section/div/div[...]		
Sleep	15		
Close Browser			
Log	Test Completed		

**l) Test runner**

**m) Browser test**

n) Registrasi 28

**o) Scenario**

```

520
521@TestRegistrasi36
522    Open Browser      http://127.0.0.1:8000/register      chrome
523    Set Selenium Implicit Wait    20
524    Sleep    10
525    Input Text      name      gavin nababan
526    Input Text      email      gavinanime45@gmail.com
527    Input Text      nohp      085311807142
528    Input Password    password      tamvanbgt12
529    Set Selenium Implicit Wait    15
530    Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
531    Sleep    15
532    Close Browser
533    Log      Test Completed
534

```

**p) Test case**

	TestRegistrasi36		
Open Browser	http://127.0.0.1:8000/register	chrome	
Set Selenium Implicit Wait	20		
Sleep	10		
Input Text	name	gavin nababan	
Input Text	email	gavinanime45@gmail.com	
Input Text	nohp	085311807142	
Input Password	password	tamvanbgt12	
Set Selenium Implicit Wait	15		
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button		
Sleep	15		
Close Browser			
Log	Test Completed		

**q) Test runner**

**r) Browser test**

i) Scenario

```
7@TestRegistrasi20
8    Open Browser      http://127.0.0.1:8000/register      chrome
9    Set Selenium Implicit Wait      20
0    Sleep      10
1    Input Text      name      hana maria
2    Input Text      email      hanamariasiahaan@gmail.com
3    Input Text      nohp      03231205
4    Input Password      password      siahaancantik
5    Set Selenium Implicit Wait      15
6    Click Element      Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
7    Sleep      21
8    Close Browser
9    Log      Test Completed
0
1
```

j) Test case

k) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					

	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

**Test Details**

Totals    Tags    Suites    Search

Type:  Critical Tests  
 All Tests

l) Browser test

The screenshot shows a registration form titled "Registrasi" with the sub-instruction "Silahkan buat akun anda". The form fields include:

- Nama Lengkap**: A text input field with placeholder "Nama Lengkap".
- Email**: A text input field with placeholder "Masukkan email anda".
- Nomor Telepon**: A text input field containing "628xxxxxxxxx" with a red error message below it: "The nohp field must be at least 10 characters.".
- Password**: A password input field showing "\*\*\*\*\*" and a "Show" link.
- DAFTAR**: A blue "DAFTAR" button.
- Login Link**: A link at the bottom left that says "Sudah punya akun? [Login](#)".

m) Registrasi 21

n) Scenario

```
8@TestRegistrasi22
9  Open Browser      http://127.0.0.1:8000/register      chrome
0  Set Selenium Implicit Wait    20
1  Sleep    10
2  Input Text    name    ziv zemy simanjuntak
3  Input Text    email   zemysimanjuntak@gmail.com
4  Input Text    nohp    0878923
5  Input Password  password  zemyjuntak123
6  Set Selenium Implicit Wait    15
7  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
8  Sleep    15
9  Close Browser
0  Log     Test Completed
1
```

o) Test case

...		
TestRegistrasi22		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	ziv zemy simanjuntak
Input Text	email	zemysimanjuntak@gmail.com
Input Text	nohp	0878923
Input Password	password	zemyjuntak123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

p) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185

Log File: [log.html](#)

**Test Statistics**

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

**Test Details**

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input type="radio"/> All Tests		

q) Browser test

### Registrasi

Silahkan buat akun anda

**Nama Lengkap**

**Email**

**Nomor Telepon**

 628xxxxxxxxx ①

The nohp field must be at least 10 characters.

**Password**

 \*\*\*\*\* Show

**DAFTAR**

Sudah punya akun? [Login](#)

r) Registrasi 22

s) Scenario

```
8@ TestRegistrasi22
9  Open Browser      http://127.0.0.1:8000/register      chrome
0  Set Selenium Implicit Wait    20
1  Sleep    10
2  Input Text    name    ziv zemy simanjuntak
3  Input Text    email   zemysimanjuntak@gmail.com
4  Input Text    nohp    0878923
5  Input Password  password  zemyjuntakl23
6  Set Selenium Implicit Wait    15
7  Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
8  Sleep    15
9  Close Browser
0  Log     Test Completed
1
```

t) Test case

Test Registrasi22	
Open Browser	http://127.0.0.1:8000/register
Set Selenium Implicit Wait	20
Sleep	10
Input Text	name
	ziv zemy simanjuntak
Input Text	email
	zemysimanjuntak@gmail.com
Input Text	nohp
	0878923
Input Password	password
	zemyjuntakl23
Set Selenium Implicit Wait	15
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
Sleep	15
Close Browser	
Log	Test Completed

u) Test runner

Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: [log.html](#)

Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag					
No Tags					
Statistics by Suite					
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

Test Details

Totals Tags Suites Search  
Type:  Critical Tests  All Tests

v) Browser test

**Registrasi**  
Silahkan buat akun anda

**Nama Lengkap**

**Email**

**Nomor Telepon**

The nohp field must be at least 10 characters.

**Password**

**DAFTAR**

Sudah punya akun? [Login](#)

w) Registrasi 23

x) Scenario

```
# TestRegistrasi23
  Open Browser      http://127.0.0.1:8000/register      chrome
  Set Selenium Implicit Wait    20
  Sleep    10
  Input Text    name    samuel siahaan
  Input Text    email   samuelshaan@gmail.com
  Input Text    nohp    08172723
  Input Password  password samuelshaan00123
  Set Selenium Implicit Wait  15
  Click Element   Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
  Sleep    15
  Close Browser
  Log     Test Completed
```

y) Test case

Test Registrasi 23		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	samuel siahaan
Input Text	email	samuelshaan@gmail.com
Input Text	nohp	08172723
Input Password	password	samuelshaan00123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## z) Test runner

### Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185

Log File: [log.html](#)

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input type="radio"/> All Tests		

## aa) Browser test

### Registrasi

Silahkan buat akun anda

Nama Lengkap

Email

Nomor Telepon

 628XXXXXXXXX (\*)

The nohp field must be at least 10 characters.

Password

 \*\*\*\* \* \* \* \* \* Show

**DAFTAR**

Sudah punya akun? [Login](#)

## bb) Registrasi 24

### cc) Scenario

```
6@ TestRegistrasi24
7  Open Browser      http://127.0.0.1:8000/register      chrome
8  Set Selenium Implicit Wait    20
9  Sleep    10
0  Input Text      name      santi sandrina
1  Input Text      email     loyomuet@gmail.com
2  Input Text      nohp      2348924
3  Input Password  password  santiyyyyy123
4  Set Selenium Implicit Wait    15
5  Click Element   Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
6  Sleep    15
7  Close Browser
8  Log      Test Completed
9
```

### dd) Test case

Test Registrasi24		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	santi sandrina
Input Text	email	loyomuet@gmail.com
Input Text	nohp	2348924
Input Password	password	santiyyyyy123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

### ee) Test runner

#### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag					
No Tags					<div style="width: 0%; background-color: white;"></div>
Statistics by Suite					
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

#### Test Details

Totals    Tags    Suites    Search  
Type:  Critical Tests  
 All Tests

### ff) Browser test

**Registrasi**  
Silahkan buat akun anda

**Nama Lengkap**

**Email**

**Nomor Telepon**

 ⓘ

The nohp field must be at least 10 characters.

**Password**

 Show

**DAFTAR**

Sudah punya akun? [Login](#)

gg) Registrasi 25

**hh) Scenario**

```
TestRegistrasi25
Open Browser      http://127.0.0.1:8000/register      chrome
Set Selenium Implicit Wait    20
Sleep    10
Input Text    name    yerobeam
Input Text    email    yerooyerol23@gmail.com
Input Text    nohp    08612631
Input Password    password    iisma2022
Set Selenium Implicit Wait    15
Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
Sleep    15
Close Browser
Log    Test Completed
```

**ii) Test case**

...		
-  TestRegistrasi25		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	yerobeam
Input Text	email	yeroyer123@gmail.com
Input Text	nohp	08612631
Input Password	password	iisma2022
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]	
Sleep	15	
Close Browser		
Log	Test Completed	

#### jj) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	
All Tests		1	1	0	00:00:22	


	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						

	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	
LoginTest.TestSuite		1	1	0	00:00:22	
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	

**Test Details**

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

#### kk) Browser test



## ll) Registrasi 26

### mm) Scenario

```

365 ❸ TestRegistrasi26
367  Open Browser      http://127.0.0.1:8000/register    chrome
368  Set Selenium Implicit Wait   20
369  Sleep   10
370  Input Text    name    samuel tobing
371  Input Text    email   tobining123@gmail.com
372  Input Text    nohp    08126371
373  Input Password password    samtobining121
374  Set Selenium Implicit Wait   15
375  Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
376  Sleep   15
377  Close Browser
378  Log    Test Completed
379

```

### nn) Test case

...		
❸ TestRegistrasi25		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	yerobeam
Input Text	email	yeroyer123@g...
Input Text	nohp	08612631
Input Password	password	iisma2022
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## oo) Test runner

### Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185

Log File: log.html


### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input type="radio"/> All Tests		

## pp) Browser test



### Registrasi

Silahkan buat akun anda

Nama Lengkap

Email

Nomor Telepon

 628xxxxxxxxx (1)

The nohp field must be at least 10 characters.

Password

 \*\*\*\*\* Show

**DAFTAR**

Sudah punya akun? [Login](#)

qq) Registrasi 27

rr) Scenario

```

379
380@TestRegistrasi27
381    Open Browser      http://127.0.0.1:8000/register      chrome
382    Set Selenium Implicit Wait    20
383    Sleep    10
384    Input Text    name    jusepril simanjuntak
385    Input Text    email   jusep123@gmail.com
386    Input Text    nohp    0912381
387    Input Password  password    jusepsempurna
388    Set Selenium Implicit Wait    15
389    Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
390    Sleep    15
391    Close Browser
392    Log    Test Completed
393
394
395

```

### ss) Test case

#### tt) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	
All Tests	1	1	0	00:00:22	

	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					

	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	
LoginTest.TestSuite	1	1	0	00:00:22	
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	

**Test Details**

Totals    Tags    Suites    Search

Type:  Critical Tests  
 All Tests

### uu) Browser test

#### vv) Registrasi 29

```

#01
#02@TestRegistrasi28
#03    Open Browser      http://127.0.0.1:8000/register      chrome
#04    Set Selenium Implicit Wait    20
#05    Sleep    10
#06    Input Text    name    samuel tobingana
#07    Input Text    email   tobining123@gmail.com
#08    Input Text    nohp    085311807864
#09    Input Password  password    123
#10    Set Selenium Implicit Wait    15
#11    Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
#12    Sleep    15
#13    Close Browser
#14    Log    Test Completed

```

#### ww) Scenario

```

120
416@TestRegistrasi29
417  Open Browser      http://127.0.0.1:8000/register      chrome
418  Set Selenium Implicit Wait    20
419  Sleep   10
420  Input Text    name    samuel sibuea
421  Input Text    email   samif20@gmail.com
422  Input Text    nohp    085311807887
423  Input Password  password    ak
424  Set Selenium Implicit Wait    15
425  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
426  Sleep   15
427  Close Browser
428  Log     Test Completed
429

```

**xx) Test case**

**yy) Test runner**

**zz) Browser test**

The screenshot shows a registration form with the following fields and validation:

- Nama Lengkap:** Samuel Sibuea
- Email:** samif20@gmail.com
- Nomor Telepon:** 085311807887 (Validation message: "The nohp field must be at least 10 characters.")
- Password:** ak

At the bottom, there is a "DAFTAR" button and a link "Sudah punya akun? Login".

**s) Registrasi 30**

**t) Scenario**

```

120  Log     Test completed
429
430@TestRegistrasi30
431  Open Browser      http://127.0.0.1:8000/register      chrome
432  Set Selenium Implicit Wait    20
433  Sleep   10
434  Input Text    name    samuel tobing
435  Input Text    email   tobings123@gmail.com
436  Input Text    nohp    085311807864
437  Input Password  password    er
438  Set Selenium Implicit Wait    15
439  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
440  Sleep   15
441  Close Browser
442  Log     Test Completed
443

```

**u) Test case**

v) Test runner

w) Browser test

The screenshot shows a registration form titled "Registrasi" with the sub-instruction "Silahkan buat akun anda". The form fields are: "Nama Lengkap" (Full Name), "Email", "Nomor Telepon" (Phone Number), and "Password". The "Nomor Telepon" field contains "628xxxxxxxxx" and has a red validation message below it: "The nohp field must be at least 10 characters.". The "Password" field is masked with asterisks. A blue "DAFTAR" button is at the bottom, and a link "Sudah punya akun? Login" is at the bottom right.

x) Registrasi 31

y) Scenario

```
443
444@TestRegistrasi31
445    Open Browser      http://127.0.0.1:8000/register      chrome
446    Set Selenium Implicit Wait    20
447    Sleep    10
448    Input Text    name    sandro panjaitan
449    Input Text    email    panjaitansandrol212@gmail.com
450    Input Text    nohp    085311807833
451    Input Password    password    e
452    Set Selenium Implicit Wait    15
453    Click Element    Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
454    Sleep    15
455    Close Browser
456    Log    Test Completed
457
```

z) Test case

aa) Test runner

**bb) Browser test**

The screenshot shows a registration form titled "Registrasi" with the sub-instruction "Silahkan buat akun anda". The form fields include:

- Nama Lengkap**: An input field with a user icon and placeholder "Nama Lengkap".
- Email**: An input field with an envelope icon and placeholder "Masukkan email anda".
- Nomor Telepon**: An input field with a phone icon containing "628xxxxxxxxx" and a red error message "The nohp field must be at least 10 characters.".
- Password**: An input field with a lock icon showing "\*\*\*\*\*" and a "Show" button.

At the bottom right is a blue "DAFTAR" button, and below it is a link "Sudah punya akun? [Login](#)".

**cc) Registrasi 32**

**dd) Scenario**

```
458@TestRegistrasi32
459  Open Browser      http://127.0.0.1:8000/register      chrome
460  Set Selenium Implicit Wait    20
461  Sleep    10
462  Input Text    name    putri wita
463  Input Text    email   na70putriwital212@gmail.com
464  Input Text    nohp    08531180782312
465  Input Password    password    er
466  Set Selenium Implicit Wait    15
467  Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
468  Sleep    15
469  Close Browser
470  Log    Test Completed
471
```

**ee) Test case**

## ff) Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search

Type:  Critical Tests  
 All Tests

## gg) Browser test

### hh) Registrasi 34

#### ii) Scenario

```
1
2@TestRegistrasi33
3  Open Browser      http://127.0.0.1:8000/register      chrome
4  Set Selenium Implicit Wait    20
5  Sleep   10
6  Input Text    name    theofil_nainggolan
7  Input Text    email   theosamosir88@gmail.com
8  Input Text    nohp    085311807823
9  Input Password password as
10 Set Selenium Implicit Wait   15
11 Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
12 Sleep   15
13 Close Browser
14 Log    Test Completed
15
```

#### jj) Test case

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	
All Tests	1	1	0	00:00:22	

	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					

	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	
LoginTest.TestSuite	1	1	0	00:00:22	
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	

**Test Details**

- [Totals](#)
- [Tags](#)
- [Suites](#)
- [Search](#)

Type:  Critical Tests  
 All Tests

### kk) Test runner

### ll) Browser test

mm) Registrasi 34

### nn) Scenario

```

491
492@TestRegistrasi34
493    Open Browser      http://127.0.0.1:8000/register      chrome
494    Set Selenium Implicit Wait    20
495    Sleep    10
496    Input Text    name    yudhi purba
497    Input Text    email    purbagarang@gmail.com
498    Input Text    nohp    085311807880
499    Input Password    password    purbapura
500    Set Selenium Implicit Wait    15
501    Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
502    Sleep    15
503    Close Browser
504    Log    Test Completed

```

### oo) Test case

pp) Test runner

Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

Test Details

Totals    Tags    Suites    Search  
Type:  Critical Tests  
 All Tests

qq) Browser test

rr) Registrasi 36

ss) Scenario

```
505
506 @TestRegistrasi35
507     Open Browser      http://127.0.0.1:8000/register      chrome
508     Set Selenium Implicit Wait    20
509     Sleep    10
510     Input Text    name    bundaresa
511     Input Text    email    bundaresal2@gmail.com
512     Input Text    nohp    085311807844
513     Input Password    password    yayaadalah
514     Set Selenium Implicit Wait    15
515     Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
516     Sleep    15
517     Close Browser
518     Log    Test Completed
519
```

tt) Test case

## uu) Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals    Tags    Suites    Search  
Type:     Critical Tests  
           All Tests

## vv) Browser test

### ww) Registrasi 38

### xx) Scenario

```
520
521@#TestRegistrasi36
522    Open Browser      http://127.0.0.1:8000/register      chrome
523    Set Selenium Implicit Wait    20
524    Sleep    10
525    Input Text    name    gavin nababan
526    Input Text    email    gavinanime45@gmail.com
527    Input Text    nohp    085311807142
528    Input Password    password    tamvanbgt12
529    Set Selenium Implicit Wait    15
530    Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
531    Sleep    15
532    Close Browser
533    Log    Test Completed
534
```

### yy) Test case

## zz) Test runner

### Summary Information

```
Status: All tests passed
Start Time: 2023-05-31 16:10:26.348
End Time: 2023-05-31 16:10:48.533
Elapsed Time: 00:00:22.185
Log File: log.html
```

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search  
Type:  Critical Tests  
 All Tests

### aaa) Browser test

### aaa) Scenario 37

```
534
535@ TestRegistrasi37
536    Open Browser      http://127.0.0.1:8000/register      chrome
537    Set Selenium Implicit Wait    20
538    Sleep    10
539    Input Text    name    hizkia parhusip
540    Input Text    email    kidutphp8@gmail.com
541    Input Text    nohp    085311807888
542    Input Password    password    ndutttq
543    Set Selenium Implicit Wait    15
544    Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
545    Sleep    15
546    Close Browser
547    Log    Test Completed
548
```

### bbb) Test case

Test Registrasi37						
Open Browser		http://127.0.0.1:8000/register	chrome			
Set Selenium Implicit Wait		20				
Sleep		10				
Input Text	name	hizkia parhusip				
Input Text	email	kidutphp8@gmail.com				
Input Text	nohp	085311807888				
Input Password	password	ndutttq				
Set Selenium Implicit Wait		15				
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button					
Sleep		15				
Close Browser						
Log		Test Completed				

### ccc) Test runner

#### Summary Information

Status: All tests passed  
Start Time: 2023/05/31 16:10:26.348  
End Time: 2023/05/31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

#### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	
All Tests	1	1	0	00:00:22	
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	
LoginTest.TestSuite	1	1	0	00:00:22	
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	

#### Test Details

Totals Tags Suites Search

Type:  Critical Tests  
 All Tests

### ddd) Browser test

#### eee) Registrasi 38

#### fff) Scenario

### ggg) Test case

```
549@TestRegistrasi38
550  Open Browser  http://127.0.0.1:8000/register  chrome
551  Set Selenium Implicit Wait  20
552  Sleep  10
553  Input Text  name  boy anugrah
554  Input Text  email  anugrahjalil2@gmail.com
555  Input Text  nohp  085311807822
556  Input Password  password  byttboy
557  Set Selenium Implicit Wait  15
558  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
559  Sleep  15
560  Close Browser
561  Log  Test Completed
562
```

### hhh) Test runner

#### iii) Browser test

#### jjj) Registrasi 39

#### kkk) Scenario

```

562
563@ TestRegistrasi39
564    Open Browser      http://127.0.0.1:8000/register      chrome
565    Set Selenium Implicit Wait    20
566    Sleep    10
567    Input Text    name    dion silalahi
568    Input Text    email   123silalahidiongmail.com
569    Input Text    nohp    085311387864
570    Input Password  password    diosidooo
571    Set Selenium Implicit Wait    15
572    Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
573    Sleep    15
574    Close Browser
575    Log     Test Completed
576

```

### III) Test case

Test Registrasi 39		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	boy anugrah
Input Text	email	anugrahjali12@gmail.com
Input Text	nohp	085311807822
Input Password	password	bytttboy
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

### mmm) Test runner

### nnn) Browser test

### ooo) Registrasi 40

### ppp) Scenario

```

582@ TestRegistrasi40
583    Open Browser      http://127.0.0.1:8000/register      chrome
584    Set Selenium Implicit Wait    20
585    Sleep    10
586    Input Text    name    vistar rajagukguk
587    Input Text    email   vstrarrajagukguk@gmail.com
588    Input Text    nohp    08538
589    Input Password  password    es
590    Set Selenium Implicit Wait    15
591    Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
592    Sleep    15
593    Close Browser
594    Log     Test Completed
595

```

### qqq) Test case

...		
TestRegistrasi39		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	dion silalahi
Input Text	email	123silalahidiong@gmail.com
Input Text	nohp	085311387864
Input Password	password	diosidooo
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div...	
Sleep	15	
Close Browser		
Log	Test Completed	

rrr) Test runner

sss) Browser test

bbb) Registrasi 41  
ccc) Scenario

```

595
596 TestRegistrasi41
597 Open Browser http://127.0.0.1:8000/register chrome
598 Set Selenium Implicit Wait 20
599 Sleep 10
600 Input Text name nico rajagukguk
601 Input Text email rggnicol23@gmail.com
602 Input Text nohp 085
603 Input Password password emas
604 Set Selenium Implicit Wait 15
605 Click Element Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
606 Sleep 15
607 Close Browser
608 Log Test Completed
609

```

ddd) Test case

...		
TestRegistrasi41		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	nico rajagukguk
Input Text	email	rggnico123@gmail.com
Input Text	nohp	085
Input Password	password	emas
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

eee) Test runner

fff) Browser test

ggg) Registrasi 42  
hhh) Scenario

```
610
611@TestRegistrasi42
612  Open Browser      http://127.0.0.1:8000/register      chrome
613  Set Selenium Implicit Wait  20
614  Sleep  10
615  Input Text  name  mellss@ tobing
616  Input Text  email  melissa123@gmail.com
617  Input Text  nohp  01131
618  Input Password  password  to3
619  Set Selenium Implicit Wait  15
620  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
621  Sleep  15
622  Close Browser
623  Log  Test Completed
```

iii) Test case

...		
■	TestRegistrasi42	
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	mellss@ tobing
Input Text	email	melissa123@gmail.com
Input Text	nohp	01131
Input Password	password	to3
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

jjj) Test runner

Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
All Tests	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
Statistics by Tag					
No Tags					
Statistics by Suite					
LoginTest	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>

Test Details

Totals    Tags    Suites    Search  
Type:  Critical Tests  
 All Tests

kkk) Browser test

lll) Registrasi 43

mmm) Scenario

```
625
626@TestRegistrasi43
627  Open Browser      http://127.0.0.1:8000/register      chrome
628  Set Selenium Implicit Wait   20
629  Sleep   10
630  Input Text    name    m2rull tua
631  Input Text    email   marulitampan123@gmail.com
632  Input Text    nohp   011311
633  Input Password password   tog123
634  Set Selenium Implicit Wait   15
635  Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
636  Sleep   15
637  Close Browser
638  Log    Test Completed
639
```

nnn) Test case

Test Registrasi43		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	m2rull tua
Input Text	email	marulitampan123@gmail.com
Input Text	nohp	011311
Input Password	password	tog123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

ooo) Test runner

Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

Test Details

Totals    Tags    Suites    Search  
Type:  Critical Tests  
 All Tests

ppp) Browser test

qqq) Registrasi 44

rrr) Scenario

```

640
641 @TestRegistrasi44
642     Open Browser      http://127.0.0.1:8000/register      chrome
643     Set Selenium Implicit Wait    20
644     Sleep    10
645     Input Text    name    @ndre4s art4
646     Input Text    email   artamanik@gmail.com
647     Input Text    nohp    011311
648     Input Password password      mpan123
649     Set Selenium Implicit Wait    15
650     Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
651     Sleep    15
652     Close Browser
653     Log      Test Completed
654

```

sss) Test case

Test Registrasi44		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	@ndre4s art4
Input Text	email	artamanik@gmail.com
Input Text	nohp	011311
Input Password	password	mpan123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

ttt) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

**Test Statistics**

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
All Tests		1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>

Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<span style="background-color: grey;">█</span>

Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite		1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>

**Test Details**

Totals    Tags    Suites    Search

Type:  Critical Tests  All Tests

uuu) Browser test

vvv) Registrasi 45

**www) Scenario**

```
655
656@ TestRegistrasi45
657  Open Browser  http://127.0.0.1:8000/register  chrome
658  Set Selenium Implicit Wait  20
659  Sleep  10
660  Input Text  name  d3stln4 m@nurung
661  Input Text  email  destinamanurung99@gmail.com
662  Input Text  nohp  0093
663  Input Password  password  t22
664  Set Selenium Implicit Wait  15
665  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
666  Sleep  15
667  Close Browser
668  Log  Test Completed
669
```

**xxx) Test case**

Test Registrasi45		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	d3stln4 m@nurung
Input Text	email	destinamanurung99@gmail.com
Input Text	nohp	0093
Input Password	password	t22
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

**yyy) Test runner  
zzz) Browser test**

**aaaa) Registrasi 46  
bbbb) Scenario**

```
674
675@ TestRegistrasi46
676  Open Browser  http://127.0.0.1:8000/register  chrome
677  Set Selenium Implicit Wait  20
678  Sleep  10
679  Input Text  name  @ndreis art4
680  Input Text  email  artamanik@gmail.com
681  Input Text  nohp  011311802364
682  Input Password  password  tobingl23
683  Set Selenium Implicit Wait  15
684  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
685  Sleep  15
686  Close Browser
687  Log  Test Completed
688
```

**cccc) Test case**

TestRegistrasi46		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	@ndre4s art4
Input Text	email	artamanik@gmail.com
Input Text	nohp	011311802364
Input Password	password	tobing123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[...]	
Sleep	15	
Close Browser		
Log	Test Completed	

#### dddd) Test runner

##### Summary Information

**Status:** All tests passed  
**Start Time:** 2023-05-31 16:10:26.348  
**End Time:** 2023-05-31 16:10:48.533  
**Elapsed Time:** 00:00:22.185  
**Log File:** log.html

##### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
<b>Statistics by Tag</b>						
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

##### Test Details

[Totals](#)   [Tags](#)   [Suites](#)   [Search](#)  
**Type:**  Critical Tests  
 All Tests

#### eeee) Browser test

#### ffff) Registrasi 47

#### gggg) Scenario

689	690	TestRegistrasi47	
691	Open Browser	http://127.0.0.1:8000/register	chrome
692	Set Selenium Implicit Wait	20	
693	Sleep	10	
694	Input Text	@man4nda r3ginal	
695	Input Text	email	amandamanada@gmail.com
696	Input Text	nohp	01131232364
697	Input Password	password	benedikkkk
698	Set Selenium Implicit Wait	15	
699	Click Element	Xpath=/html/body/section/div/div[div[2]/div/form/div[5]/button	
700	Sleep	15	
701	Close Browser		
702	Log	Test Completed	
703			

#### hhhh) Test case

Test Registrasi47		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	@man4nda r3gina1
Input Text	email	amandamanada@gmail.com
Input Text	nohp	01131232364
Input Password	password	benedikkkk
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[...]	
Sleep	15	
Close Browser		
Log	Test Completed	

#### iii) Test runner

#### jjjj) Browser test

Variasi 1 (Nama valid, Email valid, No HP valid dan password valid)

#### 21. Registrasi 1

##### m. Scenario 48

```

704
705
706● TestRegistrasi48
707 Open Browser      http://127.0.0.1:8000/register      chrome
708 Set Selenium Implicit Wait    20
709 Sleep   10
710 Input Text   name   2mb3tt 21
711 Input Text   email   kembet1212@gmail.com
712 Input Text   nohp   012311802364
713 Input Password   password   nmrng1212
714 Set Selenium Implicit Wait    15
715 Click Element   Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
716 Sleep   15
717 Close Browser
718 Log     Test Completed
719

```

##### n. Test Case

Test Registrasi48		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	2mb3tt 21
Input Text	email	kembet1212@gmail.com
Input Text	nohp	012311802364
Input Password	password	nmrng1212
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[...]	
Sleep	15	
Close Browser		
Log	Test Completed	

##### o. Test Runner

## Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

## Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	
All Tests	1	1	0	00:00:22	

Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					

Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	
LoginTest.TestSuite	1	1	0	00:00:22	
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	

## Test Details

Totals   Tags   Suites   Search

Type:  Critical Tests  
 All Tests

### p. Browser Testing

## 22. Registrasi 49

### m. Scenario

```
720
721● TestRegistrasi49
722  Open Browser  http://127.0.0.1:8000/register  chrome
723  Set Selenium Implicit Wait  20
724  Sleep  10
725  Input Text  name  j0su@
726  Input Text  email  mnrrngl212..gmail.com
727  Input Text  nohp  0113118122364
728  Input Password  password  raynaldyyy
729  Set Selenium Implicit Wait  15
730  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
731  Sleep  15
732  Close Browser
733  Log  Test Completed
734
```

### n. Test Case

...		
- TestRegistrasi49		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	j0su@
Input Text	email	mnrng1212..gmail.com
Input Text	nohp	0113118122364
Input Password	password	raynaldyyy
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[...]	
Sleep	15	
Close Browser		
Log	Test Completed	

## o. Test Runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
<hr/>					
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: grey;"></div>
<hr/>					
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals    Tags    Suites    Search

Type:  Critical Tests  
 All Tests

## p. Browser Testing

### 23. Registrasi 50

#### i. Scenario

```

734
735@ TestRegistrasi50
736    Open Browser      http://127.0.0.1:8000/register      chrome
737    Set Selenium Implicit Wait    20
738    Sleep    10
739    Input Text    name    rain4ldl
740    Input Text    email    kalakkarol.gmail.com
741    Input Text    nohp    0113118122312
742    Input Password    password    mnrng1212
743    Set Selenium Implicit Wait    15
744    Click Element    Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
745    Sleep    15
746    Close Browser
747    Log    Test Completed
748

```

## j. Test case

Test Registrasi 50			
Open Browser	http://127.0.0.1:8000/register	chrome	
Set Selenium Implicit Wait	20		
Sleep	10		
Input Text	name	rain4ld1	
Input Text	email	kalakkaro1@gmail.com	
Input Text	nohp	0113118122312	
Input Password	password	nmmng1212	
Set Selenium Implicit Wait	15		
Click Element	Xpath=/html/body/section/div/div...		
Sleep	15		
Close Browser			
Log	Test Completed		

## k. Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: grey;"></div>

Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

**Test Details**

Totals    Tags    Suites    Search

Type:  Critical Tests  
 All Tests

## I. Browser test

### 24. Registrasi 51

#### m. Scenario

```

748
749@ TestRegistrasi51
750  Open Browser      http://127.0.0.1:8000/register      chrome
751  Set Selenium Implicit Wait   20
752  Sleep   10
753  Input Text    name      est1 m4nurung
754  Input Text    email     sbdihon121212@gmail.com
755  Input Text    nohp      01131181223464
756  Input Password password  mnrrngjabir
757  Set Selenium Implicit Wait   15
758  Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
759  Sleep   15
760  Close Browser
761  Log     Test Completed
762
763

```

## n. Test case

TestRegistrasi51	
Open Browser	http://127.0.0.1:8000/register
Set Selenium Implicit Wait	20
Sleep	10
Input Text	name      est1 m4nurung
Input Text	email     sbdihon121212@gmail.com
Input Text	nohp      01131181223464
Input Password	password  mnrrngjabir
Set Selenium Implicit Wait	15
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
Sleep	15
Close Browser	
Log	Test Completed

## o. Test runner

### Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
<b>Statistics by Tag</b>					
No Tags					<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input type="radio"/> All Tests		

## p. Browser test

## 25. Registrasi 52

### a. Scenario

```
④ Login.robot ④ LogInTest/ed.xml ④ LogInTest/ed.xml ④ Registrasi.robot ✘ cucumberfeature testrunner.java step.java tambarproduk.robot
765@TestRegistrasi52
766  Open Browser      http://127.0.0.1:8000/register      chrome
767  Set Selenium Implicit Wait  20
768  Sleep  10
769  Input Text  name  argon marapaung
770  Input Text  email  marpaungargon123@gmail.com
771  Input Text  nohp  011311
772  Input Password  password  argondell123
773  Set Selenium Implicit Wait  15
774  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
775  Sleep  15
776  Close Browser
777  Log  Test Completed
778
```

### k. Test case

TestRegistrasi52		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	argon marapaung
Input Text	email	marpaungargon123@gmail.com
Input Text	nohp	011311
Input Password	password	argondell123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## I. Test runner

### Summary Information

Status: All tests passed  
Start Time: 20230531 16:10:26.348  
End Time: 20230531 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag					
No Tags					<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite					
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input type="radio"/> All Tests		

### m. Browser test

## 26. Registrasi 53

### m. Scenario

```

778
779@ TestRegistrasi53
780    Open Browser      http://127.0.0.1:8000/register      chrome
781    Set Selenium Implicit Wait  20
782    Sleep  10
783    Input Text  name  marliina rajagukguk
784    Input Text  email  marlinarajagukguk123@gmail.com
785    Input Text  nohp  0113461
786    Input Password  password  marlinal23
787    Set Selenium Implicit Wait  15
788    Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
789    Sleep  15
790    Close Browser
791    Log  Test Completed
792

```

## n. Test case

Test Registrasi53		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	marliina rajagukguk
Input Text	email	marlinarajagukguk123@gmail.com
Input Text	nohp	0113461
Input Password	password	marlinal23
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## o. Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
All Tests		1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>

Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						

Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite		1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>

**Test Details**

Totals   Tags   Suites   Search

Type:  Critical Tests  All Tests

## p. Browser test

### 27. Registrasi 55

## m. Scenario

```

905      Log    Test Completed
906
907 @TestRegistrasi55
908     Open Browser  http://127.0.0.1:8000/register  chrome
909     Set Selenium Implicit Wait  20
910     Sleep  10
911     Input Text  name  lovinta maroaung
912     Input Text  email  marpaung123@gmail.com
913     Input Text  nohp  081253461
914     Input Password  password  yudisayangku
915     Set Selenium Implicit Wait  15
916     Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
917     Sleep  15
918     Close Browser
919     Log    Test Completed
920

```

## n. Test case

Test Registrasi55		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	lovinta maroaung
Input Text	email	marpaung123@gmail.com
Input Text	nohp	081253461
Input Password	password	yudisayangku
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## o. Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
All Tests	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>

Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					

Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>

**Test Details**

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## p. Browser test

## 12 Registrasi 56

### m. Scenario

```
820
821@ TestRegistrasi56
822    Open Browser      http://127.0.0.1:8000/register      chrome
823    Set Selenium Implicit Wait  20
824    Sleep   10
825    Input Text  name      yosafat tambunan
826    Input Text  email     yos.afat@gmail.com
827    Input Text  nohp     081726381
828    Input Password password  safatl213
829    Set Selenium Implicit Wait  15
830    Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
831    Sleep   15
832    Close Browser
833    Log     Test Completed
834
```

### n. Test case

...						
TestRegistrasi56						
Open Browser	http://127.0.0.1:8000/register	chrome				
Set Selenium Implicit Wait	20					
Sleep	10					
Input Text	name	yosafat tambunan				
Input Text	email	yos.afat@gmail.com				
Input Text	nohp	081726381				
Input Password	password	safatl213				
Set Selenium Implicit Wait	15					
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button					
Sleep	15					
Close Browser						
Log	Test Completed					

### o. Test runner

**Summary Information**

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: lightgray;"></div>

Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

**Test Details**

Totals   Tags   Suites   Search

Type:  Critical Tests  All Tests

### p. Browser test

## 28. Register 57

### zz. Scenario

```
833 Log Test Completed
834
835@TestRegistrasi57
836 Open Browser http://127.0.0.1:8000/register chrome
837 Set Selenium Implicit Wait 20
838 Sleep 10
839 Input Text name yuan siagian
840 Input Text email siagianyuan123@gmail.com
841 Input Text nohp 0876253
842 Input Password password yuanif19
843 Set Selenium Implicit Wait 15
844 Click Element Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
845 Sleep 15
846 Close Browser
847 Log Test Completed
848
```

### aaa. Test case

Test Registrasi57		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	yuan siagian
Input Text	email	siagianyuan123@gmail.com
Input Text	nohp	0876253
Input Password	password	yuanif19
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

### bbb. Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

**Test Statistics**

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: white;"></div>

Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

**Test Details**

Totals    Tags    Suites    Search

Type:  Critical Tests  
 All Tests

### ccc. Browser test

ddd. Register 58

**eee. Scenario**

```
848
849 10
850@TestRegistrasi58
851  Open Browser  http://127.0.0.1:8000/register  chrome
852  Set Selenium Implicit Wait  20
853  Sleep  10
854  Input Text  name  Hanna joevanka situmorang
855  Input Text  email  joevanka123@yahoo.com
856  Input Text  nohp  0110878995703271
857  Input Password  password  artasianipar
858  Set Selenium Implicit Wait  15
859  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
860  Sleep  15
861  Close Browser
862  Log  Test Completed
863
```

**fff. Test case**

Test Registrasi58		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	Hanna joevanka situmorang
Input Text	email	joevanka123@yahoo.com
Input Text	nohp	0110878995703271
Input Password	password	artasianipar
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

**ggg. Test runner**

**hhh. Browser test**

iii. Registrasi 59

**jjj. Scenario**

```
863
864@TestRegistrasi59
865  Open Browser  http://127.0.0.1:8000/register  chrome
866  Set Selenium Implicit Wait  20
867  Sleep  10
868  Input Text  name  jessika novitra marpaung
869  Input Text  email  jeprrdd123@gmail.com
870  Input Text  nohp  0110878995703123
871  Input Password  password  djcantelo
872  Set Selenium Implicit Wait  15
873  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
874  Sleep  15
875  Close Browser
876  Log  Test Completed
877
```

**kkk. Test case**

Test Registrasi59		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	jessika novitra marpaung
Input Text	email	jeprrd123@gmail.com
Input Text	nohp	0110878995703123
Input Password	password	djcantelo
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[...]	
Sleep	15	
Close Browser		
Log	Test Completed	

### III. Test runner

#### Summary Information

**Status:** All tests passed  
**Start Time:** 20230531 16:10:26.348  
**End Time:** 20230531 16:10:48.533  
**Elapsed Time:** 00:00:22.185  
**Log File:** log.html

#### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

#### Test Details

[Totals](#) [Tags](#) [Suites](#) [Search](#)  
**Type:**  Critical Tests  
 All Tests

### mmm. Browser test

### nnn. Scenario

```

891
892@TestRegistrasi61
893  Open Browser  http://127.0.0.1:8000/register  chrome
894  Set Selenium Implicit Wait  20
895  Sleep  10
896  Input Text  name  yoss grace naiborhu
897  Input Text  email  naiborhuyoss123@gmail.com
898  Input Text  nohp  08137077828975
899  Input Password  password  capitalsohol23
900  Set Selenium Implicit Wait  15
901  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
902  Sleep  15
903  Close Browser
904  Log  Test Completed
    
```

### ooo. Test case

Test Registrasi 61		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	yoss grace naiborhu
Input Text	email	naiborhuyoss123@gmail.com
Input Text	nohp	08137077828975
Input Password	password	capitalsoho123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[...]	
Sleep	15	
Close Browser		
Log	Test Completed	

## ppp. Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

**Test Statistics**

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: lightgray;"></div>

Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

**Test Details**

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## qqq. Browser test

### Registrasi 62

#### rrr.Scenario

```

05
06 @TestRegistrasi62
07 Open Browser      http://127.0.0.1:8000/register      chrome
08 Set Selenium Implicit Wait  20
09 Sleep   10
10 Input Text    name    cici yanti lubis
11 Input Text    email   cicicantik123.com
12 Input Text    nohp    08137077827635
13 Input Password password  cicioriginote
14 Set Selenium Implicit Wait  15
15 Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
16 Sleep   15
17 Close Browser
18 Log     Test Completed
19

```

#### sss. Test case

...		
TestRegistrasi62		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	cici yanti lubis
Input Text	email	cicicantik123.com
Input Text	nohp	08137077827635
Input Password	password	cicioriginote
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]	
Sleep	15	
Close Browser		
Log	Test Completed	

### ttt. Test runner

#### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

#### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

#### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

uuu.

### Browser test

## 16. Registrasi 63

## 17. Scenario

```
919
920@TestRegistrasi63
921    Open Browser      http://127.0.0.1:8000/register      chrome
922    Set Selenium Implicit Wait    20
923    Sleep    10
924    Input Text      name      fritz tree
925    Input Text      email      triyofanka123123.com
926    Input Text      nohp      081370778288236
927    Input Password    password      emysinambela
928    Set Selenium Implicit Wait    15
929    Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
930    Sleep    15
931    Close Browser
932    Log      Test Completed
933
934
```

## 18. Test case

⚠️ TestRegistrasi63		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	fritz tree
Input Text	email	triyofanka123123.com
Input Text	nohp	081370778288236
Input Password	password	emysinambela
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## 19. Test runner

## 20. Browser test

ttt) Registrasi 64

uuu) Scenario

```
935 11
936@TestRegistrasi64
937    Open Browser      http://127.0.0.1:8000/register      chrome
938    Set Selenium Implicit Wait    20
939    Sleep    10
940    Input Text      name      elsaday
941    Input Text      email      ojendayl23@gmail.com
942    Input Text      nohp      0813707
943    Input Password    password      12
944    Set Selenium Implicit Wait    15
945    Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
946    Sleep    15
947    Close Browser
948    Log      Test Completed
949
950
```

vvv) Test case

...		
TestRegistrasi64		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	elsaday
Input Text	email	ojenday123@gmail.com
Input Text	nohp	0813707
Input Password	password	12
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[1]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## www) Test runner

### Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail	
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>	
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>	
<hr/>							
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail	
No Tags						<div style="width: 0%; background-color: lightgray;"></div>	
<hr/>		<hr/>		<hr/>		<hr/>	
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail	
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>	
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>	
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>	

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## xxx) Browser test

### yyy) Registrasi 65

### zzz) Scenario

```

949
950
951● TestRegistrasi65
952  Open Browser  http://127.0.0.1:8000/register  chrome
953  Set Selenium Implicit Wait  20
954  Sleep  10
955  Input Text  name  puja jawak
956  Input Text  email  jawakk123@gmail.com
957  Input Text  nohp  08121307
958  Input Password  password  1131
959  Set Selenium Implicit Wait  15
960  Click Element  Xpath=/html/body/section/div/div[1]/div/form/div[5]/button
961  Sleep  15
962  Close Browser
963  Log  Test Completed
964

```

## aaaa) Test case

Test Registrasi 65		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	puja jawak
Input Text	email	jawakk123@gmail.com
Input Text	nohp	08121307
Input Password	password	1131
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[...]	
Sleep	15	
Close Browser		
Log	Test Completed	

#### bbbb) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: grey;"></div>

	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

**Test Details**

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests	<input type="radio"/> All Tests	

#### cccc) Browser test

#### dddd) Registrasi 67

#### eeee) Scenario

```

978  Log  Test Completed
979
980@TestRegistrasi67
981  Open Browser      http://127.0.0.1:8000/register      chrome
982  Set Selenium Implicit Wait    20
983  Sleep   10
984  Input Text  name    luis situmorang
985  Input Text  email   luistamvan123@gmail.com
986  Input Text  nohp   0813
987  Input Password password  172
988  Set Selenium Implicit Wait    15
989  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
990  Sleep   15
991  Close Browser
992  Log    Test Completed
993

```

#### ffff) Test case

Test Registrasi 68		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	joy nababan
Input Text	email	joyrio123@gmail.com
Input Text	nohp	0813347
Input Password	password	00
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[...]	
Sleep	15	
Close Browser		
Log	Test Completed	

#### gggg) Test runner

##### Summary Information

Status: All tests passed  
 Start Time: 2023-05-31 16:10:26.348  
 End Time: 2023-05-31 16:10:48.533  
 Elapsed Time: 00:00:22.185  
 Log File: log.html

##### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

##### Test Details

Totals    Tags    Suites    Search  
 Type:  Critical Tests  
 All Tests

#### hhhh) Browser test

#### iiii) Registrasi 68

#### jjjj) Scenario

```

993
994 @TestRegistrasi68
995   Open Browser      http://127.0.0.1:8000/register      chrome
996   Set Selenium Implicit Wait    20
997   Sleep    10
998   Input Text    name    zan peter
999   Input Text    email    peterzaan@gmail.com
000   Input Text    nohp    0813723
001   Input Password    password    098
002   Set Selenium Implicit Wait    15
003   Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
004   Sleep    15
005   Close Browser
006   Log    Test Completed
007
  
```

#### kkkk) Test case

Test Registrasi 68		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	zan peter
Input Text	email	peterzaan@gmail.com
Input Text	nohp	0813723
Input Password	password	098
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[...]	
Sleep	15	
Close Browser		
Log	Test Completed	

### III) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	
All Tests	1	1	0	00:00:22	

Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					

Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	
LoginTest.TestSuite	1	1	0	00:00:22	
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	

**Test Details**

- Totals
- Tags
- Suites
- Search

Type:  Critical Tests  
 All Tests

### mmmm) Browser test

nnnn) Registrasi 69

### oooo) Scenario

```

1007
1008@TestRegistrasi69
1009  Open Browser      http://127.0.0.1:8000/register      chrome
1010  Set Selenium Implicit Wait    20
1011  Sleep   10
1012  Input Text   name   lukass
1013  Input Text   email   lukasdepkom@gmail.com
1014  Input Text   nohp   08108707
1015  Input Password password   12
1016  Set Selenium Implicit Wait    15
1017  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
1018  Sleep   15
1019  Close Browser
1020  Log    Test Completed
1021
1022

```

### pppp) Test case

TestRegistrasi69		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	lukass
Input Text	email	lukasdepkom@gmail.com
Input Text	nohp	08108707
Input Password	password	12
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[...]	
Sleep	15	
Close Browser		
Log	Test Completed	

qqqq) Test runner

rrrr) Browser test

ssss) Registrasi 70

tttt) Scenario

```

024
025 TestRegistrasi70
026 Open Browser http://127.0.0.1:8000/register chrome
027 Set Selenium Implicit Wait 20
028 Sleep 10
029 Input Text name lu
030 Input Text email lukas@gmail.com
031 Input Text nohp 08108707
032 Input Password password healeyyy12
033 Set Selenium Implicit Wait 15
034 Click Element Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
035 Sleep 15
036 Close Browser
037 Log Test Completed
038

```

gggg) Test case

TestRegistrasi70		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	lu
Input Text	email	lukas@gmail.com
Input Text	nohp	08108707
Input Password	password	healeyyy12
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[...]	
Sleep	15	
Close Browser		
Log	Test Completed	

## hhhh) Test runner

### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search

Type:  Critical Tests  
 All Tests

## iiii) Browser test

### jjjj) Registrasi 71

## kkkk) Scenario

```
039
040 @Test
041     Open Browser      http://127.0.0.1:8000/register      chrome
042     Set Selenium Implicit Wait    20
043     Sleep   10
044     Input Text      name      meg
045     Input Text      email      meg1212@gmail.com
046     Input Text      nohp      08108707
047     Input Password    password      healeyyyl2
048     Set Selenium Implicit Wait    15
049     Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
050     Sleep   15
051     Close Browser
052     Log      Test Completed
```

## llll) Test case

## mmmm) Test case

...		
» <b>TestRegistrasi71</b>		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	meg
Input Text	email	meg1212@gmail.com
Input Text	nohp	08108707
Input Password	password	healeyyy12
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## nnnn) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 100%; background-color: lightgray;"></div>

	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

**Test Details**

- Totals
- Tags
- Suites
- Search

Type:  Critical Tests  
 All Tests

## oooo) Browser test

### pppp) Registrasi 72

### qqqq) Scenario

```

1054
1055» TestRegistrasi72
1056    Open Browser      http://127.0.0.1:8000/register      chrome
1057    Set Selenium Implicit Wait    20
1058    Sleep    10
1059    Input Text    name    gress
1060    Input Text    email    gress1212@gmail.com
1061    Input Text    nohp    08108708
1062    Input Password    password    albertsayangku
1063    Set Selenium Implicit Wait    15
1064    Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
1065    Sleep    15
1066    Close Browser
1067    Log    Test Completed
1068
1069

```

## rrrr) Test case

Test Registrasi 7			
Open Browser	http://127.0.0.1:8000/register	chrome	
Set Selenium Implicit Wait	20		
Sleep	10		
Input Text	name	gress	
Input Text	email	gress1212@gmail.com	
Input Text	nohp	08108708	
Input Password	password	albertsayangku	
Set Selenium Implicit Wait	15		
Click Element	Xpath=/html/body/section/div/div[1]/button		
Sleep	15		
Close Browser			
Log	Test Completed		

## SSSS) Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: white;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## ttt) Browser test

The screenshot shows a registration form titled "Registrasi". It includes fields for Name, Email, Phone Number (with a note that it must be at least 10 characters long), and Password. A "DAFTAR" button is at the bottom.

## uuuu) Registrasi 73 vvvv) Scenario

```
1069
1070● TestRegistrasi73
1071  Open Browser      http://127.0.0.1:8000/register      chrome
1072  Set Selenium Implicit Wait  20
1073  Sleep  10
1074  Input Text  name  sis
1075  Input Text  email  siskaeunni1212@gmail.com
1076  Input Text  nohp  081087
1077  Input Password  password  eunnioppa12
1078  Set Selenium Implicit Wait  15
1079  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
1080  Sleep  15
1081  Close Browser
1082  Log  Test Completed
1083
```

## wwww) Test case

...		
TestRegistrasi73		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	sis
Input Text	email	siskaeunni1212@gmail.com
Input Text	nohp	081087
Input Password	password	eunnioppa12
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## xxxx) Test runner

### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search  
Type:  Critical Tests  
 All Tests

## yyyy) Browser test

### zzzz) Registrasi 74

### aaaaaa) Scenario

```
1083
1084
1085 @TestRegistrasi74
1086     Open Browser      http://127.0.0.1:8000/register      chrome
1087     Set Selenium Implicit Wait    20
1088     Sleep    10
1089     Input Text    name    yep
1090     Input Text    email   yeptaif21@gmail.com
1091     Input Text    nohp    086342
1092     Input Password    password    yepta1212
1093     Set Selenium Implicit Wait    15
1094     Click Element    Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
1095     Sleep    15
1096     Close Browser
1097     Log    Test Completed
1098
```

### bbbbbb) Test case

Test Registrasi 25		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	yerobeam
Input Text	email	yeroyeroyero123@gmail.com
Input Text	nohp	08612631
Input Password	password	iisma2022
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

### cccc) Test runner

#### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

#### Test Statistics


Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

#### Test Details

Totals Tags Suites Search

Type:  
 Critical Tests  
 All Tests

### dddd) Browser test



### eeeeee) Registrasi 75

#### Scenario

```

1098
1099@ TestRegistrasi75
1100    Open Browser      http://127.0.0.1:8000/register      chrome
1101    Set Selenium Implicit Wait   20
1102    Sleep   10
1103    Input Text   name   eva
1104    Input Text   email   evaangella@gmail.com
1105    Input Text   nohp   081523
1106    Input Password   password   evananggela
1107    Set Selenium Implicit Wait   15
1108    Click Element   Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
1109    Sleep   15
1110    Close Browser
1111    Log   Test Completed
1112

```

#### gggg) Test case

#### hhhh) Test runner

##### Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

##### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail	
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>	
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>	
<hr/>							
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail	
No Tags						<div style="width: 0%; background-color: white;"></div>	
<hr/>		Statistics by Suite		Total	Pass	Fail	
LoginTest				1	1	0	
LoginTest.TestSuite				1	1	0	
LoginTest.TestSuite.Registrasi				1	1	0	
<hr/>							

##### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

#### iiii) Browser test

#### jjjj) Registrasi 76

#### kkkkk) Scenario

```

1114@ 13
1115    TestRegistrasi76
1116    Open Browser      http://127.0.0.1:8000/register      chrome
1117    Set Selenium Implicit Wait   20
1118    Sleep   10
1119    Input Text   name   megarian
1120    Input Text   email   megarian1212@gmail.com
1121    Input Text   nohp   081ger
1122    Input Password   password   megiani
1123    Set Selenium Implicit Wait   15
1124    Click Element   Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
1125    Sleep   15
1126    Close Browser
1127    Log   Test Completed
1128

```

#### llll) Test case

#### mmmmm) Test runner

## nnnnn) Browser test

ooooo) Registrasi 77

## ppppp) Scenario

```
1128
1129● TestRegistrasi77
1130  Open Browser  http://127.0.0.1:8000/register  chrome
1131  Set Selenium Implicit Wait  20
1132  Sleep  10
1133  Input Text  name  hannjoe
1134  Input Text  email  hannajoemanrg@gmail.com
1135  Input Text  nchp  080853aa1523
1136  Input Password  password  evahannajoeenanggela
1137  Set Selenium Implicit Wait  15
1138  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
1139  Sleep  15
1140  Close Browser
1141  Log  Test Completed
1142
```

## qqqqq) Test case

## rrrrr) Test runner

### Summary Information

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## sssss) Browser test

The screenshot shows a registration form titled "Registrasi" with the sub-instruction "Silahkan buat akun anda". The form fields include:

- Nama Lengkap**: A text input field with a user icon placeholder.
- Email**: A text input field with an envelope icon placeholder.
- Nomor Telepon**: A text input field containing "628xxxxxxxxx" with a red error message "The nohp field must be at least 10 characters." to its right.
- Password**: A password input field with a lock icon placeholder, showing masked text "\*\*\*\*\*" and a "Show" link.

Below the form is a blue "DAFTAR" button and a link "Sudah punya akun? [Login](#)".

kkkk) Registrasi 22

### llll) Scenario 78

```

1141 Log Test Completed
1142
1143@#TestRegistrasi78
1144 Open Browser http://127.0.0.1:8000/register chrome
1145 Set Selenium Implicit Wait 20
1146 Sleep 10
1147 Input Text name baebie elaa
1148 Input Text email eliana@gmail.com
1149 Input Text nohp 0815see
1150 Input Password password barbiecharming
1151 Set Selenium Implicit Wait 15
1152 Click Element Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
1153 Sleep 15
1154 Close Browser
1155 Log Test Completed
1156

```

### mmmm) Test case

## nnnn) Test runner

### Summary Information

```
Status: All tests passed
Start Time: 2023-05-31 16:10:26.348
End Time: 2023-05-31 16:10:48.533
Elapsed Time: 00:00:22.185
Log File: log.html
```

### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>

	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search  
Type:  Critical Tests  
 All Tests

## oooo) Browser test

### pppp) Registrasi 79 qqqq) Scenario

```
1157@TestRegistrasi79
1158  Open Browser      http://127.0.0.1:8000/register      chrome
1159  Set Selenium Implicit Wait    20
1160  Sleep   10
1161  Input Text    name    elsa forzen
1162  Input Text    email   frozenelsa2@gmail.com
1163  Input Text    nonp   08153ed23
1164  Input Password password   frozennl23
1165  Set Selenium Implicit Wait    15
1166  Click Element Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
1167  Sleep   15
1168  Close Browser
1169  Log     Test Completed
1170
```

### rrrr) Test case

## ssss) Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search  
Type:  Critical Tests  
 All Tests

## ttt) Browser test

uuuu) Registrasi 80

### vvvv) Scenario

```
1171
1172@ TestRegistrasi80
1173  Open Browser      http://127.0.0.1:8000/register      chrome
1174  Set Selenium Implicit Wait    20
1175  Sleep   10
1176  Input Text    name    hana forzen
1177  Input Text    email   frozenhanal2@gmail.com
1178  Input Text    nohp    08ere1523
1179  Input Password password   frozenhanal23
1180  Set Selenium Implicit Wait    15
1181  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
1182  Sleep   15
1183  Close Browser
1184  Log     Test Completed
1185
```

wwww) Test case

## xxxx) Test runner

### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: grey;"></div>

	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search  
Type:  Critical Tests  
 All Tests

## yyyy) Browser test

## zzzz) Registrasi 81

### aaaaa) Scenario

```
1185
1186@TestRegistrasi81
1187    Open Browser      http://127.0.0.1:8000/register      chrome
1188    Set Selenium Implicit Wait      20
1189    Sleep      10
1190    Input Text      name      sofia silalahi
1191    Input Text      email      silalahisofia00@gmail.com
1192    Input Text      nohp      0815aq23
1193    Input Password      password      sofiathefirst
1194    Set Selenium Implicit Wait      15
1195    Click Element      Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
1196    Sleep      15
1197    Close Browser
1198    Log      Test Completed
1199
1200
```

### bbbb) Test case

## cccc) Test runner

### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>

	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search

Type:  Critical Tests  
 All Tests

## dddd) Browser test

### eeeeee) Registrasi 82 Scenario

```
1203
1204 @TestRegistration82
1205     Open Browser    http://127.0.0.1:8000/register    chrome
1206     Set Selenium Implicit Wait    20
1207     Sleep    10
1208     Input Text    name    ita
1209     Input Text    email    itajawak00@gmail.com
1210     Input Text    nohp    08123
1211     Input Password    password    itacantiks
1212     Set Selenium Implicit Wait    15
1213     Click Element    Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
1214     Sleep    15
1215     Close Browser
1216     Log    Test Completed
1217
```

### ggggg) Test case

## hhhh) Test runner

### Summary Information

```
Status: All tests passed
Start Time: 2023-05-31 16:10:26.348
End Time: 2023-05-31 16:10:48.533
Elapsed Time: 00:00:22.185
Log File: log.html
```

### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>

	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals    Tags    Suites    Search  
Type:  Critical Tests  
 All Tests

## iiii) Browser test

### jjjj) Registrasi 84

## kkkkk) Scenario

```
1232
1233@ TestRegistrasi84
1234  Open Browser      http://127.0.0.1:8000/register      chrome
1235  Set Selenium Implicit Wait  20
1236  Sleep  10
1237  Input Text  name  chris
1238  Input Text  email  chrisit@gmail.com
1239  Input Text  nohp  0815365
1240  Input Password  password  christil212
1241  Set Selenium Implicit Wait  15
1242  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
1243  Sleep  15
1244  Close Browser
1245  Log  Test Completed
1246
```

## llll) Test case

## mmmmmm) Test runner

### Summary Information

```
Status: All tests passed
Start Time: 2023-05-31 16:10:26.348
End Time: 2023-05-31 16:10:48.533
Elapsed Time: 00:00:22.185
Log File: log.html
```

### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>

	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search

Type:  Critical Tests  
 All Tests

## nnnnn) Browser test

### ttttt) Scenario 85

```
1247
1248@ TestRegistrasi85
1249  Open Browser      http://127.0.0.1:8000/register      chrome
1250  Set Selenium Implicit Wait    20
1251  Sleep   10
1252  Input Text    name    sai
1253  Input Text    email   saimaritol212@gmail.com
1254  Input Text    nohp    081764
1255  Input Password password    saisasician
1256  Set Selenium Implicit Wait    15
1257  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
1258  Sleep   15
1259  Close Browser
1260  Log     Test Completed
1261
1262
```

### uuuuu) Test case

## vvvvv) Test runner

### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search  
Type:  Critical Tests  
 All Tests

## wwwww) Browser test

xxxxx) Registrasi 86

yyyyy) Scenario

```
l262
l263@ TestRegistrasi86
l264  Open Browser  http://127.0.0.1:8000/register  chrome
l265  Set Selenium Implicit Wait  20
l266  Sleep  10
l267  Input Text  name  cia
l268  Input Text  email  neciasiagaian123@gmail.com
l269  Input Text  nohp  08176
l270  Input Password  password  neciaarta
l271  Set Selenium Implicit Wait  15
l272  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
l273  Sleep  15
l274  Close Browser
l275  Log  Test Completed
l276
```

zzzzz) aaaaaaa) Test case

## bbbbbb) Test runner

### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search

Type:  
 Critical Tests  
 All Tests

## cccccc) Browser test

### Registrasi

Silahkan buat akun anda

**Nama Lengkap**

**Email**

**Nomor Telepon**

 628xxxxxxxxx ⓘ

The nohp field must be at least 10 characters.

**Password**

 \*\*\*\*\* Show

**DAFTAR**

Sudah punya akun? [Login](#)

dddddd) Registrasi 87  
eeeeee) Scenario

```

1276
1277@ TestRegistrasi87
1278  Open Browser  http://127.0.0.1:8000/register  chrome
1279  Set Selenium Implicit Wait  20
1280  Sleep  10
1281  Input Text  name  cita
1282  Input Text  email  citcitatata@gmail.com
1283  Input Text  nohp  0813
1284  Input Password  password  citataayutingting
1285  Set Selenium Implicit Wait  15
1286  Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
1287  Sleep  15
1288  Close Browser
1289  Log  Test Completed
1290
1291

```

## ffffff) Test case

## gggggg) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>

	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest. TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest. TestSuite. Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

**Test Details**

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## hhhhhh) Browser test

## iiiiii) Registrasi 88

### jjjjjj) Scenario

```

1293
1294@ TestRegistrasi88
1295  Open Browser  http://127.0.0.1:8000/register  chrome
1296  Set Selenium Implicit Wait  20
1297  Sleep  10
1298  Input Text  name  ziv zemy simanjunntak
1299  Input Text  email  babyziv@gmail.com
1300  Input Text  nohp  085311807994
1301  Input Password  password  ziv
1302  Set Selenium Implicit Wait  15
1303  Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
1304  Sleep  15
1305  Close Browser
1306  Log  Test Completed
1307

```

## kkkkkk) Test case

Test Registrasi23				
Open Browser	http://127.0.0.1:8000/register	chrome		
Set Selenium Implicit Wait	20			
Sleep	10			
Input Text	name	samuel siahaan		
Input Text	email	samuelshaan@gmail.com		
Input Text	nohp	08172723		
Input Password	password	samuelshaan00123		
Set Selenium Implicit Wait	15			
Click Element	Xpath=/html/body/section/div/div...			
Sleep	15			
Close Browser				
Log	Test Completed			

## |||||) Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

## mmmmmm) Browser test

The screenshot shows a registration form titled "Registrasi" with the sub-instruction "Silahkan buat akun anda". The form fields are: "Nama Lengkap" (Name), "Email", "Nomor Telepon" (Phone Number), and "Password". The "Nomor Telepon" field contains "628xxxxxxxxx" and has a red error message "The nohp field must be at least 10 characters." Below the form is a "DAFTAR" button and a "Sudah punya akun? Login" link.

## nnnnnn) Registrasi 89 oooooooo) Scenario

```
1308@TestRegistrasi89
1309  Open Browser      http://127.0.0.1:8000/register      chrome
1310  Set Selenium Implicit Wait  20
1311  Sleep  10
1312  Input Text  name  riali simanjuntak
1313  Input Text  email  rieellel23@gmail.com
1314  Input Text  nohp  0857881807994
1315  Input Password  password  riel
1316  Set Selenium Implicit Wait  15
1317  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
1318  Sleep  15
1319  Close Browser
1320  Log  Test Completed
```

## pppppp) qqqqqqq) Test case

- 🚧 TestRegistrasi24		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	santi sandrina
Input Text	email	loyomuet@gmail.com
Input Text	nohp	2348924
Input Password	password	santiyyyy123
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button	
Sleep	15	
Close Browser		
Log	Test Completed	

## rrrrrr) Test runner

### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search

Type:  
 Critical Tests  
 All Tests

## ssssss) Browser test

### Registrasi

Silahkan buat akun anda

Nama Lengkap

Email

Nomor Telepon

 628xxxxxxxxx (1)

The nohp field must be at least 10 characters.

Password

 \*\*\*\* \* Show

**DAFTAR**

Sudah punya akun? [Login](#)

## ttttt) Registrasi 90 uuuuuu) Scenario

```

1321
1322 @TestRegistrasi90
1323     Open Browser      http://127.0.0.1:8000/register      chrome
1324     Set Selenium Implicit Wait    20
1325     Sleep   10
1326     Input Text    name    brek ella
1327     Input Text    email   sugasayang@gmail.com
1328     Input Text    nohp    0853118079876
1329     Input Password password    sua
1330     Set Selenium Implicit Wait    15
1331     Click Element   Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
1332     Sleep   15
1333     Close Browser
1334     Log    Test Completed
1335

```

## vvvvvv) Test case

...		
Test Registrasi25		
Open Browser	http://127.0.0.1:8000/register	chrome
Set Selenium Implicit Wait	20	
Sleep	10	
Input Text	name	yerobeam
Input Text	email	yeroyeroyero123@gmail.com
Input Text	nohp	08612631
Input Password	password	iisma2022
Set Selenium Implicit Wait	15	
Click Element	Xpath=/html/body/section/div/div...	
Sleep	15	
Close Browser		
Log	Test Completed	

## wwwwww) Test runner

### Summary Information

**Status:** All tests passed  
**Start Time:** 2023-05-31 16:10:26.348  
**End Time:** 2023-05-31 16:10:48.533  
**Elapsed Time:** 00:00:22.185  
**Log File:** log.html


### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags		Total	Pass	Fail	Elapsed	Pass / Fail
						<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

[Totals](#) [Tags](#) [Suites](#) [Search](#)  
**Type:**  Critical Tests  All Tests

## xxxxxx) Browser test



yyyyyy) Registrasi 26  
 zzzzzz) Scenario

```

1335
1336 TestRegistrasi91
1337 Open Browser http://127.0.0.1:8000/register chrome
1338 Set Selenium Implicit Wait 20
1339 Sleep 10
1340 Input Text name maryono marpaung
1341 Input Text email yonomarpaung@gmail.com
1342 Input Text nohp 085318707994
1343 Input Password password yono
1344 Set Selenium Implicit Wait 15
1345 Click Element Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
1346 Sleep 15
1347 Close Browser
1348 Log Test Completed
1349
  
```

aaaaaaaa) Test case

...				
TestRegistrasi25				
Open Browser	http://127.0.0.1:8000/register	chrome		
Set Selenium Implicit Wait	20			
Sleep	10			
Input Text	name	yerobeam		
Input Text	email	yeroyeroyero123@g...		
Input Text	nohp	08612631		
Input Password	password	iisma2022		
Set Selenium Implicit Wait	15			
Click Element	Xpath=/html/body/section/div/div[2]/div/form/div[5]/button			
Sleep	15			
Close Browser				
Log	Test Completed			

## bbbbbbb) Test runner

### Summary Information

```
Status: All tests passed
Start Time: 2023-05-31 16:10:26.348
End Time: 2023-05-31 16:10:48.533
Elapsed Time: 00:00:22.185
Log File: log.html
```

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	
All Tests		1	1	0	00:00:22	
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	
LoginTest.TestSuite		1	1	0	00:00:22	
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	

### Test Details

Totals Tags Suites Search

Type:  
 Critical Tests  
 All Tests

## ccccccc) Browser test

### ddddddd) Registrasi 92

### eeeeeee) Scenario

```
1350
1351@TestRegistrasi92
1352 Open Browser http://127.0.0.1:8000/register chrome
1353 Set Selenium Implicit Wait 20
1354 Sleep 10
1355 Input Text name rikki bilbao
1356 Input Text email blibao@gmail.com
1357 Input Text nohp 085319807994
1358 Input Password password riki
1359 Set Selenium Implicit Wait 15
1360 Click Element Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
1361 Sleep 15
1362 Close Browser
1363 Log Test Completed
1364
```

## ffffff) Test case

## ggggggg) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	20230531 16:10:26.348
End Time:	20230531 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

**Test Statistics**

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	
All Tests		1	1	0	00:00:22	

	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						

	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	
LoginTest.TestSuite		1	1	0	00:00:22	
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	

**Test Details**

Totals    Tags    Suites    Search

Type:  Critical Tests  
 All Tests

## hhhhhhh) Browser test

### iiiiii) Registrasi 93

```
401
402 @TestRegistrasi28
403     Open Browser      http://127.0.0.1:8000/register      chrome
404     Set Selenium Implicit Wait    20
405     Sleep   10
406     Input Text  name    samuel tobingana
407     Input Text  email   tobing123@gmail.com
408     Input Text  nohp    085311807864
409     Input Password password 123
410     Set Selenium Implicit Wait  15
411     Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
412     Sleep   15
413     Close Browser
414     Log    Test Completed
```

### jjjjjjj) Scenario

```
1364
1365 @TestRegistrasi93
1366     Open Browser      http://127.0.0.1:8000/register      chrome
1367     Set Selenium Implicit Wait    20
1368     Sleep   10
1369     Input Text  name    melince yigibalom
1370     Input Text  email   melince1212@gmail.com
1371     Input Text  nohp    085311097994
1372     Input Password password  melin
1373     Set Selenium Implicit Wait  15
1374     Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
1375     Sleep   15
1376     Close Browser
1377     Log    Test Completed
1378
```

## kkkkkkk) Test case

## llllll) Test runner

### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search

Type:  
 Critical Tests  
 All Tests

## mmmmmmmm) Browser test

### Registrasi

Silahkan buat akun anda

Nama Lengkap

Email

Nomor Telepon

 628xxxxxxxxx ⓘ

The nohp field must be at least 10 characters.

Password

 \*\*\*\*

Sudah punya akun? [Login](#)

ooooo) Registrasi 95  
ppppp) Scenario

```

377      Log    Test Completed
378
379● TestRegistrasi95
380     Open Browser      http://127.0.0.1:8000/register      chrome
381     Set Selenium Implicit Wait   20
382     Sleep   10
383     Input Text   name    jaya silalahi
384     Input Text   email   jaya@gmail.com
385     Input Text   nohp    085311809894
386     Input Password  password   jaya
387     Set Selenium Implicit Wait   15
388     Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
389     Sleep   15
390     Close Browser
391     Log    Test Completed
392

```

## qqqqq) Test case

## rrrrr) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

**Test Statistics**

	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
All Tests	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>

	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					

	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>
LoginTest.TestSuite.Registrasi	1	1	0	00:00:22	<span style="background-color: green; color: white;">█</span>

**Test Details**

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input type="radio"/> All Tests		

## sssss) Browser test

**Registrasi**  
Silahkan buat akun anda

**Nama Lengkap**

**Email**

**Nomor Telepon**  
 ⓘ  
The nohp field must be at least 10 characters.

**Password**  
 Show

**DAFTAR**

Sudah punya akun? [Login](#)

**tttt) Registrasi 96  
uuuuu) Scenario**

```
393
394● TestRegistrasi96
395  Open Browser      http://127.0.0.1:8000/register      chrome
396  Set Selenium Implicit Wait    20
397  Sleep   10
398  Input Text    name    mahalini silalahi
399  Input Text    email   mahalini@gmail.com
400  Input Text    nohp    085310807994
401  Input Password  password   riki
402  Set Selenium Implicit Wait    15
403  Click Element  Xpath=/html/body/section/div/div[2]/div/form/div[5]/button
404  Sleep   15
405  Close Browser
406  Log    Test Completed
407
```

**vvvvv) Test case**

## wwwww) Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag						
No Tags						<div style="width: 100%; background-color: lightgray;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input type="radio"/> All Tests		

## xxxxx) Browser test

### Registrasi

Silahkan buat akun anda

**Nama Lengkap**

**Email**

**Nomor Telepon**

 628xxxxxxxxx (\*)

The nohp field must be at least 10 characters.

**Password**

 \*\*\*\*\* Show

**DAFTAR**

Sudah punya akun? [Login](#)

yyyyy) Registrasi 97  
zzzzz) Scenario

```

#07
#08@ TestRegistrasi97
#09  Open Browser      http://127.0.0.1:8000/register      chrome
#10  Set Selenium Implicit Wait    20
#11  Sleep   10
#12  Input Text    name    lyodra ginting
#13  Input Text    email   lili12@gmail.com
#14  Input Text    nohp    0853118767994
#15  Input Password  password    lili
#16  Set Selenium Implicit Wait    15
#17  Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
#18  Sleep   15
#19  Close Browser
#20  Log    Test Completed
#21

```

### aaaaaa) Test case

### bbbbbb) Test runner

**Summary Information**

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	log.html

**Test Statistics**

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<span style="background-color: green; width: 100%;"> </span>
All Tests		1	1	0	00:00:22	<span style="background-color: green; width: 100%;"> </span>

Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<span style="background-color: lightgray; width: 100%;"> </span>

Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<span style="background-color: green; width: 100%;"> </span>
LoginTest.TestSuite		1	1	0	00:00:22	<span style="background-color: green; width: 100%;"> </span>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<span style="background-color: green; width: 100%;"> </span>

**Test Details**

Totals	Tags	Suites	Search
Type:	<input type="radio"/> Critical Tests <input checked="" type="radio"/> All Tests		

### cccccc) Browser test

### dddddd) Registrasi 25

### eeeeee) Scenario

```

#22@ TestRegistrasi98
#23  Open Browser      http://127.0.0.1:8000/register      chrome
#24  Set Selenium Implicit Wait    20
#25  Sleep   10
#26  Input Text    name    ziva magnolia
#27  Input Text    email   zival2@gmail.com
#28  Input Text    nohp    085311227994
#29  Input Password  password    ziva
#30  Set Selenium Implicit Wait    15
#31  Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
#32  Sleep   15
#33  Close Browser
#34  Log    Test Completed
#35

```

### ffffff) Test case

## gggggg) Test runner

### Summary Information

Status:	All tests passed
Start Time:	2023-05-31 16:10:26.348
End Time:	2023-05-31 16:10:48.533
Elapsed Time:	00:00:22.185
Log File:	<a href="#">log.html</a>

### Test Statistics

Total Statistics		Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
Statistics by Tag		Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: grey;"></div>
Statistics by Suite		Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search  
Type:  Critical Tests  
 All Tests

## hhhhh) Browser test

iiii) Registrasi 99  
jjjjjj) Scenario

```
1434 Log Test Completed
1435
1436@TestRegistrasi99
1437 Open Browser http://127.0.0.1:8000/register chrome
1438 Set Selenium Implicit Wait 20
1439 Sleep 10
1440 Input Text name nuca manurung
1441 Input Text email nuca2021@gmail.com
1442 Input Text nohp 085311825994
1443 Input Password password nuca
1444 Set Selenium Implicit Wait 15
1445 Click Element Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
1446 Sleep 15
1447 Close Browser
1448 Log Test Completed
1449
```

## kkkkkk) Test case

## lllll) Test runner

### Summary Information

Status: All tests passed  
Start Time: 2023-05-31 16:10:26.348  
End Time: 2023-05-31 16:10:48.533  
Elapsed Time: 00:00:22.185  
Log File: log.html

### Test Statistics

	Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
All Tests		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

	Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags						<div style="width: 0%; background-color: lightgray;"></div>

	Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
LoginTest		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>
LoginTest.TestSuite.Registrasi		1	1	0	00:00:22	<div style="width: 100%; background-color: green;"></div>

### Test Details

Totals Tags Suites Search

Type:  Critical Tests  
 All Tests

## mmmmmmmm) Browser test

### nnnnnnn) Registrasi 100 oooooooo) Scenario

```
1449
1450@ TestRegistrasi100
1451  Open Browser  http://127.0.0.1:8000/register  chrome
1452  Set Selenium Implicit Wait  20
1453  Sleep 10
1454  Input Text  name  syahriini boi
1455  Input Text  email  syahriini@gmail.com
1456  Input Text  nohp  0853123407994
1457  Input Password  password  incses
1458  Set Selenium Implicit Wait  15
1459  Click Element  Xpath=/html/body/section/div/div/div[2]/div/form/div[5]/button
1460  Sleep 15
1461  Close Browser
1462  Log  Test Completed
```

## ATDD-LOGIN

### 1. Login 2

#### a) Scenario

```
51
52@ Login32
53  Open Browser  http://127.0.0.1:8000/login  chrome
54  Set Selenium Implicit Wait  5
55  Sleep  2
56  Input Text  email  novraelmarbun123@gmail.com
57  Input Password  password  marbun_
58  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
59  Sleep  5
60  Close Browser
61  Log  Test Completed
62
```


#### b) Test Case

...		
 Login32		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	novraelmarbun...
Input Password	password	marbun_
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button	
Sleep	5	
Close Browser		
Log	Test Completed	

#### c) Console

```
Console X
Login.robot (Selected Test Cases) [Robot] [pid: 14324]
LoginTest.TestSuite.Login
=====
Login32 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
```

d) Browser testing



## 2. Login 3

### a) Scenario

```
73@ Login33
74  Open Browser  http://127.0.0.1:8000/login  chrome
75  Set Selenium Implicit Wait  5
76  Sleep  2
77  Input Text  email  artal23@gmail.com
78  Input Password  password  manikl2
79  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
80  Sleep  5
81  Close Browser
82  Log  Test Completed
83
```

### b) Test case

 Login33			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	arta123@gmail.com	
Input Password	password	manik12	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]		
Sleep	5		
Close Browser			
Log	Test Completed		


### c) console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-console.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

### d) Browser Testing



### 3. Login 4

#### a) Scenario

```
72[  
73@ Login33  
74  Open Browser  http://127.0.0.1:8000/login  chrome  
75  Set Selenium Implicit Wait  5  
76  Sleep  2  
77  Input Text  email  aratal23@gmail.com  
78  Input Password  password  manikl2  
79  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button  
80  Sleep  5  
81  Close Browser  
82  Log  Test Completed  
83  
84  
85
```

#### b) Test Case

...		
>Login34		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	breka123@gmail.com
Input Password	password	suga123
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	

### c) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### d) Browser testing

## 4. Login 5

### a) Scenario

```

@ Login33
  Open Browser  http://127.0.0.1:8000/login  chrome
  Set Selenium Implicit Wait  5
  Sleep  2
  Input Text  email  artal23@gmail.com
  Input Password  password  manikl2
  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
  Sleep  5
  Close Browser
  Log  Test Completed

```

b) Test case

...			
>Login33			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	arta123@gmail....	
Input Password	password	manikl2	
Click Element	xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button		
Sleep	5		
Close Browser			
Log	Test Completed		

c) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
=====
LoginTest.TestSuite.Login
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

#### d) Browser Testing

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga  
The harga field is required.

Deskripsi

Gambar  
Choose File No file chosen

Add Cancel

### 5. Login 6

#### a) Scenario

```
86@ Login34
87  Open Browser  http://127.0.0.1:8000/login  chrome
88  Set Selenium Implicit Wait  5
89  Sleep  2
90  Input Text  email  brekal23@gmail.com
91  Input Password  password  sugal23
92  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
93  Sleep  5
94  Close Browser
95  Log  Test Completed
96
```


#### b) Test Case

Login34				
Open Browser		http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait		5		
Sleep		2		
Input Text	email	breka123@gma...		
Input Password	password	suga123		
Click Element	xpath=/html/body/section/div/div...			
Sleep	5			
Close Browser				
Log	Test Completed			

c) Console

```
Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html
```

d) Browser testing



## 6. Login 2

### e) Scenario

```
51
52@ Login32
53  Open Browser  http://127.0.0.1:8000/login  chrome
54  Set Selenium Implicit Wait  5
55  Sleep  2
56  Input Text  email  novraelmarbun123@gmail.com
57  Input Password  password  marbun_
58  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
59  Sleep  5
60  Close Browser
61  Log  Test Completed
62
```

### f) Test Case

...		
 Login32		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	novraelmarbun...
Input Password	password	marbun_
Click Element	xpath=/html/body/section/div/di...	
Sleep	5	
Close Browser		
Log	Test Completed	


### g) Console

```

[Console X]
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### h) Browser testing



## 7. Login 6

### e) Scenario

```
36@ Login34
37  Open Browser  http://127.0.0.1:8000/login  chrome
38  Set Selenium Implicit Wait  5
39  Sleep  2
40  Input Text  email  brekal23@gmail.com
41  Input Password  password  sugal23
42  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
43  Sleep  5
44  Close Browser
45  Log  Test Completed
46
```

### f) Test Case

 Login34			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	breka123@gma...	
Input Password	password	suga123	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		

g) Console

```

[Console] <terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

h) Browser testing

## 8. Login 2

i) Scenario


```
97
98@ Login35
99  Open Browser  http://127.0.0.1:8000/login  chrome
100 Set Selenium Implicit Wait  5
101 Sleep  2
102 Input Text  email  meganapitupulu29@gmail.com
103 Input Password  password  na70mega
104 Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
105 Sleep  5
106 Close Browser
107 Log  Test Completed
108
```

j) Test Case

(Login35)			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	meganapitupulu29@gmail.com	
Input Password	password	na70mega	
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button		
Sleep	5		
Close Browser			
Log	Test Completed		
...			
>Login35			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	meganapitupul...	
Input Password	password	na70mega	
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button		
Sleep	5		
Close Browser			
Log	Test Completed		

k) Console

l) Browser testing



## 9. Login 3

### e) Scenario

```
09
10@ Login36
11  Open Browser  http://127.0.0.1:8000/login  chrome
12  Set Selenium Implicit Wait  5
13  Sleep  2
14  Input Text  email  samboll@gmail.com
15  Input Password  password  samboris123
16  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
17  Sleep  5
18  Close Browser
19  Log  Test Completed
20
21
```

### f) Test case

...		
>Login36		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	sambo11@gmail.com
Input Password	password	samboris123
Click Element	xpath=/html/body/section/div/div...	
Sleep	5	
Close Browser		
Log	Test Completed	

### g) console

```

[Console X]
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-console-3.2.2\reporter\ConsoleListener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### h) Browser Testing

## 10. Login 4

### e) Scenario

```

11
12@ Login37
13  Open Browser  http://127.0.0.1:8000/login  chrome
14  Set Selenium Implicit Wait  5
15  Sleep  2
16  Input Text  email  weni123@gmail.com
17  Input Password  password  wensesla123123
18  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
19  Sleep  5
20  Close Browser
21  Log  Test Completed
22

```

f) Test Case

Login37				
Open Browser		http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait		5		
Sleep		2		
Input Text	email	weni123@gmai...		
Input Password	password	wensesla123123		
Click Element		xpath=/html/body/section/div/div[2]/div/form/div[3]/button		
Sleep		5		
Close Browser				
Log	Test Completed			

g) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 A
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\pyt
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

h) Browser testing

The screenshot shows a login form titled "Login" with the sub-instruction "Silahkan masuk dengan akun anda". It has two input fields: "Email" and "Password". The "Email" field contains "Masukkan email anda" and has a red border, indicating an error. A red callout box says "The selected email is invalid." The "Password" field contains "\*\*\*\*\*" and has a "Show" link. Below the form is a blue "MASUK" button. At the bottom, there is a link "Belum memiliki akun? [Buat Akun](#)".

11. Login 5

e) Scenario

```
33
34@ Login38
35  Open Browser  http://127.0.0.1:8000/login  chrome
36  Set Selenium Implicit Wait  5
37  Sleep  2
38  Input Text  email  siska@gmail.com
39  Input Password  password  pudanku00
40  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
41  Sleep  5
42  Close Browser
43  Log  Test Completed
44
```

f) Test case

 Login38			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	siska@gmail.co...	
Input Password	password	pudanku00	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		


### g) Console

```

[Console] <terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
=====
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

### h) Browser Testing



## 12. Login 6

### i) Scenario

```
5@Login39
6  Open Browser  http://127.0.0.1:8000/login  chrome
7  Set Selenium Implicit Wait  5
8  Sleep  2
9  Input Text  email  rianl23@gmail.com
0  Input Password  password  rianshpl23
1  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
2  Sleep  5
3  Close Browser
4  Log  Test Completed
```


### j) Test Case

 Login39			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	rian123@gmail....	
Input Password	password	rianshp123	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		

#### k) Console

```
Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
=====
LoginTest.TestSuite.Login
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html
```

#### l) Browser testing



### 13. Login 2

#### m) Scenario

```
56
57● Login40
58  Open Browser  http://127.0.0.1:8000/login  chrome
59  Set Selenium Implicit Wait  5
60  Sleep  2
61  Input Text  email  siregarl23@gmail.com
62  Input Password  password  mrregar8
63  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
64  Sleep  5
65  Close Browser
66  Log  Test Completed
67
```

#### n) Test Case

 Login40			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	siregar123@gm...	
Input Password	password	mrregar8	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		


#### o) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

#### p) Browser testing



#### 14. Login 3

##### i) Scenario

```
166  Test Completed
167
168@ Login41
169  Open Browser  http://127.0.0.1:8000/login  chrome
170  Set Selenium Implicit Wait  5
171  Sleep  2
172  Input Text  email  sitanggang1102@gmail.com
173  Input Password  password  kadiv2021
174  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
175  Sleep  5
176  Close Browser
177  Log  Test Completed
178
```

##### j) Test case

 Login41				
Open Browser	http://127.0.0.1:8000/login	chrome		
Set Selenium Implicit Wait	5			
Sleep	2			
Input Text	email	sitanggang110...		
Input Password	password	kadiv2021		
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]			
Sleep	5			
Close Browser				
Log	Test Completed			

### k) console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### l) Browser Testing

The screenshot shows a login form with the following fields:

- Email:** An input field with a blue envelope icon containing the placeholder "Masukkan email anda". A red validation message "The selected email is invalid." is displayed to the right of the input field.
- Password:** An input field with a blue lock icon containing the placeholder "\*\*\*\*\*". To the right is a "Show" link.

Below the form is a large blue button labeled "MASUK". At the bottom of the page, there is a link "Belum memiliki akun? [Buat Akun](#)".

## 15. Login 4

### i) Scenario

```
79@ Login42
80  Open Browser  http://127.0.0.1:8000/login  chrome
81  Set Selenium Implicit Wait  5
82  Sleep  2
83  Input Text  email  yoashutapeal23@gmail.com
84  Input Password  password  xdxxdxd00
85  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
86  Sleep  5
87  Close Browser
88  Log  Test Completed
89
```

### j) Test Case

 Login42			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	yoashutapea12...	
Input Password	password	xdxdxd00	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		


### k) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### l) Browser testing



## 16. Login 5

### i) Scenario

```
--  
90@Login43  
91  Open Browser  http://127.0.0.1:8000/login  chrome  
92  Set Selenium Implicit Wait  5  
93  Sleep  2  
94  Input Text  email  elisa00@gmail.com  
95  Input Password  password  simanjuntak1945  
96  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button  
97  Sleep  5  
98  Close Browser  
99  Log  Test Completed  
00
```

### j) Test case

...			
>Login43			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	elisa00@gmail....	
Input Password	password	simanjuntak1945	
Click Element	xpath=/html/body/section/div[1]/input	password	
Sleep	5		
Close Browser			
Log	Test Completed		

k) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-html.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
=====
LoginTest.TestSuite.Login
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

l) Browser Testing

The screenshot shows a login form with the following fields:

- Email:** An input field containing "Masukkan email anda". A red validation message "The selected email is invalid." is displayed above the field.
- Password:** An input field with a lock icon and placeholder text "\*\*\*\*\*". A "Show" link is next to it.

A large blue "MASUK" button is at the bottom. Below the button, there is a link "Belum memiliki akun? [Buat Akun](#)".

## 17. Login 6

### m) Scenario

```
2@Login45
3  Open Browser  http://127.0.0.1:8000/login  chrome
4  Set Selenium Implicit Wait  5
5  Sleep  2
6  Input Text  email  rahels@gmail.com
7  Input Password  password  rahell123
8  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
9  Sleep  5
0  Close Browser
1  Log  Test Completed
2
```

### n) Test Case

...			
 <b>Login45</b>			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	rahels@gmail.c...	
Input Password	password	rahel123	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		

**o) Console**

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

**p) Browser testing**

The screenshot shows a login form with the following fields:

- Email:** An input field containing "Masukkan email anda" with a red border and an exclamation icon. A red message box above it says "The selected email is invalid."
- Password:** An input field with a lock icon and placeholder text "\*\*\*\*\*". To its right is a "Show" link.
- MASUK:** A blue button labeled "MASUK".

Below the form, there is a link: "Belum memiliki akun? [Buat Akun](#)".

...				
>Login45				
Open Browser	http://127.0.0.1:8000/login	chrome		
Set Selenium Implicit Wait	5			
Sleep	2			
Input Text	email	rahels@gmail.c...		
Input Password	password	rahel123		
Click Element	xpath=/html/body/section/div/div[1]/div[1]/input			
Sleep	5			
Close Browser				
Log	Test Completed			

## 18. Login 2

### q) Scenario

```

2
3@ Login46
4  Open Browser  http://127.0.0.1:8000/login  chrome
5  Set Selenium Implicit Wait  5
6  Sleep  2
7  Input Text  email  sinagaester@gmail.com
8  Input Password  password  sinagacquital
9  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
0  Sleep  5
1  Close Browser
2  Log  Test Completed

```

r) Test Case

...			
>Login46			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	sinagaester@g...	
Input Password	password	sinagacquita1	
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button		
Sleep	5		
Close Browser			
Log	Test Completed		

s) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 A
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\robot-listener-1684884448
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
=====
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

t) Browser testing

The screenshot shows a login form with the following fields and message:

- Email:** An input field containing "Masukkan email anda". A red border surrounds the field, and a red error message "The selected email is invalid." is displayed to its right.
- Password:** An input field with a lock icon and masked text "\*\*\*\*\*". To the right is a "Show" link.
- MASUK:** A blue button labeled "MASUK".
- Link:** Below the form is a link "Belum memiliki akun? [Buat Akun](#)".

19. Login 3

m) Scenario

```
3
4@ Login47
5  Open Browser  http://127.0.0.1:8000/login  chrome
6  Set Selenium Implicit Wait  5
7  Sleep  2
8  Input Text  email  jason200@gmail.com
9  Input Password  password  jsen1102
0  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1  Sleep  5
2  Close Browser
3  Log  Test Completed
4
```

n) Test case

 Login47			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	jason200@gma...	
Input Password	password	jsen1102	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		

### o) console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### p) Browser Testing

The screenshot shows a login form with the following elements:

- Email:** A text input field with a blue envelope icon. It contains the placeholder "Masukkan email anda". A red error message box to its right says "The selected email is invalid.".
- Password:** A text input field with a blue lock icon. It contains the placeholder "\*\*\*\*\*". To the right is a "Show" link.
- MASUK:** A large blue button at the bottom right of the form.
- Link:** Below the button, a link says "Belum memiliki akun? [Buat Akun](#)".

## 20. Login 4

### m) Scenario

```
5@ Login48
6  Open Browser  http://127.0.0.1:8000/login  chrome
7  Set Selenium Implicit Wait  5
8  Sleep  2
9  Input Text  email  sio45@gmail.com
0  Input Password  password  alexandra20
1  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2  Sleep  5
3  Close Browser
4  Log  Test Completed
5
```

### n) Test Case

...			
-  Login48			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	sio45@gmail.c...	
Input Password	password	alexandra20	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		


**o) Console**

```

[Console X]
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 A
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

**p) Browser testing**



## 21. Login 5

### m) Scenario

```
545@Login48
546  Open Browser  http://127.0.0.1:8000/login  chrome
547  Set Selenium Implicit Wait  5
548  Sleep  2
549  Input Text  email  sio45@gmail.com
550  Input Password  password  alexandra20
551  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
552  Sleep  5
553  Close Browser
554  Log  Test Completed
555
```

### n) Test case

...		
>Login48		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	sio45@gmail.c...
Input Password	password	alexandra20
Click Element	xpath=/html/body/section/div/di...	
Sleep	5	
Close Browser		
Log	Test Completed	


**o) Console**

```

[Console] <terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

**p) Browser Testing**



## 22. Login 6

### q) Scenario

```
556@Login49
557  Open Browser  http://127.0.0.1:8000/login  chrome
558  Set Selenium Implicit Wait  5
559  Sleep  2
560  Input Text  email  citrahth@gmail.com
561  Input Password  password  csctra00
562  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
563  Sleep  5
564  Close Browser
565  Log  Test Completed
566
```

### r) Test Case

...			
 Login49			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	citrahth@gmail...	
Input Password	password	csctra00	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		

### s) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### t) Browser testing

The screenshot shows a login form with the following elements:

- Email:** An input field with a blue envelope icon containing the placeholder "Masukkan email anda". A red border surrounds the field, and a red info icon with a white exclamation mark is in the top right corner. A red error message "The selected email is invalid." is displayed below the field.
- Password:** An input field with a blue lock icon containing the placeholder "\*\*\*\*\*". To the right is a "Show" link. A red error message "The selected password is invalid." is displayed below the field.
- MASUK:** A large blue button labeled "MASUK" in white capital letters.
- Link:** A link at the bottom left that says "Belum memiliki akun? [Buat Akun](#)".

### 23. Login 2

#### u) Scenario

```
67@ Login50
68  Open Browser  http://127.0.0.1:8000/login  chrome
69  Set Selenium Implicit Wait  5
70  Sleep  2
71  Input Text  email  jereprdd@gmail.com
72  Input Password  password  mrprddll
73  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
74  Sleep  5
75  Close Browser
76  Log  Test Completed
77
```

#### v) Test Case

...		
 <b>Login50</b>		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	jereprdd@gmai...
Input Password	password	mprddd11
Click Element	xpath=/html/body/section/div/di...	
Sleep	5	
Close Browser		
Log	Test Completed	


## w) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
=====
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## x) Browser testing



## 24. Login 3

### q) Scenario

```
0@Login51
1  Open Browser  http://127.0.0.1:8000/login  chrome
2  Set Selenium Implicit Wait  5
3  Sleep  2
4  Input Text  email  admin123@gmail.com
5  Input Password  password  admin123
6  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
7  Sleep  5
8  Close Browser
9  Log  Test Completed
0
```

### r) Test case

...			
 <b>Login51</b>			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	admin123@gm...	
Input Password	password	admin123	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		

### s) console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### t) Browser Testing

The screenshot shows a login form with the following fields:

- Email:** An input field with a blue envelope icon containing the placeholder "Masukkan email anda". A red validation message "The selected email is invalid." is displayed to the right of the input field.
- Password:** An input field with a blue lock icon containing the placeholder "\*\*\*\*\*". To the right is a "Show" link.

Below the form is a blue "MASUK" button. At the bottom, there is a link "Belum memiliki akun? [Buat Akun](#)".

## 25. Login 4

### q) Scenario

```
92@ Login52
93  Open Browser  http://127.0.0.1:8000/login  chrome
94  Set Selenium Implicit Wait  5
95  Sleep  2
96  Input Text  email  kasir12345@gmail.com
97  Input Password  password  kasir123
98  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
99  Sleep  5
00  Close Browser
01  Log  Test Completed
02
```

### r) Test Case

 Login52				
Open Browser	http://127.0.0.1:8000/login	chrome		
Set Selenium Implicit Wait	5			
Sleep	2			
Input Text	email	kasir12345@g...		
Input Password	password	kasir123		
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]			
Sleep	5			
Close Browser				
Log	Test Completed			

### s) Console

```

[Console X]
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### t) Browser testing

The screenshot shows a login form with the following fields and errors:

- Email:** An input field containing "Masukkan email anda" has a red border and a red exclamation mark icon. A red error message "The selected email is invalid." is displayed above the password field.
- Password:** An input field with a lock icon and placeholder "\*\*\*\*\*" has a "Show" link next to it.
- MASUK:** A blue button labeled "MASUK".

Below the form, there is a link "Belum memiliki akun? [Buat Akun](#)".

## 26. Login 5

### q) Scenario

```
● Login53
  Open Browser  http://127.0.0.1:8000/login    chrome
  Set Selenium Implicit Wait  5
  Sleep  2
  Input Text  email  user11@gmail.com
  Input Password  password  user123
  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
  Sleep  5
  Close Browser
  Log  Test Completed
```

### r) Test case

...			
>Login53			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	user11@gmail....	
Input Password	password	user123	
Click Element	xpath=/html/body/section/div/div[1]		
Sleep	5		
Close Browser			
Log	Test Completed		


s) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-html.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

t) Browser Testing



## 27. Login 6

### u) Scenario

```
15@ Login54
16  Open Browser  http://127.0.0.1:8000/login  chrome
17  Set Selenium Implicit Wait  5
18  Sleep  2
19  Input Text  email  tambunanyohana@gmail.com
20  Input Password  password  tambunan
21  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
22  Sleep  5
23  Close Browser
24  Log  Test Completed
25
26
```

### v) Test Case

...			
[-] Login54			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	tambunanyoha...	
Input Password	password	tambunan	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		


#### w) Console

```

[Console X]
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

#### x) Browser testing



## 28. Login 2

### y) Scenario

```
④ Login55
  Open Browser  http://127.0.0.1:8000/login  chrome
  Set Selenium Implicit Wait  5
  Sleep  2
  Input Text  email  yoseplinl23@gmail.com
  Input Password  password  seplinl23
  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
  Sleep  5
  Close Browser
  Log  Test Completed
```

### z) Test Case

...			
 Login54			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	tambunanyoha...	
Input Password	password	tambunan	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		


### aa) Console

```

[Console X]
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### bb) Browser testing



## 29. Login 3

### u) Scenario

```
LogIn55
Open Browser  http://127.0.0.1:8000/login  chrome
Set Selenium Implicit Wait  5
Sleep  2
Input Text  email  yoseplin123@gmail.com
Input Password  password  seplin123
Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
Sleep  5
Close Browser
Log  Test Completed
```

### v) Test case

...			
 Login55			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	yoseplin123@g...	
Input Password	password	seplin123	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		

#### w) console

```

[Console] <terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

#### x) Browser Testing

The screenshot shows a login form with the following fields:

- Email:** An input field containing "Masukkan email anda". A red border surrounds the field, and a red info icon is in the top right corner. A red message box below it says "The selected email is invalid."
- Password:** An input field with a lock icon and masked text "\*\*\*\*\*". To its right is a "Show" link.

Below the form is a blue "MASUK" button. At the bottom, there is a link "Belum memiliki akun? [Buat Akun](#)".

### 30. Login 4

#### u) Scenario

```
/
8@ Login56
9  Open Browser  http://127.0.0.1:8000/login  chrome
0  Set Selenium Implicit Wait  5
1  Sleep  2
2  Input Text  email  rielmega@gmail.com
3  Input Password  password  marbunl23
4  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
5  Sleep  5
6  Close Browser
7  Log  Test Completed
8
```

#### v) Test Case

...		
 Login5		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	rielmega@gma...
Input Password	password	marbun123
Click Element	xpath=/html/body/section/div/di...	
Sleep	5	
Close Browser		
Log	Test Completed	

#### w) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-html.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

#### x) Browser testing

The screenshot shows a login form with the following fields:

- Email:** An input field containing "Masukkan email anda". A red border surrounds the field, and a red info icon is in the top right corner. A red error message box above the field says "The selected email is invalid."
- Password:** An input field with a lock icon and masked text "\*\*\*\*\*". To the right is a "Show" link.

Below the form is a blue "MASUK" button. At the bottom, there is a link "Belum memiliki akun? [Buat Akun](#)".

### 31. Login 5

#### u) Scenario

```
9
0@ Login57
1  Open Browser  http://127.0.0.1:8000/login  chrome
2  Set Selenium Implicit Wait  5
3  Sleep  2
4  Input Text  email  novraelmarbun@yahoo.com
5  Input Password  password  marbun123
6  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
7  Sleep  5
8  Close Browser
9  Log  Test Completed
0
```

#### v) Test case

...			
>Login5			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	novraelmarbun...	
Input Password	password	marbun123	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		


#### w) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

#### x) Browser Testing



### 32. Login 6

#### y) Scenario

```
9 Login58
  Open Browser  http://127.0.0.1:8000/login  chrome
  Set Selenium Implicit Wait  5
  Sleep  2
  Input Text  email  albertartal23@gmail.com
  Input Password  password  manik123
  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
  Sleep  5
  Close Browser
  Log  Test Completed
```

#### z) Test Case

...			
 Login58			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	albertarta123@...	
Input Password	password	manik123	
Click Element	xpath=/html/body/section/div/div...		
Sleep	5		
Close Browser			
Log	Test Completed		


### aa) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### bb) Browser testing



### 33. Login 2

#### a) Scenario

```
673
674@ Login59
675  Open Browser  http://127.0.0.1:8000/login  chrome
676  Set Selenium Implicit Wait  5
677  Sleep  2
678  Input Text  email  lululucu@gmail.com
679  Input Password  password  brekal23
680  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
681  Sleep  5
682  Close Browser
683  Log  Test Completed
684
```

#### b) Test Case

Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	lululucu@gmail.com
Input Password	password	breka123
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	


### c) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-html.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

### d) Browser testing



### 34. Login 3

#### y) Scenario

```
5
6@ Login60
7  Open Browser  http://127.0.0.1:8000/login  chrome
8  Set Selenium Implicit Wait  5
9  Sleep  2
0  Input Text  email  na70megaria@gmail.com
1  Input Password  password  napitupulul23
2  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
3  Sleep  5
4  Close Browser
5  Log  Test Completed
6
```


## **z) Test case**

Login60			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	na70megaria@gmail.com	
Input Password	password	napitupulu123	
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]		
Sleep	5		
Close Browser			
Log	Test Completed		

## **aa) console**

```
Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html
```

## **bb) Browser Testing**



#### 42. Login 4

##### y) Scenario


```
5@Login60
6  Open Browser  http://127.0.0.1:8000/login  chrome
7  Set Selenium Implicit Wait  5
8  Sleep  2
9  Input Text  email  na70megaria@gmail.com
10 Input Password  password  napitupulul23
11 Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
12 Sleep  5
13 Close Browser
14 Log  Test Completed
15
```

##### z) Test Case

**aa) Console**

```
Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robot.lib Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html
```

**bb) Browser testing**



### 35. Login 5

#### y) Scenario

```
198@Login61
199  Open Browser  http://127.0.0.1:8000/login  chrome
200  Set Selenium Implicit Wait  5
201  Sleep  2
202  Input Text  email  samuelsbb123@gmail.com
203  Input Password  password  sambol23
204  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
205  Sleep  5
206  Close Browser
207  Log  Test Completed
208
209
```

#### z) Test case

 <b>Login61</b>			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	samuelsbb123@gmail.com	
Input Password	password	sambo123	
Click Element	xpath=/html/body/section/div/div...		
Sleep	5		
Close Browser			
Log	Test Completed		


### aa) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 A
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### bb) Browser Testing



### 36. Login 6

#### cc) Scenario

```
09
10@ Login62
11  Open Browser  http://127.0.0.1:8000/login  chrome
12  Set Selenium Implicit Wait  5
13  Sleep  2
14  Input Text  email  marianne23@gmail.com
15  Input Password  password  wenil23
16  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
17  Sleep  5
18  Close Browser
19  Log  Test Completed
20
21
22@ Login63
```

#### dd) Test Case

<b>Login62</b>			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	marianne23@gmail.com	
Input Password	password	weni123	
Click Element	xpath=/html/body/section/div/div...		
Sleep	5		
Close Browser			
Log	Test Completed		


#### ee) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py --output D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml --log D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html --report D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

#### ff) Browser testing



### 37. Login 2

#### e) Scenario

```
[21]
[22]@ Login63
[23]  Open Browser  http://127.0.0.1:8000/login  chrome
[24]  Set Selenium Implicit Wait  5
[25]  Sleep  2
[26]  Input Text  email  siska@gmail.com
[27]  Input Password  password  siskall22
[28]  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
[29]  Sleep  5
[30]  Close Browser
[31]  Log  Test Completed
[32]
```

#### f) Test Case

Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	siska@gmail.com
Input Password	password	siska1122
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	


**g) Console**

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
| PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

**h) Browser testing**



### 38. Login 3

#### 43. Scenario

```
④ Login64
  Open Browser  http://127.0.0.1:8000/login  chrome
  Set Selenium Implicit Wait  5
  Sleep  2
  Input Text  email  rianshp@gmail.com
  Input Password  password  rianl2345
  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
  Sleep  5
  Close Browser
  Log  Test Completed
```

#### 44. Test case

...		
>Login64		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	rianshp@gmail.com
Input Password	password	rian12345
Click Element	xpath=/html/body/section/div/div...	
Sleep	5	
Close Browser		
Log	Test Completed	


#### 45. console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

#### 46. Browser Testing



### 39. Login 4

#### cc) Scenario

```
743
744
745@ Login65
746  Open Browser  http://127.0.0.1:8000/login  chrome
747  Set Selenium Implicit Wait  5
748  Sleep  2
749  Input Text  email  horassiregarl@gmail.com
750  Input Password  password  siregarl23
751  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
752  Sleep  5
753  Close Browser
754  Log  Test Completed
755
756@ Login66
```


#### dd) Test Case

Login65		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	horassiregar1@gmail.com
Input Password	password	siregar123
Click Element	xpath=/html/body/section/div/div...	
Sleep	5	
Close Browser		
Log	Test Completed	

#### ee) Console

```
Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-html-3.2.2\reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html
```

#### ff) Browser testing



#### 40. Login 5

##### cc) Scenario

```
      Log    Test completed
5
6@ Login66
7  Open Browser  http://127.0.0.1:8000/login  chrome
8  Set Selenium Implicit Wait  5
9  Sleep  2
0  Input Text  email  sitanggangnoell@gmail.com
1  Input Password  password  noell23
2  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
3  Sleep  5
4  Close Browser
5  Log  Test Completed
6
```


**dd) Test case**

Login66		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	sitanggangnoell@gmail.com
Input Password	password	noel123
Click Element	xpath=/html/body/section/div/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	

**ee) Console**

```
Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html
```

**ff) Browser Testing**



#### 41. Login 6

##### gg) Scenario

```
66
67@ Login67
68  Open Browser  http://127.0.0.1:8000/login  chrome
69  Set Selenium Implicit Wait  5
70  Sleep  2
71  Input Text  email  hutapeayoas00@gmail.com
72  Input Password  password  yoas00
73  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
74  Sleep  5
75  Close Browser
76  Log  Test Completed
77
```

##### hh) Test Case

 Login67		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	hutapeayoas00@gmail.com
Input Password	password	yoas00
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	

## ii) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN_SEMS_4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAN_SEMS_4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAN_SEMS_4\PKPL\PROYEK\LoginTest\report.html

```

## jj) Browser testing

### 42. Login 2

#### cc) Scenario


```
777
778@ Login68
779  Open Browser  http://127.0.0.1:8000/login  chrome
780  Set Selenium Implicit Wait  5
781  Sleep  2
782  Input Text  email  reginasimanjuntak@gmail.com
783  Input Password  password  simanjuntak
784  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
785  Sleep  5
786  Close Browser
787  Log  Test Completed
788
```

#### dd) Test Case

...		
...		
>Login68		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	reginasimanjuntak@gmail.com
Input Password	password	simanjuntak
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button	
Sleep	5	
Close Browser		
Log	Test Completed	

#### ee) Console

#### ff) Browser testing



### 43. Login 3

#### 47. Scenario


```
87 Log    Test Completed
88
89@ Login69
90 Open Browser  http://127.0.0.1:8000/login  chrome
91 Set Selenium Implicit Wait  5
92 Sleep  2
93 Input Text  email  mariagiawa12@gmail.com
94 Input Password  password  giawa08
95 Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
96 Sleep  5
97 Close Browser
98 Log    Test Completed
99
100@ Login70
```

#### 48. Test case

#### 49. console

```
Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html
```

## 50. Browser Testing



#### 44. Login 4

##### gg) Scenario

```
798 Log Test Completed
799
800@ Login70
801 Open Browser http://127.0.0.1:8000/login chrome
802 Set Selenium Implicit Wait 5
803 Sleep 2
804 Input Text email sianiparrahel@gmail.com
805 Input Password password rahell123
806 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
807 Sleep 5
808 Close Browser
809 Log Test Completed
810
```

##### hh) Test Case

...		
>Login69		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	mariagiawa12@gmail.com
Input Password	password	giawa08
Click Element	xpath=/html/body/section/div/di...	
Sleep	5	
Close Browser		
Log	Test Completed	


## ii) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## jj) Browser testing



#### 45. Login 5

##### gg) Scenario

```
798 Log    Test Completed
799
800@Login70
801 Open Browser  http://127.0.0.1:8000/login  chrome
802 Set Selenium Implicit Wait  5
803 Sleep  2
804 Input Text  email  sianiparrahel@gmail.com
805 Input Password  password  rahell123
806 Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
807 Sleep  5
808 Close Browser
809 Log    Test Completed
810
```

##### hh) Test case

Login70		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	sianiparrahel@gmail.com
Input Password	password	rahel123
Click Element	xpath=/html/body/section/div/div[1]/input	
Sleep	5	
Close Browser		
Log	Test Completed	


## ii) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-console.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## jj) Browser Testing



#### 46. Login 6

##### kk) Scenario

```
810
811@ Login71
812  Open Browser  http://127.0.0.1:8000/login  chrome
813  Set Selenium Implicit Wait  5
814  Sleep  2
815  Input Text  email  ksinagal212@gmail.com
816  Input Password  password  sinagall
817  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
818  Sleep  5
819  Close Browser
820  Log  Test Completed
821
```


##### II) Test Case

 Login71		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	ksinaga1212@gmail.com
Input Password	password	sinaga11
Click Element	xpath=/html/body/section/div/div...	
Sleep	5	
Close Browser		
Log	Test Completed	

## mm) Console

```
Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
=====
LoginTest.TestSuite.Login
| PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite
| PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest
| PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
```

## nn) Browser testing



#### 47. Login 2

##### gg) Scenario

```
1
2@ Login72
3  Open Browser  http://127.0.0.1:8000/login  chrome
4  Set Selenium Implicit Wait  5
5  Sleep  2
6  Input Text  email  sianiparjsen@gmail.com
7  Input Password  password  sianiparl23
8  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
9  Sleep  5
10 Close Browser
11 Log  Test Completed
12
```

##### hh) Test Case

<b>Login72</b>		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	sianiparjsen@gmail.com
Input Password	password	sianipar123
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	


## ii) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## jj) Browser testing



#### 48. Login 3

##### a) Scenario

```
2
3@Login73
4  Open Browser  http://127.0.0.1:8000/login  chrome
5  Set Selenium Implicit Wait  5
6  Sleep  2
7  Input Text  email  sioalex123@gmail.com
8  Input Password  password  sio12345
9  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
0  Sleep  5
1  Close Browser
2  Log  Test Completed
```

##### b) Test case

<b>Login73</b>		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	sioalex123@gmail.com
Input Password	password	sio12345
Click Element	xpath=/html/body/section/div/di...	
Sleep	5	
Close Browser		
Log	Test Completed	


c) **console**

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 A
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

d) **Browser Testing**



#### 49. Login 4

##### kk) Scenario

```
3
4 @Login74
5   Open Browser  http://127.0.0.1:8000/login  chrome
6   Set Selenium Implicit Wait  5
7   Sleep  2
8   Input Text  email  asidohth@gmail.com
9   Input Password  password  asidorm
10  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
11  Sleep  5
12  Close Browser
13  Log  Test Completed
```

##### ll) Test Case

<b>Login74</b>		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	asidohth@gmail.com
Input Password	password	asidorm
Click Element	xpath=/html/body/section/div/di...	
Sleep	5	
Close Browser		
Log	Test Completed	


## mm) Console

```

Console ×
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## nn) Browser testing



## 50. Login 5

### kk) Scenario

```
855@Login75
856  Open Browser  http://127.0.0.1:8000/login  chrome
857  Set Selenium Implicit Wait  5
858  Sleep  2
859  Input Text  email  prddjere031@gmail.com
860  Input Password  password  pardede88
861  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
862  Sleep  5
863  Close Browser
864  Log  Test Completed
865
```

### ll) Test case

...		
>Login75		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	prddjere031@gmail.com
Input Password	password	pardede88
Click Element	xpath=/html/body/section/div/di...	
Sleep	5	
Close Browser		
Log	Test Completed	


## mm) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated May 28, 2023, 6:50:09 A
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-html.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## nn) Browser Testing



## 51. Login 6

### oo) Scenario

```
867@Login76
868  Open Browser  http://127.0.0.1:8000/login  chrome
869  Set Selenium Implicit Wait  5
870  Sleep  2
871  Input Text  email  admin123@gmail.com
872  Input Password  password  admin
873  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
874  Sleep  5
875  Close Browser
876  Log  Test Completed
877
```

### pp) Test Case

	Login76	
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	admin123@gmail.com
Input Password	password	admin
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	


### qq) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### rr) Browser testing



## 52. Login 2

### kk) Scenario

```
878@Login77
880  Open Browser  http://127.0.0.1:8000/login  chrome
881  Set Selenium Implicit Wait  5
882  Sleep  2
883  Input Text  email  kasir123@gmail.com
884  Input Password  password  kasir
885  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
886  Sleep  5
887  Close Browser
888  Log  Test Completed
889
```

### ll) Test Case

...		
>Login77		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	kasir123@gmail.com
Input Password	password	kasir
Click Element	xpath=/html/body/section/div/div...	
Sleep	5	
Close Browser		
Log	Test Completed	


## mm) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## nn) Browser testing



### 53. Login 3

#### a) Scenario

```
--  
890@Login78  
891  Open Browser  http://127.0.0.1:8000/login  chrome  
892  Set Selenium Implicit Wait  5  
893  Sleep  2  
894  Input Text  email  user123@gmail.com  
895  Input Password  password  user  
896  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button  
897  Sleep  5  
898  Close Browser  
899  Log  Test Completed  
900  
901
```

#### b) Test case

...		
>Login78		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	user123@gmail.com
Input Password	password	user
Click Element	xpath=/html/body/section/div/div...	
Sleep	5	
Close Browser		
Log	Test Completed	


c) **console**

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

d) **Browser Testing**



### e) Login 4

#### oo) Scenario

```
901
902@ Login79
903  Open Browser  http://127.0.0.1:8000/login  chrome
904  Set Selenium Implicit Wait  5
905  Sleep  2
906  Input Text  email  yohanatambunan123@gmail.com
907  Input Password  password  tambunan123
908  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
909  Sleep  5
910  Close Browser
911  Log  Test Completed
912
913
```

#### pp) Test Case

...		
>Login79		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	yohanatambunan123@gmail.com
Input Password	password	tambunan123
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	


#### qq) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

#### rr) Browser testing



f) Login 5

oo) Scenario

```
913
914@ Login80
915  Open Browser  http://127.0.0.1:8000/login  chrome
916  Set Selenium Implicit Wait  5
917  Sleep  2
918  Input Text  email  yoseplin@gmail.com
919  Input Password  password  anggunsari00
920  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
921  Sleep  5
922  Close Browser
923  Log  Test Completed
924
```

pp) Test case

...		
>Login80		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	yoseplin@gmail.com
Input Password	password	anggunsari00
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	


## qq) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## rr) Browser Testing



### g) Login 6

#### ss) Scenario

```
924
925@ Login81
926  Open Browser  http://127.0.0.1:8000/login  chrome
927  Set Selenium Implicit Wait  5
928  Sleep  2
929  Input Text  email  marbunmegal23@gmail.com
930  Input Password  password  riell1708
931  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
932  Sleep  5
933  Close Browser
934  Log  Test Completed
935
```

#### tt) Test Case

...		
- 🚨 Login81		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	marbunmega123@gmail.com
Input Password	password	riel1708
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	


## uu) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-html.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## vv) Browser testing



## h) Login 2

### oo) Scenario

```
936
937@ Login82
938  Open Browser  http://127.0.0.1:8000/login  chrome
939  Set Selenium Implicit Wait  5
940  Sleep  2
941  Input Text  email  marbunnovraelsbb@gmail.com
942  Input Password  password  novraelrggl
943  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
944  Sleep  5
945  Close Browser
946  Log  Test Completed
947
```

### pp) Test Case

...		
[-] Login82		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	marbunnovraelsbb@gmail.com
Input Password	password	novraelrgg1
Click Element	xpath=/html/body/section/div/di...	
Sleep	5	
Close Browser		
Log	Test Completed	


## qq) Console

```

[Console] X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## rr) Browser testing



i) Login 3

j) Scenario

```
948@Login83
949  Open Browser  http://127.0.0.1:8000/login  chrome
950  Set Selenium Implicit Wait  5
951  Sleep  2
952  Input Text  email  albertmanik@gmail.com
953  Input Password  password  binjaimanik123
954  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
955  Sleep  5
956  Close Browser
957  Log  Test Completed
958
```

k) Test case

...		
>Login83		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	albertmanik@gmail.com
Input Password	password	binjaimanik123
Click Element	xpath=/html/body/section/div/di...	
Sleep	5	
Close Browser		
Log	Test Completed	


#### I) console

```

[Console X]
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 A
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

#### m) Browser Testing



n) Login 4

ss) Scenario

```
960
961@Login84
962  Open Browser  http://127.0.0.1:8000/login  chrome
963  Set Selenium Implicit Wait  5
964  Sleep  2
965  Input Text  email  luanabrekamanuella@gmail.com
966  Input Password  password  lululucul23
967  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
968  Sleep  5
969  Close Browser
970  Log  Test Completed
971
```

tt) Test Case

Login84		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	luanabrekamanuella@gmail.com
Input Password	password	lululucu123
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	


## uu) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-console-3.2.2\reporter\ConsoleListener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

## vv) Browser testing



o) Login 5

ss) Scenario

```
972
973@ Login85
974  Open Browser  http://127.0.0.1:8000/login  chrome
975  Set Selenium Implicit Wait  5
976  Sleep  2
977  Input Text  email  na70mega29@gmail.com
978  Input Password  password  napitupulmegarial23
979  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
980  Sleep  5
981  Close Browser
982  Log  Test Completed
983
```

tt) Test case

Login85		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	na70mega29@gmail.com
Input Password	password	napitupulumeorgia123
Click Element	xpath=/html/body/section/div/div[1]/div[2]/button	
Sleep	5	
Close Browser		
Log	Test Completed	


## uu) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## vv) Browser Testing



p) Login 6

ww) Scenario

```
984
985@ Login86
986  Open Browser  http://127.0.0.1:8000/login  chrome
987  Set Selenium Implicit Wait  5
988  Sleep  2
989  Input Text  email  samuelsibuea@gmail.com
990  Input Password  password  sibueal23
991  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
992  Sleep  5
993  Close Browser
994  Log  Test Completed
```

xx) Test Case

<b>Login86</b>		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	samuelsibuea@gmail.com
Input Password	password	sibuea123
Click Element	xpath=/html/body/section/div/div[1]/button	
Sleep	5	
Close Browser		
Log	Test Completed	

## yy) Console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## zz) Browser testing

q) Login 2

ss) Scenario

```

996
997@Login87
998    Open Browser      http://127.0.0.1:8000/login      chrome
999    Set Selenium Implicit Wait      5
1000   Sleep      2
1001   Input Text      email      mariannewensesla88@gmail.com
1002   Input Password      password      marianne12345
1003   Click Element      xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1004   Sleep      5
1005   Close Browser
1006   Log      Test Completed
1007

```

### tt) Test Case

Login87			
Open Browser		http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait		5	
Sleep		2	
Input Text	email	mariannewensesla88@gmail.com	
Input Password	password	marianne12345	
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button		
Sleep		5	
Close Browser			
Log	Test Completed		


### uu) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### vv) Browser testing



r) Login 3

s) Scenario

```
1008
1009@ Login88
1010  Open Browser  http://127.0.0.1:8000/login  chrome
1011  Set Selenium Implicit Wait  5
1012  Sleep  2
1013  Input Text  email  fransiskal23@gmail.com
1014  Input Password  password  siska2000
1015  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1016  Sleep  5
1017  Close Browser
1018  Log  Test Completed
1019
```


t) Test case

...		
>Login88		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	fransiska123@gmail.com
Input Password	password	siska2000
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	

**u) console**

```
Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-html.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
```

**v) Browser Testing**



#### w) Login 4

##### ww) Scenario

```
1019
1020@ Login89
1021 Open Browser http://127.0.0.1:8000/login chrome
1022 Set Selenium Implicit Wait 5
1023 Sleep 2
1024 Input Text email rianshaputra123@gmail.com
1025 Input Password password rianshpl23
1026 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1027 Sleep 5
1028 Close Browser
1029 Log Test Completed
1030
1031
```

##### xx) Test Case

 Login89			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	rianshaputra123@gmail.com	
Input Password	password	rianshp123	
Click Element	xpath=/html/body/section/div/div...		
Sleep	5		
Close Browser			
Log	Test Completed		


## yy) Console

```

Console ×
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-console.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## zz) Browser testing



x) Login 5  
ww) Scenario

```
1031
1032@Login90
1033  Open Browser  http://127.0.0.1:8000/login  chrome
1034  Set Selenium Implicit Wait  5
1035  Sleep  2
1036  Input Text  email  123marolop@gmail.com
1037  Input Password  password  horassrggl23
1038  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1039  Sleep  5
1040  Close Browser
1041  Log  Test Completed
1042
```

xx) Test case

...		
>Login90		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	123marolop@gmail.com
Input Password	password	horassrgg123
Click Element	xpath=/html/body/section/div/div[...]	
Sleep	5	
Close Browser		
Log		Test Completed

## yy) Console

```
Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 A
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
```

## zz) Browser Testing

### y) Login 6

#### aaa) Scenario

```
1043@ Login91
1044  Open Browser  http://127.0.0.1:8000/login  chrome
1045  Set Selenium Implicit Wait  5
1046  Sleep  2
1047  Input Text  email  sitanggangdeunoel@gmail.com
1048  Input Password  password  deunoel2023
1049  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1050  Sleep  5
1051  Close Browser
1052  Log  Test Completed
1053
```


### **bbb) Test Case**

...		
>Login91		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	sitanggangdeunoel@gmail.com
Input Password	password	deunoel2023
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	

### **ccc) Console**

```
Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-html.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
```

### **ddd) Browser testing**



**z) Login 2**  
**ww) Scenario**

```
1054@Login92
1055  Open Browser  http://127.0.0.1:8000/login  chrome
1056  Set Selenium Implicit Wait  5
1057  Sleep  2
1058  Input Text  email  yoashutapea@gmail.com
1059  Input Password  password  yoas123
1060  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1061  Sleep  5
1062  Close Browser
1063  Log  Test Completed
1064
```


**xx) Test Case**

...		
>Login92		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	yoashutapea@gmail.com
Input Password	password	yoas123
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	

## yy) Console

```
Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\PycharmProjects\LoginTest\output.xml
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
```

## zz) Browser testing



**aa) Login 3**

**bb) Scenario**

```
1064
1065@ Login93
1066  Open Browser  http://127.0.0.1:8000/login  chrome
1067  Set Selenium Implicit Wait  5
1068  Sleep  2
1069  Input Text  email  reginaelisa@gmail.com
1070  Input Password  password  simanjuntakl23
1071  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1072  Sleep  5
1073  Close Browser
1074  Log  Test Completed
1075
```


**cc) Test case**

 Login93		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	reginaelisa@gmail.com
Input Password	password	simanjuntak123
Click Element	xpath=/html/body/section/div/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	

#### dd) console

```
Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-console.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
```

#### ee) Browser Testing



#### ff) Login 4

##### aaa) Scenario

```
1076@Login94
1077  Open Browser  http://127.0.0.1:8000/login  chrome
1078  Set Selenium Implicit Wait  5
1079  Sleep  2
1080  Input Text  email  mariagiawa@gmail.com
1081  Input Password  password  giawal23
1082  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1083  Sleep  5
1084  Close Browser
1085  Log  Test Completed
```


##### bbb) Test Case

...		
>Login94		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	mariagiawa@gmail.com
Input Password	password	giawa123
Click Element	xpath=/html/body/section/div/div...	
Sleep	5	
Close Browser		
Log	Test Completed	

### ccc) Console

```
Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
```

### ddd) Browser testing



### gg) Login 5

#### aaa) Scenario

```
1086
1087 @ Login95
1088 Open Browser http://127.0.0.1:8000/login chrome
1089 Set Selenium Implicit Wait 5
1090 Sleep 2
1091 Input Text email sianiparrahel@gmail.com
1092 Input Password password rahelel2022
1093 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1094 Sleep 5
1095 Close Browser
1096 Log Test Completed
```

#### bbb) Test case

...		
>Login95		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	sianiparrahel@gmail.com
Input Password	password	rahel2022
Click Element	xpath=/html/body/section/div/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	


### ccc) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-console-3.2.2\reporter.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### ddd) Browser Testing



**hh) Login 6  
eee) Scenario**

```
1097
1098@Login96
1099  Open Browser  http://127.0.0.1:8000/login  chrome
1100  Set Selenium Implicit Wait  5
1101  Sleep  2
1102  Input Text  email  sinagaester123@gmail.com
1103  Input Password  password  sinagal23
1104  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1105  Sleep  5
1106  Close Browser
1107  Log  Test Completed
1108
```


**fff) Test Case**

...		
>Login96		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	sinagaester123@gmail.com
Input Password	password	sinaga123
Click Element	xpath=/html/body/section/div/div...	
Sleep	5	
Close Browser		
Log	Test Completed	

## ggg) Console

```
Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
=====
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
```

## hh) Browser testing



ii) Login 2

aaa) Scenario

```
1108
1109● Login97
1110  Open Browser  http://127.0.0.1:8000/login  chrome
1111  Set Selenium Implicit Wait  5
1112  Sleep  2
1113  Input Text  email  sianiparjsen123@gmail.com
1114  Input Password  password  jsen0002
1115  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1116  Sleep  5
1117  Close Browser
1118  Log  Test Completed
1119
```

bbb) Test Case

...		
>Login97		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	sianiparjsen123@gmail.com
Input Password	password	jsen0002
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	

### ccc) Console


```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

ddd)

Browser testing



**jj) Login 3**

**kk) Scenario**

```
1119
1120@Login98
1121  Open Browser  http://127.0.0.1:8000/login  chrome
1122  Set Selenium Implicit Wait  5
1123  Sleep  2
1124  Input Text  email  sioalexandral23@gmail.com
1125  Input Password  password  alexandra000
1126  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1127  Sleep  5
1128  Close Browser
1129  Log  Test Completed
1130
```

**ll) Test case**

<b>Login98</b>		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	sioalexandra123@gmail.com
Input Password	password	alexandra000
Click Element	xpath=/html/body/section/div/div...	
Sleep	5	
Close Browser		
Log	Test Completed	


## mm) console

```

Console X
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

## nn) Browser Testing



oo) Login 4

eee) Scenario

```
30
31@ Login99
32  Open Browser  http://127.0.0.1:8000/login  chrome
33  Set Selenium Implicit Wait  5
34  Sleep  2
35  Input Text  email  asidohutajulul23@gmail.com
36  Input Password  password  asidorml23
37  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
38  Sleep  5
39  Close Browser
40  Log  Test Completed
```

fff) Test Case

 <b>Login99</b>			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	asidohutajulu123@gmail.com	
Input Password	password	asidorm123	
Click Element	xpath=/html/body/section/div/di...		
Sleep	5		
Close Browser			
Log	Test Completed		


### ggg) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### hhh) Browser testing



### pp) Login 5

#### eee) Scenario

```
141
142@ Login100
143  Open Browser  http://127.0.0.1:8000/login  chrome
144  Set Selenium Implicit Wait  5
145  Sleep  2
146  Input Text  email  03lprddjeremia@gmail.com
147  Input Password  password  pardede031
148  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
149  Sleep  5
150  Close Browser
151  Log  Test Completed
152
153
```

#### fff) Test case

	Login100		
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	031prddjeremia@gmail.com	
Input Password	password	pardede031	
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]		
Sleep	5		
Close Browser			
Log	Test Completed		

### ggg) Console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 28, 2023, 6:50:09 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-html\reporter.html --output D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml --log D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html --report D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
LoginTest
=====
LoginTest.TestSuite
=====
LoginTest.TestSuite.Login
=====
Login33 | PASS |
-----
LoginTest.TestSuite.Login | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### hhh) Browser Testing

# Login

Silahkan masuk dengan akun anda

Email



Masukkan email anda



The selected email is invalid.

Password



\*\*\*\*\*

Show

**MASUK**

Belum memiliki akun? [Buat Akun](#)

<b>Laporan Proyek Akhir Pengujian dan Kualitas Perangkat Lunak</b>		
<b>BDD - Automation Testing Using Cucumber dan</b>		
<b>ATDD - Automation Testing with Selenium and Robot Framework</b>		
Team	:	05
NIM/Name	:	1. 11321020 – Mega Marbun
		2. 11321021 – Luana Breka
		3. 11321031 – Albert R Aritonang
		4. 11321058 – Megaria Napitupulu

### **Pengujian Website Sistem Layanan Namura Cafe**

#### **Fungsi Yang Di Uji**

##### **A. Acceptance Test Driven Development (ATDD) – Robot Framework**

Adapun fungsi yang di uji menggunakan robot framework yaitu 4 fungsi inputan dan 1 fungsi melihat, antara lain :

- 1) Fungsi Tambah Produk
- 2) Fungsi Registrasi
- 3) Fungsi Pemesanan
- 4) Fungsi Pemesanan
- 5) Fungsi Melihat Galeri

##### **B. Behavior Driven Development BDD – Cucumber**

Adapun fungsi yang di uji menggunakan cucumber yaitu 4 fungsi inputan dan 1 fungsi melihat, antara lain :

- 1) Fungsi Tambah Produk
- 2) Fungsi Registrasi
- 3) Fungsi Pemesanan
- 4) Fungsi Pemesanan
- 5) Fungsi Melihat Galeri

## C. Implementasi Pengujian ATDD

### 1) Fungsi Tambah Produk

The test frame for every test case

Test Fungsi Tambah Produk	Input		Jumlah Testcase
	Parameter 1	Parameter 2	
Variasi 1	Email valid	Password Valid	25 testcase
Variasi 2	Email valid	Password tidak valid	25 testcase
Variasi 3	Email Tidak Valid	Password Valid	25 testcase
Variasi 4	Email tidak valid	Password tidak valid	25 testcase

Variasi 1 (Email valid,

Password Valid)

1. Tambah Produk 1
  - a) Scenario 1

```

4@ * Test Cases *
5@ AddService1
6  Open Browser      http://127.0.0.1:8000/login      Chrome
7  Set Selenium Implicit Wait  5
8  Input Text    email      admin@gmail.com
9  Input Password  password  admin123
10 Sleep   2
11 Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
12 sleep   2
13 Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
14 sleep   2
15 Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
16 Sleep   2
17 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
18 Sleep   2
19 Input Text    name      Dekorasi
20 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
21 Sleep   2
22 Input Text    harga     100000
23 Sleep   2
24 Input Text    deskripsi  dekorasi nya bagus banget
25 Sleep   2
26 Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALERY\\late night spotify.jpg
27 sleep   2
28 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
29 Sleep   2
30 Close Browser
31 Log      Test Completed
32

```

### b) Test case

 AddService1		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	Dekorasi
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	100000
Sleep	2	
Input Text	deskripsi	dekorasi nya bagus banget
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	D:\\AESTETIC GALERY\\late night spotify.jpg
sleep	2	D:\\AESTETIC GALERY\\late night spotify.jpg
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) console

```

Console ×
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
    BaseThreadInitThunk [0x77AB7D59+25]
    RtlInitializeExceptionChain [0x77D9B74B+107]
    RtlClearBits [0x77D9B6CF+191]

-----
Tambahproduk.Tambahproduk | FAIL |
1 critical test, 0 passed, 1 failed
1 test total, 0 passed, 1 failed
=====
Tambahproduk | FAIL |
1 critical test, 0 passed, 1 failed
1 test total, 0 passed, 1 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

#### d) Browser Testing



The screenshot shows a web browser window with a green header bar containing the text "Data Berhasil Ditambahkan". Below the header is a white content area with a blue button labeled "Tambah Paket Produk". At the bottom, there is a table with columns: Produk, Produk, Jenis, Price, Deskripsi, and Action.

## 2. Tambah Produk 2

### a) Scenario

```

Login2
  Open Browser  http://127.0.0.1:8000/login  chrome
  Set Selenium Implicit Wait  5
  Sleep  2
  Input Text  email  kasir@gmail.com
  Input Password  password  kasir123
  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
  Sleep  5
  Close Browser
  Log  Test Completed

```

### b) Test Case

AddService2		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[...]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[...]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[...]	
Input Text	name	Musik
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[...]	
Sleep	2	
Input Text	harga	100000
Sleep	2	
Input Text	deskripsi	Keren ya
Sleep	2	
Choose File	//[@id="pageWrapper"]/div[2]/div[2]/div[...]	D:\\AESTETIC GALERY\\late night spotify.jpg
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[...]	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```
Console ×
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated May 26, 2023, 4:32:49 PM] [pid: 16820]
Tambahproduk.Tambahproduk
=====
AddService2 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html
```

### d) Browser testing

Paket

Data Berhasil Ditambahkan

Produk	Produk	Jenis	Price	Deskripsi	Action
					Tambah Paket Produk

Variasi 1 ( Email valid, Password Valid)

### 3. Tambah Produk 3

#### a) Scenario

```

62● AddService3
63  Open Browser      http://127.0.0.1:8000/login      Chrome
64  Set Selenium Implicit Wait  5
65  Input Text    email  admin@gmail.com
66  Input Password  password  admin123
67  Sleep  2
68  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
69  sleep  2
70  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
71  sleep  2
72  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
73  Sleep  2
74  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
75  Input Text    name  Makanan enak
76  Click Element  jenis
77  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
78  Sleep  2
79  Input Text    harga  100000
80  Sleep  2
81  Input Text    deskripsi  yayayaya
82  Sleep  2
83  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALERY\\late night spotify.jpg
84  sleep  2
85  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
86  Sleep  2
87  Close Browser
88  Log  Test Completed

```

### b) Test case

...		
● AddService3		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	Makanan enak
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	100000
Sleep	2	
Input Text	deskripsi	yayayaya
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...  D:\\AESTETIC GALERY\\late night spotify.jpg	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) console

```

Console ×
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 9:36:10 PM) [pid: 11424]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService3 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

#### d) Browser Testing

Paket

Data Berhasil Ditambahkan

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	

Tambah Paket Produk

#### 4. Tambah Produk 4

##### a) Scenario

```

90●AddService4
91 Open Browser http://127.0.0.1:8000/login Chrome
92 Set Selenium Implicit Wait 5
93 Input Text email admin@gmail.com
94 Input Password password admin123
95 Sleep 2
96 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
97 sleep 2
98 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
99 sleep 2
100 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
101 Sleep 2
102 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
103 Input Text name Party
104 Click Element jenis
105 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
106 Sleep 2
107 Input Text harga 100000
108 Sleep 2
109 Input Text deskripsi yayayaya
110 Sleep 2
111 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
112 sleep 2
113 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
114 Sleep 2
115 Close Browser
116 Log Test Completed
117

```

##### b) Test Case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	name	Party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	100000
Sleep	2	
Input Text	deskripsi	yayayaya
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/input	D:\\AESTETIC GALERY\\late night spotify.jpg
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

terminated> Login.robot (Selected Test Cases) [Robot] C:\\Users\\user\\AppData\\Local\\Programs\\Python\\Python311\\python.exe (Terminated May 24, 2024, 10:45:25)
=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\output.xml
Log: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\log.html
Report: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\report.html
  
```

### d) Browser testing

Paket

/ Ecommerce / Paket

Data Berhasil Ditambahkan

Paket

[Tambah Paket Produk](#)

## 5. Tambah Produk 5

### a) Scenario

```
118  AddService5
120  Open Browser      http://127.0.0.1:8000/login    Chrome
121  Set Selenium Implicit Wait  5
122  Input Text  email  admin@gmail.com
123  Input Password  password  admin123
124  Sleep  2
125  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
126  sleep  2
127  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/li[3]/a/span
128  sleep  2
129  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div[3]/ul/li/a
130  Sleep  2
131  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
132  Input Text  name  waxing
133  Click Element  jenis
134  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
135  Sleep  2
136  Input Text  harga  56,0
137  Sleep  2
138  Input Text  deskripsi  yayayaya
139  Sleep  2
140  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
141  sleep  2
142  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
143  Sleep  2
144  Close Browser
145  Log  Test Completed
146
```

### b) Test case

AddService5		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	56,0
Sleep	2	
Input Text	deskripsi	yayayaya
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input	D:\\AESTETIC GALLERY\\late night spotify.jpg
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```
Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 9:23:45 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-reporter-console.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService4 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html
```

#### d) Browser Testing

Name

Jenis

Harga  
 ⓘ  
The harga field is required.

Deskripsi

Gambar  
 Choose File No file chosen

Add Cancel

## 6. Tambah Produk 6

### a) Scenario

```

147
148@AddService6
149  Open Browser      http://127.0.0.1:8000/login      Chrome
150  Set Selenium Implicit Wait  5
151  Input Text    email    admin@gmail.com
152  Input Password  password  admin123
153  Sleep  2
154  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
155  sleep  2
156  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
157  sleep  2
158  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li[1]
159  Sleep  2
160  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
161  Input Text    name    waxing
162  Click Element  jenis
163  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
164  Sleep  2
165  Input Text    harga  ...
166  Sleep  2
167  Input Text    deskripsi  yayayaya
168  Sleep  2
169  Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\\\AESTETIC GALERY\\\\late night spoti...
170  sleep  2
171  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
172  Sleep  2
173  Close Browser
174  Log    Test Completed
175

```

### b) Test Case

AddService6			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/di...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[1/d...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[1/d...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Input Text	name	waxing	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Input Text	harga	...	
Sleep	2		
Input Text	deskripsi	yayayaya	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/d... D:\\\\AESTETIC GALERY\\\\late night spotify.jpg		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) Console

```
Console X
terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html
```

d) Browser testing

The screenshot shows a web-based form for adding a product. The form fields are as follows:

- Name: waxing
- Jenis: Paket Dekorasi
- Harga: (empty input field with an error message: "Please enter a number.")
- Deskripsi: yayayaya
- Gambar: Choose File (selected file: late night spotify.jpg)

At the bottom right of the form are two buttons: "Add" (yellow) and "Cancel" (red).

7. Tambah Produk 7

a) Scenario

b) Test case

AddService6		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	...
Sleep	2	
Input Text	deskripsi	yayayaya
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	D:\\AESTETIC GALERY\\late night spotify.jpg
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

c) console

```
Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2024, 10:45:22)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robot.lib
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService7 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html
```

### c) Browser Testing

**Tambah Paket Produk**

[Home](#) / Paket produk / Tambah Paket Produk

---

Name	<input type="text"/>
Jenis	<input type="text"/> Pilih Jenis Paket
Harga	<input type="text"/> Harga <small>The harga field is required.</small>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen

[Add](#) [Cancel](#)

## 8. Tambah Produk 8

### a) Scenario

```

204@AddService8
205  Open Browser      http://127.0.0.1:8000/login    Chrome
206  Set Selenium Implicit Wait  5
207  Input Text  email  admin@gmail.com
208  Input Password  password  admin123
209  Sleep  2
210  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
211  sleep  2
212  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
213  sleep  2
214  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
215  Sleep  2
216  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
217  Input Text  name  waxing
218  Click Element  jenis
219  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
220  Sleep  2
221  Input Text  harga  100000
222  Sleep  2
223  Input Text  deskripsi  yayayaya
224  Sleep  2
225  Choose File  /*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
226  sleep  2
227  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
228  Sleep  2
229  Close Browser
230  Log  Test Completed
231

```

### b) Test Case

<b>AddService8</b>			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]		
Input Text	name	waxing	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]		
Sleep	2		
Input Text	harga	100000	
Sleep	2		
Input Text	deskripsi	yayayaya	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) Console

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 9:56:39 PM) [pid: 23912]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir1456
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService8 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

### d) Browser testing

Name

Jenis

Harga

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

## 9. Tambah Produk 9

### a) Scenario 1

```

231
232@AddService9
233  Open Browser  http://127.0.0.1:8000/login  Chrome
234  Set Selenium Implicit Wait  5
235  Input Text  email  admin@gmail.com
236  Input Password  password  admin123
237  Sleep  2
238  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
239  sleep  2
240  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
241  sleep  2
242  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li[1]
243  Sleep  2
244  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
245  Input Text  name  waxing
246  Click Element  jenis
247  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
248  Sleep  2
249  Input Text  harga  300000
250  Sleep  2
251  Input Text  deskripsi  yayayaya
252  Sleep  2
253  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
254  sleep  2
255  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/div/form/div[6]/div/div/button
256  Sleep  2
257  Close Browser
258  Log  Test Completed
259

```

### b) Test case

<b>AddService9</b>		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	300000
Sleep	2	
Input Text	deskripsi	yayayaya
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

c) **console**

```

Console ×
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 2023)
=====
1 test total, 1 passed, 0 failed
=====
LoginTest
| PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAN_SEMS_4\\PKPL\\PROYEK\\LoginTest\\output.xml
Log:   D:\\PERKULIAHAN_SEMS_4\\PKPL\\PROYEK\\LoginTest\\log.html
Report: D:\\PERKULIAHAN_SEMS_4\\PKPL\\PROYEK\\LoginTest\\report.html
=====
```

d) **Browser Testing**

Tambah Paket Produk

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga

Deskripsi

Gambar  
Choose File No file chosen ⓘ  
The gambar field must be an image.

Add Cancel

## 10. Tambah Produk 10

### a) Scenario

```

59@AddService10
60  Open Browser      http://127.0.0.1:8000/login      Chrome
61  Set Selenium Implicit Wait  5
62  Input Text  email  admin@gmail.com
63  Input Password  password  admin123
64  Sleep  2
65  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
66  sleep  2
67  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
68  sleep  2
69  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
70  Sleep  2
71  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
72  Input Text  name  waxing
73  Click Element  jenis
74  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
75  Sleep  2
76  Input Text  harga  150000
77  Sleep  2
78  Input Text  deskripsi  yayayaya
79  Sleep  2
80  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
81  sleep  2
82  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
83  Sleep  2
84  Close Browser
85  Log  Test Completed
86
87

```

### b) Test Case

Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	meganapitupulu29@gmail.com
Input Password	password	napitupulu123
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button	
Sleep	5	
Close Browser		
Log	Test Completed	

c) Console

```
Console X
terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html
```

d) Browser testing

Tambah Paket Produk

[/ Paket produk / Tambah Paket Produk](#)

Name

Jenis

Harga

Deskripsi

Gambar  
 No file chosen  
The gambar field must be an image.

Add Cancel

## 11. Tambah Produk 11

a) Scenario

```
289 @AddServicecell
290 Open Browser http://127.0.0.1:8000/login Chrome
291 Set Selenium Implicit Wait 5
292 Input Text email admin@gmail.com
293 Input Password password admin123
294 Sleep 2
295 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
296 sleep 2
297 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
298 sleep 2
299 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]
300 Sleep 2
301 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
302 Input Text name waxing
303 Click Element jenis
304 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
305 Sleep 2
306 Input Text harga 200000
307 Sleep 2
308 Input Text deskripsi hahA
309 Sleep 2
310 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
311 sleep 2
312 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
313 Sleep 2
314 Close Browser
315 Log Test Completed
316
```

b) Test case

AddService11		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Input Text	harga	200000
Sleep	2	
Input Text	deskripsi	hahA
Sleep	2	
Choose File	//*[@id='pageWrapper']/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4

### c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 10:02:57 PM) [pid: 17068]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTemp
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService10 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

### d) Browser Testing

#### Tambah Paket Produk

/ Paket produk / Tambah Paket Produk

Name

Jenis

Harga

Deskripsi

Gambar

Choose File

No file chosen
✖

The gambar field must be an image.

Add
Cancel

## 12. Tambah Produk 12

### a) Scenario

```
134
135
136@ Login12
137  Open Browser  http://127.0.0.1:8000/login  chrome
138  Set Selenium Implicit Wait  5
139  Sleep  2
140  Input Text  email  weni123@gmail.com
141  Input Password  password  weni123
142  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
143  Sleep  5
144  Close Browser
145  Log  Test Completed
146
147
```

### b) Test Case

...		
>Login12		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	weni123@gmail.com
Input Password	password	weni123
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button	
Sleep	5	
Close Browser		
Log	Test Completed	

### c) Console

```
Console X
terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe
1 test total, 1 passed, 0 failed
=====
LoginTest                                         | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output:  D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:    D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
```

d) Browser testing

The screenshot shows a login interface. At the top center is the word "Login". Below it is a message: "Welcome back! Log in to your account.". There are two input fields: one for "Email Address" containing "wени123@gmail.com" with a green checkmark icon, and one for "Password" containing "....." with a "Show" button and a green checkmark icon. At the bottom right is a blue "SIGN IN" button. Below the button is a link: "Don't have account? [Create Account](#)".

13. Tambah Produk 13

a) Scenario

```
147
148@ Login13
149    Open Browser  http://127.0.0.1:8000/login  chrome
150    Set Selenium Implicit Wait  5
151    Sleep  2
152    Input Text  email  siska@gmail.com
153    Input Password  password  siska1122
154    Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
155    Sleep  5
156    Close Browser
157    Log  Test Completed
158
```

b) Test case

(Login13)		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	siska@gmail.com
Input Password	password	siska1122
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button	
Sleep	5	
Close Browser		
Log	Test Completed	

### C) console

```
Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminal)
=====
LoginTest.TestSuite | PASS |
  1 critical test, 1 passed, 0 failed
  1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
  1 critical test, 1 passed, 0 failed
  1 test total, 1 passed, 0 failed
=====
Output:  D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:    D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report:  D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
```

### c) Browser Testing

The screenshot shows a login page with the following elements:

- Login**: The title of the page.
- Welcome back! Log in to your account.: A descriptive message.
- Email Address: A text input field containing "siska@gmail.com".
- Password: A text input field containing "\*\*\*\*\*".
- SIGN IN: A blue button.
- Don't have account? [Create Account](#): A link for new users.

#### 14. Tambah Produk 14

##### a) Scenario

```

158
159@ Login14
160    Open Browser  http://127.0.0.1:8000/login  chrome
161    Set Selenium Implicit Wait  5
162    Sleep  2
163    Input Text  email  rian123@gmail.com
164    Input Password  password  rian12345
165    Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
166    Sleep  5
167    Close Browser
168    Log  Test Completed
169
170

```

**b) Test Case**

 Login14		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	rian123@gmail.com
Input Password	password	rian12345
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button	
Sleep	5	
Close Browser		
Log	Test Completed	

**c) Console**

```

[Console] 
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminal)


=====
LoginTest.TestSuite | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====

LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====

Output:  D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:    D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

**d) Browser testing**



## 15. Tambah Produk 15

### a) Scenario

```
318@AddService15
319  Open Browser      http://127.0.0.1:8000/login    Chrome
320  Set Selenium Implicit Wait   5
321  Input Text  email    admin@gmail.com
322  Input Password  password    admin123
323  Sleep  2
324  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
325  sleep  2
326  Click Element  xpath=/html/body/div[2]/div[3]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/a/span
327  sleep  2
328  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/ul/li/a
329  Sleep  2
330  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
331  Input Text  name    waxing
332  Click Element  jenis
333  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div/div/select/option[4]
334  Sleep  2
335  Input Text  harga    +200000
336  Sleep  2
337  Input Text  deskripsi    hahA
338  Sleep  2
339  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
340  sleep  2
341  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
342  Sleep  2
343  Close Browser
344  Log  Test Completed
345
```

### b) Test case

 AddService15			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Input Text	name	waxing	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Input Text	harga	+200000	
Sleep	2		
Input Text	deskripsi	hahA	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\Users\user\OneDrive\Pictures\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Close Browser			
Log	Test Completed		

c) **console**

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 10:13:29 PM) [pid: 27108]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotSuite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService15 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

d) **Browser Testing**

**Tambah Paket Produk**

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga

Deskripsi

Gambar  
Choose File | No file chosen

The gambar field must be an image.

Add Cancel

## 16. Tambah Produk 2

### a) Scenario

```

346@ AddService16
347  Open Browser      http://127.0.0.1:8000/login      Chrome
348  Set Selenium Implicit Wait  5
349  Input Text      email      admin@gmail.com
350  Input Password    password      admin123
351  Sleep 2
352  Click Element   xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
353  sleep 2
354  Click Element   xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
355  sleep 2
356  Click Element   xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
357  Sleep 2
358  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/l/div/a
359  Input Text      name      waxing
360  Click Element   jenis
361  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
362  Sleep 2
363  Input Text      harga      :200000
364  Sleep 2
365  Input Text      deskripsi      hahA
366  Sleep 2
367  Choose File     //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
368  sleep 2
369  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
370  Sleep 2
371  Close Browser
372  Log  Test Completed
373

```

### b) Test Case

AddService16		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	:200000
Sleep	2	
Input Text	deskripsi	hahA
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated May 26, 2023, 10:13:29 PM] [pid: 27108]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotSuite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService15 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

### d) Browser testing

**Tambah Paket Produk**

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga

Deskripsi

Gambar  
Choose File | No file chosen

The gambar field must be an image.

Add Cancel

## 17. Tambah Produk 17

### a) Scenario

```

375 @AddService17
376 Open Browser http://127.0.0.1:8000/login Chrome
377 Set Selenium Implicit Wait 5
378 Input Text email admin@gmail.com
379 Input Password password admin123
380 Sleep 2
381 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
382 Sleep 2
383 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/li[3]/a/span
384 Sleep 2
385 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
386 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div[1]
387 Input Text name waxing
388 Click Element jenis
389 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
390 Sleep 2
391 Input Text harga %200000
392 Sleep 2
393 Input Text deskripsi hahA
394 Sleep 2
395 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
396 Sleep 2
397 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
398 Sleep 2
399 Close Browser
400 Log Test Completed
401

```

### b) Test case

AddService17		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	%200000
Sleep	2	
Input Text	deskripsi	haha
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) console

```
Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python311\python.exe (Terminated May 26, 2023, 10:13:29 PM) [pid: 27108]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\Robot
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService15 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html
```

### d) Browser Testing

**Tambah Paket Produk**

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga

Deskripsi

Gambar  
Choose File | No file chosen

The gambar field must be an image.

Add Cancel

## 18. Tambah Produk 18

### a) Scenario

```

402●AddService18
403 Open Browser      http://127.0.0.1:8000/login    Chrome
404 Set Selenium Implicit Wait  5
405 Input Text   email    admin@gmail.com
406 Input Password password  admin123
407 Sleep  2
408 Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
409 sleep  2
410 Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
411 sleep  2
412 Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li[1]
413 Sleep  2
414 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
415 Input Text   name    waxing
416 Click Element  jenis
417 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
418 Sleep  2
419 Input Text   harga   /200000
420 Sleep  2
421 Input Text   deskripsi  hahaha
422 Sleep  2
423 Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
424 sleep  2
425 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
426 Sleep  2
427 Close Browser
428 Log  Test Completed

```

### b) Test Case

AddService18		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Input Text	harga	/200000
Sleep	2	
Input Text	deskripsi	hahA
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

Console ×
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated May 26, 2023, 10:13:29 PM] [pid: 27108]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\Robot
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService15 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log:   D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

### d) Browser testing

## Tambah Paket Produk

/ Paket produk / Tambah Paket Produk

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga

Deskripsi

Gambar  
Choose File No file chosen

The gambar field must be an image.

Add Cancel

### 19. Tambah Produk 19

#### a) Scenario

```
430@AddService19
431  Open Browser  http://127.0.0.1:8000/login    Chrome
432  Set Selenium Implicit Wait  5
433  Input Text  email  admin@gmail.com
434  Input Password  password  admin123
435  Sleep  2
436  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
437  sleep  2
438  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
439  sleep  2
440  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
441  Sleep  2
442  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]/div/div/div[1]/a
443  Input Text  name  waxing
444  Click Element  jenis
445  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
446  Sleep  2
447  Input Text  harga  Rp.500000
448  Sleep  2
449  Input Text  deskripsi  hahA
450  Sleep  2
451  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALERY\\late night spotify.jpg
452  sleep  2
453  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
454  Sleep  2
455  Close Browser
456  Log  Test Completed
457
```

#### b) Test case

AddService19		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Input Text	harga	Rp.500000
Sleep	2	
Input Text	deskripsi	bahA
Sleep	2	hahA
Choose File	//[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	D:\AESTETIC GALLERY\late night spotify.jpg
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

c) **console**

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated May 26, 2023, 10:13:29 PM] [pid: 27108]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\Robot
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService15 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

d) **Browser Testing**

## Tambah Paket Produk

/ Paket produk / Tambah Paket Produk

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga

Deskripsi

Gambar  
Choose File No file chosen

The gambar field must be an image.

Add Cancel

## 20. Tambah Produk 20

### a) Scenario

```
458●AddService20
459 Open Browser http://127.0.0.1:8000/login Chrome
460 Set Selenium Implicit Wait 5
461 Input Text email admin@gmail.com
462 Input Password password admin123
463 Sleep 2
464 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
465 sleep 2
466 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
467 sleep 2
468 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
469 Sleep 2
470 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
471 Input Text name waxing
472 Click Element jenis
473 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
474 Sleep 2
475 Input Text harga 20,000,
476 Sleep 2
477 Input Text deskripsi hahA
478 Sleep 2
479 Choose File /**[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
480 sleep 2
481 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
482 Sleep 2
483 Close Browser
484 Log Test Completed
485
```

### b) Test Case

 AddService20			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Input Text	name	waxing	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Sleep	2		
Input Text	harga	20,000,	
Sleep	2		
Input Text	deskripsi	hahA	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]	D:\\AESTETIC GALLERY\\late night spotify.jpg	
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 10:13:29 PM) [pid: 27108]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotSuite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService15 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

### d) Browser testing

**Tambah Paket Produk**

[/ Paket produk / Tambah Paket Produk](#)

Name	<input type="text"/>
Jenis	<input type="text"/>
Harga	<input type="text"/>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen <p>The gambar field must be an image.</p>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

## 21. Tambah Produk 21

### a) Scenario

```

485
486 @AddService21
487 Open Browser http://127.0.0.1:8000/login Chrome
488 Set Selenium Implicit Wait 5
489 Input Text email admin@gmail.com
490 Input Password password admin123
491 Sleep 2
492 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
493 sleep 2
494 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
495 sleep 2
496 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
497 Sleep 2
498 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
499 Input Text name waxing
500 Click Element jenis
501 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
502 Sleep 2
503 Input Text harga 200000,000
504 Sleep 2
505 Input Text deskripsi hahA
506 Sleep 2
507 Choose File /*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALERY\\late night spotify.jpg
508 sleep 2
509 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
510 Sleep 2
511 Close Browser
512 Log Test Completed
513
514

```

### b) Test case

■  AddService21		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	200000,00
Sleep	2	
Input Text	deskripsi	hahA
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[2]/div[1]	D:\\AESTETIC GALLERY\\late night spotify.jpg
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log		Test Completed

c) **console**

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 10:13:29 PM) [pid: 27108]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotSuite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService15 | PASS |
=====
Tambahproduk.Tambahproduk
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

d) **Browser Testing**

Paket						/ Ecommerce / Paket
Data Berhasil Ditambahkan						
Produk	Produk Name	Jenis	Price	Deskripsi	Action	
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak		

## 22. Tambah Produk 22

### a) Scenario

```

① AddService22
1 Open Browser      http://127.0.0.1:8000/login      Chrome
2 Set Selenium Implicit Wait  5
3 Input Text    email    admin@gmail.com
4 Input Password  password  admin123
5 Sleep  2
6 Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
sleep  2
7 Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
8 sleep  2
9 Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
10 Sleep  2
11 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]/div/div/div[1]/a
12 Input Text    name    waxing
13 Click Element  jenis
14 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
15 Sleep  2
16 Input Text    harga  200000,000
17 Sleep  2
18 Input Text    deskripsi  hahA
19 Sleep  2
20 Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpeg
21 sleep  2
22 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
23 Sleep  2
24 Close Browser
25 Log  Test Completed

```

### b) Test Case

<b>AddService22</b>		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div[di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	200000,000
Sleep	2	
Input Text	deskripsi	hahA
Sleep	2	
Choose File	//[@id="pageWrapper"]/div[2]/d... D:\\AESTETIC GALLERY\\late night spotify.jpeg	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 10:13:29 PM) [pid: 27108]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotSuite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService15 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output:  D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log:    D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

### d) Browser testing

Paket					
Data Berhasil Ditambahkan					
<a href="#">Tambah Paket Produk</a>					
Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	<span style="color: red;">☒</span> <span style="color: green;">🕒</span> <span style="color: red;">✖</span>
		Diketahui			<span style="color: red;">⤒</span> <span style="color: green;">⤓</span> <span style="color: red;">⤔</span>

## 23. Tambah Produk 23

### a) Scenario

```

43
44@AddService23
45  Open Browser      http://127.0.0.1:8000/login    Chrome
46  Set Selenium Implicit Wait  5
47  Input Text  email  admin@gmail.com
48  Input Password  password  admin123
49  Sleep  2
50  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
51  sleep  2
52  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
53  sleep  2
54  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
55  Sleep  2
56  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
57  Input Text  name  waxing
58  Click Element  jenis
59  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
60  Sleep  2
61  Input Text  harga  200000,000
62  Sleep  2
63  Input Text  deskripsi  hahA
64  Sleep  2
65  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
66  sleep  2
67  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
68  Sleep  2
69  Close Browser
70  Log  Test Completed
71

```

### b) Test case

 Login23		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	sio45@gmail.com
Input Password	password	sio12345
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button	
Sleep	5	
Close Browser		
Log	Test Completed	

### c) console

```

[Console X]
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 10:13:29 PM) [pid: 27108]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\Robot
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService15 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

#### d) Browser Testing

The screenshot shows a web application interface. At the top, there is a navigation bar with links for Home, E-commerce, and Paket. Below the navigation bar, a green header bar displays the text "Data Berhasil Ditambahkan". The main content area contains a table with the following data:

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	

On the right side of the table, there is a blue button labeled "Tambah Paket Produk".

### 24. Tambah Produk 24

#### a) Scenario

```

1
2@AddService24
3 Open Browser http://127.0.0.1:8000/login Chrome
4 Set Selenium Implicit Wait 5
5 Input Text email admin@gmail.com
6 Input Password password admin123
7 Sleep 2
8 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
9 sleep 2
10 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div/div/div/li[3]/a/span
11 sleep 2
12 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
13 Sleep 2
14 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
15 Input Text name waxing
16 Click Element jenis
17 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
18 Sleep 2
19 Input Text harga 200000,000
20 Sleep 2
21 Input Text deskripsi asikkk
22 Sleep 2
23 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
24 sleep 2
25 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
26 Sleep 2
27 Close Browser
28 Log Test Completed
29

```

#### b) Test Case

... AddService24		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	200000,000
Sleep	2	
Input Text	deskripsi	asikkk
Sleep	2	
Choose File	//[@id="pageWrapper"]/div[2]/d...	D:\AESTETIC GALLERY\late night spotify.jpg
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log		Test Completed

### c) Console

```
Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 10:28:40 PM) [pid: 7800]
Suite EXECUTOR: ROBOT FRAMEWORK 3.2.2 (python 3.11.2 on windows)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService23 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html
=====
```

### d) Browser testing

Paket

Data Berhasil Ditambahkan

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	

Tambah Paket Produk

## 25. Tambah Produk 25

### a) Scenario

```
600
601@AddService25
602  Open Browser      http://127.0.0.1:8000/login      Chrome
603  Set Selenium Implicit Wait   5
604  Input Text    email      admin@gmail.com
605  Input Password  password    admin123
606  Sleep    2
607  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
608  sleep    2
609  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
610  sleep    2
611  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
612  Sleep    2
613  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
614  Input Text    name      waxing
615  Click Element  jenis      jens
616  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
617  Sleep    2
618  Input Text    harga      200000,000
619  Sleep    2
620  Input Text    deskripsi     walaha
621  Sleep    2
622  Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALERY\\late night spotify.jpg
623  sleep    2
624  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
625  Sleep    2
626  Close Browser
627  Log    Test Completed
628
```

### b) Test case

AddService25			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Input Text	name	waxing	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Input Text	harga	200000,000	
Sleep	2		
Input Text	deskripsi	walaha	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/d...	D:\\AESTETIC GALERY\\late night spotify.jpg	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 10:28:40 PM) [pid: 7800]
Suite Executor: ROBOT FRAMEWORK 3.2.2 (python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService23 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html
=====
```

#### d) Browser Testing

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	

### 26. Tambah Produk 26

#### a) Scenario

```

625@AddService26
630  Open Browser      http://127.0.0.1:8000/login    Chrome
631  Set Selenium Implicit Wait  5
632  Input Text  email  admin@gmail.com
633  Input Password  password  admin123
634  Sleep  2
635  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
636  sleep  2
637  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
638  sleep  2
639  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
640  Sleep  2
641  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
642  Input Text  name  waxing
643  Click Element  jenis
644  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/select/option[4]
645  Sleep  2
646  Input Text  harga  200000,000
647  Sleep  2
648  Input Text  deskripsi  heheh
649  Sleep  2
650  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
651  sleep  2
652  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
653  Sleep  2
654  Close Browser
655  Log  Test Completed
656
```

#### b) Test Case

<b>AddService26</b>		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Input Text	harga	200000,00
Sleep	2	
Input Text	deskripsi	heheh
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/input	D:\\AESTETIC GALERY\\late night spotify.jpg
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

Console ×
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 10:28:40 PM) [pid: 7800]
-----  

Suite Executor: ROBOT Framework 3.2.2 (python 3.11.2 on win32)
-----  

Tambahproduk  

-----  

Tambahproduk.Tambahproduk  

-----  

AddService23 | PASS |
-----  

Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
-----  

Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
-----  

Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html
-----
```

### d) Browser testing

Paket

Data Berhasil Ditambahkan

Tambah Paket Produk

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	

## 27. Tambah Produk 27

### a) Scenario 1

### b) Test case

Login1		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]	
Sleep	5	
Close Browser		
Log	Test Completed	

### c) console

```

[terminated]> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 2023)
1 critical test, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

### d) Browser Testing

## 28. Tambah Produk 28

### a) Scenario

### b) Test Case

	Login2		
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	kasir@gmail.com	
Input Password	password	kasir123	
Click Element	xpath=/html/body/section/div/div[1]/button		
Sleep	5		
Close Browser			
Log	Test Completed		

### c) Console

```

[Console] x
[terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output:  D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:    D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### d) Browser testing

**Login**

Welcome back! Log in to your account.

Email Address

Password

[Show](#) ✓

**SIGN IN**

Don't have account? [Create Account](#)

## 29. Tambah Produk 29

### a) Scenario

```

6
7@ Login29
8  Open Browser  http://127.0.0.1:8000/login  chrome
9  Set Selenium Implicit Wait  5
0  Sleep  2
1  Input Text  email  yohanatambunan@gmail.com
2  Input Password  password  tambunan123
3  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
4  Sleep  5
5  Close Browser
6  Log  Test Completed
7
8

```

**b) Test case**


...			
- Login29			
Open Browser	http://127.0.0.1:8000/login	chrome	
Set Selenium Implicit Wait	5		
Sleep	2		
Input Text	email	yohanatambun...	
Input Password	password	tambunan123	
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button		
Sleep	5		
Close Browser			
Log	Test Completed		

**c) console**

```

Console ×
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest                                         | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output:  D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:    D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html
=====
```

**d) Browser Testing**



### 30. Tambah Produk 30

#### a) Scenario

```
338
339@ Login30
340  Open Browser  http://127.0.0.1:8000/login  chrome
341  Set Selenium Implicit Wait  5
342  Sleep  2
343  Input Text  email  selenophile@gmail.com
344  Input Password  password  selenophile_
345  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
346  Sleep  5
347  Close Browser
348  Log  Test Completed
349
```

#### b) Test Case

Test Case: Login30		
Open Browser	http://127.0.0.1:8000/login	chrome
Set Selenium Implicit Wait	5	
Sleep	2	
Input Text	email	selenophile@gmail.com
Input Password	password	selenophile_
Click Element	xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button	
Sleep	5	
Close Browser		
Log	Test Completed	


#### c) Console

```

Console X
terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

**d) Browser testing**



### 31. Tambah Produk 31

**a) Scenario**

```

56
57@AddService31
58  Open Browser      http://127.0.0.1:8000/login    Chrome
59  Set Selenium Implicit Wait   5
60  Input Text    email    admin@gmail.com
61  Input Password    password    admin123
62  Sleep    2
63  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
64  sleep    2
65  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
66  sleep    2
67  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
68  Sleep    2
69  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
70  Input Text    name    waxing
71  Click Element  jenis
72  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
73  Sleep    2
74  Input Text    harga    %200000,000
75  Sleep    2
76  Input Text    deskripsi    xixixixi
77  Sleep    2
78  Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div/div/form/div[5]/div/div/input  C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
79  sleep    2
80  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
81  Sleep    2
82  Close Browser
83  Log    Test Completed
84
85

```

**b) Test case**

AddService31		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	%200000,000
Sleep	2	
Input Text	deskripsi	xixixi
Sleep	2	
Choose File	//[@id="pageWrapper"]/div[2]/d...	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

Console ×
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 10:38:51 PM) [pid: 25472]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14569264429303321384\TestRunne
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)

=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService31 | PASS |
=====
Tambahproduk.Tambahproduk
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

### d) Browser Testing

Tambah Paket Produk

/ Paket produk / Tambah Paket Produk

Name

Jenis

Harga

Deskripsi

Gambar

Choose File

(1)

The gambar field must be an image.

Add
Cancel

## 32. Tambah Produk 32

### a) Scenario

```
686@AddService32
687  Open Browser      http://127.0.0.1:8000/login    Chrome
688  Set Selenium Implicit Wait  5
689  Input Text  email  admin@gmail.com
690  Input Password  password  admin123
691  Sleep  2
692  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
693  sleep  2
694  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
695  sleep  2
696  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li[1]
697  Sleep  2
698  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
699  Input Text  name  waxing
700  Click Element  jenis
701  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
702  Sleep  2
703  Input Text  harga  10*000
704  Sleep  2
705  Input Text  deskripsi  yayayay
706  Sleep  2
707  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/form/div[5]/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
708  sleep  2
709  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
710  Sleep  2
711  Close Browser
712  Log  Test Completed
713
```

### b) Test Case

AddService32				
Open Browser	http://127.0.0.1:8000/login	Chrome		
Set Selenium Implicit Wait	5			
Input Text	email	admin@gmail.com		
Input Password	password	admin123		
Sleep	2			
Click Element	xpath=/html/body/section/div/div...			
sleep	2			
Click Element	xpath=/html/body/div[2]/div[1]/d...			
sleep	2			
Click Element	xpath=/html/body/div[2]/div[2]/d...			
Sleep	2			
Click Element	xpath=/html/body/div[2]/div[2]/d...			
Input Text	name	waxing		
Click Element	jenis			
Click Element	xpath=/html/body/div[2]/div[2]/d...			
Sleep	2			
Input Text	harga	10*000		
Sleep	2			
Input Text	deskripsi	yayayay		
Sleep	2			
Choose File	//*[@id="pageWrapper"]/div[2]/d... C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4			
sleep	2			
Click Element	xpath=/html/body/div[2]/div[2]/d...			
Sleep	2			
Close Browser				
End		Test Completed		

### c) Console

```

Console x
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated May 26, 2023, 10:38:51 PM] [pid: 25472]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14569264429303321384\TestRunne
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)

Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService31 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

#### d) Browser testing

Tambah Paket Produk

/ Paket produk / Tambah Paket Produk

Name

Jenis

Harga

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

### 33. Tambah Produk 33

#### a) Scenario

```

713
714@AddService33
715 Open Browser http://127.0.0.1:8000/login Chrome
716 Set Selenium Implicit Wait 5
717 Input Text email admin@gmail.com
718 Input Password password admin123
719 Sleep 2
720 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
721 sleep 2
722 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
723 sleep 2
724 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
725 Sleep 2
726 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div[1]
727 Input Text name waxing
728 Click Element jenis
729 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
730 Sleep 2
731 Input Text harga -
732 Sleep 2
733 Input Text deskripsi harga nya terjangkau
734 Sleep 2
735 Choose File //*[id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/input C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
736 sleep 2
737 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
738 Sleep 2
739 Close Browser
740 Log Test Completed
741

```

#### b) Test case

AddService33		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	waxing
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	-
Sleep	2	
Input Text	deskripsi	harga nya terjangkau
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		

### c) Console

```

Console ×
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 26, 2023, 10:38:51 PM) [pid: 25472]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14569264429303321384\TestRunne
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)

Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService31 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahanproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

### d) Browser Testing

#### Tambah Paket Produk

[/ Paket produk](#) / Tambah Paket Produk

Name

Jenis

Harga

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

[Add](#) [Cancel](#)

## 34. Tambah Produk 34

### a) Scenario

```
742● AddService34
743  Open Browser      http://127.0.0.1:8000/login      Chrome
744  Set Selenium Implicit Wait  5
745  Input Text  email  admin@gmail.com
746  Input Password  password  admin123
747  Sleep  2
748  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
749  sleep  2
750  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
751  sleep  2
752  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
753  Sleep  2
754  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
755  Input Text  name  waxing
756  Click Element  jenis
757  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
758  Sleep  2
759  Input Text  harga  -
760  Sleep  2
761  Input Text  deskripsi  sound system nya mantap
762  Sleep  2
763  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
764  sleep  2
765  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
766  Sleep  2
767  Close Browser
768  Log  Test Completed
769
```

### b) Test Case

AddService34					
Open Browser	http://127.0.0.1:8000/login	Chrome			
Set Selenium Implicit Wait	5				
Input Text	email	admin@gmail.com			
Input Password	password	admin123			
Sleep	2				
Click Element	xpath=/html/body/section/div/di...				
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/d...				
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/d...				
Sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/d...				
Input Text	name	waxing			
Click Element	jenis				
Click Element	xpath=/html/body/div[2]/div[2]/d...				
Sleep	2				
Input Text	harga	-			
Sleep	2				
Input Text	deskripsi	sound system nya mantap			
Sleep	2				
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4			
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/d...				
Sleep	2				
Close Browser					

### c) Console

```

Console x
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated May 26, 2023, 10:38:51 PM] [pid: 25472]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14569264429303321384\TestRunne
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService31 | PASS |
=====
Tambahproduk.Tambahproduk
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

#### d) Browser testing

Tambah Paket Produk

[/ Paket produk / Tambah Paket Produk](#)

Name

Jenis

Harga

Deskripsi

Gambar  
 Choose File No file chosen ✖  
 The gambar field must be an image.

Add Cancel

### 35. Tambah Produk 35

#### a) Scenario

```

770@AddService35
771  Open Browser      http://127.0.0.1:8000/login      Chrome
772  Set Selenium Implicit Wait  5
773  Input Text      email      admin@gmail.com
774  Input Password    password    admin123
775  Sleep      2
776  Click Element   xpath=/html/body/section/div/div[2]/div/form/div[3]/button
777  sleep      2
778  Click Element   xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
779  sleep      2
780  Click Element   xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
781  Sleep      2
782  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
783  Input Text      name      waxing
784  Click Element   jenis
785  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
786  Sleep      2
787  Input Text      harga      -
788  Sleep      2
789  Input Text      deskripsi      makanan nya enak sekali
790  Sleep      2
791  Choose File     //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
792  sleep      2
793  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
794  Sleep      2
795  Close Browser
796  Log      Test Completed
797

```

### b) Test case

AddService35			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Input Text	name	waxing	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Sleep	2		
Input Text	harga	-	
Sleep	2		
Input Text	deskripsi	makanan nya enak sekali	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Sleep	2		
Close Browser			

### c) console

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\\Users\\user\\AppData\\Local\\Programs\\Python\\Python311\\python.exe [Terminated May 26, 2023, 10:38:51 PM] [pid: 25472]
Command: C:\\Users\\user\\AppData\\Local\\Programs\\Python\\Python311\\python.exe -m robot.run --listener C:\\Users\\user\\AppData\\Local\\Temp\\RobotTempDir14569264429303321384\\TestRunne
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)

Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService31 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

**d) Browser Testing**

**36. Tambah Produk 36**

**a) Scenario**

```
409
410@ Login36
411  Open Browser  http://127.0.0.1:8000/login  chrome
412  Set Selenium Implicit Wait  5
413  Sleep  2
414  Input Text  email  samboll@gmail.com
415  Input Password  password  samboris123
416  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
417  Sleep  5
418  Close Browser
419  Log  Test Completed
420
421
```

**b) Test Case**

...		
-	>Login36	
	Open Browser	http://127.0.0.1:8000/login  chrome
	Set Selenium Implicit Wait	5
	Sleep	2
	Input Text	email  samboll@gmail.com
	Input Password	password  samboris123
	Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button
	Sleep	5
	Close Browser	
	Log	Test Completed

**c) Console**

```
terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe
1 test total, 1 passed, 0 failed
=====
LoginTest                                     | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output:  D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log:     D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report:  D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\LoginTest\report.html
```

**d) Browser testing**

**Tambah Paket Produk**

/ Paket produk / Tambah Paket Produk

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga

Deskripsi

Gambar  
Choose File No file chosen

The gambar field must be an image.

Add Cancel

**37. Tambah Produk 37**

**a) Scenario**

```
827
828@addService37
829  Open Browser  http://127.0.0.1:8000/login    Chrome
830  Set Selenium Implicit Wait  5
831  Input Text  email  admin@gmail.com
832  Input Password  password  admin123
833  Sleep  2
834  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
835  sleep  2
836  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
837  sleep  2
838  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
839  Sleep  2
840  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
841  Input Text  name  birthday party
842  Click Element  jenis
843  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
844  Sleep  2
845  Input Text  harga  kkliopoo
846  Sleep  2
847  Input Text  deskripsi  gaol production jaya
848  Sleep  2
849  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
850  sleep  2
851  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
852  Sleep  2
853  Close Browser
854  Log  Test Completed
855
856
```

**b) Test case**

	AddService37		
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div[1]		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]		
Sleep	2		
Input Text	name	birthday party	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]		
Sleep	2		
Input Text	harga	kkliopoo	
Sleep	2		
Input Text	deskripsi	gaol production jaya	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) Console

```

Console ×
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 27, 2023, 12:35:09 AM) [pid: 19064]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService37 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

### d) Browser Testing

The screenshot shows a web-based form for adding a product. The fields are as follows:

- Name:** A text input field.
- Jenis:** A dropdown menu with the placeholder "Pilih Jenis Paket".
- Harga:** A text input field with a red error message: "The harga field is required." A small red info icon is next to the field.
- Deskripsi:** A large text area for description.
- Gambar:** A file upload input field showing "Choose File No file chosen". A red error message: "The gambar field must be an image." A small red info icon is next to the field.

At the bottom right are two buttons: a yellow "Add" button and a red "Cancel" button.

## 38. Tambah Produk 38

### a) Scenario

```

8570 AddService38
858 Open Browser http://127.0.0.1:8000/login Chrome
859 Set Selenium Implicit Wait 5
860 Input Text email admin@gmail.com
861 Input Password password admin123
862 Sleep 2
863 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
864 sleep 2
865 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
866 sleep 2
867 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
868 Sleep 2
869 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]/div/a
870 Input Text name paket musik 3
871 Click Element jenis
872 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
873 Sleep 2
874 Input Text harga [
875 Sleep 2
876 Input Text deskripsi angklung
877 Sleep 2
878 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
879 sleep 2
880 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
881 Sleep 2
882 Close Browser
883 Log Test Completed
884

```

### b) Test Case

 <b>AddService38</b>			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div[1]		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[2]		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[3]		
Input Text	name	paket musik 3	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/div[4]		
Sleep	2		
Input Text	harga	[	
Sleep	2		
Input Text	deskripsi	angklung	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[5]		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) Console

```

Console ×
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 27, 2023, 12:38:52 AM) [pid: 25652]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\Robot
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService38 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\FKPL\PROYEK\Tambahproduk\output.xml
Log:   D:\PERKULIAHAN SEMS 4\FKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\FKPL\PROYEK\Tambahproduk\report.html

```

### d) Browser testing

**Tambah Paket Produk**

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga (1)

The harga field is required.

Deskripsi

Gambar  
Choose File No file chosen (1)

The gambar field must be an image.

Add Cancel

### 39. Tambah Produk 39

#### a) Scenario

```

885 | AddService39
886 | Open Browser http://127.0.1:8000/login Chrome
887 | Set Selenium Implicit Wait 5
888 | Input Text email admin@gmail.com
889 | Input Password password admin123
890 | Sleep 2
891 | Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
892 | sleep 2
893 | Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
894 | sleep 2
895 | Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
896 | Sleep 2
897 | Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
898 | Input Text name paket musik 2
899 | Input Text name paket musik 2
900 | Click Element jenis
901 | Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
902 | Sleep 2
903 | Input Text harga 18000000
904 | Sleep 2
905 | Input Text deskripsi musik nya buat tertarik
906 | Sleep 2
907 | Choose File /*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
908 | sleep 2
909 | Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
910 | Sleep 2
911 | Close Browser
912 | Log Test Completed
913 |

```

#### b) Test case

<b>AddService39</b>		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	name	paket musik 2
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	1800000
Sleep	2	
Input Text	deskripsi	musik nya buat tertarik
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]/input	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	

### c) console

```
Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated May 27, 2023, 12:38:52 AM] [pid: 25652]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotSuite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService38 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html
```

### d) Browser Testing

**Tambah Paket Produk**

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga

The harga field is required.

Deskripsi

Gambar  
Choose File No file chosen

The gambar field must be an image.

Add Cancel

## 40. Tambah Produk 40

### a) Scenario

```

915@AddService40
916  Open Browser   http://127.0.0.1:8000/login    Chrome
917  Set Selenium Implicit Wait  5
918  Input Text   email   admin@gmail.com
919  Input Password   password   admin123
920  Sleep  2
921  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
922  sleep  2
923  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
924  sleep  2
925  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
926  Sleep  2
927  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
928  Input Text   name   birthday party
929  Click Element  jenis
930  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
931  Sleep  2
932  Input Text   harga   jjjbjb
933  Sleep  2
934  Input Text   deskripsi   musik nya bagus
935  Sleep  2
936  Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
937  sleep  2
938  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
939  Sleep  2
940  Close Browser
941  Log   Test Completed
942

```

### b) Test Case

AddService40		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[...]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[...]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[...]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[...]	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[...]	
Sleep	2	
Input Text	harga	ijjbjb
Sleep	2	
Input Text	deskripsi	musik nya bagus
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]	D:\\AESTETIC GALLERY\\late night spotify.jpg
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[...]	
Sleep	2	
Close Browser		
Log	Test Completed	

c) Console

```
Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 27, 2023, 12:38:52 AM) [pid: 25652]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\Robot
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService38 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html
```

#### d) Browser testing

## Tambah Paket Produk

/ Paket produk / Tambah Paket Produk

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga

The harga field is required.

Deskripsi

Gambar  
Choose File No file chosen

The gambar field must be an image.

Add Cancel

### Variasi 1 ( Email valid, Password Valid)

#### 41. Tambah Produk

##### a) Scenario 1

```
942
943@AddService41
944  Open Browser  http://127.0.0.1:8000/login  Chrome
945  Set Selenium Implicit Wait  5
946  Input Text  email  admin@gmail.com
947  Input Password  password  admin123
948  Sleep  2
949  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
950  sleep  2
951  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
952  sleep  2
953  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
954  Sleep  2
955  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
956  Input Text  name  birthday party
957  Click Element  jenis
958  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
959  Sleep  2
960  Input Text  harga  1800000
961  Sleep  2
962  Input Text  deskripsi  panggung nya mewah
963  Sleep  2
964  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
965  sleep  2
966  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
967  Sleep  2
968  Close Browser
969  Log  Test Completed
970
```

##### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	1800000
Sleep	2	
Input Text	deskripsi	panggung nya mewah
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log		Test Completed

c) console

d) Browser Testing

**42. Tambah Produk 2**

a) Scenario

```

970
971@AddService42
972  Open Browser      http://127.0.0.1:8000/login      Chrome
973  Set Selenium Implicit Wait  5
974  Input Text      email      admin@gmail.com
975  Input Password    password    admin123
976  Sleep 2
977  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
978  sleep 2
979  Click Element    xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div/div/li[3]/a/span
980  Sleep 2
981  Click Element    xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div/div/li[3]/ul/li/a
982  Sleep 2
983  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
984  Input Text      name      birthday party
985  Click Element    jenis
986  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/form/div[2]/div/div/select/option[4]
987  Sleep 2
988  Input Text      harga      bayar lah
989  Sleep 2
990  Input Text      deskripsi    luas sekali tempatnya
991  Sleep 2
992  Choose File     //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp3
993  sleep 2
994  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
995  Sleep 2
996  Close Browser
997  Log  Test Completed
998

```

### b) Test Case

AddService42		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div/div/li[3]/a/span	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a	
Sleep	2	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]	
Sleep	2	
Input Text	harga	bayar lah
Sleep	2	
Input Text	deskripsi	luas sekali tempatnya
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp3
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

### d) Browser testing

## Variasi 1( Email valid, Password Valid)

### 43. Tambah Produk 1

#### a) Scenario 1

```
998@ AddService43
1000 Open Browser http://127.0.0.1:8000/login Chrome
1001 Set Selenium Implicit Wait 5
1002 Input Text email admin@gmail.com
1003 Input Password password admin123
1004 Sleep 2
1005 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1006 sleep 2
1007 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1008 sleep 2
1009 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1010 Sleep 2
1011 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
1012 Input Text name birthday party
1013 Click Element jenis
1014 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1015 Sleep 2
1016 Input Text harga 18000000
1017 Sleep 2
1018 Input Text deskripsi apaan siii
1019 Sleep 2
1020 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1021 sleep 2
1022 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
1023 Sleep 2
1024 Close Browser
1025 Log Test Completed
1026
```

#### b) Test case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[1]...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[1]...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[1]...	
Sleep	2	
Input Text	harga	18000000
Sleep	2	
Input Text	deskripsi	apaan siii
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button	
Sleep	2	
Close Browser		
Log	Test Completed	

#### c) console

#### d) Browser Testing

### 44. Tambah Produk 2

### a) Scenario

```
26
27@AddService44
28  Open Browser      http://127.0.0.1:8000/login      Chrome
29  Set Selenium Implicit Wait  5
30  Input Text    email    admin@gmail.com
31  Input Password  password  admin123
32  Sleep  2
33  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
34  sleep  2
35  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
36  sleep  2
37  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
38  Sleep  2
39  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
40  Input Text    name    birthday party
41  Click Element  jenis
42  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
43  Sleep  2
44  Input Text    harga  18000000
45  Sleep  2
46  Input Text    deskripsi  eheheheh
47  Sleep  2
48  Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
49  sleep  2
50  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
51  Sleep  2
52  Close Browser
53  Log    Test Completed
54
```

### b) Test Case

AddService44		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	18000000
Sleep	2	
Input Text	deskripsi	eheheheh
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d... C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

[Console X]
terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

#### d) Browser testing

**Login**

Welcome back! Log in to your account.

Email Address

Password

Show ✓

**SIGN IN**

Don't have account? [Create Account](#)

#### Variasi 1 ( Email valid, Password Valid)

### 45. Tambah Produk 1

#### a) Scenario 1

```

058# AddService45
056  Open Browser   http://127.0.0.1:8000/login   Chrome
057  Set Selenium Implicit Wait  5
058  Input Text    email    admin@gmail.com
059  Input Password    password    admin123
060  Sleep 2
061  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
062  sleep 2
063  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/a/span
064  sleep 2
065  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/ul/li/a
066  Sleep 2
067  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
068  Input Text    name    birthday party
069  Click Element  jenis
070  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
071  Sleep 2
072  Input Text    harga    1800000
073  Sleep 2
074  Input Text    deskripsi    lawak sekali
075  Sleep 2
076  Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
077  sleep 2
078  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
079  Sleep 2
080  Close Browser
081  Log  Test Completed
082

```

#### b) Test case

...		
■ AddService45		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[...]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	1800000
Sleep	2	
Input Text	deskripsi	lawak sekali
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log		Test Completed

### c) Console

### d) Browser Testing

## 46. Tambah Produk 2

### a) Scenario

```

1083@AddService46
1084  Open Browser      http://127.0.0.1:8000/login      Chrome
1085  Set Selenium Implicit Wait    5
1086  Input Text      email      admin@gmail.com
1087  Input Password    password      admin123
1088  Sleep    2
1089  Click Element    xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1090  sleep    2
1091  Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1092  sleep    2
1093  Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1094  Sleep    2
1095  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
1096  Input Text      name      birthday party
1097  Click Element    jenis
1098  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
1099  Sleep    2
1100  Input Text      harga      18000000
1101  Sleep    2
1102  Input Text      deskripsi      opranto
1103  Sleep    2
1104  Choose File     /*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1105  sleep    2
1106  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
1107  Sleep    2
1108  Close Browser
1109  Log      Test Completed
1110

```

### b) Test Case

AddService46		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[1]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[2]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[2]/div[1]	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[2]/div[1]	
Sleep	2	
Input Text	harga	18000000
Sleep	2	
Input Text	deskripsi	opranto
Sleep	2	
Choose File	//*[@id="pageWrapper"]	C:\Users\user\OneDrive\Pictures\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```
11● AddService47
12 Open Browser      http://127.0.0.1:8000/login    Chrome
13 Set Selenium Implicit Wait 5
14 Input Text email    admin@gmail.com
15 Input Password password    admin123
16 Sleep 2
17 Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
18 sleep 2
19 Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/a/span
20 sleep 2
21 Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/ul/li/a
22 Sleep 2
23 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
24 Input Text name    birthday party
25 Click Element  jenis
26 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div/div/select/option[4]
27 Sleep 2
28 Input Text harga    9089098
29 Sleep 2
30 Input Text deskripsi    xixixixixii
31 Sleep 2
32 Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input  C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
33 sleep 2
34 Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
35 Sleep 2
36 Close Browser
37 Log  Test Completed
38
```

#### d) Browser testing

**Variasi 1 ( Email valid, Password Valid)**

## 47. Tambah Produk 1

### a) Scenario 1

```

1110
1111@AddService47
1112 Open Browser http://127.0.0.1:8000/login Chrome
1113 Set Selenium Implicit Wait 5
1114 Input Text email admin@gmail.com
1115 Input Password password admin123
1116 Sleep 2
1117 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1118 sleep 2
1119 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div/div/li[3]/a/span
1120 Sleep 2
1121 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/li/a
1122 Sleep 2
1123 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div[1]/div/a
1124 Input Text name birthday party
1125 Click Element jenis
1126 Click Element xpath=/html/body/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1127 Sleep 2
1128 Input Text harga 9089098
1129 Sleep 2
1130 Input Text deskripsi xixixixixii
1131 Sleep 2
1132 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1133 sleep 2
1134 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
1135 Sleep 2
1136 Close Browser
1137 Log Test Completed
1138

```

### b) Test case

AddService47				
Open Browser	http://127.0.0.1:8000/login	Chrome		
Set Selenium Implicit Wait	5			
Input Text	email	admin@gmail.com		
Input Password	password	admin123		
Sleep	2			
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button			
sleep	2			
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div/div/li[3]/a/span			
sleep	2			
Click Element	xpath=/html/body/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]			
Sleep	2			
Input Text	harga	9089098		
Sleep	2			
Input Text	deskripsi	xixixixixii		
Sleep	2			
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div <input c:\\users\\user\\onedrive\\pictures\\asas.mp4<="" td=""/> <td></td> <td></td> <td></td>			
sleep	2			
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button			
Sleep	2			
Close Browser				
Log	Test Completed			

### c) console

```

Console ×
<terminated> Login.robot [Selected Test Cases] [Robot] C:\\Users\\user\\AppData\\Local\\Programs\\Python\\Python311\\python.exe (Terminated May 2
=====
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\output.xml
Log: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\log.html
Report: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\report.html
=====
```

### c) Browser Testing

## 48. Tambah Produk 48

### a) Scenario

```
l139@AddService48
l140  Open Browser      http://127.0.0.1:8000/login      Chrome
l141  Set Selenium Implicit Wait  5
l142  Input Text  email  admin@gmail.com
l143  Input Password  password  admin123
l144  Sleep  2
l145  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
l146  sleep  2
l147  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
l148  sleep  2
l149  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
l150  Sleep  2
l151  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
l152  Input Text  name  birthday party
l153  Click Element  jenis
l154  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
l155  Sleep  2
l156  Input Text  harga  76890
l157  Sleep  2
l158  Input Text  deskripsi  xixixxixi
l159  Sleep  2
l160  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
l161  sleep  2
l162  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
l163  Sleep  2
l164  Close Browser
l165  Log  Test Completed
l166
```

### b) Test Case

■ 🚨 AddService48			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div[2]/div/form/div[3]/button		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a		
Input Text	name	birthday party	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]		
Sleep	2		
Input Text	harga	76890	
Sleep	2		
Input Text	deskripsi	xixixxixi	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) Console

```

[Console X]
terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

#### d) Browser testing

**Login**

Welcome back! Log in to your account.

Email Address

Password

[Show ✓](#)

**SIGN IN**

[Don't have account? Create Account](#)

#### Variasi 1 ( Email valid, Password Valid)

#### 49. Tambah Produk 49

##### a) Scenario 1

```

file6
1167@AddService49
1168  Open Browser   http://127.0.0.1:8000/login   Chrome
1169  Set Selenium Implicit Wait   5
1170  Input Text   email   admin@gmail.com
1171  Input Password   password   admin123
1172  Sleep   2
1173  Click Element   xpath=/html/body/section/div/div/div/div[2]/div/form/div[3]/button
1174  sleep   2
1175  Click Element   xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/a/span
1176  sleep   2
1177  Click Element   xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/ul/li/a
1178  Sleep   2
1179  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
1180  Input Text   name   birthday party
1181  Click Element   jenis
1182  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
1183  Sleep   2
1184  Input Text   harga   1800000
1185  Sleep   2
1186  Input Text   deskripsi   wakakawaka eee
1187  Sleep   2
1188  Choose File   //*[@id="pageNzapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input   C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1189  sleep   2
1190  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
1191  Sleep   2
1192  Close Browser
1193  Log   Test Completed
1194

```

##### b) Test case

AddService49		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	1800000
Sleep	2	
Input Text	deskripsi	wakakawaka eee
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

### C) console

```

  Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 1, 2024, 10:45:21 AM)
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\report.html
=====
```

### c) Browser Testing

#### 50. Tambah Produk 50

##### a) Scenario

```

1194
1195● AddService50
1196  Open Browser  http://127.0.0.1:8000/login  Chrome
1197  Set Selenium Implicit Wait  5
1198  Input Text  email  admin@gmail.com
1199  Input Password  password  admin123
1200  Sleep  2
1201  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1202  sleep  2
1203  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1204  sleep  2
1205  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1206  Sleep  2
1207  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]/div/div[1]/div/a
1208  Input Text  name  birthday party
1209  Click Element  jenis
1210  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1211  Sleep  2
1212  Input Text  harga  1800000
1213  Sleep  2
1214  Input Text  deskripsi  hahahhah
1215  Sleep  2
1216  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
1217  sleep  2
1218  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
1219  Sleep  2
1220  Close Browser
1221  Log  Test Completed
1222

```

### b) Test Case

AddService50			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/di...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Input Text	name	birthday party	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Input Text	harga	1800000	
Sleep	2		
Input Text	deskripsi	hahahhah	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) Console

```

Console X
\terminated> Login.robot (Selected Test Cases) [Robot] C:\\Users\\\\user\\\\AppData\\\\Local\\\\Programs\\\\Python\\\\Python311\\\\python.exe
1 test total, 1 passed, 0 failed
=====
LoginTest                                     | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output:  D:\\PERKULIAHAAN_SEMS_4\\PKPL\\PROYEK\\LoginTest\\output.xml
Log:    D:\\PERKULIAHAAN_SEMS_4\\PKPL\\PROYEK\\LoginTest\\log.html
Report: D:\\PERKULIAHAAN_SEMS_4\\PKPL\\PROYEK\\LoginTest\\report.html

```

#### d) Browser testing

The screenshot shows a login form with the following fields:

- Email Address: kasir@gmail.com
- Password: ..... (obscured)
- Sign In button
- Don't have account? Create Account link

#### Variasi 1 ( Email valid, Password Valid)

##### 51. Tambah Produk 51

###### a) Scenario 1

```
1222
1223●AddService51
1224  Open Browser  http://127.0.0.1:8000/login  Chrome
1225  Set Selenium Implicit Wait  5
1226  Input Text  email  admin@gmail.com
1227  Input Password  password  admin123
1228  Sleep  2
1229  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1230  sleep  2
1231  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1232  sleep  2
1233  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1234  Sleep  2
1235  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
1236  Input Text  name  birthday party
1237  Click Element  jenis
1238  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1239  Sleep  2
1240  Input Text  harga  18000000
1241  Sleep  2
1242  Input Text  deskripsi  lalallala
1243  Sleep  2
1244  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1245  sleep  2
1246  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
1247  Sleep  2
1248  Close Browser
1249  Log  Test Completed
1250
```

###### b) Test case

<b>AddService50</b>		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]/div[1]	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]/div[1]	
Sleep	2	
Input Text	harga	18000000
Sleep	2	
Input Text	deskripsi	hahahhah
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

### d) Browser Testing

## 52. Tambah Produk 52

### a) Scenario

```

1250● AddService52
1251 Open Browser http://127.0.0.1:8000/login Chrome
1252 Set Selenium Implicit Wait 5
1253 Input Text email admin@gmail.com
1254 Input Password password admin123
1255 Sleep 2
1256 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1257 sleep 2
1258 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/a/span
1259 sleep 2
1260 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/ul/li/a
1261 Sleep 2
1262 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[1]/div[2]/div[2]/div[1]/div[1]/div[1]/div[1]
1263 Input Text name birthday party
1264 Input Text name birthday party
1265 Click Element jenis
1266 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
1267 Sleep 2
1268 Input Text harga 18000000
1269 Sleep 2
1270 Input Text deskripsi jenis musik rock n roll
1271 Sleep 2
1272 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1273 sleep 2
1274 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
1275 Sleep 2
1276 Close Browser
1277 Log Test Completed
1278

```

**b) Test Case**

AddService52		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]/div[1]	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Input Text	harga	18000000
Sleep	2	
Input Text	deskripsi	jenis musik rock n roll
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[1]/div[1]	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

**c) Console**

```
Console X
terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\report.html
```

**d) Browser testing**

Variasi 1 ( Email valid, Password Valid)

**53. Tambah Produk 1**

**a) Scenario 1**

```

1279@AddService53
1280  Open Browser  http://127.0.0.1:8000/login    Chrome
1281  Set Selenium Implicit Wait  5
1282  Input Text  email  admin@gmail.com
1283  Input Password  password  admin123
1284  Sleep  2
1285  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1286  sleep  2
1287  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/a/span
1288  sleep  2
1289  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/ul/li/a
1290  Sleep  2
1291  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
1292  Input Text  name  birthday party
1293  Click Element  jenis
1294  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1295  Sleep  2
1296  Input Text  harga  kakakkaka
1297  Sleep  2
1298  Input Text  deskripsi  wahana nya lengkap
1299  Sleep  2
1300  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1301  sleep  2
1302  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
1303  Sleep  2
1304  Close Browser
1305  Log  Test Completed
1306

```

### b) Test case

AddService53			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/di...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Input Text	name	birthday party	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Input Text	harga	kakakkaka	
Sleep	2		
Input Text	deskripsi	wahana nya lengkap	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) console

### d) Browser Testing

## 54. Tambah Produk 54

### a) Scenario

```

1307@AddService54
1308  Open Browser      http://127.0.0.1:8000/login    Chrome
1309  Set Selenium Implicit Wait  5
1310  Input Text  email  admin@gmail.com
1311  Input Password  password  admin123
1312  Sleep  2
1313  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1314  sleep  2
1315  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1316  sleep  2
1317  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1318  Sleep  2
1319  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
1320  Input Text  name  birthday party
1321  Click Element  jenis
1322  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1323  Sleep  2
1324  Input Text  harga  18000000
1325  Sleep  2
1326  Input Text  deskripsi  panggung nya mewah
1327  Sleep  2
1328  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp3
1329  sleep  2
1330  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
1331  Sleep  2
1332  Close Browser
1333  Log  Test Completed
1334

```

### b) Test Case

	AddService54		
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/di...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Input Text	name	birthday party	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Input Text	harga	18000000	
Sleep	2		
Input Text	deskripsi	panggung nya mewah	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp3	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) Console

```

[Console X]
terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK>LoginTest\report.html

```

#### d) Browser testing

#### Variasi 1 ( Email valid, Password Valid)

#### 55. Tambah Produk 55

##### a) Scenario 1

```

1335@AddService55
1336  Open Browser  http://127.0.0.1:8000/login  Chrome
1337  Set Selenium Implicit Wait  5
1338  Input Text  email  admin@gmail.com
1339  Input Password  password  admin123
1340  Sleep  2
1341  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1342  sleep  2
1343  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/a/span
1344  sleep  2
1345  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/ul/li/a
1346  Sleep  2
1347  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
1348  Input Text  name  birthday party
1349  Click Element  jenis
1350  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1351  Sleep  2
1352  Input Text  harga  jbsxjsbjb
1353  Sleep  2
1354  Input Text  deskripsi  test
1355  Sleep  2
1356  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1357  sleep  2
1358  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
1359  Sleep  2
1360  Close Browser
1361  Log  Test Completed
1362

```

##### b) Test case

<b>AddService55</b>		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Input Text	harga	jbsxjsbjb
Sleep	2	
Input Text	deskripsi	test
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		
Log		Test Completed

c) console

```

Console ×
<terminated> Login.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 2023)
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\output.xml
Log: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\log.html
Report: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\report.html

```

d) Browser Testing

56. Tambah Produk 56

a) Scenario

```

1362
1363@AddService56
1364  Open Browser      http://127.0.0.1:8000/login      Chrome
1365  Set Selenium Implicit Wait      5
1366  Input Text      email      admin@gmail.com
1367  Input Password    password      admin123
1368  Sleep      2
1369  Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1370  sleep      2
1371  Click Element    xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div/div/li[3]/a/span
1372  sleep      2
1373  Click Element    xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li[1]
1374  Sleep      2
1375  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div[1]/div/a
1376  Input Text      name      birthday party
1377  Click Element    jenis
1378  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/form/div[2]/div/select/option[4]
1379  Sleep      2
1380  Input Text      harga      18000000
1381  Sleep      2
1382  Input Text      deskripsi      terimakasih
1383  Sleep      2
1384  Choose File     //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input      C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1385  sleep      2
1386  Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
1387  Sleep      2
1388  Close Browser
1389  Log      Test Completed
1390

```

### b) Test Case

AddService56		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	18000000
Sleep	2	
Input Text	deskripsi	terimakasih
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d... C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

### d) Browser testing

## Variasi 1 ( Email valid, Password Valid)

### 57. Tambah Produk 57

#### a) Scenario 1

```
1390
1391● AddService57
1392     Open Browser      http://127.0.0.1:8000/login    Chrome
1393     Set Selenium Implicit Wait 5
1394     Input Text      email      admin@gmail.com
1395     Input Password    password    admin123
1396     Sleep      2
1397     Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1398     sleep      2
1399     Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1400     sleep      2
1401     Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1402     Sleep      2
1403     Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1404     Sleep      2
1405     Input Text      name      birthday party
1406     Click Element  jenis
1407     Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1408     Input Text      harga      18000000
1409     Sleep      2
1410     Input Text      deskripsi    bervariasi acara dan tempatnya
1411     Sleep      2
1412     Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1413     sleep      2
1414     Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
1415     Sleep      2
1416     Close Browser
1417     Log      Test Completed
```

#### b) Test case

AddService57		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	18000000
Sleep	2	
Input Text	deskripsi	bervariasi acara dan tempatnya
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log		Test Completed

#### c) console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 20, 2024, 14:45:22)
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\LoginTest\report.html

```

### c) Browser Testing

The image shows two screenshots of a web application. On the left, a 'Login' page is displayed with fields for Email Address (admin@gmail.com) and Password, and a 'SIGN IN' button. On the right, a 'Dashboard' page shows 'Order Details' with four categories: 'New Order' (6981, 68%), 'Pending Order' (783, 12%), 'Delivered Order' (563147, 50%), and 'Cancelled Order' (69, 20%).

## 58. Tambah Produk 58

### a) Scenario

```

1418
1419 @AddService58
1420 Open Browser http://127.0.0.1:8000/login Chrome
1421 Set Selenium Implicit Wait 5
1422 Input Text email admin@gmail.com
1423 Input Password password admin123
1424 Sleep 2
1425 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1426 sleep 2
1427 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1428 sleep 2
1429 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1430 Sleep 2
1431 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
1432 Input Text name birthday party
1433 Click Element jenis
1434 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1435 Sleep 2
1436 Input Text harga 18000000
1437 Sleep 2
1438 Input Text deskripsi panggung nya kelihatan mewah
1439 Sleep 2
1440 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
1441 Sleep 2
1442 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
1443 Sleep 2
1444 Close Browser
1445 Log Test Completed
1446

```

### b) Test Case

	AddService58		
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail.com	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]		
Input Text	name	birthday party	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]		
Sleep	2		
Input Text	harga	1800000	
Sleep	2		
Input Text	deskripsi	panggung nya kelihatan mewah	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[2]/div[1]	C:\Users\user\OneDrive\Pictures\asas.mp4	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]		
Sleep	2		
Close Browser			
Log	Test Completed		

c) Console

d) Browser testing

59. Tambah Produk 59

a) Scenario

```

446
447@AddService59
448 Open Browser http://127.0.0.1:8000/login Chrome
449 Set Selenium Implicit Wait 5
450 Input Text email admin@gmail.com
451 Input Password password admin123
452 Sleep 2
453 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
454 sleep 2
455 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
456 sleep 2
457 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
458 Sleep 2
459 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div[1]/div/a
460 Input Text name birthday party
461 Click Element jenis
462 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
463 Sleep 2
464 Input Text harga 34566778
465 Sleep 2
466 Input Text deskripsi wahahahhaah
467 Sleep 2
468 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
469 sleep 2
470 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
471 Sleep 2
472 Close Browser
473 Log Test Completed
474

```

### b) Test case

AddService59		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	34566778
Sleep	2	
Input Text	deskripsi	wahahahhaah
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d... C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) console

```

Console X
<terminated> Login.robot (Selected Test Cases) [Robot] C:\\Users\\user\\AppData\\Local\\Programs\\Python\\Python311\\python.exe (Terminated May, 1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
LoginTest | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\LoginTest\\report.html
=====
```

#### d) Browser Testing

### 60. Tambah Produk 60

#### a) Scenario

```
1474          test completed
1475 @ AddService60
1476  Open Browser  http://127.0.0.1:8000/login    Chrome
1477  Set Selenium Implicit Wait  5
1478  Input Text  email  admin@gmail.com
1479  Input Password  password  admin123
1480  Sleep  2
1481  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1482  sleep  2
1483  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1484  sleep  2
1485  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li[1]
1486  Sleep  2
1487  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[1]/div/a
1488  Input Text  name  birthday party
1489  Click Element  jenis
1490  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1491  Sleep  2
1492  Input Text  harga  1200000
1493  Sleep  2
1494  Input Text  deskripsi  sound sistem lengkap
1495  Sleep  2
1496  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
1497  sleep  2
1498  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
1499  Sleep  2
1500  Close Browser
1501  Log  Test Completed
1502
```

#### b) Test Case

AddService60		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a <span></span>	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]/div/a	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]	
Sleep	2	
Input Text	harga	1200000
Sleep	2	
Input Text	deskripsi	sound sistem lengkap
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input	C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button	
Sleep	2	
Close Browser		
Log	Test Completed	

**c) Console**

**d) Browser testing**

**61. Tambah Produk 61**

**a) Scenario**

```
03@AddService61
04    Open Browser      http://127.0.0.1:8000/login      Chrome
05    Set Selenium Implicit Wait  5
06    Input Text      email      admin@gmail.com
07    Input Password    password      admin123
08    Sleep      2
09    Click Element    xpath=/html/body/section/div/div[2]/div/form/div[3]/button
10    Sleep      2
11    Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
12    Sleep      2
13    Click Element    xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
14    Sleep      2
15    Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
16    Input Text      name      wedding party
17    Click Element    jenis
18    Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
19    Sleep      2
20    Input Text      harga      18000000
21    Sleep      2
22    Input Text      deskripsi      mic nya diharap nyaman
23    Sleep      2
24    Choose File    //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
25    sleep      2
26    Click Element    xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
27    Sleep      2
28    Close Browser
29    Log      Test Completed
30
```

**b) Test Case**

**c) Console**

**d) Browser testing**

**62. Tambah Produk 62**

**a) Scenario**

```

1530
1531@AddService62
1532 Open Browser http://127.0.0.1:8000/login Chrome
1533 Set Selenium Implicit Wait 5
1534 Input Text email admin@gmail.com
1535 Input Password password admin123
1536 Sleep 2
1537 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1538 sleep 2
1539 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1540 sleep 2
1541 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1542 Sleep 2
1543 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[1]/div/div/div/div[1]/div/a
1544 Input Text name birthday party
1545 Click Element jenis
1546 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
1547 Sleep 2
1548 Input Text harga kosong
1549 Sleep 2
1550 Input Text deskripsi panggung nya mewah
1551 Sleep 2
1552 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
1553 Sleep 2
1554 Click Element xpath=/html/body/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
1555 Sleep 2
1556 Close Browser
1557 Log Test Completed
1558

```

### b) Test Case

AddService60		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	12000000
Sleep	2	
Input Text	deskripsi	sound sistem lengkap
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d... C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

### d) Browser testing

## 63. Tambah Produk 63

### a) Scenario

```

1473  Log    Test Completed
1474
1475 @AddService60
1476  Open Browser   http://127.0.0.1:8000/login   Chrome
1477  Set Selenium Implicit Wait   5
1478  Input Text   email   admin@gmail.com
1479  Input Password   password   admin123
1480  Sleep   2
1481  Click Element   xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1482  sleep   2
1483  Click Element   xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1484  sleep   2
1485  Click Element   xpath=/html/body/div[2]/div[1]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1486  Sleep   2
1487  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1488  Input Text   name   birthday party
1489  Click Element   jenis
1490  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
1491  Sleep   2
1492  Input Text   harga   12000000
1493  Sleep   2
1494  Input Text   deskripsi   sound sistem lengkap
1495  Sleep   2
1496  Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/form/div[5]/div/div/input   C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\a
1497  sleep   2
1498  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
1499  Sleep   2
1500  Close Browser
1501  Log    Test Completed
1502

```

### b) Test Case

AddService63			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail...	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Input Text	name	band	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Input Text	harga	18000000	
Sleep	2		
Input Text	deskripsi	sound system ...	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\\\Users\\\\user...	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) Console

### d) Browser testing

## 64. Tambah Produk 2

### a) Scenario

```

1586
1587@AddService64
1588 Open Browser http://127.0.0.1:8000/login Chrome
1589 Set Selenium Implicit Wait 5
1590 Input Text email admin@gmail.com
1591 Input Password password admin123
1592 Sleep 2
1593 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1594 sleep 2
1595 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/a/span
1596 sleep 2
1597 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/ul/li/a
1598 Sleep 2
1599 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
1600 Input Text name wedding party
1601 Click Element jenis
1602 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1603 Sleep 2
1604 Input Text harga 18000000
1605 Sleep 2
1606 Input Text deskripsi makanan nya lengkap bervariasi
1607 Sleep 2
1608 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1609 sleep 2
1610 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
1611 Sleep 2
1612 Close Browser
1613 Log Test Completed
1614

```

### b) Test Case

AddService64					
Open Browser	http://127.0.0.1:8000/login	Chrome			
Set Selenium Implicit Wait	5				
Input Text	email	admin@gmail....			
Input Password	password	admin123			
Sleep	2				
Click Element	xpath=/html/body/section/div.../div[3]/button				
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/a <span></span>				
sleep	2				
Click Element	xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/ul/li/a				
Sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a				
Input Text	name	wedding party			
Click Element	jenis				
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a				
Sleep	2				
Input Text	harga	18000000			
Sleep	2				
Input Text	deskripsi	makanan nya lengkap bervariasi			
Sleep	2				
Choose File	//*[ @id = "pageWrapper"] / div [2] / d... C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4				
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/div/li[3]/a <span></span>				
Sleep	2				
Close Browser					
Log	Test Completed				

### c) Console

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated May 27, 2023, 11:01:47 AM] [pid: 28272]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir89361498874236
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService65 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

#### d) Browser testing

**Tambah Paket Produk**

[/ Paket produk / Tambah Paket Produk](#)

Name	<input type="text"/>
Jenis	<input type="text"/>
Harga	<input type="text"/>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen <small>The gambar field must be an image.</small>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

### 65. Tambah Produk 65

#### a) Scenario

```

1615@AddService65
1616  Open Browser      http://127.0.0.1:8000/login    Chrome
1617  Set Selenium Implicit Wait  5
1618  Input Text  email  admin@gmail.com
1619  Input Password  password  admin123
1620  Sleep  2
1621  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1622  sleep  2
1623  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1624  sleep  2
1625  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1626  Sleep  2
1627  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div[1]/div/a
1628  Input Text  name  birthday party
1629  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/form/div[2]/div/div/select/option[4]
1630  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/form/div[2]/div/div/select/option[4]
1631  Sleep  2
1632  Input Text  harga  18000000
1633  Sleep  2
1634  Input Text  deskripsi  lucu sekali dekorasinya
1635  Sleep  2
1636  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  C:\\\\Users\\\\user\\\\OneDrive\\\\Pictures\\\\asas.mp4
1637  sleep  2
1638  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
1639  Sleep  2
1640  Close Browser
1641  Log  Test Completed

```

#### b) Test Case

<b>AddService65</b>			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail....	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]		
Input Text	name	birthday party	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]		
Sleep	2		
Input Text	harga	18000000	
Sleep	2		
Input Text	deskripsi	lucu sekali dek...	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[2]/div[1]	C:\\\\Users\\\\user...	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) Console

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated May 27, 2023, 11:01:47 AM] [pid: 28272]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir89361498874236
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService65 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahanproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahanproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahanproduk\report.html

```

### d) Browser testing

**Tambah Paket Produk**

[Home](#) / [Paket produk](#) / Tambah Paket Produk

Name	<input type="text"/>
Jenis	<input type="text"/>
Harga	<input type="text"/>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> No file chosen <p>The gambar field must be an image.</p>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

## 66. Tambah Produk 66

### a) Scenario

```

1642
1643@ AddService66
1644  Open Browser  http://127.0.0.1:8000/login    Chrome
1645  Set Selenium Implicit Wait  5
1646  Input Text  email  admin@gmail.com
1647  Input Password  password  admin123
1648  Sleep  2
1649  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1650  sleep  2
1651  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1652  sleep  2
1653  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1654  Sleep  2
1655  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
1656  Input Text  name  birthday party
1657  Click Element  jenis
1658  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
1659  Sleep  2
1660  Input Text  harga  oklmnj
1661  Sleep  2
1662  Input Text  deskripsi  enak sekali makanan nyaa
1663  Sleep  2
1664  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1665  sleep  2
1666  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
1667  Sleep  2
1668  Close Browser
1669  Log  Test Completed
1670

```

### b) Test Case

AddService66		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	oklmnj
Sleep	2	
Input Text	deskripsi	enak sekali ma...
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]	C:\Users\user\user\
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	
...		

c) Console

```

[Console X]
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\\
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService66 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

d) Browser testing

## Tambah Paket Produk

/ Paket produk / Tambah Paket Produk

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
The harga field is required.

Deskripsi

Gambar  
Choose File No file chosen  
The gambar field must be an image.

Add Cancel

### 67. Tambah Produk 67

#### a) Scenario

```
1671@AddService67
1672  Open Browser  http://127.0.0.1:8000/login    Chrome
1673  Set Selenium Implicit Wait  5
1674  Input Text  email  admin@gmail.com
1675  Input Password  password  admin123
1676  Sleep  2
1677  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1678  sleep  2
1679  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1680  sleep  2
1681  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1682  Sleep  2
1683  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
1684  Input Text  name  martumpol
1685  Click Element  jenis
1686  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
1687  Sleep  2
1688  Input Text  harga  18000000
1689  Sleep  2
1690  Input Text  deskripsi  asikkk sekali tempatnyaaa
1691  Sleep  2
1692  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1693  sleep  2
1694  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
1695  Sleep  2
1696  Close Browser
1697  Log  Test Completed
1698
```

#### b) Test Case

AddService67		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	name	martumpol
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	18000000
Sleep	2	
Input Text	deskripsi	asikkk sekali t...
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]	C:\Users\user...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\\
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService66 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

d) Browser testing

## Tambah Paket Produk

/ Paket produk / Tambah Paket Produk

Name

Jenis

Harga

Deskripsi

Gambar  
 Choose File No file chosen (i)  
The gambar field must be an image.

Add Cancel

## 68. Tambah Produk 68

### a) Scenario

```
1698@AddService68
1699 Open Browser http://127.0.0.1:8000/login Chrome
1700 Set Selenium Implicit Wait 5
1701 Input Text email admin@gmail.com
1702 Input Password password admin123
1703 Sleep 2
1704 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1705 sleep 2
1706 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1707 Sleep 2
1708 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1709 Sleep 2
1710 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1711 Sleep 2
1712 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1713 Input Text name birthday party
1714 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
1715 Sleep 2
1716 Input Text harga KJBJB
1717 Sleep 2
1718 Input Text deskripsi AMAZINGGG
1719 Sleep 2
1720 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1721 Sleep 2
1722 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
1723 Sleep 2
1724 Close Browser
1725 Log Test Completed
1726
```

### b) Test Case

AddService68						
Open Browser	http://127.0.0.1:8000/login	Chrome				
Set Selenium Implicit Wait	5					
Input Text	email	admin@gmail....				
Input Password	password	admin123				
Sleep	2					
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]					
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]					
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]					
Sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]					
Input Text	name	birthday party				
Click Element	jenis					
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]					
Sleep	2					
Input Text	harga	KJBGBJ				
Sleep	2					
Input Text	deskripsi	AMAZINGGG				
Sleep	2					
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]	C:\\Users\\user...				
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div[1]					
Sleep	2					
Close Browser						
Log	Test Completed					

### c) Console

```
Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\\
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService66 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html
```

### d) Browser testing

**Tambah Paket Produk**

[/ Paket produk / Tambah Paket Produk](#)

Name	<input type="text"/>
Jenis	<input type="text"/> Pilih Jenis Paket
Harga	<input type="text"/>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen <div style="color: red; margin-top: 5px;">The gambar field must be an image.</div>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

## 69. Tambah Produk 69

### a) Scenario

```

1727
1728@AddService69
1729  Open Browser  http://127.0.0.1:8000/login  Chrome
1730  Set Selenium Implicit Wait  5
1731  Input Text  email  admin@gmail.com
1732  Input Password  password  admin123
1733  Sleep  2
1734  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1735  sleep  2
1736  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1737  sleep  2
1738  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1739  Sleep  2
1740  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
1741  Input Text  name  birthday party
1742  Click Element  jenis
1743  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1744  Sleep  2
1745  Input Text  harga  18000000
1746  Sleep  2
1747  Input Text  deskripsi  dekorasi nya menarik sekali
1748  Sleep  2
1749  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\Users\user\OneDrive\Pictures\asas.mp4
1750  sleep  2
1751  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
1752  Sleep  2
1753  Close Browser
1754  Log  Test Completed
1755

```

### b) Test Case

...		
☛ AddService69		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail....
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	18000000
Sleep	2	
Input Text	deskripsi	dekorasi nya m...
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	C:\\Users\\user...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log	Test Completed	

c) Console

```
☛ Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\\
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService66 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html
```

d) Browser testing

**Tambah Paket Produk**

[/ Paket produk / Tambah Paket Produk](#)

Name	<input type="text"/>
Jenis	<input type="text"/> Pilih Jenis Paket
Harga	<input type="text"/>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen <div style="color: red; margin-top: 5px;">The gambar field must be an image.</div>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

## 70. Tambah Produk 70

### a) Scenario

```

1756@AddService70
1757  Open Browser  http://127.0.0.1:8000/login  Chrome
1758  Set Selenium Implicit Wait  5
1759  Input Text  email  admin@gmail.com
1760  Input Password  password  admin123
1761  Sleep  2
1762  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1763  sleep  2
1764  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1765  sleep  2
1766  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1767  Sleep  2
1768  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
1769  Input Text  name  birthday party
1770  Click Element  jenis
1771  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1772  Sleep  2
1773  Input Text  harga  1800000
1774  Sleep  2
1775  Input Text  deskripsi  panggung nya mewah
1776  Sleep  2
1777  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
1778  sleep  2
1779  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
1780  Sleep  2
1781  Close Browser
1782  Log  Test Completed
1783

```

### b) Test Case

**Tambah Paket Produk**

[Home](#) / [Paket produk](#) / Tambah Paket Produk

---

Name	<input type="text"/>
Jenis	<input type="text"/>
Harga	<input type="text"/>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> No file chosen <div style="color: red; margin-top: 5px;">The gambar field must be an image.</div>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

**c) Console**

```
Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated Ma
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService66 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log:   D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html
```

**d) Browser testing**

**Tambah Paket Produk**

[/ Paket produk / Tambah Paket Produk](#)

Name	<input type="text"/>
Jenis	<input type="text"/> Pilih Jenis Paket
Harga	<input type="text"/>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen <div style="color: red; margin-top: 5px;">The gambar field must be an image.</div>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

## 71. Tambah Produk 71

### a) Scenario

```

83
84@AddService71
85  Open Browser      http://127.0.0.1:8000/login    Chrome
86  Set Selenium Implicit Wait   5
87  Input Text   email   admin@gmail.com
88  Input Password   password   admin123
89  Sleep   2
90  Click Element   xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
91  sleep   2
92  Click Element   xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
93  sleep   2
94  Click Element   xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
95  Sleep   2
96  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
97  Input Text   name   birthday party
98  Click Element   jenis
99  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
00  Sleep   2
01  Input Text   harga   1800KKKNKNKN
02  Sleep   2
03  Input Text   deskripsi   musik
04  Sleep   2
05  Choose File   /*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input C:\\Users\\user\\OneDrive\\Pictures\\asas.mp4
06  sleep   2
07  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
08  Sleep   2
09  Close Browser
10  Log   Test Completed
11

```

### b) Test Case

AddService71					
Open Browser	http://127.0.0.1:8000/login	Chrome			
Set Selenium Implicit Wait	5				
Input Text	email	admin@gmail.com			
Input Password	password	admin123			
Sleep	2				
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]				
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]				
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]				
Sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]				
Input Text	name	birthday party			
Click Element	jenis				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]				
Sleep	2				
Input Text	harga	1800KKKNKN			
Sleep	2				
Input Text	deskripsi	musik			
Sleep	2				
Choose File	//[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	C:\Users\user...			
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]				
Sleep	2				
Close Browser					
Log	Test Completed				

### c) Console

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\\
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService66 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

### d) Browser testing

**Tambah Paket Produk**

[Home](#) / Paket produk / Tambah Paket Produk

Name	<input type="text"/>
Jenis	<input type="text"/> Pilih Jenis Paket
Harga	<input type="text"/>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen <div style="color: red; margin-top: 5px;">The gambar field must be an image.</div>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

## 72. Tambah Produk 72

### a) Scenario

```

11●AddService2
12Open Browser http://127.0.0.1:8000/login Chrome
13Set Selenium Implicit Wait 5
14Input Text email admin@gmail.com
15Input Password password admin123
16Sleep 2
17Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
18sleep 2
19Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div/div/li[3]/a/span
20sleep 2
21Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
22Sleep 2
23Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
24Input Text name birthday party
25Click Element jenis
26Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
27Sleep 2
28Input Text harga BMNN
29Sleep 2
30Input Text deskripsi lucuxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx................................................................
31Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
32sleep 2
33Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
34Sleep 2
35Close Browser
36Log Test Completed
37
38
39

```

### b) Test Case

...			
== AddService72			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail....	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Input Text	name	birthday party	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Input Text	harga	BMNM	
Sleep	2		
Input Text	deskripsi	lucxxxxxxxx...	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/d...	D:\\AESTETIC G...	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Close Browser			
Log	Test Completed		

c) Console

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated Ma
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\\
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService66 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

d) Browser testing

**Tambah Paket Produk**

[/ Paket produk / Tambah Paket Produk](#)

Name	<input type="text"/>
Jenis	<input type="text"/> Pilih Jenis Paket
Harga	<input type="text"/>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen <div style="color: red; margin-top: 5px;">The gambar field must be an image.</div>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

### 73. Tambah Produk 73

#### a) Scenario

```

1840
1841 @AddService73
1842 Open Browser http://127.0.0.1:8000/login Chrome
1843 Set Selenium Implicit Wait 5
1844 Input Text email admin@gmail.com
1845 Input Password password admin123
1846 Sleep 2
1847 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1848 sleep 2
1849 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[2]/div/div/li[3]/a/span
1850 sleep 2
1851 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[2]/div/div/li[3]/ul/li/a
1852 Sleep 2
1853 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
1854 Input Text name birthday party
1855 Click Element jenis
1856 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
1857 Sleep 2
1858 Input Text harga 1239
1859 Sleep 2
1860 Input Text deskripsi baguss
1861 Sleep 2
1862 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.mp4
1863 sleep 2
1864 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
1865 Sleep 2
1866 Close Browser
1867 Log Test Completed

```

#### b) Test Case

...		
AddService73		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail....
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]...	
Sleep	2	
Input Text	harga	1239
Sleep	2	
Input Text	deskripsi	baguss
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[2]...	D:\\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]...	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated Ma
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\V
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService66 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

### d) Browser testing

## Paket

/ Ecommerce / Paket

Data Berhasil Ditambahkan

Tambah Paket Produk

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Gulai	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Penyet	Paket Makanan	Rp. 25.000,00	Enak	
	Tongseng Ayam	Paket Makanan	Rp. 25.000,00	Enak	
	Tuna Asam Manis	Paket Makanan	Rp. 25.000,00	Enak	
	Paket Broadcast	Paket Musik	Rp. 2.700.000,00	Paket ini dapat digunakan untuk mendukung kegiatan live streaming wedding, webinar, talkshow ataupun music performance. Paket terdiri dari PC/Laptop with OBS Software (1 unit), Video Capture Card (1 unit), Camera + Tripod (1 unit), Visual Cable&accessories (1 set), Greenscreen 3x4 meter	

## 74. Tambah Produk 2

### a) Scenario

```

1868
1869@AddService74
1870  Open Browser  http://127.0.0.1:8000/login    Chrome
1871  Set Selenium Implicit Wait  5
1872  Input Text  email  admin@gmail.com
1873  Input Password  password  admin123
1874  Sleep  2
1875  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1876  sleep  2
1877  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div/div/li[3]/a/span
1878  sleep  2
1879  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1880  Sleep  2
1881  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
1882  Input Text  name  birthday party
1883  Click Element  jenis
1884  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/select/option[4]
1885  Sleep  2
1886  Input Text  harga  BMNM
1887  Sleep  2
1888  Input Text  deskripsi  pembelian sound system
1889  Sleep  2
1890  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALERY\\late night spotify.jpg
1891  sleep  2
1892  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
1893  Sleep  2
1894  Close Browser
1895  Log  Test Completed
1896

```

### b) Test Case

...		
■ AddService74		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Input Text	harga	BMNM
Sleep	2	
Input Text	deskripsi	pembelian sou...
Sleep	2	
Choose File	//[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[1]/input	D:\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		
Log		Test Completed

### c) Console

```
Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\V
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService66 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html
```

### d) Browser testing

## Paket

/ Ecommerce / Paket

Data Berhasil Ditambahkan

Tambah Paket Produk

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Gulai	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Penyet	Paket Makanan	Rp. 25.000,00	Enak	
	Tongseng Ayam	Paket Makanan	Rp. 25.000,00	Enak	
	Tuna Asam Manis	Paket Makanan	Rp. 25.000,00	Enak	
	Paket Broadcast	Paket Musik	Rp. 2.700.000,00	Paket ini dapat digunakan untuk mendukung kegiatan live streaming wedding, webinar, talkshow ataupun music performance. Paket terdiri dari PC/Laptop with OBS Software (1 unit), Video Capture Card (1 unit), Camera + Tripod (1 unit), Visual Cable&accesories (1 set), Greenscreen 3x4 meter	

## 75. Tambah Produk 75

### a) Scenario

```

1896
1897●AddService75
1898  Open Browser  http://127.0.0.1:8000/login    Chrome
1899  Set Selenium Implicit Wait  5
1900  Input Text  email  admin@gmail.com
1901  Input Password  password  admin123
1902  Sleep  2
1903  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1904  sleep  2
1905  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1906  sleep  2
1907  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1908  Sleep  2
1909  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
1910  Input Text  name  yukwsh
1911  Click Element  jenis
1912  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
1913  Sleep  2
1914  Input Text  harga  BMNM
1915  Sleep  2
1916  Input Text  deskripsi  opiuuyt
1917  Sleep  2
1918  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALERY\\late night spotify.jpg
1919  sleep  2
1920  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
1921  Sleep  2
1922  Close Browser
1923  Log  Test Completed
1924

```

### b) Test Case

... AddService75		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail....
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	name	yukwssh
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Input Text	harga	BMNM
Sleep	2	
Input Text	deskripsi	opiuuytr
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[1]/input	D:\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		
Log	Test Completed	

c) **Console**

```
Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\\
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService66 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html
```

d) **Browser testing**

## Paket

/ Ecommerce / Paket

Data Berhasil Ditambahkan

Tambah Paket Produk

Produk	Produk Name	Jenis	Price	Deskripsi	Action
	Ayam Goreng	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Gulai	Paket Makanan	Rp. 25.000,00	Enak	
	Ayam Penyet	Paket Makanan	Rp. 25.000,00	Enak	
	Tongseng Ayam	Paket Makanan	Rp. 25.000,00	Enak	
	Tuna Asam Manis	Paket Makanan	Rp. 25.000,00	Enak	
	Paket Broadcast	Paket Musik	Rp. 2.700.000,00	Paket ini dapat digunakan untuk mendukung kegiatan live streaming wedding, webinar, talkshow ataupun music performance. Paket terdiri dari PC/Laptop with OBS Software (1 unit), Video Capture Card (1 unit), Camera + Tripod (1 unit), Visual Cable&accessories (1 set), Greenscreen 3x4 meter	

## 76. Tambah Produk 76

### a) Scenario

```

1924
1925@AddService76
1926  Open Browser      http://127.0.0.1:8000/login      Chrome
1927  Set Selenium Implicit Wait  5
1928  Input Text  email  admin@gmail.com
1929  Input Password  password  admin123
1930  Sleep  2
1931  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1932  sleep  2
1933  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div/div/div/li[3]/a/span
1934  sleep  2
1935  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1936  Sleep  2
1937  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
1938  Input Text  name  dekorasi
1939  Click Element  jenis
1940  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
1941  Sleep  2
1942  Input Text  harga  BMNM
1943  Sleep  2
1944  Input Text  deskripsi  ouisksjns
1945  Sleep  2
1946  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
1947  sleep  2
1948  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
1949  Sleep  2
1950  Close Browser
1951  Log  Test Completed
1952

```

### b) Test Case

AddService76						
Open Browser	http://127.0.0.1:8000/login	Chrome				
Set Selenium Implicit Wait	5					
Input Text	email	admin@gmail....				
Input Password	password	admin123				
Sleep	2					
Click Element	xpath=/html/body/section/div/div...					
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/d...					
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/d...					
Sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/d...					
Input Text	name	dekorasi				
Click Element	jenis					
Click Element	xpath=/html/body/div[2]/div[2]/d...					
Sleep	2					
Input Text	harga	BMNM				
Sleep	2					
Input Text	deskripsi	ousiksjns				
Sleep	2					
Choose File	//*[@id="pageWrapper"]/div[2]/d...	D:\AESTETIC G...				
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/d...					
Sleep	2					
Close Browser						
Log	Test Completed					

### c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 2
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Us
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService78 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

### d) Browser testing

## Tambah Paket Produk

Name

Jenis  
 Pilih Jenis Paket

Harga  
 Harga  
The harga field is required.

Deskripsi

Gambar  
 Choose File No file chosen

## 77. Tambah Produk 77

### a) Scenario

```
1952
1953@AddService77
1954  Open Browser      http://127.0.0.1:8000/login    Chrome
1955  Set Selenium Implicit Wait  5
1956  Input Text  email  admin@gmail.com
1957  Input Password  password  admin123
1958  Sleep  2
1959  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
1960  sleep  2
1961  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1962  sleep  2
1963  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1964  Sleep  2
1965  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
1966  Input Text  name  operasional
1967  Click Element  jenis
1968  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
1969  Sleep  2
1970  Input Text  harga  BMNM
1971  Sleep  2
1972  Input Text  deskripsi  dekorasi bagus
1973  Sleep  2
1974  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
1975  sleep  2
1976  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
1977  Sleep  2
1978  Close Browser
1979  Log  Test Completed
1980
```

### b) Test Case

...						
■ 🚧 AddService77						
Open Browser	http://127.0.0.1:8000/login	Chrome				
Set Selenium Implicit Wait	5					
Input Text	email	admin@gmail....				
Input Password	password	admin123				
Sleep	2					
Click Element	xpath=/html/body/section/div/div...					
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/d...					
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/d...					
Sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/d...					
Input Text	name	operasional				
Click Element	jenis					
Click Element	xpath=/html/body/div[2]/div[2]/d...					
Sleep	2					
Input Text	harga	BMNM				
Sleep	2					
Input Text	deskripsi	dekorasi bagus				
Sleep	2					
Choose File	//*[@id="pageWrapper"]/div[2]/d... D:\\AESTETIC G...					
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/d...					
Sleep	2					
Close Browser						
Log	Test Completed					

### c) Console

```

terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated May 27, 2023, 9:46:24 PM] [pid: 23548]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14561374348504833983\Test...
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)

=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService79 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

### d) Browser testing

## Tambah Paket Produk

Name

Jenis  
 Pilih Jenis Paket

Harga  
 Harga  
The harga field is required.

Deskripsi

Gambar  
 Choose File No file chosen

## 78. Tambah Produk 78

### a) Scenario

```
1980
1981@ AddService78
1982  Open Browser  http://127.0.0.1:8000/login  Chrome
1983  Set Selenium Implicit Wait  5
1984  Input Text  email  admin@gmail.com
1985  Input Password  password  admin123
1986  Sleep  2
1987  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
1988  sleep  2
1989  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
1990  sleep  2
1991  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
1992  Sleep  2
1993  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
1994  Input Text  name  birthday party
1995  Click Element  jenis
1996  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
1997  Sleep  2
1998  Input Text  harga  PPPPP
1999  Sleep  2
2000  Input Text  deskripsi  kabell
2001  Sleep  2
2002  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
2003  sleep  2
2004  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
2005  Sleep  2
2006  Close Browser
2007  Log  Test Completed
2008
```

### b) Test Case

AddService79			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail...	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Input Text	name	birthday party	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Sleep	2		
Input Text	harga	ppppp	
Sleep	2		
Input Text	deskripsi	kabell	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	D:\\AESTETIC G...	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) Console

```

Console > tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 27, 2023, 9:46:24 PM) [pid: 23548]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14561374348504833983\TestSuite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)

Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService79 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

### d) Browser testing

## Tambah Paket Produk

Name

Jenis

Harga  
  
The harga field is required.

Deskripsi

Gambar  
 No file chosen

### 79. Tambah Produk 79

#### a) Scenario

```
2008@AddService79
2009Open Browser      http://127.0.0.1:8000/login    Chrome
2010Set Selenium Implicit Wait 5
2012Input Text email admin@gmail.com
2013Input Password password admin123
2014Sleep 2
2015Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2016sleep 2
2017Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2018sleep 2
2019Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/li[3]/ul/li/a
2020Sleep 2
2021Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
2022Input Text name masuk
2023Click Element jenis
2024Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
2025Sleep 2
2026Input Text haga 11000000
2027Sleep 2
2028Input Text deskripsi swipeee upp
2029Sleep 2
2030Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
2031sleep 2
2032Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
2033Sleep 2
2034Close Browser
2035Log Test Completed
2036
```

#### b) Test Case

AddService79		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail....
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]	
Input Text	name	masuk
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	1100000
Sleep	2	
Input Text	deskripsi	swipeeee upp
Sleep	2	
Choose File	//[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	D:\\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

c) Console

```
Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 27, 2023, 9:46:24 PM) [pid: 23548]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14561374348504833983\TestSuite Executor: Robot Framework 3.2.2 (Python 3.11.0 on win32)

Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService79 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====

Output:  D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log:    D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html
```

#### d) Browser testing

## Tambah Paket Produk

Name

Jenis

Harga  
  
The harga field is required.

Deskripsi

Gambar  
 No file chosen

## 80. Tambah Produk 80

### a) Scenario

```
2036@AddService80
2037Open Browser      http://127.0.0.1:8000/login    Chrome
2038Set Selenium Implicit Wait 5
2039Input Text email admin@gmail.com
2040Input Password password admin123
2041Sleep 2
2042Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2043Sleep 2
2044Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2045Sleep 2
2046Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2047Sleep 2
2048Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div[1]/div/a
2049Input Text name birthday party
2050Input Text name jenis
2051Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div[1]/div/div/form/div[2]/div/select/option[4]
2052Sleep 2
2053Input Text harga 12345
2054Sleep 2
2055Input Text deskripsi laptop
2056Sleep 2
2057Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input D:\\AESTETIC GALERY\\late night spotify.jpg
2058Sleep 2
2059Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
2060Sleep 2
2061Close Browser
2062Log Test Completed
2063
2064
```

### b) Test Case

AddService80		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail....
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	12345
Sleep	2	
Input Text	deskripsi	laptop
Sleep	2	
Choose File	//[@id="pageWrapper"]/div[2]/div[1]	D:\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 27, 2023, 9:46:24 PM) [pid: 23548]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14561374348504833983\Test
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService79 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
-----
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log:   D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

### d) Browser testing

## Tambah Paket Produk

Name

Jenis  
 Pilih Jenis Paket

Harga  
 Harga  
The harga field is required.

Deskripsi

Gambar  
 Choose File No file chosen

### 81. Tambah Produk 81

#### a) Scenario

```
2065
2066@AddService81
2067  Open Browser  http://127.0.0.1:8000/login  Chrome
2068  Set Selenium Implicit Wait  5
2069  Input Text  email  admin@gmail.com
2070  Input Password  password  admin123
2071  Sleep  2
2072  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2073  sleep  2
2074  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2075  sleep  2
2076  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2077  Sleep  2
2078  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
2079  Input Text  name  birthday party
2080  Click Element  jenis
2081  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
2082  Sleep  2
2083  Input Text  harga  BMNM
2084  Sleep  2
2085  Input Text  deskripsi  musikk nya baguss
2086  Sleep  2
2087  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
2088  sleep  2
2089  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
2090  Sleep  2
2091  Close Browser
2092  Log  Test Completed
2093
```

#### b) Test Case

AddService81		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail....
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	BMNM
Sleep	2	
Input Text	deskripsi	musikku nya ba...
Sleep	2	
Choose File	//*[@id="pageWrapper"]//div[2]/div[1]/div[1]/div[1]	D:\\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

c) Console

```
Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 27, 2023, 9:46:24 PM) [pid: 23548]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14561374348504833983\TestSuite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)

Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService79 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
=====
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
=====
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html
```

#### d) Browser testing

## Tambah Paket Produk

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga  
**The harga field is required.**

Deskripsi

Gambar  
Choose File No file chosen

## 82. Tambah Produk 82

### a) Scenario

```
2093
2094@AddService82
2095  Open Browser      http://127.0.0.1:8000/login    Chrome
2096  Set Selenium Implicit Wait  5
2097  Input Text      email      admin@gmail.com
2098  Input Password    password    admin123
2099  Sleep 2
2100  Click Element   xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2101  sleep 2
2102  Click Element   xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2103  sleep 2
2104  Click Element   xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2105  Sleep 2
2106  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
2107  Input Text      name      birthday party
2108  Click Element   jenis
2109  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
2110  Sleep 2
2111  Input Text      harga      098777
2112  Sleep 2
2113  Input Text      deskripsi    bagus
2114  Sleep 2
2115  Choose File    /*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
2116  sleep 2
2117  Click Element   xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/button
2118  Sleep 2
2119  Close Browser
2120  Log  Test Completed
2121
2122
```

### b) Test Case

AddService82		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail....
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]...	
Sleep	2	
Input Text	harga	098777
Sleep	2	
Input Text	deskripsi	bagus
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[1]/input	D:\\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]...	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 27, 2023, 9:46:24 PM) [pid: 23548]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14561374348504833983\Test
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService79 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYER\tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYER\tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYER\tambahproduk\report.html

```

### d) Browser testing

## Tambah Paket Produk

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga  
**The harga field is required.**

Deskripsi

Gambar  
Choose File No file chosen

### 83. Tambah Produk 83

#### a) Scenario

```
2122
2123@AddService83
2124  Open Browser  http://127.0.0.1:8000/login  Chrome
2125  Set Selenium Implicit Wait  5
2126  Input Text  email  admin@gmail.com
2127  Input Password  password  admin123
2128  Sleep  2
2129  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2130  sleep  2
2131  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2132  sleep  2
2133  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2134  Sleep  2
2135  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
2136  Input Text  name  paket acara
2137  Click Element  jenis
2138  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
2139  Sleep  2
2140  Input Text  harga  BMNN
2141  Sleep  2
2142  Input Text  deskripsi  capek
2143  Sleep  2
2144  Choose File  /*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALERY\\late night spotify.jpg
2145  sleep  2
2146  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
2147  Sleep  2
2148  Close Browser
2149  Log  Test Completed
2150
```

#### b) Test Case

AddService83			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail....	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div[di...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Input Text	name	paket acara	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Input Text	harga	BMNM	
Sleep	2		
Input Text	deskripsi	capek	
Sleep	2		
Choose File	//*[@id="pageWrapper"]/div[2]/d...	D:\AESTETIC G...	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/d...		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) Console

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [terminated May 27, 2023, 9:46:24 PM] [pid: 23548]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14561374348504833983\TestR
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService79 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKEPL\PROYER\tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKEPL\PROYER\tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKEPL\PROYER\tambahproduk\report.html

```

### d) Browser testing

## Tambah Paket Produk

Name

Jenis

Harga

The harga field is required.

Deskripsi

Gambar

Choose File No file chosen

### 84. Tambah Produk 84

#### a) Scenario

```
2150
2151 @AddService84
2152 Open Browser http://127.0.0.1:8000/login Chrome
2153 Set Selenium Implicit Wait 5
2154 Input Text email admin@gmail.com
2155 Input Password password admin123
2156 Sleep 2
2157 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2158 sleep 2
2159 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2160 sleep 2
2161 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2162 Sleep 2
2163 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div[1]/div/a
2164 Input Text name birthday party
2165 Click Element jenis
2166 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/select/option[4]
2167 Sleep 2
2168 Input Text harga 90000000
2169 Sleep 2
2170 Input Text deskripsi dekorasi nyaa mantap
2171 Sleep 2
2172 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
2173 sleep 2
2174 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
2175 Sleep 2
2176 Close Browser
2177 Log Test Completed
2178
```

#### b) Test Case

AddService84						
Open Browser	http://127.0.0.1:8000/login	Chrome				
Set Selenium Implicit Wait	5					
Input Text	email	admin@gmail.com				
Input Password	password	admin123				
Sleep	2					
Click Element	xpath=/html/body/section/div/div[1]					
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div[1]					
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]					
Sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]					
Input Text	name	birthday party				
Click Element	jenis					
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]					
Sleep	2					
Input Text	harga	90000000				
Sleep	2					
Input Text	deskripsi	dekorasi nyaa ...				
Sleep	2					
Choose File	//[@id="pageWrapper"]/div[2]/div[1]	D:\\AESTETIC G...				
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div[1]					
Sleep	2					
Close Browser						
Log	Test Completed					

### c) Console

```
Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated May 27, 2023, 9:46:24 PM] [pid: 23548]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14561374348504833983\TestSuite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)

Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService79 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
=====
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
=====
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html
```

#### **d) Browser testing**

## Tambah Paket Produk

[Home](#) / Paket produk / Tambah Paket Produk

Name

Jenis

Harga

Deskripsi

Gambar  
 No file chosen (Required)

The gambar field must be an image.

Add Cancel

### 85. Tambah Produk 85

#### a) Scenario

```
2178
2179@ AddService85
2180  Open Browser  http://127.0.0.1:8000/login  Chrome
2181  Set Selenium Implicit Wait  5
2182  Input Text  email  admin@gmail.com
2183  Input Password  password  admin123
2184  Sleep  2
2185  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2186  sleep  2
2187  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2188  sleep  2
2189  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2190  Sleep  2
2191  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
2192  Input Text  name  birthday party
2193  Click Element  jenis
2194  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
2195  Sleep  2
2196  Input Text  harga  BMNM
2197  Sleep  2
2198  Input Text  deskripsi  panggung nya luasss
2199  Sleep  2
2200  Choose File  /*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.mp4
2201  sleep  2
2202  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
2203  Sleep  2
2204  Close Browser
2205  Log  Test Completed
2206
```

#### b) Test Case

...					
- AddService85					
Open Browser	http://127.0.0.1:8000/login	Chrome			
Set Selenium Implicit Wait	5				
Input Text	email	admin@gmail.com			
Input Password	password	admin123			
Sleep	2				
Click Element	xpath=/html/body/section/div/div[1]				
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]				
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]				
Sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]				
Input Text	name	birthday party			
Click Element	jenis				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]				
Sleep	2				
Input Text	harga	BMNM			
Sleep	2				
Input Text	deskripsi	panggung nya ...			
Sleep	2				
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	D:\\AESTETIC G...			
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]				
Sleep	2				
Close Browser					
Log	Test Completed				

### c) Console

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated May 27, 2023, 9:46:24 PM] [pid: 23548]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14561374348504833983\Test
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService79 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

### d) Browser testing

## Tambah Paket Produk

[Home](#) / Paket produk / Tambah Paket Produk

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga

Deskripsi

Gambar  
Choose File No file chosen

The gambar field must be an image.

Add Cancel

### 86. Tambah Produk 86

#### a) Scenario

```
2206
2207 @AddService86
2208 Open Browser http://127.0.0.1:8000/login Chrome
2209 Set Selenium Implicit Wait 5
2210 Input Text email admin@gmail.com
2211 Input Password password admin123
2212 Sleep 2
2213 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2214 sleep 2
2215 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2216 sleep 2
2217 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2218 Sleep 2
2219 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]/div/div/div[1]/div/a
2220 Input Text name birthday party
2221 Click Element jenis
2222 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
2223 Sleep 2
2224 Input Text harga BMNM
2225 Sleep 2
2226 Input Text deskripsi ikut ikuttt
2227 Sleep 2
2228 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALERY\\late night spotify.jpg
2229 sleep 2
2230 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
2231 Sleep 2
2232 Close Browser
2233 Log Test Completed
2234
```

#### b) Test Case

AddService86		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail....
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/di...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	BMNM
Sleep	2	
Input Text	deskripsi	ikut ikuttt
Sleep	2	
Choose File	//[@id="pageWrapper"]/div[2]/d...	D:\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

Console X
terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 27, 2023, 9:46:24 PM) [pid: 23548]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Temp\RobotTempDir14561374348504833983\Test
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)

=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService79 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

### d) Browser testing

## Tambah Paket Produk

[Home](#) / Paket produk / Tambah Paket Produk

Name

Jenis

Harga

Deskripsi

Gambar  
 No file chosen (Required)

The gambar field must be an image.

Add Cancel

## 87. Tambah Produk 87

### a) Scenario

```
2235@AddService87
2236  Open Browser      http://127.0.0.1:8000/login      Chrome
2237  Set Selenium Implicit Wait  5
2238  Input Text    email    admin@gmail.com
2239  Input Password  password  admin123
2240  Sleep  2
2241  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2242  sleep  2
2243  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2244  sleep  2
2245  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2246  Sleep  2
2247  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
2248  Input Text    name    birthday party
2249  Click Element  jenis
2250  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
2251  Sleep  2
2252  Input Text    harga    BMNM
2253  Sleep  2
2254  Input Text    deskripsi    panggung nya mewah
2255  Sleep  2
2256  Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
2257  sleep  2
2258  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
2259  Sleep  2
2260  Close Browser
2261  Log    Test Completed
2262
```

### b) Test Case

AddService87			
Open Browser	http://127.0.0.1:8000/login	Chrome	
Set Selenium Implicit Wait	5		
Input Text	email	admin@gmail....	
Input Password	password	admin123	
Sleep	2		
Click Element	xpath=/html/body/section/div/div...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Input Text	name	birthday party	
Click Element	jenis		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Sleep	2		
Input Text	harga	BMNM	
Sleep	2		
Input Text	deskripsi	panggung nya ...	
Sleep	2		
Choose File	//[@id="pageWrapper"]/div[2]/div[1]/input	D:\\AESTETIC G...	
sleep	2		
Click Element	xpath=/html/body/div[2]/div[2]/div...		
Sleep	2		
Close Browser			
Log	Test Completed		

### c) Console

```

[Console] >
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService84 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

### d) Browser testing

**Tambah Paket Produk**

[/ Paket produk / Tambah Paket Produk](#)

Name	<input type="text" value="Name"/>
Jenis	<input type="text" value="Pilih Jenis Paket"/>
Harga	<input type="text" value="Harga"/>
Deskripsi	<input type="text" value="Deskripsi"/>
Gambar	<input type="file" value="Choose File"/> <span>No file chosen</span> <span style="color: red;">The gambar field must be an image.</span>
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

## 88. Tambah Produk 88

### a) Scenario

...				
-  AddService88				
Open Browser	http://127.0.0.1:8000/login	Chrome		
Set Selenium Implicit Wait	5			
Input Text	email	admin@gmail....		
Input Password	password	admin123		
Sleep	2			
Click Element	xpath=/html/body/section/div/div[1]			
sleep	2			
Click Element	xpath=/html/body/div[2]/div[2]/div[1]			
sleep	2			
Click Element	xpath=/html/body/div[2]/div[2]/div[1]			
Sleep	2			
Click Element	xpath=/html/body/div[2]/div[2]/div[1]			
Input Text	name	birthday party		
Click Element	jenis			
Click Element	xpath=/html/body/div[2]/div[2]/div[1]			
Sleep	2			
Input Text	harga	aksk xks xb		
Sleep	2			
Input Text	deskripsi			
Sleep	2			
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	D:\\AESTETIC G...		
sleep	2			
Click Element	xpath=/html/body/div[2]/div[2]/div[1]			
Sleep	2			
Close Browser				
Log	Test Completed			

### b) Test Case

AddService88					
Open Browser	http://127.0.0.1:8000/login	Chrome			
Set Selenium Implicit Wait	5				
Input Text	email	admin@gmail....			
Input Password	password	admin123			
Sleep	2				
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]				
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]				
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]				
Sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]				
Input Text	name	birthday party			
Click Element	jenis				
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]				
Sleep	2				
Input Text	harga	aks k xks xb			
Sleep	2				
x Input Text	deskripsi				
Sleep	2				
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]	D:\\AESTETIC G...			
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]				
Sleep	2				
Close Browser					
Log	Test Completed				

c) Console

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService84 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

d) Browser testing

## Tambah Paket Produk

[Home](#) / Paket produk / Tambah Paket Produk

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga

Deskripsi

Gambar  
Choose File No file chosen

The gambar field must be an image.

Add Cancel

### 89. Tambah Produk 2

#### a) Scenario

```
2290● AddService89
2291  Open Browser      http://127.0.0.1:8000/login    Chrome
2292  Set Selenium Implicit Wait 5
2293  Input Text email    admin@gmail.com
2294  Input Password password  admin123
2295  Sleep 2
2296  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2297  Sleep 2
2298  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2299  Sleep 2
2300  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li[1]
2301  Sleep 2
2302  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
2303  Input Text name    wedding party
2304  Click Element  jenis
2305  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
2306  Sleep 2
2307  Input Text harga   BMNM
2308  Sleep 2
2309  Input Text deskripsi  paket musik seruling
2310  Sleep 2
2311  Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
2312  Sleep 2
2313  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
2314  Sleep 2
2315  Close Browser
2316  Log  Test Completed
2317
```

#### b) Test Case

...		
■ AddService89		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail....
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	wedding party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	BMNM
Sleep	2	
Input Text	deskripsi	paket musik ser...
Sleep	2	
Choose File	//*[@@id="pageWrapper"]/div[2]/d...	D:\\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log		Test Completed

### c) Console

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService84 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

### d) Browser testing

**Tambah Paket Produk**

[/ Paket produk / Tambah Paket Produk](#)

---

Name	<input type="text"/>
Jenis	<input type="text"/>
Harga	<input type="text"/> <small>The harga field is required.</small>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen

## 90. Tambah Produk 2

### a) Scenario

```

2319@AddService90
2320  Open Browser      http://127.0.0.1:8000/login    Chrome
2321  Set Selenium Implicit Wait  5
2322  Input Text  email  admin@gmail.com
2323  Input Password  password  admin123
2324  Sleep  2
2325  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2326  sleep  2
2327  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2328  sleep  2
2329  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2330  Sleep  2
2331  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
2332  Input Text  name  birthday party
2333  Click Element  jenis
2334  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div/div/select/option[4]
2335  Sleep  2
2336  Input Text  harga  7777777
2337  Sleep  2
2338  Input Text  deskripsi  elementaryyy
2339  Sleep  2
2340  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
2341  sleep  2
2342  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
2343  Sleep  2
2344  Close Browser
2345  Log  Test Completed
2346

```

### b) Test Case

AddService90		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail....
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	777777
Sleep	2	
Input Text	deskripsi	elementaryyy
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[1]	D:\\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService84 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
l critical test, 1 passed, 0 failed
l test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
l critical test, 1 passed, 0 failed
l test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

### d) Browser testing

**Tambah Paket Produk**

[/ Paket produk / Tambah Paket Produk](#)

Name	<input type="text" value="Name"/>
Jenis	<input type="text" value="Pilih Jenis Paket"/>
Harga	<input type="text" value="Harga"/> <span style="color: red;">The harga field is required.</span>
Deskripsi	<input type="text"/>
Gambar	<input type="file" value="Choose File"/> No file chosen
<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

## 91. Tambah Produk 91

### a) Scenario

```

2347
2348● AddService91
2349  Open Browser      http://127.0.0.1:8000/login    Chrome
2350  Set Selenium Implicit Wait 5
2351  Input Text  email  admin@gmail.com
2352  Input Password  password  admin123
2353  Sleep 2
2354  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2355  sleep 2
2356  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2357  sleep 2
2358  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2359  Sleep 2
2360  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
2361  Input Text  name  paket makanan
2362  Click Element  jenis
2363  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
2364  Sleep 2
2365  Input Text  harga  BMNN
2366  Sleep 2
2367  Input Text  deskripsi  ikan mujahir
2368  Sleep 2
2369  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALERY\\late night spotify.jpg
2370  sleep 2
2371  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
2372  Sleep 2
2373  Close Browser
2374  Log  Test Completed
2375
2376

```

### b) Test Case

AddService91		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail....
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Input Text	name	paket makanan
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Input Text	harga	BMNM
Sleep	2	
Input Text	deskripsi	ikan mujahir
Sleep	2	
Choose File	//[@id='pageWrapper']/div[2]/div[1]/div[1]/div[1]	D:\\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService84 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

d) Browser testing

**Tambah Paket Produk**

[/ Paket produk / Tambah Paket Produk](#)

---

Name	<input type="text"/>
Jenis	<input type="text"/>
Harga	<input type="text"/> <small>The harga field is required.</small>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen

## 92. Tambah Produk 92

### a) Scenario

```

2377
2378 @AddService92
2379  Open Browser      http://127.0.0.1:8000/login      Chrome
2380  Set Selenium Implicit Wait  5
2381  Input Text    email    admin@gmail.com
2382  Input Password  password  admin123
2383  Sleep  2
2384  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
2385  sleep  2
2386  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2387  sleep  2
2388  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2389  Sleep  2
2390  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
2391  Input Text    name    dekorasi ruangan
2392  Click Element  jenis
2393  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
2394  Sleep  2
2395  Input Text    harga   1000000000000000
2396  Sleep  2
2397  Input Text    deskripsi   harga terjangkau
2398  Sleep  2
2399  Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late nig
2400  sleep  2
2401  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
2402  Sleep  2
2403  Close Browser
2404  Log    Test Completed
2405
2406

```

### b) Test Case

AddService92		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Input Text	name	dekorasi ruangan
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Input Text	harga	1000000000000...
Sleep	2	
Input Text	deskripsi	harga terjangkau
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[2]/div[2]	D:\\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div...	
Sleep	2	
Close Browser		
Log	Test Completed	

c) Console

```
Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 11, 2024 at 11:45:22 AM)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robot.lib
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService94 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html
```

#### d) Browser testing

## Tambah Paket Produk

/ Paket produk / Tambah Paket Produk

Name

Jenis

Harga  
 The harga field is required.

Deskripsi

Gambar  
 No file chosen

Add Cancel

### 93. Tambah Produk 93

#### a) Scenario

```
2406
2407@AddService93
2408  Open Browser  http://127.0.0.1:8000/login  Chrome
2409  Set Selenium Implicit Wait  5
2410  Input Text  email  admin@gmail.com
2411  Input Password  password  admin123
2412  Sleep  2
2413  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
2414  sleep  2
2415  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2416  sleep  2
2417  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2418  Sleep  2
2419  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
2420  Input Text  name  birthday party
2421  Click Element  jenis
2422  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
2423  Sleep  2
2424  Input Text  harga  9788887888
2425  Sleep  2
2426  Input Text  deskripsi  makanan nya lezat
2427  Sleep  2
2428  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALERY\\late night spotify.jpg
2429  sleep  2
2430  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
2431  Sleep  2
2432  Close Browser
2433  Log  Test Completed
2434
```

#### b) Test Case

AddService93		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Input Text	harga	9788887888
Sleep	2	
Input Text	deskripsi	makanan nya l...
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]	D:\\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 10, 2023, 10:45:23)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService94 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output:  D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log:    D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

d) Browser testing

**Tambah Paket Produk**

[/ Paket produk / Tambah Paket Produk](#)

---

Name	<input type="text"/>
Jenis	<input type="text"/>
Harga	<input type="text"/> <small>The harga field is required.</small>
Deskripsi	<input type="text"/>
Gambar	<input type="file"/> Choose File No file chosen

#### 94. Tambah Produk 94

##### a) Scenario

```

2435
2436@AddService94
2437  Open Browser      http://127.0.0.1:8000/login      Chrome
2438  Set Selenium Implicit Wait  5
2439  Input Text    email    admin@gmail.com
2440  Input Password  password  admin123
2441  Sleep  2
2442  Click Element  xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2443  sleep  2
2444  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2445  sleep  2
2446  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li[1]
2447  Sleep  2
2448  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
2449  Input Text    name    birthday party
2450  Click Element  jenis
2451  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
2452  Sleep  2
2453  Input Text    harga    ../.
2454  Sleep  2
2455  Input Text    deskripsi    operr
2456  Sleep  2
2457  Choose File   //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALERY\\late night spotify.jpg
2458  sleep  2
2459  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/div/button
2460  Sleep  2
2461  Close Browser
2462  Log    Test Completed
2463

```

##### b) Test Case

Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[2]	
Sleep	2	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	/..
Sleep	2	
Input Text	deskripsi	operr
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	D:\\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

Console X
<terminated> tambahproduk.robot [Selected Test Cases] [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe [Terminated]
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\...
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService94 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

### d) Browser testing

**Tambah Paket Produk**

Name

Jenis

Harga  
 ⚠️

The harga field is required.

Deskripsi

Gambar  
Choose File  No file chosen ⚠️

The gambar field must be an image.

Add Cancel

## 95. Tambah Produk 95

### a) Scenario

```

2464
2465@ AddService95
2466 Open Browser http://127.0.0.1:8000/login Chrome
2467 Set Selenium Implicit Wait 5
2468 Input Text email admin@gmail.com
2469 Input Password password admin123
2470 Sleep 2
2471 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2472 sleep 2
2473 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2474 sleep 2
2475 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2476 Sleep 2
2477 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
2478 Input Text name birthday party
2479 Click Element jenis
2480 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
2481 Sleep 2
2482 Input Text harga 90000000
2483 Sleep 2
2484 Input Text deskripsi speaker kualitas tinggi
2485 Sleep 2
2486 Choose File /*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
2487 Sleep 2
2488 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
2489 Sleep 2
2490 Close Browser
2491 Log Test Completed
2492

```

### b) Test Case

...		
AddService95		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail....
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Input Text	harga	2
Sleep	2	
Input Text	deskripsi	speaker kualita...
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/d...	D:\\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/d...	
Sleep	2	
Close Browser		
Log		Test Completed

c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\|I
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService94 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

d) Browser testing

**Tambah Paket Produk**

The screenshot shows a web-based form for adding a product package. The form has several fields: 'Name' (empty), 'Jenis' (a dropdown menu showing 'Pilih Jenis Paket'), 'Harga' (an empty input field with a red error message 'The harga field is required.'), 'Deskripsi' (an empty text area), 'Gambar' (a file input field showing 'Choose File No file chosen' with a red error message 'The gambar field must be an image.'), and two buttons at the bottom: 'Add' (yellow) and 'Cancel' (red).

## 96. Tambah Produk 96

### a) Scenario

```

193
194@AddService96
195  Open Browser      http://127.0.0.1:8000/login      Chrome
196  Set Selenium Implicit Wait  5
197  Input Text    email    admin@gmail.com
198  Input Password  password  admin123
199  Sleep  2
200  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
201  sleep  2
202  Click Element  xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
203  sleep  2
204  Click Element  xpath=/html/body/div[2]/div[1]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
205  Sleep  2
206  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
207  Input Text    name    paket acara lengkap
208  Click Element  jenis
209  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
210  Sleep  2
211  Input Text    harga    8000000000
212  Sleep  2
213  Input Text    deskripsi    musikkkkk lengkap
214  Sleep  2
215  Choose File   /*{@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
216  sleep  2
217  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
218  Sleep  2
219  Close Browser
220  Log    Test Completed
221

```

### b) Test Case

...					
- AddService96					
Open Browser	http://127.0.0.1:8000/login	Chrome			
Set Selenium Implicit Wait	5				
Input Text	email	admin@gmail.com			
Input Password	password	admin123			
Sleep	2				
Click Element	xpath=/html/body/section/div/div[1]/div[1]				
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]				
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]				
Sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]				
Input Text	name	paket acara len...			
Click Element	jenis				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]				
Sleep	2				
Input Text	harga	8000000000			
Sleep	2				
Input Text	deskripsi	musikkkkk len...			
Sleep	2				
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	D:\\AESTETIC G...			
sleep	2				
Click Element	xpath=/html/body/div[2]/div[2]/div[1]				
Sleep	2				
Close Browser					
Log	Test Completed				

c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 10, 2024 10:45:45)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-3.2.2\lib\site-packages\robotframework\listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService94 | PASS |
=====
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output:  D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log:    D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

#### d) Browser testing

##### Tambah Paket Produk

/ Paket produk / Tambah Paket Produk

Name

Jenis

Harga

The harga field is required.

Deskripsi

Gambar

Choose File No file chosen

The gambar field must be an image.

Add Cancel

#### 97. Tambah Produk 97

##### a) Scenario

```
2521
2522 @AddService97
2523 Open Browser http://127.0.0.1:8000/login Chrome
2524 Set Selenium Implicit Wait 5
2525 Input Text email admin@gmail.com
2526 Input Password password admin123
2527 Sleep 2
2528 Click Element xpath=/html/body/section/div/div[2]/div/form/div[3]/button
2529 sleep 2
2530 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2531 sleep 2
2532 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2533 Sleep 2
2534 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
2535 Input Text name birthday party
2536 Click Element jenis
2537 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
2538 Sleep 2
2539 Input Text harga 1099999
2540 Sleep 2
2541 Input Text deskripsi wakakakakaka
2542 Sleep 2
2543 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
2544 sleep 2
2545 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
2546 Sleep 2
2547 Close Browser
2548 Log Test Completed
2549
```

##### b) Test Case

AddService97		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail....
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[1]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Input Text	harga	1099999
Sleep	2	
Input Text	deskripsi	wakakakakaka
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]	D:\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

### c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 10, 2024, 10:45:23)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService94 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

### d) Browser testing

**Tambah Paket Produk**

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga

The harga field is required.

Deskripsi

Gambar  
Choose File No file chosen

The gambar field must be an image.

Add Cancel

## 98. Tambah Produk 98

### a) Scenario

```

2550
2551 @AddService98
2552 Open Browser http://127.0.0.1:8000/login Chrome
2553 Set Selenium Implicit Wait 5
2554 Input Text email admin@gmail.com
2555 Input Password password admin123
2556 Sleep 2
2557 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
2558 sleep 2
2559 Click Element xpath=/html/body/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2560 sleep 2
2561 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2562 Sleep 2
2563 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
2564 Input Text name birthday party
2565 Click Element jenis
2566 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
2567 Sleep 2
2568 Input Text harga BMNM
2569 Sleep 2
2570 Input Text deskripsi dekorasi yang indah
2571 Sleep 2
2572 Choose File //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALLERY\\late night spotify.jpg
2573 sleep 2
2574 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
2575 Sleep 2
2576 Close Browser
2577 Log Test Completed
2578

```

### b) Test Case

...		
- AddService98		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	BMNM
Sleep	2	
Input Text	deskripsi	dekorasi yang i...
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]/div[1]	D:\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log		Test Completed

### c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 10 2024 10:45:45)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService94 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

**d) Browser testing**

**Tambah Paket Produk**

/ Paket produk / Tambah Paket Produk

Name  
Name

Jenis  
Pilih Jenis Paket

Harga  
Harga  
The harga field is required.

Deskripsi

Gambar  
Choose File No file chosen  
The gambar field must be an image.

Add Cancel

**99. Tambah Produk 2**

**a) Scenario**

```
2577 Log Test Completed
2578
2579 AddService99
2580 Open Browser http://127.0.0.1:8000/login Chrome
2581 Set Selenium Implicit Wait 5
2582 Input Text email admin@gmail.com
2583 Input Password password admin123
2584 Sleep 2
2585 Click Element xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
2586 sleep 2
2587 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
2588 sleep 2
2589 Click Element xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
2590 Sleep 2
2591 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div[1]/div/a
2592 Input Text name birthday party
2593 Click Element jenis
2594 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[2]/div/div/select/option[4]
2595 Sleep 2
2596 Input Text harga 111111
2597 Sleep 2
2598 Input Text deskripsi seperangkatt musik bagus
2599 Sleep 2
2600 Choose File /*[@id="pageWrapper"]/div[2]/div[2]/div/div/div/form/div[5]/div/div/input D:\\AESTETIC GALERY\\late night spotify.jpg
2601 sleep 2
2602 Click Element xpath=/html/body/div[2]/div[2]/div[2]/div/div/div/div/form/div[6]/div/div/button
2603 Sleep 2
2604 Close Browser
2605 Log Test Completed
2606
```

**b) Test Case**

...						
AddService99						
Open Browser	http://127.0.0.1:8000/login	Chrome				
Set Selenium Implicit Wait	5					
Input Text	email	admin@gmail.com				
Input Password	password	admin123				
Sleep	2					
Click Element	xpath=/html/body/section/div/div[2]/div[2]/div[2]/div[2]/div[1]					
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]					
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]					
Sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]					
Input Text	name	birthday party				
Click Element	jenis					
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]					
Sleep	2					
Input Text	harga	1111111				
Sleep	2					
Input Text	deskripsi	seperangkatt m...				
Sleep	2					
Choose File	//[@id="pageWrapper"]/div[2]/div[2]/div[2]/div[2]/div[1]	D:\AESTETIC G...				
sleep	2					
Click Element	xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[1]					
Sleep	2					
Close Browser						
Log	Test Completed					

### c) Console

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated May 10, 2024, 10:45:45)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService94 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\output.xml
Log: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\log.html
Report: D:\PERKULIAHAN SEMS 4\PKPL\PROYEK\Tambahproduk\report.html

```

### d) Browser testing

**Tambah Paket Produk**

The screenshot shows a web-based form for adding a product package. The fields are as follows:

- Name:** A text input field containing "Name".
- Jenis:** A dropdown menu labeled "Pilih Jenis Paket".
- Harga:** A text input field containing "Harga". A red error message "The harga field is required." is displayed next to it.
- Deskripsi:** A large text area for description.
- Gambar:** A file upload section with a "Choose File" button and a placeholder "No file chosen". A red error message "The gambar field must be an image." is displayed next to it.
- Buttons:** At the bottom right are two buttons: a yellow "Add" button and a red "Cancel" button.

## 100. Tambah Produk 100

### a) Scenario

```

E607
E608@AddService100
E609  Open Browser      http://127.0.0.1:8000/login    Chrome
E610  Set Selenium Implicit Wait  5
E611  Input Text  email  admin@gmail.com
E612  Input Password  password  admin123
E613  Sleep  2
E614  Click Element  xpath=/html/body/section/div/div/div[2]/div/form/div[3]/button
E615  sleep  2
E616  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/a/span
E617  sleep  2
E618  Click Element  xpath=/html/body/div[2]/div[2]/div[1]/div/nav/div[2]/ul/div[1]/div[2]/div/div/li[3]/ul/li/a
E619  Sleep  2
E620  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div[2]/div/div/div/div[1]/div/a
E621  Input Text  name  birthday party
E622  Click Element  jenis
E623  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/div/form/div[2]/div/div/select/option[4]
E624  Sleep  2
E625  Input Text  harga  ....
E626  Sleep  2
E627  Input Text  deskripsi  banyak soundsystem yang mewah
E628  Sleep  2
E629  Choose File  //*[@id="pageWrapper"]/div[2]/div[2]/div[2]/div/div/div/form/div[5]/div/input  D:\\AESTETIC GALLERY\\late night spotify.jpg
E630  sleep  2
E631  Click Element  xpath=/html/body/div[2]/div[2]/div[2]/div[2]/div/div/div/form/div[6]/div/button
E632  Sleep  2
E633  Close Browser
E634  Log  Test Completed
***
```

### b) Test Case

...		
AddService100		
Open Browser	http://127.0.0.1:8000/login	Chrome
Set Selenium Implicit Wait	5	
Input Text	email	admin@gmail.com
Input Password	password	admin123
Sleep	2	
Click Element	xpath=/html/body/section/div/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Input Text	name	birthday party
Click Element	jenis	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Input Text	harga	...
Sleep	2	
Input Text	deskripsi	banyak
Sleep	2	
Choose File	//*[@id="pageWrapper"]/div[2]/div[1]	D:\\AESTETIC G...
sleep	2	
Click Element	xpath=/html/body/div[2]/div[2]/div[1]	
Sleep	2	
Close Browser		
Log	Test Completed	

c) **Console**

```

Console X
<terminated> tambahproduk.robot (Selected Test Cases) [Robot] C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe (Terminated)
Command: C:\Users\user\AppData\Local\Programs\Python\Python311\python.exe -m robot.run --listener C:\Users\user\AppData\Local\Programs\Python\Python311\robotframework-listener.py
Suite Executor: Robot Framework 3.2.2 (Python 3.11.2 on win32)
=====
Tambahproduk
=====
Tambahproduk.Tambahproduk
=====
AddService94 | PASS |
-----
Tambahproduk.Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Tambahproduk | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
Output: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\output.xml
Log: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\log.html
Report: D:\\PERKULIAHAN SEMS 4\\PKPL\\PROYEK\\Tambahproduk\\report.html

```

d) **Browser testing**

## Tambah Paket Produk

[/ Paket produk / Tambah Paket Produk](#)

Name

Name

Jenis

Pilih Jenis Paket

Harga

Harga

The harga field is required.

Deskripsi

Gambar

Choose File

No file chosen

The gambar field must be an image.

Add

Cancel