

Technische Universität Berlin



DOCUMENT BUILD DATE: 16th February 2018 DOCUMENT STATUS: Beta

Development and Evaluation of a Service Bot in the e-Government Sector

Bachelor Thesis

am Fachgebiet Agententechnologien in betrieblichen Anwendungen und der Telekommunikation (AOT)
Prof. Dr.-Ing. habil. Şahin Albayrak
Fakultät IV Elektrotechnik und Informatik
Technische Universität Berlin

vorgelegt von **Mohamed Megahed**

Betreuer: Dr. Andreas Lommatzsch

Gutachter: Prof. Dr.-Ing. habil. Şahin Albayrak

Prof. Dr. Odej Kao

Matrikelnummer: 342655

Abstract

Though not a recent phenomenon, chatbots and voice assistants are increasingly gaining unprecedented attention as a successor for mobile and web apps. While still emerging with no defined standards or set protocols, with a hype on the rise, tensions between industry giants with products like Amazon's Alexa, Apple's Siri, the Google Assistant or IBM's Watson unveil new examples in favour of providing an enriched user experience on consumer and business level. The surrounding ecosystem also plays a major role in widening the platforms available while exploring new horizons with alternative approaches and business models. Today voice assistance are already present around indoor spaces, in the car or on the go but are still a new terrain to discover and great potential to unleash.

One such use cases involves the public sector. In this work, we are going to explore Amazon's Alexa and respective platforms to develop a voice assistant for the local city council extending the current chatbot's functionality available on http://service.berlin.de. We will touch on the technical challenges and possibilities in implementing a system for eGovernment inquiries and touch on its usability as well as effectiveness in replacing a traditional lookup service. We will then examine the goals we define for our use case to what we were able to achieve with the available APIs and SDKs. With respect to those, we will also report on the limitations developers could face in the process.

Finally, we aim at analysing the current state of voice assistants and service bots in the market and the future of this trend from a technical and a social point of view.

Zusammenfassung

NOTE: translate to German to English or vice-versa. possibility to make inline notes [CITATION] when a citation is missing **✓ To-Do**: todos

[TO CITE]

[SUPERVISOR NOTE]Bitte Betreuernotizen auch im Fließtext mit \sn{text}

Contents

List of Figures vi							
List of Tables							
1	Intr	oduction	1				
	1.1	Motivation	3				
		1.1.1 Case Scenario	5				
	1.2	Approach and Goals	5				
	1.3	Structure of the Thesis	6				
2	Background						
	2.1	Related Work	7				
	2.2	State of the Art	8				
		2.2.1 Amazon Web Services and the Alexa Platform	9				
		2.2.2 Amazon Voice Service	9				
		2.2.3 Node.js	10				
	2.3	D115	10				
	2.4	Frameworks and Data Structures (change title)	10				
		2.4.1 Intents and Slots	10				
	2.5	currently deployed bot	12				
	2.6	Implementation Possibilities	12				
3	Skil	I Implementation: [Skill 1 - e.g. Dienstabfrage]	14				
	3.1	All about Alexa	14				
	3.2	Difference Between Lex and Alexa Skills	14				
	3.3	APIs and SDKs	15				
	3.4	challenges	15				
4	Skil	I Implementation: [Skill 2 - e.g. Kosten-/Terminabfrage	16				

5]	Evaluation	17		
:	.1 Results	18		
:	.2 Discussions	18		
6	Conclusion and Future Work	19		
(5.1 Summary	19		
(.2 Conclusion	19		
(6.3 Future Work	19		
Bib	iography	20		
Appendices				
	Appendix A: Abbreviations	22		
		23		

List of Figures

2.1	Dienstleistungen.json - Primary Nodes	11
2.2	Dienstleistungen.json - secondary Nodes	11

List of Tables

Introduction

With over a third of the world's population projected to own a smartphone in 2018 [13] and a substantial fraction thereof using smarthome gadgets and appliances on a daily basis, AI's role has become more interesting than ever in many disciplines including but not limited to productivity and entertainment. Many technologies we take for granted today, such as dictation and word prediction, recommender systems or other digital analytics depend on Machine Learning and Natural Language Processing techniques that were only made possible thanks to the high computational power shipped in most devices gradually overtaking the consumer market. This transition also facilitated the introduction of a new form of interaction through conversation with the hardware, paving the way to an aspiration modern societies have been striving globally [9]. Whether in blockbuster 60s drama as seen in "Breakfast at Tiffany's" (1961) or in Sci-Fi romance in the movie "Her" (2013), an obsession with voice technologies is featured throughout from an answering machine on tape to a fully personalized but mass-produced voice-based operating system to even become a protagonist.

Conversational bots were already prevalent since the 80s in the form of Question/Answer systems based on query programming languages like PROLOG and SQL. ELIZA, considered as the world's first chatbot and though quite superficial as an NLP-based programme for psychoanalysis, already at its early stages demonstrated how humans can become emotionally attached to machines, transcending over the anomaly of making conversation *not* with a human [15]. Today, combining ML with retrieval-based approaches allows a more advanced interaction with the system and yields smarter and more personalized conversations between man and machine. Consequently, it is no longer a surprise that chatbots acquire social skills to make Xiaoice, the empathetic bot from China, possibly a new kind of friend made of silicon revoking the fiction element from "Her".

So far, voice assistants represent an additional layer of abstraction from software

beyond the graphical user interface (GUI) and are hence the closest we have come towards human communication. They de-construct another barrier between the user and the hardware as voice communication generally does not require profound computer literacy and the conversational models rely on our inherent ways of expression. As they simulate the human aspect and imitate its behaviour for instance with small-talk abilities [12], voice assistants are regarded as a convenience for daily tasks and are on their way to becoming a de-facto replacement to sophisticated actions we perform on the screen. In fact voice searches now compose a large marget segment [check quality of statistics | and are predicted to make up about 30% [6] [14] of all searches by 2020 with currently highest rates coming from the youngest generations based on a survey [16] by Global Web Index. According to the Alpine.ai 2017 Voice Labs report there were 33 million voice-first devices in circulation in 2017 worldwide [1] with tremendous shifts in number of units sold between 2015 and 2017. This and more statistics hint at a revolutionary change towards our use as much as the introduction of the GUI and mouse were to the command line interface. Increasingly, we recognize voice as a new user interface, also known as Voice User Interface (VUI), and analyse good practices and design guidelines for it.

Since sound and voice are primal stimuli in the human brain [8], using them becomes more instinctive, making us in turn process our ideas starting with an "inner voice" that translates easiest into words when we speak it before "funneling" it to actions [3]. Arguably, on a market scale, this gives voice assistants today a competitive innovation advantage (CIA) for they are hence more accessible to further demographic groups with a growing wider acceptance.

Further, the speech-to-text/text-to-speech domain has become more powerful with steadily increasing processing power, an effect of Moore's law we only get to understand lately in addition to the gradual lessening of the dominance of Chomskyan theories of linguistics (e.g. transformational grammar) [4]. With an integration in most modern operating systems, speaking to a device has become no longer a absurd novelty. Inadvertently, Google Now, the voice assistant built into the OS currently with the highest usage shares among computer and smartphones [5], supports understanding of multiple languages in the same sentence for multilingual interaction. Moreover, the Echo Dot recorded the peak for best-sellers for 2017 on Amazon with unprecedented numbers showing a high customer retention and satisfaction rate [11]

As we constantly challenge our expectations towards technology, our not too far-fetched imagination makes us question the ability of AI to make a machine able to react to everything we say. Although we are still far from this step, at least for the consumer level, we dedicate a lot of effort to make it happen with examples like IBM's

Watson. And as long as we still do not exactly understand human intelligence yet, it is hard to fathom AI as a holistic field. As such, it is therefore more realistic to consider the current works in the field as *intelligence amplification* [3] empowering human take better decisions beyond their normal brain processing power.

1.1 Motivation

With the aforementioned, we try to think how voice assistants could come handy and why we want to invest in such technology, juxtaposing it to available alternatives. If we consider human workforce (i.e. customer service agents) on one hand, it is commonplace that these are more expensive, less available due to restrictive working hours and not always aware of the full circumstances related to an issue they are supposed to fix or a question they are to answer.

Sometimes knowing more about a person could almost become a dangerous tool since it gives room to manipulate them. A client in a shop for instance can have their decision influenced by the seller and eventually get tricked into buying a product based on wrong advice. Although there is practically little the client can normally do to circumvent misinformation if that seller is replaced by an algorithm, having an automated system like a voice assistant step in gives at least a more neutral impression since it are not directly expected to act with malicious intentions.

Since the point of availing voice assistant is to act in a person's interest, we also want an information system not to confuse us or to limit our cognitive abilities.

talk about cognitive behaviour

Besides, we can at least ensure that a voice assistant will not become moody and intentionally want to make our lives harder for this reason as opposed to a human. And so though a voice assistant or a chat bot may not potentially answer every question we throw at it, we want to at least presume that it would give us no information and not partial truths or lies. This is why most credible companies elaborate explicitly on their terms, conditions and privacy statements making them accountable on the products they produce and the services they offer. A consumer therefore feels more empowered to assert any faults originating from an automated system than from a human and conditionally has an assurance that they can prevent any violations more systematically.

Eventually a person is more likely to develop a certain kind of trust in a machine more than in a human once the technology is established and widespread. Cars, email, and other gadgets or services we take for granted today are living proof of how this trust can grow is inevitable, for the better or worse and depending on the degree of affinity, aversion or ignorance in a business sector. Trust in a system can grow once it is certified

to have little to minimal exceptions. Besides enriching the value chain, it is a key in setting a technology to become an industry standard. Therefore, if a voice assistant is shown to deliver reproducible results disregarding a person's profile, this definitely contributes towards the credibility of the system. This is however not an easy case, since an advanced voice assistant is not expected to be deterministic in most situations, otherwise it becomes boring! We elaborate later on this thesis how utterances [] handle this problem.

On the other hand, information systems range from web pages (e.g. frequently asked questions section (FAQ), forums). These are in most cases even less effective than contacting a human as getting the proper information takes a lot of time, or the level of trustworthiness or participation particularly in a forum is too low, the problem stated is too broad or too specific compared to the answer we are seeking. A user also could come purposefully across false positives in a search and rely on irrelevant information without knowing. Furthermore, some case-related information might be required to have a proper understanding of a situation or a scenario and provide adequate answers. For Example, if a user would like to know if a certain accessory is compatible with their mobile device, they might need to give a model number, which they may or may not know. It is therefore of high interest to maintain a system that could determine all these factors autonomously or with the least possible human interference such that a system supersedes the abilities of the classical Q&A approach.

Internationalization is also another factor to take into account. Since languages differ not only in their vocabulary but also grammar, word and sentence structure, developing a voice-first device requires a flexible infrastructure and software stack both able to accommodate these deviations. In that respect, not only is region-specificity important, but also being able to cater for people in a region who do not speak its official language or are residing there temporarily. Especially in businesses where it's difficult to hire skilled foreign-language speaking personnel, a voice assistant can overcome this challenge as it would communicate more accurately and will not have language problems. A customer is then given the option to avoid an inconvenient experience with a call centre representatives where neither of both parties understands the other. For those who have minimal understanding of the language, there are possibly also options to provide help in the native language if the user is given the options he/she can answer a prompt with. At the very least, a VUI could still give feedback to the user of wether it understands the language or not, since algorithms for detecting a language are not as complex as answering the question once the language is undertood. [approaches to localization? (Translators via Wordnet, Stammsprache,...refer to IRS lecture notes)

In the following, we take all these factors into consideration and narrow down a tailored scenario in the e-Government sector. For this we choose to present our solution using Alexa, since among Apple and Google it hast the voice-first devices best equipped for its platform, a user base larger then its competition and provides the most mature API and SDKs.

1.1.1 Case Scenario

Berlin.de is an online one-stop-shop for appx. 3,7 million residents [2] with <code>hundred-s/thousands</code> of visitors daily for information lookup, appointment bookings and even access to local news. As part of a federal modernization procedure with the help of the ministry of interior, D115 was launched in 2009 [7] as a phone service to help residents find relevant information about a public service or municipality, something that can be tricky if a person has no overview of the local government structure and still not always easy even with the help of search engines nowadays. <code>[leading sentence]</code>. Meanwhile, statistics [10] show that time spent on messaging apps already surpassed average uptime on social media, which indicates how the former is more desirable as a communication format on mobile platforms. It could therefore be worth exploring, how to offer D115 services in a fashion that takes advantage of conversational abilities beyond its human personnel.

For now, although local authorities rely heavily on their websites to communicate information to the public, the challenge is mainly finding the right service. In a metropolis with a high influx of expatriates, it is also very likely that certain services are frequently pursued, meaning that helping find the right public service or authority is a repetitive task. In this context, thinking of a chatbot as a public service could have several advantages, like offloading some traffic from the phone service, getting over the language barrier in the case of non-german speakers or expatriates or simply helping customers forumlate the right wording for a query in a more intuitive way than using a search box.

1.2 Approach and Goals

- it would speak as an advantage for bots if they can determine these things automatically z.B.
- currently most tasks revolve around performing tasks like setting an alarm, answer suggestions functionality in chatbot equivalent next step is to get around the user's frustration by making the bot at least more human.
 - Alexa Skill will work in germany in english and german -; add english after german

△ To-Do: Aufgabenstellung:

- -AL: Anschließend soll das Ziel der Arbeit formuliert werden: Entwicklung und Evaluation eines Prototypen für den Anwendungsfall.
- 1- es sollen die Stärken und Schwächen eines solchen System zu analysieren.
- 2- Es sollte zunächst eine Dienstleitung aus dem Berliner Service-Katalog mit dem Chatbot beauskunftetwerden können.
- 3- Nuancen beachten (e.g. 10243 / FHain)
- 4- Smalltalk Fähigkeiten

1.3 Structure of the Thesis

This thesis endeavours to shed light on the following: In Chapter 2, we discuss related work as currently available. We first show a few use cases for chat bots and voice assistants and their implementation. For that we consider [the City of Vienna chat bot service "WienBot" for German and Singapore/LA/... for English] and compare them to the current application available on service.berlin.de. We then introduce the Alexa platform and the idea behind Skills in chapter 3 and discuss how it can overcome a few struggles with respect to its counterparts [like redundant boilerplate code, smalltalk, but also limitations]. We also present the frameworks we use in our own implementation, the prerequisites and the artefacts provided initially. Chapter 3 and 4 represent a detailled analysis of our implementation. In particular, [SOME MORE SENTENCES. In Chapter 4, our solution is presented. This solution covers ... (SOME MORE SENTENCES).] Chapter 5 evaluates our implementation with respect to our target in the defined [4-5] use cases. [SOME MORE SENTENCES] In Chapter 6, we conclude with how the implementation of this e-Government solution is attainable through Alexa and where future works can be directed.

Background

2.1 Related Work

▲ To-Do: move / remove what is irrelevant topology of bots by platform:

- -API.ai
- -Facebook Messenger Chatbots
- -wit.ai
- -motion.ai

by category

- leisure
- fun bots and more
- productivity
- what are classic use cases for their use with prominent examples? Booking tickets (KLM bot)
- quick survey of respective 'AppStores'

by purpose

- -physical locations (home, office, car, phone, in a business) Information bots
- mention available service types (information system as a "webpage/data-base")
- vs an interactive bot that gives you customized information on demand hier soll der D115 Anwendungsfall "Beauskunftung" kurz erläutert werden social bots
- with advantages / disadvantages
- fake news / online reviews more on AI in bots (optional)
- use of ML

Handyversicherungsbeispiel

- from business perspective, the bot is aiming to sell more polices,
- the bot tries to determine if there is a nuance in the user's answer (machine acting as a judge!) e.g. "how did the phone fall off" MKTG Aufwand

by use case:

- Wienbot
- Singapore / LA /...

2.2 State of the Art

Natural Language

№ To-Do: 2 ¶

- Chatbot vs. human: Analyze differences between bot and human response -disadvantage: a bot wants a sentence broken down in small pieces to avoid errors in lengthy interpretation
- Why can't robots understand us: language ambiguities the need to understand context
- -Syntactical: Homonyme
- -Semantic: Methaphors, sarcasm, and puns
- -dialects: enunciations-underlying grammar-underlying sentiment
- -NLP Progress: How does it help in enriching the bot experience
- -neural networks: help understanding language patterns and get better over time
- -thought vectors: helps connect different words with related meaingns
- wrap-up: can bots replace serivces offered by humans? mention transition from facets (Altavista) to metasearches to all-in-one (Google).
- chatbots as enablers in customer service industry
- conclusion: Although not impossible, it is a bit too far-fetched at this stage.

2.2.1 Amazon Web Services and the Alexa Platform

Alexa is the cloud-based voice Service by Amazon powering millions of devices number of requests, ... including its own-branded devices like Echo, Echo Dot, Tap, FireTV as well as cross-platform on Apple's iPhone

- ▲ To-Do: Alexa Skills Kit+ Amazon Voice Services
- mention how ability to react to everything is centralized at alexa somewhere talk about SKILLS
- ability to retain sessions (explain requests/responses GET/POST)
- fullfilling intents
- nested handlers
- difference to Lex & Polly
- Alexa Documentation

2.2.2 Amazon Voice Service

just like other common chat bot constructs, Alexa Skills Kit (ASK) divides the building model into intents ??, utterances and slots. The Fulfillment part is taken care of through Amazon Lambda contains the programming <code>[and business]</code> logic to the interface

Intents

2.2.3 Node.js

AWS Lambda supports multiple runtime environments including Python, Java, C# and Go. However, we use Node.js due to its event-driven nature and to take advantage of its non-blocking I/O model. Being single-threaded, Node.js guarantees high performance at large scale with large volumes of requests considered. With its JavaScript (ECMAScript) foundation, it is becoming a standard in web-apps.

Control To-Do: - Server-side, browser side (Chrome V8), App layer, data layer - because it can read our JSON easily and fast - talk about Methodenaufbau (syntax) and firing events

2.3 D115

- summarize infobroschuere_ BMI08324_screen_barrierefrei.pdf
- -Use case im Detail
- -Welche Daten gibt es?
- -Was sind die Erwartungen?
- wie kann man die Güte des Systems beurteilen?
- Meist sollte man in diesem Kapitel die Lösung schon im Auge haben, um die Erwartungen so zu formulieren, dass die Lösung auch geeignet ist?

2.4 Frameworks and Data Structures (change title)

- -AL: Ich würde erst etwas die Algorithmen und Datenstrukturen (Textanalyse, JSON, ggf. Graphen beschreiben. -AL: Anschließend die Frameworks vorstellen
- -AL: Wichtig ist: Aus den Beschreibungen eine Schlussfolgerung ableiten, welche Art von Lösung entwickelt werden soll.

for current bot:

- Lucene **as the golden standard**: spell check, unscharfe suche, Tika / detect language / ...
- Solr explain what's an intent, whats a slot https://service.berlin.de/virtueller-assistent/virtueller-assistent-606279.php https://www.itdz-berlin.de/

2.4.1 Intents and Slots

▲ To-Do: explain json

provided in JSON for value lookup, there are

Figure 2.1: Dienstleistungen.json - Primary Nodes




Figure 2.2: Dienstleistungen.json - secondary Nodes



• 616 Intents as data, each containing

▲ To-Do: missing variables e.g. are required papers, flag: persönliche Vorsprache ja nein, ...

- <string> responsibility denoting in which city halls a service is available
- <boolean> responsibility_all a flag set to true in case the service is available in all local authority offices / service points
- <HTML list string> description not unified and includes text
- <string> not unified and might need to have an \lstinlineint— added to it and set to 0 in case service is free
- <int>residence
- <int>id
- representation
- <long>leika
- <string> process_time need to derive minimum, average and maximum service times instead of a string, as well as conditions

- <string> name the name of the service that would make sense to a human
- <node> appointment with
 - * link (Key value with URL to /terminveinbarung page) check if orphan or if it is for each behörde and in that case how it gets the right one
- <node> locations
 - * hint
 - * <int> location one of the 12 authorities
 - * url of that service at that authority
 - * <node> appointment (a second one)

•

- <node> onlineprocessing
- <node> prerequisites
- <node> links
- <node> relation
- <node> legal
- <node> requirements
- <node> forms
- <node> authorities
- <node> meta

2.5 currently deployed bot

- dienstleistungen.json structure (finding the info through hierarchical nodes)
- interpreting the nodes as intents traversing the nodes (one level up then to next node)
- no session/no persistence

2.6 Implementation Possibilities

- structure of Hitlist on berlin.de is provided by ITDZ - as opposed to Versicherungsfirma z.B (ML tries to detect irregular patterns in case customer is lying). unfortunately forums vs. FAQs did not work. if i want assistance, i want the customer to tell me the model number - and forums have mostly Schrott! what the bot curently achieved is at least not give wrong answers, sometimes says idk

what the bot curently achieved is at least not give wrong answers, sometimes says idk but it doesnt confuse u. same attitude like in german shops (nur unpassende antworten

sind frustrierend!

-Vorgehensweise: XML -¿ index über Lucene - ¿solr knoten...based on sth like when i say äm 10. augustït gets me masalan events..aha august ist ein monat, monat relates to calendar, calendar relates to events

Skill Implementation: Skill 1 - e.g. Dienstabfrage

- as an example for voice
- -System Specifications
- -System Structure
- -UML Diagrams
- -Design Choices
- -scopes and granularity

3.1 All about Alexa

Retrieved 20 November 2016.

https://en.wikipedia.org/wiki/Amazon_ Alexa https://medium.com/@robinjewsbury/ how-to-create-bots-and-skills-for-facebook-messenger-and-amazon-echo-4 - Alexa Appstore had over 5,000 functions ("skills") available for users to download,[18] up from 1,000 functions in June 2016. McLaughlin, Kevin (16 November 2016). "Bezos Ordered Alexa App Push"Paid subscription required. The Information.

Perez, Sarah (3 June 2016). "Amazon Alexa now has over 1,000 Functions, up from 135 in January". TechCrunch. Retrieved 5 August 2016.

3.2 Difference Between Lex and Alexa Skills

https://stackoverflow.com/questions/42982159/differences-between-using-lex-and-alexa#URL https://aws.amazon.com/lex/faqs/

https://aws.amazon.com/about-aws/whats-new/2017/09/ export-your-amazon-lex-chatbot-to-the-alexa-skills-kit/ Amazon Lex is a service for building conversational interfaces using voice and text.

Powered by the same conversational engine as Alexa, Amazon Lex provides high quality speech recognition and language understanding capabilities, enabling addition of sophisticated, natural language chatbots onew and existing applications. Amazon Lex reduces multi-platform development effort, allowing you to easily publish your speech or text chatbots to mobile devices and multiple chat services, like Facebook Messenger, Slack, Kik, or Twilio SMS. Native interoperability with AWS Lambda, AWS MobileHub and Amazon CloudWatch and easy integration with many other services on the AWS platform including Amazon Cognito, and Amazon DynamoDB makes bot development effortless.

3.3 APIs and SDKs

- swagger for handling JSON requests?
- https://github.com/alexa/alexa-skills-kit-sdk-for-nodejs

3.4 challenges

- und Lösungen dafür
- eine Überführung in Alexa, not writing everything new in alexa. such that when you want to do it in another system what do u want to integrate?
- use external web service maybe? in case that helps instead of alexa doing everything..
- konten hosting to be on alexa
- wo hilft mir alexa, was mach ich lieber woanders?
- Ähnlichkeitsmaße -levenstein-distanz, IFTTT

Skill Implementation: Skill 2 - e.g. Kosten-/Terminabfrage

- as an example for text
- implementing the answer suggestions as buttons
- passing data to the Bürgeramt terminseite https://console.dialogflow.com/api-client/https://console.actions.google.com

Evaluation

- -benchmarks
- -strengths and weaknesses
- -challenges
- -performance
- -usability
- -feasibility of using the studied agents
- node.js?
- amazon's system testing options (incl. Betas)
- system usability scales (ISO, DIN)
- Con: Alexa skills are listed in the amazon shop page. Sehr unübersichtlich just like prime
- impression: Amazon collects data and makes something "intuitive out of it for you". e.g. fire stick setup already had account linked before connecting to the internet! scary/funny/ but then it could be counterintuitive at some point if u want to do ur own customizations.
- removing bias in recriutment of participants (diversify based on what categories?)
- EVAL: AUC/ROC, true positives, false...no of utterances to text
- compare with Wiener Stadportal as a benchmark for a bot https://www.wien.gv.at/bot/ http://www.vienna.at/wienbot-chatbot-der-stadt-wien-informiert-als-virtueller-beamter/5590853 https://digitalcity.wien/wienbot-auszeichnung-fuer-chatbot-der-stadt-wien/ singaporebot

5.1 Results

usability metrics: - heuristic eval - guidelines (jakob nielsen, ralf molich whitepaper)

- biggest usability flaw
- cognitive walkthrough
- step-by-step approach
- questions..wil the user tr and achive
- pluralistic walkthrough
- panel method
- hallway testing
- A/B Test
- speed and Bottlnecks
- clientele: census / SOEP, who can use the bot
- make a small prediction (Bus Analytics)
- this Hassloch thing from MKTG

5.2 Discussions

- Evaluate the system:
- is it trivial to build such a bot or not / what is the aufwand
- how does it react with longer sentences? some service names are long
- what does levenstein distanz cause
- wie leicht kann ich eine antwort finden auf das was ich suche?
- how am i going to classify my tests?
- are chatbots being pushed on the market or is there a demand? (kleine Umfrage basteln?)
- how easy or difficult it is to make a bot: planing poker varianz anschauen zw. leicht und schwer und iterativ darüber sprechen
- wo kann der Kunde (Sawa2 kan el end user or the senat in our case) help optimize the bot masalan bürgeramt beyektebo, welche Rechtsgrundlage keine auffällige Probleme masalan zay Perso, PA, personalausweis, how to introduce expert modeso that if u add it with a special character it knows what u want, just like alexa knows when u rename the lamp refer again to use cases and exper vs personal field

Conclusion and Future Work

- 6.1 Summary
- 6.2 Conclusion
- **6.3** Future Work
- use machine learning to rank higher demands for more popular services.
- matkhoshesh fel 7etta di awi for now hitlist already given.
- future of bots. deren Einsatz. roles (As judges, catereres in hotels (that hotel botler)

Bibliography

- [1] fka VoiceLabs Alpine.ai, jan 2017. accessed on 16.02.2018.
- [2] Amt für Statistik Berlin-Brandenburg. Statistischer Bericht A I 5 hj 1. https://www.statistik-berlin-brandenburg.de/publikationen/stat_berichte/2017/SB_A01-05-00_2017h01_BE.pdf, August 2017. Accessed on 06.02.2018.
- [3] Brian Roemmele, Dave Isbitski. Episode 018 A Voice First Future with Brian Roemmele. *Alexa Dev Chat Podcast*, 11 2017. Accessed on 13/02/2018.
- [4] Wikipedia contributors. History of natural language processing wikipedia, the free encyclopedia, 2017. [Accessed 14 February 2018].
- [5] Wikipedia contributors. Usage share of operating systems wikipedia, the free encyclopedia, 2018. [Accessed 14 February 2018].
- [6] Gartner. Gartner reveals top predictions for it organizations and users in 2017 and beyond. Oct 2017. accessed on 15.02.2018.
- [7] Geschäfts- und Koordinierungsstelle 115 im Bundesministerium des Innern. {https://www.115.de/SharedDocs/Publikationen/Service_Publikationen/Infomaterialien/infobroschuere_%20BMI08324_screen_barrierefrei.pdf?__blob=publicationFile&v=8}, November 2013.
- [8] Tobias Grossmann, Regine Oberecker, Stefan Koch, and Angela D Friederici. The developmental origins of voice processing in the human brain. *Elsevier*, 65:852–8, 03 2010.
- [9] Judy Goldsmith and Nicholas Mattei. Science fiction as an introduction to ai research, 2011.
- [10] M. Ballve. Messaging apps are now bigger than social networks, 2016.

- [11] NBC. Amazon's alexa had a breakout holiday people even used echoes to buy more echoes. Accessed on 15/02/2018.
- [12] Shankar Vedantam. Radio Replay: I, Robot. https://www.npr.org/podcasts/510308/hidden-brain, 2018. Accessed on 25.01.2018.
- [13] Statista. Smartphone user penetration as percentage of total global population from 2014 to 2020, November 2016. Accessed on 06.02.2018.
- [14] Laurie Sullivan. Gartner predicts 3012 2017. accessed on 12.2.2018.
- [15] Joseph Weizenbaum. Computer Power and Human Reason: From Judgment to Calculation. W. H. Freeman & Co., New York, 1976.
- [16] Katie Young, June 2016. accessed on 16.02.2018.

Appendices

Appendix A: Abbreviations

AWS Amazon Web Serivces

ASK Alexa Skills Kit

AVS Alexa Voice Service

ARN Amazon Resource Name

MVP Minimum Viable Product

AI Artificial Intelligence

NLP Natural Language Processing

ML Machine Learning

GUI Graphical User Interface

VUI Voice User Interface

ACID Atomicity, Identity, .. criteria

appx approximately

Appendix B: Glossary

IntenterklärungSloterklärung

UtteranceerklärungAlexaerklärungAlexa Skillerklärung

Lambda FunctionerklärungAlexa Skills KiterklärungAmazon Developer ConsoleerklärungAWS LambdaerklärungAmazon LexerklärungAmazon PollyerklärungElasticSearcherklärung

node.js Framework built on top of JavaScript

Interaction Model erklärung

Service bot, AWS, Berlin.de

https://docs.aws.amazon.com/general/latest/gr/glos-chap.html

Application IDerklärungSkill IDerklärung

Bot Unless otherwise mentioned, yeb2a Cha

Hitlist erklärung

Voice-first an always-on, intelligent piece of hardw