

REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-08


NOTES:


1. MATERIAL: 6061 ALUMINUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01314 60 deg Blade Holder Toprev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM


△10 ENGRAVE PART NUMBER ACCORDING TO STEP FILE.











ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES

X ±0.5
X.X ±0.1
X.XX ±0.05
X.XXX ±0.010
ANGLES ±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: RKOPPEN
DRAWN DATE: 2023-05-08
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS
65 GROVE ST.
WATERTOWN, MA
02472

DESCRIPTION: 60 deg Blade Holder Top

SIZE	PART NUMBER	REV
B	200-01314	01


SCALE 1:1 | SHEET 1 OF 1

REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-17


NOTES:


1. MATERIAL: 6061 ALUMINUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01315 60 deg Blade Holder Leftrev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM


△10 ENGRAVE PART NUMBER ACCORDING TO STEP FILE





SECTION D-D
SCALE 4 : 1











ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES
X ±0.5
X.X ±0.1
X.XX ±0.05
X.XXX ±0.010
ANGLES ±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH
Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: RKOEPPEN
DRAWN DATE: 2023-05-17
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS
65 GROVE ST.
WATERTOWN, MA
02472

DESCRIPTION: 60 deg Blade Holder Left


SIZE B | PART NUMBER 200-01315 | REV 01

SCALE 1:1 | SHEET 1 OF 1


REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-05


NOTES:


1. MATERIAL: 6061 ALUMINUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01316 60 deg Blade Holder Rightrev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM
10. ENGRAVE PART NUMBER ACCORDING TO STEP FILE



SECTION A-A
SCALE 4 : 1







ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES
X ±0.5
X.X ±0.1
X.XX ±0.05
X.XXX ±0.010
ANGLES ±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH
Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: RKOEPPEN
DRAWN DATE: 2023-05-05
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS
65 GROVE ST.
WATERTOWN, MA
02472

DESCRIPTION: 60 deg Blade Holder Right

SIZE: B | PART NUMBER: 200-01316 | REV: 01


SCALE 1:1 | SHEET 1 OF 1


REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-18


NOTES:


1. MATERIAL: 6061 ALUMINUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01320 15 deg Blade Holder Rightrev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM


10 ENGRAVE PART NUMBER ACCORDING TO STEP FILE















SECTION A-A
SCALE 4 : 1



ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES

X	±0.5
X.X	±0.1
X.XX	±0.05
X.XXX	±0.010
ANGLES	±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH
Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: SLIEBLER
DRAWN DATE: 2023-05-18
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS
65 GROVE ST.
WATERTOWN, MA
02472

DESCRIPTION: 15 deg Blade Holder Right

SIZE	PART NUMBER	REV
B	200-01320	01


SCALE 1:1 | SHEET 1 OF 1


REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-18


NOTES:


1. MATERIAL: 6061 ALUMINUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01319 15 deg Blade Holder Leftrev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM


△10 ENGRAVE PART NUMBER ACCORDING TO STEP FILE















SECTION A-A
SCALE 4 : 1



ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES

X	±0.5
X.X	±0.1
X.XX	±0.05
X.XXX	±0.010
ANGLES	±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH
Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: SLIEBLER
DRAWN DATE: 2023-05-18
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS
65 GROVE ST.
WATERTOWN, MA
02472

DESCRIPTION: 15 deg Blade Holder Left


SIZE	PART NUMBER	REV
B	200-01319	01


SCALE 1:1 | SHEET 1 OF 1


REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-18


NOTES:


1. MATERIAL: 6061 ALUMINIUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01318 15 deg Blade Holder Toprev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM
10. ENGRAVE PART NUMBER ACCORDING TO STEP FILE














ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES

X	±0.5
X.X	±0.1
X.XX	±0.05
X.XXX	±0.010
ANGLES	±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH
Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: SLIEBLER
DRAWN DATE: 2023-05-18
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS
65 GROVE ST.
WATERTOWN, MA
02472

DESCRIPTION: 15 deg Blade Holder Top

SIZE	PART NUMBER	REV
B	200-01318	01


SCALE 1:1 | SHEET 1 OF 1


REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-18


NOTES:


1. MATERIAL: 6061 ALUMINUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01322 0 deg Blade Holder Toprev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM


△10 ENGRAVE PART NUMBER ACCORDING TO STEP FILE.














ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES
X ±0.5
X.X ±0.1
X.XX ±0.05
X.XXX ±0.010
ANGLES ±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH
Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: SLIEBLER
DRAWN DATE: 2023-05-18
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS
65 GROVE ST.
WATERTOWN, MA
02472

DESCRIPTION: 0 deg Blade Holder Top

SIZE B | PART NUMBER 200-01322 | REV 01


SCALE 1:1 | SHEET 1 OF 1


REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-18


NOTES:


1. MATERIAL: 6061 ALUMINUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01324 0 deg Blade Holder Rightrev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM


△10 ENGRAVE PART NUMBER ACCORDING TO STEP FILE














ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES

X	±0.5
X.X	±0.1
X.XX	±0.05
X.XXX	±0.010
ANGLES	±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: SLIEBLER
DRAWN DATE: 2023-05-18
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS 65 GROVE ST. WATERTOWN, MA 02472

DESCRIPTION: 0 deg Blade Holder Right

SIZE	PART NUMBER	REV
B	200-01324	01


SCALE 1:1 SHEET 1 OF 1


REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-18


NOTES:


1. MATERIAL: 6061 ALUMINUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01323 0 deg Blade Holder Leftrev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM


△10 ENGRAVE PART NUMBER ACCORDING TO STEP FILE















SECTION A-A
SCALE 4 : 1



ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES

X	±0.5
X.X	±0.1
X.XX	±0.05
X.XXX	±0.010
ANGLES	±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH
Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: SLIEBLER
DRAWN DATE: 2023-05-18
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS
65 GROVE ST.
WATERTOWN, MA
02472

DESCRIPTION: 0 deg Blade Holder Left

SIZE	PART NUMBER	REV
B	200-01323	01


SCALE 1:1 | SHEET 1 OF 1


REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-17


NOTES:


1. MATERIAL: 6061 ALUMINUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01308 1mm Hard Stop Cutting Blockrev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM

△10 ENGRAVE PART NUMBER ACCORDING TO STEP FILE












SECTION A-A
SCALE 2 : 1







ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES
X ±0.5
X.X ±0.1
X.XX ±0.05
X.XXX ±0.010
ANGLES ±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH
Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: MFOSTER
DRAWN DATE: 2023-05-17
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS
65 GROVE ST.
WATERTOWN, MA
02472

DESCRIPTION: 1 mm Hard Stop Cutting Block


SIZE	PART NUMBER	REV
B	200-01308	01


SCALE 1:1 | SHEET 1 OF 1


REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-16


NOTES:


1. MATERIAL: 6061 ALUMINUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01310 Sideways Feeding Cutting Blockrev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM
10. ENGRAVE PART NUMBER BASED ON STEP FILE















SECTION A-A



ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES

X	±0.5
X.X	±0.1
X.XX	±0.05
X.XXX	±0.010
ANGLES	±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: MFOSTER
DRAWN DATE: 2023-05-16
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS
65 GROVE ST.
WATERTOWN, MA
02472

DESCRIPTION: Sideways Feeding Cutting Block


SIZE: B | PART NUMBER: 200-01310 | REV: 01


SCALE 1:1 | SHEET 1 OF 1


REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-16


NOTES:


1. MATERIAL: 6061 ALUMINUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01312 Downwards Feeding Cutting Blockrev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM
10. ENGRAVE PART NUMBER BASED ON STEP FILE















SECTION A-A
SCALE 1 : 1



ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES

X ±0.5
X.X ±0.1
X.XX ±0.05
X.XXX ±0.010
ANGLES ±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH
Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: MFOSTER
DRAWN DATE: 2023-05-16
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS
65 GROVE ST.
WATERTOWN, MA
02472

DESCRIPTION: Downwards Feeding Cutting Block

SIZE	PART NUMBER	REV
B	200-01312	01


SCALE 1:1 | SHEET 1 OF 1


REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-16


NOTES:


1. MATERIAL: 6061 ALUMINUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01311 Upwards Feeding Cutting Blockrev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM


10 ENGRAVE PART NUMBER BASED ON STEP FILE















SECTION A-A
SCALE 1 : 1



ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES

X	±0.5
X.X	±0.1
X.XX	±0.05
X.XXX	±0.010
ANGLES	±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: MFOSTER
DRAWN DATE: 2023-05-16
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS
65 GROVE ST.
WATERTOWN, MA
02472

DESCRIPTION: Upwards Feeding Cutting Block

SIZE	PART NUMBER	REV
B	200-01311	01


SCALE 1:1 | SHEET 1 OF 1


REVISIONS				
REV.	DESCRIPTION	ORIGINATOR	DCR NUMBER	DATE
01	INITIAL RELEASE	CLAM		2023-05-16


NOTES:


1. MATERIAL: 6061 ALUMINUM
2. HEAT TREAMENT: NONE
3. FINISH: NONE
4. DIMENSIONS AND TOLERANCES APPLY AFTER FINISHING STEPS
5. UNDIMENSIONED FEATURES SHALL BE QUERIED FROM DIGITAL 3D DATA FILE: "200-01309 1.85mm Hard Stop Cutting Blockrev01.STP"
6. DIMENSIONS OBTAINED FROM 3D DATA FILE SHALL MEET ISO 2768 MEDIUM
7. MASK ALL THREADS PRIOR TO FINISH
8. FINAL PART SHALL BE FREE OF ALL GREASE, DEBRIS, AND OTHER FOREIGN MATERIAL
9. DEBURR AND BREAK ALL SHARP EDGES 0.1 MINIMUM

△10 ENGRAVE PART NUMBER ACCORDING TO STEP FILE












SECTION A-A
SCALE 2 : 1







ISOMETRIC VIEW
NOT TO SHEET SCALE

UNLESS OTHERWISE SPECIFIED

TOLERANCES
X ±0.5
X.X ±0.1
X.XX ±0.05
X.XXX ±0.010
ANGLES ±0.5°

INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2018

MINIMUM SURFACE FINISH
Ra 1.6

DIMENSIONS ARE IN MILLIMETERS

⊥ ALL TAPPED HOLES MUST BE PERPENDICULAR TO ENTRANCE PLANE

⌖ ALL HOLES MUST BE WITHIN ±0.05 OF DIMENSIONED LOCATION

PROPIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LYNDRA THERAPEUTICS. ANY FORM OF REPRODUCTION OF THIS INFORMATION IN PART OR IN WHOLE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LYNDRA THERAPEUTICS IS PROHIBITED.

DRAWN BY: CLAM
CHECKED BY: MFOSTER
DRAWN DATE: 2023-05-16
THIRD ANGLE PROJECTION

Lyndra THERAPEUTICS
65 GROVE ST.
WATERTOWN, MA
02472

DESCRIPTION: 1.85mm Hard Stop Cutting Block

SIZE B | PART NUMBER 200-01309 | REV 01

SCALE 1:1 | SHEET 1 OF 1