

Mini Quiz 1

- a = [2, 4, 2, 3, 4]b = [1, 2, 4, 1]
- 1. a の要素の重複を除いたリスト a2 を作成するスクリプトを書け (要素順は任意)
- b の要素の重複を除いたリスト b2 を作成するスクリプトを書け (要素順は任意)
- 3. b2 のすべての要素が a2 に含まれるときに True を返す条件式を書け (b2の要素とa2の要素が一致する場合も True)。



Ans. of Mini Quiz 1

$$a = [2, 4, 2, 3, 4]$$

 $b = [1, 2, 4, 1]$

- 1. a の要素の重複を除いたリスト a2 を作成するスクリプトを書け (要素順は任意)
- b の要素の重複を除いたリスト b2 を作成するスクリプトを書け (要素順は任意)
- 3. b2 のすべての要素が a2 に含まれるときに True を返す条件式を書け (b2の要素とa2の要素が一致する場合も True)。
 - 1. a2 = list(set(a))
 - 2. b2 = list(set(b))
 - 3. set(b2) <= set(a2)



Mini Quiz 1

$$a = [2, 4, 2, 3, 4]$$

 $b = [1, 2, 4, 1]$

- 1. Write a script to create a list "a2" whose elements are those of "a" without duplicates (the order of the elements is arbitrary).
- 2. Write a script to create a list "b2" whose elements are those of "b" without duplicates (the order of the elements is arbitrary).
- 3. Write a conditional expression that returns True if all elements of "b2" are contained in "a2" (also True if elements of "b2" are the same as those of "a2").



Ans. of Mini Quiz 1

$$a = [2, 4, 2, 3, 4]$$

 $b = [1, 2, 4, 1]$

- 1. Write a script to create a list "a2" whose elements are those of "a" without duplicates (the order of the elements is arbitrary).
- 2. Write a script to create a list "b2" whose elements are those of "b" without duplicates (the order of the elements is arbitrary).
- 3. Write a conditional expression that returns True if all elements of "b2" are contained in "a2" (also True if elements of "b2" are the same as those of "a2").
 - 1. a2 = list(set(a))
 - 2. b2 = list(set(b))
 - 3. set(b2) <= set(a2)