VAST 2018 MC1 Progress 3

Tanjil Hossain
Tyler Saccomanno
Michael Gehres
Adiba Islam
Gabe Petro

Team Contributions

Adiba Islam - Slide 3,4,5,6

Tanjil Hossain - Slide 7

Tyler Saccomanno - Slide 8 and 9

Michael Gehres - Slide 10 and 11

Gabe Petro - Slide 12

Works with Streamlit

Graph 1: Time-Series Analysis of Pipit Records

Visualizing the number of Rose-crested Blue Pipit records aggregated by month.

Monthly Record Count of Rose-crested Blue Pipit



Graph 2: Distribution by Call Type and Quality

Analyzing the distribution of bird records based on **Vocalization Type** and **Quality** score.

Analysis for: All Species

All Species: Distribution by Quality Score



All Species: Distribution by Vocalization Type



Graph 3 (Plotly): Geographical Distribution Overlaid on Map

Using Plotly Express to accurately plot Pipit records and Test Locations on the **Preserve's background map**.



Monthly Bird Call Counts – D3



Insight: Jan: Off-season — noticeably fewer calls compared to spring and summer.

- Clear spike in March–June → migration + breeding season
- Gradual decline in late summer as activity slows
- Lowest levels in winter months
- Establishes a baseline to compare Pipit behavior vs all bird species

Works with D3



Recording Quality by Species

Compare the distribution of recording quality (A–E) for the Rose-crested Blue Pipit against any species, or all other species combined.

Compare Pipit to: All species



Kasios Bird Call Waveforms

1.mp3

2.mp3

3.mp3

4.mp3

5.mp3

6.mp3

7.mp3

8.mp3

9.mp3

10.mp3

11.mp3

12.mp3

13.mp3

14.mp3

15.mp3

Top Species in Library Audio

Fifteen most frequently recorded species in the library dataset. The Rose-crested Blue Pipit bar is highlighted.



Confusion Matrix