

CompTIA

Exam Author

Premium exam material

Get certification quickly with the Exam Author Premium exam material.

Everything you need to prepare, learn & pass your certification exam easily. Lifetime free updates

First attempt guaranteed success.

<https://www.ExamAuthor.com>

Microsoft

(SC-401)

Administering Information Security in Microsoft 365

Total: **281 Questions**

Link: <https://examauthor.com/papers/microsoft/sc-401>

Question: 1

Exam Author

DRAG DROP -

Case Study -

Instructions -

This is a case study. Case studies are not timed separately from other exam sections. You can use as much exam time as you would like to complete each case study. However, there might be additional case studies or other exam sections. Manage your time to ensure that you can complete all the exam sections in the time provided. Pay attention to the Exam Progress at the top of the screen so you have sufficient time to complete any exam sections that follow this case study.

To answer the case study questions, you will need to reference information that is provided in the case. Case studies and associated questions might contain exhibits or other resources that provide more information about the scenario described in the case. Information provided in an individual question does not apply to the other questions in the case study.

A Review Screen will appear at the end of this case study. From the Review Screen, you can review and change your answers before you move to the next exam section. After you leave this case study, you will NOT be able to return to it.

To start the case study -

To display the first question in this case study, select the "Next" button. To the left of the question, a menu provides links to information such as business requirements, the existing environment, and problem statements. Please read through all this information before answering any questions. When you are ready to answer a question, select the "Question" button to return to the question.

Overview -

Contoso, Ltd. is a consulting company that has a main office in Montreal and three branch offices in Seattle, Boston, and Johannesburg.

Existing Environment -

Microsoft 365 Environment -

Contoso has a Microsoft 365 E5 tenant. The tenant contains the administrative user accounts shown in the following table.

Name	Role
Admin1	Global Reader
Admin2	Compliance Data Administrator
Admin3	Compliance Administrator
Admin4	Security Operator
Admin5	Security Administrator

Users store data in the following locations:

SharePoint sites -

OneDrive accounts -

Exchange email -

Exchange public folders -

Teams chats -

Teams channel messages -

When users in the research department create documents, they must add a 10-digit project code to each document. Project codes that start with the digits 999 are confidential.

SharePoint Online Environment -

Contoso has four Microsoft SharePoint Online sites named Site1, Site2, Site3, and Site4.

Site2 contains the files shown in the following table.

Name	Number of SWIFT codes in the file
File1.docx	1
File2.bmp	4
File3.txt	3
File4.xlsx	7

Two users named User1 and User2 are assigned roles for Site2 as shown in the following table.

User	Role
User1	Site owner
User2	Site visitor

Site3 stores documents related to the company's projects. The documents are organized in a folder hierarchy based on the project.

Site4 has the following two retention policies applied:

Name: Site4RetentionPolicy1 -

Locations to apply the policy: Site4

Delete items older than: 2 years

Delete content based on: When items were created

Name: Site4RetentionPolicy2 -

Locations to apply the policy: Site4

Retain items for a specific period: 4 years

Start the retention period based on: When items were created

At the end of the retention period: Do nothing

Problem Statements -

Management at Contoso is concerned about data leaks. On several occasions, confidential research department documents were leaked.

Requirements -

Planned Changes -

Contoso plans to create the following data loss prevention (DLP) policy:

Name: DLPpolicy1 -

Locations to apply the policy: Site2

Conditions:

Content contains any of these sensitive info types: SWIFT Code

Instance count: 2 to any -

Actions: Restrict access to the content

Technical Requirements -

Contoso must meet the following technical requirements:

All administrative users must be able to review DLP reports.

Whenever possible, the principle of least privilege must be used.

For all users, all Microsoft 365 data must be retained for at least one year.

Confidential documents must be detected and protected by using Microsoft 365.

Site1 documents that include credit card numbers must be labeled automatically.

All administrative users must be able to create Microsoft 365 sensitivity labels.

After a project is complete, the documents in Site3 that relate to the project must be retained for 10 years.

You need to meet the technical requirements for the Site1 documents.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create a sensitivity label.
- Wait 24 hours and then turn on the policy.
- Create a sensitive info type.
- Create a retention label.
- Create an auto-labeling policy.

Answer Area

Answer:

Actions	Answer Area
Create a sensitivity label.	Create a sensitivity label.
Wait 24 hours and then turn on the policy.	Create an auto-labeling policy.
Create a sensitive info type.	Wait 24 hours and then turn on the policy.
Create a retention label.	
Create an auto-labeling policy.	

Explanation:**Create a sensitivity label.**

This is the first step.

A sensitivity label defines how content is classified and protected (e.g., "Confidential", "Internal Use Only").

It can include encryption, watermarking, and access controls.

Create an auto-labeling policy.

After creating the sensitivity label, you create an auto-labeling policy to apply the label automatically based on defined conditions.

You can use built-in sensitive info types, keywords, or trainable classifiers to define what should trigger the label.

Wait 24 hours and then turn on the policy.

After publishing the auto-labeling policy, Microsoft Purview takes up to 24 hours to evaluate and begin applying it.

Best practice is to wait before enabling full enforcement to allow the policy to fully propagate.

Question: 2**Exam Author****Answer:**

Case Study -

Instructions -

This is a case study. Case studies are not timed separately from other exam sections. You can use as much exam time as you would like to complete each case study. However, there might be additional case studies or other exam sections. Manage your time to ensure that you can complete all the exam sections in the time provided. Pay attention to the Exam Progress at the top of the screen so you have sufficient time to complete any exam sections that follow this case study.

To answer the case study questions, you will need to reference information that is provided in the case. Case studies and associated questions might contain exhibits or other resources that provide more information about the scenario described in the case. Information provided in an individual question does not apply to the other questions in the case study.

A Review Screen will appear at the end of this case study. From the Review Screen, you can review and change your answers before you move to the next exam section. After you leave this case study, you will NOT be able to return to it.

To start the case study -

To display the first question in this case study, select the "Next" button. To the left of the question, a menu provides links to information such as business requirements, the existing environment, and problem statements. Please read through all this information before answering any questions. When you are ready to answer a question, select the "Question" button to return to the question.

Overview -

Contoso, Ltd. is a consulting company that has a main office in Montreal and three branch offices in Seattle, Boston, and Johannesburg.

Existing Environment -

Microsoft 365 Environment -

Contoso has a Microsoft 365 E5 tenant. The tenant contains the administrative user accounts shown in the following table.

Name	Role
Admin1	Global Reader
Admin2	Compliance Data Administrator
Admin3	Compliance Administrator
Admin4	Security Operator
Admin5	Security Administrator

Users store data in the following locations:

SharePoint sites -

OneDrive accounts -

Exchange email -

Exchange public folders -

Teams chats -

Teams channel messages -

When users in the research department create documents, they must add a 10-digit project code to each document. Project codes that start with the digits 999 are confidential.

SharePoint Online Environment -

Contoso has four Microsoft SharePoint Online sites named Site1, Site2, Site3, and Site4.

Site2 contains the files shown in the following table.

Name	Number of SWIFT codes in the file
File1.docx	1
File2.bmp	4
File3.txt	3
File4.xlsx	7

Two users named User1 and User2 are assigned roles for Site2 as shown in the following table.

User	Role
User1	Site owner
User2	Site visitor

Site3 stores documents related to the company's projects. The documents are organized in a folder hierarchy based on the project.

Site4 has the following two retention policies applied:

Name: Site4RetentionPolicy1 -

Locations to apply the policy: Site4

Delete items older than: 2 years

Delete content based on: When items were created

Name: Site4RetentionPolicy2 -

Locations to apply the policy: Site4

Retain items for a specific period: 4 years

Start the retention period based on: When items were created

At the end of the retention period: Do nothing

Problem Statements -

Management at Contoso is concerned about data leaks. On several occasions, confidential research department documents were leaked.

Requirements -

Planned Changes -

Contoso plans to create the following data loss prevention (DLP) policy:

Name: DLPpolicy1 -

Locations to apply the policy: Site2

Conditions:

Content contains any of these sensitive info types: SWIFT Code

Instance count: 2 to any -

Actions: Restrict access to the content

Technical Requirements -

Contoso must meet the following technical requirements:

All administrative users must be able to review DLP reports.

Whenever possible, the principle of least privilege must be used.

For all users, all Microsoft 365 data must be retained for at least one year.

Confidential documents must be detected and protected by using Microsoft 365.

Site1 documents that include credit card numbers must be labeled automatically.

All administrative users must be able to create Microsoft 365 sensitivity labels.

After a project is complete, the documents in Site3 that relate to the project must be retained for 10 years.

You need to meet the technical requirements for the creation of the sensitivity labels.

To which user or users must you assign the Sensitivity Label Administrator role?

A. Admin1 only

B. Admin1 and Admin4 only

C. Admin1 and Admin5 only

D. Admin1, Admin2, and Admin3 only

E. Admin1, Admin2, Admin4, and Admin5 only

Correct answerB:Admin1 and Admin4 only.

Explanation:

B. Admin1 and Admin4 only.

Admin1 is often the global administrator or compliance administrator leading Purview configurations.

Admin4 may be responsible for creating or managing information protection policies, especially sensitivity labeling.

Question: 3

Exam Author

You have a Microsoft 365 E5 subscription that contains a Microsoft Teams channel named Channel1. Channel1 contains research and development documents.

You plan to implement Microsoft 365 Copilot for the subscription.

You need to prevent the contents of files stored in Channel1 from being included in answers generated by Copilot and shown to unauthorized users.

What should you use?

- A.data loss prevention (DLP)
- B.Microsoft Purview insider risk management
- C.Microsoft Purview Information Barriers (IBs)
- D.sensitivity labels

Answer: D

Explanation:

D. Sensitivity labels.

Sensitivity labels can be applied to documents, emails, Teams sites, and SharePoint sites. They control access to content based on user permissions and integrate with Microsoft 365 Copilot's data access layer. This ensures that only authorized users can view or interact with the labeled content, preventing unauthorized users from seeing sensitive information in Copilot's responses.

Question: 4

Exam Author

DRAG DROP -

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Cloud Apps.

You plan to deploy a Defender for Cloud Apps file policy that will be triggered when the following conditions are met:

A file is shared externally.

A file is labeled as internal only.

Which filter should you use for each condition? To answer, drag the appropriate filters to the correct conditions. Each filter may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Filters

Access level

Collaborators

Matched policy

Sensitivity label

Answer Area

When a file is shared externally.

When a file is labelled as Internal only.

Filter

Answer:

Answer Area

Filter

When a file is shared externally.

Access level

When a file is labelled as Internal only.

Sensitivity label

Explanation:

When a file is shared externally.

Access level.

Access level is the appropriate filter to detect how a file is being shared, including:

Whether it's accessible internally only, or

Shared externally with users outside the organization.

This is used in DLP policies or file activity policies to trigger alerts or enforcement when files are shared outside the organization (a common data security concern).

When a file is labelled as Internal only.

Sensitivity label

A Sensitivity label filter allows you to trigger actions or apply conditions based on the label applied to the file, such as:

“Confidential”, “Highly Confidential”, or in this case, “Internal Only”.

Sensitivity labels are created and managed in Microsoft Purview Information Protection, and they define access, encryption, watermarking, and more.

This filter ensures you can enforce DLP rules or restrictions based on a file's classification.

Question: 5

Exam Author

HOTSPOT -

You have a Microsoft 365 E5 subscription that contains three DOCX files named File1, File2, and File3.

You create the sensitivity labels shown in the following table.

Name	Permission	Apply content marking
Label1	Any authenticated users: Viewer	Disabled
Label2	None	Enabled

You apply the labels to the files as shown in the following table.

File	Label
File1	None
File2	Label1
File3	Label2

You ask Microsoft 365 Copilot to summarize the files, and you receive the results shown in the following table.

Name	Based on content of
Summary1	File1, File3
Summary2	File2
Summary3	File1, File2, File3

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Summary1 has a sensitivity label applied.	☐	☐
Summary2 has a sensitivity label applied.	☐	☐
Summary3 has a sensitivity label applied.	☐	☐

Answer:

Answer Area		
Statements	Yes	No
Summary1 has a sensitivity label applied.	☒	☐
Summary2 has a sensitivity label applied.	☒	☐
Summary3 has a sensitivity label applied.	☒	☐

Explanation:

Summary 1 has a sensitive label applied.

Yes

Summary 2 has a sensitive label applied.

Yes

Summary 3 has a sensitive label applied.

Yes

Question: 6

Exam Author

You have a Microsoft 365 E5 subscription.

You need to create a sensitivity label named Label1. The solution must ensure that users can use Microsoft 365 Copilot to summarize files that have Label1 applied.

Which permission should you select for Label1?

- A. Export content(EXPORT)
- B. Copy and extract content(EXTRACT)
- C. Edit content(DOCEDIT)
- D. View rights(VIEW)

Answer: B

Explanation:

Because Microsoft 365 Copilot must be able to programmatically extract plaintext and metadata from labeled files to perform AI summarization, the "Copy and extract content (EXTRACT)" permission is required.

EXTRACT specifically grants services and authorized principals the right to copy or extract content (for indexing, search, eDiscovery, and automated processing) while leaving label enforcement intact, which is the precise capability Copilot requires to ingest and summarize file contents without removing protection. From an exam and implementation perspective, selecting EXTRACT is the minimal, principle-of-least-privilege permission that enables service-side text extraction for AI operations while preserving other label controls. Technically, EXTRACT permits read-level content extraction operations that are distinct from full export or edit operations and aligns with Microsoft Purview/AIP usage-rights semantics used by Microsoft 365 services. Choosing EXTRACT therefore meets both functional (summarization) and compliance (controlled extraction) requirements by allowing Copilot to access content under the sensitivity label without granting broader rights.

Why the other options are incorrect:

- A. Export content (EXPORT) — Incorrect because EXPORT is oriented toward moving protected content out of controlled containers or formats (persistent transfer/export) and is broader than needed for in-place service extraction; it grants rights inconsistent with least-privilege for AI summarization.
- C. Edit content (DOCEDIT) — Incorrect because DOCEDIT permits modification of the protected object, which is unnecessary for read-only summarization and inappropriately elevates privileges beyond extraction.
- D. View rights (VIEW) — Incorrect because VIEW typically governs user or interactive display rights but does not explicitly authorize programmatic copying/extraction needed by backend AI processes to ingest plaintext for summarization.

References:

<https://learn.microsoft.com/microsoft-365/compliance/sensitivity-labels?view=o365-worldwide>

<https://learn.microsoft.com/azure/information-protection/rms-client/rms-usage-rights?view=azure-information-protection>

<https://learn.microsoft.com/microsoft-365/enterprise/copilot-for-microsoft-365?view=o365-worldwide>

Question: 7

Exam Author

HOTSPOT -

You have a Microsoft 365 sensitivity label that is published to all the users in your Microsoft Entra tenant as shown in the following exhibit.

Label name[Edit](#)

Rebranding

Tooltip[Edit](#)

Used for all documents containing information about the rebranding effort

Description[Edit](#)**Encryption**[Edit](#)

Advanced protection for content with this label

Content marking[Edit](#)

Watermark: INTERNAL

Endpoint data loss prevention[Edit](#)**Auto labeling**[Edit](#)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Answer Area

Statements	Yes	No
All the documents stored on each user's computer will include a watermark automatically.	☐	☐
If the sensitivity label is applied to a document, the document will have a header that contains the word "INTERNAL".	☐	☐
The sensitivity label can be applied only to documents that contain the word rebranding.	☐	☐

Answer:

Answer Area

Statements	Yes	No
All the documents stored on each user's computer will include a watermark automatically.	☐	☒
If the sensitivity label is applied to a document, the document will have a header that contains the word "INTERNAL".	☐	☒
The sensitivity label can be applied only to documents that contain the word rebranding.	☐	☒

Explanation:

All the documents stored on each user's computer will include a watermark automatically.

No

Sensitivity labels can be configured to apply watermarks to documents, but:

Not all documents will include a watermark automatically unless:

A label with watermark settings is manually applied or

A label is auto-applied via policy based on content.

If the sensitivity label is applied to a document, the document will have a header that contains the word 'INTERNAL'."

No

Whether a label adds a header, and what that header says, is customizable.

The word "INTERNAL" would appear only if explicitly defined in the label configuration.

Not all sensitivity labels add headers, and even if they do, the content (e.g., "INTERNAL", "CONFIDENTIAL", etc.) is not enforced by default.

The sensitivity label can be applied only to documents that contain the word rebranding.

No

Sensitivity labels can be applied:

Manually by users, or

Automatically, based on:

Sensitive info types, keywords, trainable classifiers, etc.

While “rebranding” could be used as a keyword in an auto-labeling policy, the label is not restricted only to documents containing that word unless specifically configured.

Moreover, manual labeling allows users to apply labels to any document regardless of content.

Question: 8

Exam Author

HOTSPOT -

You have a Microsoft 365 E5 tenant that contains a sensitivity label named label1.

You plan to enable co-authoring for encrypted files.

You need to ensure that files that have label1 applied support co-authoring.

Which two settings should you modify? To answer, select the settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Access control

Use encryption capabilities to control who can access labeled items. Depending on the scope you specified, items can include emails, Office, Fabric and Power BI files, and meeting invites. [Learn more about access control settings](#)

☐ Remove access control settings if already applied to items

☒ Configure access control settings

 Turn on co-authoring for Office desktop apps so multiple users can simultaneously edit labeled documents that have access control settings applied. [Learn more about this setting](#)

[Go to co-authoring setting](#)

Assign permissions now or let users decide?

Assign permissions now

The settings you choose will be automatically enforced when the label is applied to email and Office files.

User access to content expires 

A number of days after label is applied

Access expires this many days after the label is applied

90

Allow offline access 

Always

Assign permissions to specific users and groups * 

0 items

Users and groups

Permissions

Edit

Delete

No data available

☒ Use dynamic watermarking ⓘ

 Customize text (optional)

☒ Use Double Key Encryption ⓘ

https://sts.contoso.com

Answer:

Access control

Use encryption capabilities to control who can access labeled items. Depending on the scope you specified, items can include emails, Office, Fabric and Power BI files, and meeting invites. [Learn more about access control settings](#)

- ☐ Remove access control settings if already applied to items
- ☒ Configure access control settings

 Turn on co-authoring for Office desktop apps so multiple users can simultaneously edit labeled documents that have access control settings applied. [Learn more about this setting](#)

[Go to co-authoring setting](#)

Assign permissions now or let users decide?

Assign permissions now

The settings you choose will be automatically enforced when the label is applied to email and Office files.

User access to content expires 

A number of days after label is applied

Access expires this many days after the label is applied

90

Allow offline access 

Always

Assign permissions to specific users and groups * 

[Assign permissions](#)

0 items

Users and groups	Permissions	Edit	Delete
------------------	-------------	------	--------

No data available

☒ Use dynamic watermarking 

 Customize text (optional)

☒ Use Double Key Encryption 

https://sts.contoso.com

Explanation:**Assign permissions.**

A button highlighted with a red box. This button is used to open a dialog or panel where the administrator can specify which users or groups have specific permissions (e.g., View, Edit, Co-Author) on the labeled content.

Use Double Key Encryption.

Is an advanced feature that provides enhanced data protection for highly sensitive data. It allows customers to hold one encryption key in their control, while Microsoft holds a second key. To access the protected content, both keys are required. This ensures that Microsoft cannot decrypt data on its own.

Question: 9**Exam Author**

HOTSPOT -

You have a new Microsoft 365 E5 tenant.

You need to create a custom trainable classifier that will detect product order forms. The solution must use the principle of least privilege.

What should you do first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Action to perform:

Create an Exact Data Match (EDM) schema.
Import a data loss prevention (DLP) rule package.
Start the opt-in process.

To perform the action, assign the role of:

Compliance Administrator
Global Administrator
Security Administrator

Answer:**Answer Area**

Action to perform:

Create an Exact Data Match (EDM) schema.
Import a data loss prevention (DLP) rule package.
Start the opt-in process.

To perform the action, assign the role of:

Compliance Administrator
Global Administrator
Security Administrator

Explanation:**Start the opt-in process.**

In the context of Microsoft 365 compliance features, "opt-in processes" often refer to enabling certain advanced capabilities or features that might have specific data residency, privacy, or licensing implications.

For instance, some advanced auditing features, certain data connectors, or specific security functionalities might require an explicit "opt-in" to confirm understanding and agreement with their terms or data handling. Without more context, it's hard to pinpoint the exact feature this refers to, but generally, it signifies initiating the activation of a particular service or capability that isn't enabled by default.

Global Administrator.

This is the highest level of administrative privilege in a Microsoft 365 tenant. A Global Administrator has unrestricted access to all administrative features in the directory and can assign other admin roles. Because "starting an opt-in process" often involves significant tenant-wide changes or enabling powerful features, it typically requires the highest level of authority.

Question: 10

Exam Author

HOTSPOT -

You have a Microsoft 365 E5 subscription.

You have a file named Customer.csv that contains a list of 1,000 customer names.

You plan to use Customer.csv to classify documents stored in a Microsoft SharePoint Online library.

What should you create in the Microsoft Purview portal, and which type of element should you select? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Create:

- A sensitive info type
- A trainable classifier
- An adaptive scope

Element:

- Functions
- Keyword dictionary
- Regular expression

Answer:

Answer Area

Create:

A sensitive info type

A trainable classifier

An adaptive scope

Element:

Functions

Keyword dictionary

Regular expression

Explanation:

Create: **A sensitive info type.**

A Sensitive Info Type (SIT) is a reusable policy object that defines how Microsoft 365 detects specific types of data in content.

You can use built-in SITs (like credit card numbers) or create custom SITs.

To use a keyword dictionary, you must first create or customize a Sensitive Info Type, because this is the only object that can embed and use a keyword dictionary.

Element: **Keyword dictionary.**

A Keyword Dictionary is a list of terms or phrases that you want to detect within your content.

This is more flexible than a simple keyword list because:

You can manage and update the dictionary centrally.

It supports large sets of terms efficiently.

When creating a custom sensitive info type, you can add a keyword dictionary as one of the detection methods.

Question: 11

Exam Author

You have a Microsoft 365 E5 subscription.
You need to enable support for sensitivity labels in Microsoft SharePoint Online.
What should you use?

- A.the Microsoft Purview portal
- B.the Microsoft Entra admin center
- C.the SharePoint admin center
- D.the Microsoft 365 admin center

Answer: A

Explanation:

A. the Microsoft Purview portal.

Microsoft Purview compliance portal (formerly the Microsoft 365 compliance center). This portal is the central hub for all compliance, data governance, and information protection solutions in Microsoft 365.

Question: 12**Exam Author**

You have a Microsoft 365 subscription.

You need to customize encrypted email for the subscription. The solution must meet the following requirements. Ensure that when an encrypted email is sent, the email includes the company logo.

Minimize administrative effort.

Which PowerShell cmdlet should you run?

- A. Set-IRMConfiguration
- B. Set-OMEConfiguration
- C. Set-RMSTemplate
- D. New-OMEConfiguration

Answer: B**Explanation:**

B. Set-OMEConfiguration.

To customize encrypted email in Microsoft 365, specifically to add a company logo and other branding to email encryption templates, you use the Outlook Message Encryption (OME) configuration.

Reference:

<https://learn.microsoft.com/en-us/powershell/module/exchange/set-omeconfiguration?view=exchange-ps>

Question: 13**Exam Author**

You have a Microsoft 365 E5 subscription.

You need to ensure that encrypted email messages sent to an external recipient can be revoked or will expire within seven days.

What should you configure first?

- A. a custom branding template
- B. a mail flow rule
- C. a sensitivity label
- D. a Conditional Access policy

Answer: A**Explanation:**

A. a custom branding template: This template only controls the visual appearance of the encrypted email

portal or notification that external recipients see. It does not define the encryption, expiration, or revocation rights themselves.

Reference:

<https://learn.microsoft.com/en-us/purview/ome-advanced-expiration>

Question: 14

Exam Author

HOTSPOT -

You have a Microsoft 365 E5 subscription.

You need to identify documents that contain patent application numbers containing the letters PA followed by eight digits, for example, PA 12345678. The solution must minimize administrative effort.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To identify the documents, use a data classification of:

Exact data match (EDM)
Sensitive info type
Trainable classifier

Configure data classifications by using a:

Keyword dictionary
Regular expression
Function

Answer:

Answer Area

To identify the documents, use a data classification of:

Exact data match (EDM)
Sensitive info type
Trainable classifier

Configure data classifications by using a:

Keyword dictionary
Regular expression
Function

Explanation:

Sensitive info type.

This is a pre-defined or custom pattern-based classification method. Microsoft 365 comes with many built-in sensitive information types (SITs) that can detect patterns like credit card numbers, social security numbers, passport numbers, etc., across various locales. You can also create custom SITs using regular expressions, keyword lists, or functions. The selection here indicates that the chosen approach to identify documents will

leverage these sensitive information types.

Regular expression .

A regular expression (regex) is a sequence of characters that defines a search pattern. It's a powerful and flexible way to identify specific patterns in text, such as ID numbers, phone numbers, email addresses, or specific formatting. When configuring a sensitive info type, regular expressions are frequently used to define the patterns it should detect.

Question: 15

Exam Author

You have a Microsoft SharePoint Online site named Site1 that contains a document library. The library contains more than 1,000 documents. Some of the documents are job applicant resumes. All the documents are in the English language.

You plan to apply a sensitivity label automatically to any document identified as a resume. Only documents that contain work experience, education, and accomplishments must be labeled automatically.

You need to identify and categorize the resumes. The solution must minimize administrative effort.

What should you include in the solution?

- A.a trainable classifier
- B.a keyword dictionary
- C.a function
- D.an exact data match (EDM) classifier

Answer: A

Explanation:

A.Trainable Classifier .

A trainable classifier is an AI-based solution in Microsoft Purview that learns to identify specific types of content by being "trained" with a large set of sample documents. You provide it with examples of what a "resume containing work experience, education, and accomplishments" looks like, and it learns to recognize similar content.

Question: 16

Exam Author

HOTSPOT -

You have a Microsoft 365 E5 subscription that contains the groups shown in the following table.

Name	Type
Group1	Microsoft 365
Group2	Security

The subscription contains the resources shown in the following table.

Name	Type
Site1	Microsoft SharePoint Online site
Team1	Microsoft Teams team

You create a sensitivity label named Label1.

You need to publish Label1 and have the label apply automatically.

To what can you publish Label1, and to what can Label1 be auto-applied? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Publish to:

Site1 only
Group1 only
Group1 and Group2 only
Group1 and Site1 only
Site1 and Team1 only
Group1, Group2, Site1, and Team1

Auto-apply to:

Site1 only
Group1 only
Group1 and Group2 only
Group1 and Site1 only
Site1 and Team1 only
Group1, Group2, Site1, and Team1

Answer:

Answer Area

Publish to:

Site1 only
Group1 only
Group1 and Group2 only
Group1 and Site1 only
Site1 and Team1 only
Group1, Group2, Site1, and Team1

Auto-apply to:

Site1 only
Group1 only
Group1 and Group2 only
Group1 and Site1 only
Site1 and Team1 only
Group1, Group2, Site1, and Team1

Explanation:

Group1 and Group2only.

Microsoft 365 Groups (which can include shared mailboxes, SharePoint sites, and Teams).

Site 1 and Team 1 only.

Site1: A SharePoint Online site.

Team1: A Microsoft Teams team (which also has an underlying Microsoft 365 Group and SharePoint site).

Question: 17

Exam Author

HOTSPOT

-

You have a Microsoft 365 ES subscription that uses Microsoft Exchange Online and Teams.

You need to ensure that when a user sends a message containing a cloud attachment, a retention label is applied to the cloud attachment by using an auto-labeling policy.

How should you configure the retention label to start the retention period, and to which locations should you apply the auto-labeling policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Start the retention period based on when the items were:

▼

Created
Labeled
Last modified

Locations:

▼

Microsoft 365 Group mailboxes & sites only
OneDrive accounts and SharePoint classic and communication sites only
Microsoft 365 Group mailboxes & sites, OneDrive accounts, and SharePoint classic and communication sites only

Answer:

Answer Area

Start the retention period based on when the items were:

▼

Created
Labeled
Last modified

Locations:

▼

Microsoft 365 Group mailboxes & sites only
OneDrive accounts and SharePoint classic and communication sites only
Microsoft 365 Group mailboxes & sites, OneDrive accounts, and SharePoint classic and communication sites only

Explanation:

Created.

The retention period begins on the day the item (e.g., an email, a Word document) is created.

OneDrive accounts and SharePoint classic and communication sites only.

OneDrive accounts: Personal file storage for users.

SharePoint classic & communication sites: Traditional team sites and sites used for broadcasting news (excluding the modern sites associated with Microsoft Teams).

Question: 18

Exam Author

HOTSPOT

-

You create a data loss prevention (DLP) policy that meets the following requirements:

- Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat
- Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel

Which location should you select for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat:

▼

Exchange email
OneDrive accounts
SharePoint sites
Teams chat and channel messages

Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel:

▼

Exchange email
OneDrive accounts
SharePoint sites
Teams chat and channel messages

Answer:

OneDrive accounts,SharePoint sites.

Explanation:

Answer Area

Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat:

▼

Exchange email
OneDrive accounts
SharePoint sites
Teams chat and channel messages

Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel:

▼

Exchange email
OneDrive accounts
SharePoint sites
Teams chat and channel messages

Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat.

OneDrive accounts.

A Teams chat (1:1 or group chat) is fundamentally backed by Exchange Online. The conversation messages are stored in a hidden folder in the mailbox of each participant.

However, when you share a file in a chat, that file is not stored in Exchange. To enable collaboration, the file is uploaded to the OneDrive account of the user who shared it.

A unique, shareable link is then generated and inserted into the chat conversation.

Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel"

SharePoint sites.

A Teams channel is fundamentally backed by a SharePoint Online team site. Every Microsoft Team has a dedicated SharePoint site behind it.

The Files tab in any Teams channel is essentially a direct view into a document library on that SharePoint site.

Therefore, any document "stored in a Microsoft Teams channel" is physically stored in the underlying SharePoint site.

Question: 19

Exam Author

HOTSPOT

-

You have a Microsoft 365 E5 subscription that uses Microsoft Purview.

You need to create a sensitive information type (SIT) to detect project code content that starts with the letters pjt followed by six digits and ends with the letters sct. The following is an example of the project code.

pjt123456sct

How should you complete the regular expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

pjt

[0-9]	(0-9)	#0-9#	^0-9^
-------	-------	-------	-------

sct

(6)	%6%	{6}	#6#	:6:
-----	-----	-----	-----	-----

Answer:

Answer Area

pjt

[0-9]	(0-9)	#0-9#	^0-9^
-------	-------	-------	-------

sct

(6)	%6%	{6}	#6#	:6:
-----	-----	-----	-----	-----

Explanation:

[0-9]: This is the correct syntax in regular expressions (regex) to match any one digit. The square brackets [] define a character class, and 0-9 means any character between 0 and 9.

6

(Quantifier): Used to define how many times a pattern should repeat.

Question: 20

Exam Author

You have a Microsoft 365 E5 subscription that contains a Windows 11 device named Device1 and three users named User1, User2, and User3.

You plan to deploy Azure Information Protection (AIP) and the Microsoft Purview Information Protection client to Device1.

You need to ensure that the users can perform the following actions on Device1 as part of the planned deployment:

- User1 will test the functionality of the client.
- User2 will install and configure the Microsoft Rights Management connector.
- User3 will be configured as the service account for the information protection scanner.

The solution must maximize the security of the sign-in process for the users.

What should you do?

- A. Exclude User1 and User2 from multifactor authentication (MFA).
- B. Enable User2 and User3 for passwordless authentication.
- C. Exclude User2 and User3 from multifactor authentication (MFA).
- D. Enable User1, User2, and User3 for passkey (FIDO2) authentication.

Answer: D

Explanation:

The correct answer is D: Enable User1, User2, and User3 for passkey (FIDO2) authentication. Here's why:

Maximizing Security: The question emphasizes maximizing sign-in security. Passkeys (FIDO2) offer stronger security than traditional passwords and even MFA based on SMS or authenticator apps. FIDO2 relies on cryptographic keys stored securely on a device, making it highly resistant to phishing and other credential-based attacks.

User1 (Testing): Requiring passkey authentication for User1 ensures that the test user experiences the most secure sign-in method that will be eventually deployed.

User2 (RMS Connector): Even though the RMS connector might involve server-to-server communication, User2 will still need to initially authenticate when setting up and configuring the connector. Using passkeys improves the security of that initial setup and any management tasks subsequently performed by User2.

User3 (Service Account/Scanner): While User3 will act as a service account for the scanner, it's crucial to secure the initial setup and configuration of that service account. Using passkeys provides a secure way to authenticate User3 for the initial scanner configuration and to manage it later. Furthermore, modern practices lean towards using managed identities for service principals whenever possible, which is indirectly aligned with the goal of secure authentication.

Why other options are incorrect:

A & C (Excluding from MFA): Excluding users from MFA significantly weakens security and contradicts the requirement of maximizing security.

B (Passwordless for User2 and User3): While passwordless authentication is good, FIDO2 passkeys are generally considered a more secure passwordless option than, for example, SMS-based passwordless or email-based magic links. Furthermore, it doesn't address the requirement for User1.

In summary, enabling FIDO2 passkeys for all three users provides the strongest level of authentication security, fulfilling the question's primary requirement while also supporting their specific roles in the planned AIP and Microsoft Purview Information Protection deployment.

Authoritative Links:

FIDO2 Authentication in Azure AD: <https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-passwordless>

Microsoft Purview Information Protection: <https://learn.microsoft.com/en-us/microsoft-365/compliance/information-protection?view=o365-worldwide>

Question: 21

Exam Author

HOTSPOT

You use project codes that have a format of three alphabetical characters that represent the project type, followed by three digits, for example Abc123.

You need to create a new sensitive info type for the project codes.

How should you configure the regular expression to detect the content? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

(\s)(\)(\s)

[aA]{3}	d{000-999}
[abc]{3}	d{123}
[alpha]{3}	d{3}
[a-zA-Z]{3}	

Answer:

[a-zA-Z]{3} d(3)

Explanation:

Answer Area

(\s)(\)(\s)

[aA]{3}	d{000-999}
[abc]{3}	d{123}
[alpha]{3}	d{3}
[a-zA-Z]{3}	

[a-zA-Z]{3}: Matches a single character that is any lowercase letter (a-z) OR any uppercase letter (A-Z), followed by the number '3'. (e.g., a3, Z3, p3).

d(3): This is not standard regex syntax. This is a custom syntax meaning "exactly three digits". The standard regex for this is d 3 .

Question: 22

Exam Author

You have a Microsoft 365 alert named Alert2 as shown in the following exhibit.

View alerts

[↓ Export](#)[Filter](#)

☐	Severity	Alert name	Status	Category	Activity count	Last occurrence...
☐	● Medium	Alert2	Resolved	Data loss prevention	1	6 days ago

You need to manage the status of Alert2.
To which status can you change Alert2?

- A. The status cannot be changed.
- B. Dismissed only
- C. Investigating only
- D. Active or Investigating only
- E. Investigating, Active, or Dismissed

Answer: E

Explanation:

E. Investigating, Active, or Dismissed

In most alert management systems (including Microsoft's security products), alerts can generally be moved between several statuses to reflect their current state in the investigation workflow.

Question: 23

Exam Author

You have a Microsoft 365 subscription that uses retention label policies.
You need to identify all the changes made to retention labels during the last 30 days.
What should you use in the Microsoft Purview portal?

- A. Reports
- B. Activity explorer
- C. Content search
- D. Use data search

Answer: B

Explanation:

Here's a detailed justification for why Activity explorer is the correct choice for identifying changes made to retention labels in Microsoft 365 over the past 30 days, along with why the other options are less suitable:

Activity explorer in the Microsoft Purview compliance portal provides a granular, searchable log of user and admin activities across your Microsoft 365 environment. This includes actions related to retention labels and retention label policies. When a user or administrator creates, modifies, publishes, or deletes a retention label, this action is recorded as an activity event. You can filter the Activity explorer specifically for retention label-

related activities within the desired date range (last 30 days in this case). The explorer provides details such as who performed the action, when it occurred, the specific retention label involved, and the nature of the change. This level of detail is crucial for auditing and compliance purposes when tracking changes to information governance policies.

Here's why the other options are not the most suitable:

Reports: While Microsoft 365 provides reports, the available pre-built reports may not specifically focus on detailed changes made to individual retention labels over a limited timeframe. Reports are generally aggregate summaries. There is also no detailed information about specific changes that are made to retention labels and who made the changes, only summaries over time.

Content search: Content search is primarily designed for discovering content matching specific criteria within your Microsoft 365 environment (e.g., emails, documents). It's not designed to audit or track administrative activities like changes to retention labels. While content search can discover content affected by retention labels, it cannot track changes made to the labels themselves.

Data search: Data search is not a valid option in the context of Microsoft Purview for tracking retention label changes.

In summary, Activity explorer is specifically designed to provide an auditable trail of actions performed within your Microsoft 365 environment, including detailed changes made to retention labels. This makes it the most effective tool for identifying and reviewing changes to retention labels within a specified timeframe.

Authoritative Links for Further Research:

Activity explorer in Microsoft Purview: <https://learn.microsoft.com/en-us/microsoft-365/compliance/activity-explorer>

Auditing solutions in Microsoft Purview: <https://learn.microsoft.com/en-us/microsoft-365/compliance/audit-solutions-overview>

Question: 24

Exam Author

You have a Microsoft 365 E5 subscription that contains a user named User1.

You deploy Microsoft Purview Data Security Posture Management for AI (DSPM for AI).

You need to ensure that User1 can verify the auditing status of the subscription. The solution must follow the principle of least privilege.

To which role group should you add User1?

- A. Security Reader
- B. Insider Risk Management Analysts
- C. Insider Risk Management Investigators
- D. View-Only Organization Management for Microsoft Exchange Online

Answer: A

Explanation:

The correct answer is **A. Security Reader**.

Here's why:

The requirement is to allow User1 to verify the auditing status of the Microsoft 365 subscription, specifically related to Microsoft Purview Data Security Posture Management for AI (DSPM for AI). The principle of least privilege dictates granting only the minimum necessary permissions to accomplish this task.

The Security Reader role group in Microsoft Purview provides global read-only access to security-related information and settings across various Purview solutions. This includes the ability to view reports, settings, and data but not to make any changes or take any actions. This aligns perfectly with the requirement to "verify the auditing status" without granting excessive permissions.

The other options are less suitable:

Insider Risk Management Analysts/Investigators: These roles are focused on investigating and managing insider risks, which is a much narrower scope than simply auditing the security posture of the subscription. They would have permissions beyond what's needed for verifying the auditing status.

View-Only Organization Management for Microsoft Exchange Online: This role is specific to Exchange Online and provides view-only access to Exchange-related configuration and settings. It wouldn't provide insight into the overall security posture or the specifics of DSPM for AI.

The Security Reader role offers the appropriate level of access for verifying auditing status across the Purview suite without granting unnecessary administrative privileges. This aligns directly with the principle of least privilege, making it the ideal choice. The Security Reader role contains the "View-Only Audit Logs" role, and this is what allows the user to view audit logs for the organization.

Supporting Documentation:

Microsoft Purview roles: <https://learn.microsoft.com/en-us/purview/purview-permissions>

About admin roles: <https://learn.microsoft.com/en-us/microsoft-365/admin/add-users/about-admin-roles?view=o365-worldwide>

Microsoft Purview Data Security Posture Management (DSPM): <https://learn.microsoft.com/en-us/purview/data-security-posture-management>

Question: 25

Exam Author

HOTSPOT

-

You need to implement an information compliance policy to meet the following requirements:

- Documents that contain passport numbers from the United States, Germany, Australia, and Japan must be identified automatically.
- When a user attempts to send an email or an attachment that contains a passport number, the user must receive a tooltip in Microsoft Outlook.
- Users must be blocked from using Microsoft SharePoint Online or OneDrive for Business to share a document that contains a passport number.

What is the minimum number of sensitivity labels and auto-labeling policies you should create? To answer, select the appropriate options in the answer area.

Answer Area

Sensitivity labels:

	▼
1	
2	
3	
4	

Auto-labeling policies:

	▼
1	
2	
3	
4	

Answer:

Explanation:

Answer Area

Sensitivity labels:

	▼
1	
2	
3	
4	

Auto-labeling policies:

	▼
1	
2	
3	
4	

Sensitivity Labels: 1

Purpose: Sensitivity labels are a core component of Microsoft Information Protection (MIP). They allow you to classify and protect data across various locations like Exchange Online, SharePoint, and Microsoft Teams. You can create multiple labels (e.g., "Confidential," "Highly Confidential," "Public") to apply different levels of protection.

How it works: When a sensitivity label is applied to a document or email, it can enforce actions such as encryption, visual markings (watermarks, headers, footers), and access restrictions. These labels are

persistent and travel with the content, ensuring the protection remains in place no matter where the data is stored or shared.

Auto-labeling Policies:1

Purpose: Auto-labeling policies are a feature within Microsoft Purview that automatically applies a sensitivity label to content that meets specific conditions. This is a crucial step in automating data protection and compliance.

How it works: You create an auto-labeling policy and define the rules for it. These rules can be based on:

Sensitive information types (SITs): For example, if a document contains a credit card number or a social security number, the policy can automatically apply the "Confidential" label.

Keywords: The policy can look for specific keywords in the content.

Trainable classifiers: The policy can use machine learning models to identify a certain type of document (e.g., a contract) and apply a label.

Question: 26

Exam Author

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You recently discovered that the developers at your company emailed Azure Storage Account keys in plain text to third parties.

You need to ensure that when Azure Storage Account keys are emailed, the emails are encrypted.

Solution: You create a data loss prevention (DLP) policy that has Exchange email, SharePoint sites, OneDrive accounts, and Teams chat and channel messages selected.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

The solution proposes using a Data Loss Prevention (DLP) policy to encrypt emails containing Azure Storage Account keys. While DLP can detect and take actions on sensitive information, including custom sensitive information types like Azure Storage Account keys, it **cannot directly encrypt emails based on content**. DLP policies can block emails, notify users, generate reports, or trigger alerts, but they lack the functionality to retroactively encrypt emails based on identified content. Email encryption needs to be configured separately, usually through technologies like Microsoft Purview Message Encryption (formerly Azure Information Protection) or S/MIME. DLP's role here would primarily be detection and prevention of the keys being sent out, not encrypting the existing emails. The selected scope (Exchange email, SharePoint, OneDrive, Teams) is appropriate for detecting where the data might reside or be shared, but the action it can take is limited to what DLP natively supports, which does not include encryption. Therefore, the proposed solution does not directly meet the goal of ensuring that emails containing Azure Storage Account keys are encrypted. It can only prevent them from being sent and generate reports about the issue.

Therefore, the answer is No.

Supporting Resources:

Microsoft Purview Data Loss Prevention (DLP): <https://learn.microsoft.com/en-us/microsoft-365/compliance/dlp-learn-about-dlp?view=o365-worldwide>

Microsoft Purview Message Encryption: <https://learn.microsoft.com/en-us/microsoft-365/compliance/encryption?view=o365-worldwide>

Question: 27

Exam Author

DRAG DROP

You have a Microsoft 365 E5 subscription.

You need to label Microsoft Exchange Online emails that match the following conditions:

- Contain employment offers
- Contain offensive language
- Contain medical terms and conditions

The solution must minimize administrative effort.

Which type of data classification should you use for each condition? To answer, drag the appropriate data classification types to the correct conditions. Each data classification type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Data classifications

Answer Area

Exact data match (EDM)

Contain employment offers:

Sensitive info type

Contain offensive language:

Trainable classifier

Contain medical terms and conditions:

Answer:

Explanation:

Data classifications

Answer Area

Exact data match (EDM)

Contain employment offers:

Trainable classifier

Sensitive info type

Contain offensive language:

Trainable classifier

Trainable classifier

Contain medical terms and conditions:

Sensitive info type

An employment offer (or offer letter) is a type of document. Its content and structure can vary dramatically between companies. There is no standard pattern or fixed set of data to match exactly. However, they all share common themes like "job title," "start date," "salary," "benefits," and phrases like "we are pleased to offer you."

Trainable Classifier

Trainable Classifier.

Offensive language is highly contextual and subjective. It's not based on a pattern (like a credit card number)

or an exact match (like a specific ID). It relies entirely on understanding the meaning, intent, and context of words and phrases within a sentence or document.

Microsoft provides pre-trained classifiers for categories like "Profanity" or "Threat." These classifiers have been trained on vast datasets to understand the nuanced context that makes language offensive, making them far more effective than a simple keyword list which would generate too many false positives.

Sensitive Info Type

This scenario is asking for specific, well-defined medical information. This refers to things like diagnosis codes (e.g., ICD-10 codes like I10 for hypertension), procedure codes (e.g., CPT codes), or specific patient condition names that need to be protected.

Question: 28

Exam Author

HOTSPOT

-

You have a Microsoft 365 E5 subscription.

In Microsoft Exchange Online, you have the mail flow rule shown in the following exhibit.

Protect with OMEv2



Edit rule conditions



Edit rule settings

Status: Enabled

Enable or disable rule



Enabled

Rule settings

Rule name

Protect with OMEv2

Mode

Enforce

Severity

Not Specified

Set date range

Specific date range is not set

Senders address

Matching Header

Priority

0

For rule processing errors

Ignore

Rule description

Apply this rule if

*Is sent to 'Outside the organization'
and includes these words in the message subject '[Encrypt]'*

Do the following

rights protect messages with RMS template: 'Do Not Forward'

Rule comments

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

Outbound messages with the [Encrypt] string in the [answer choice] of the message will be encrypted.

▼

body
email address
header
subject line

The mail flow rule will [answer choice].

▼

allow recipients to copy and paste message content
allow recipients to print the message
restrict recipients from printing the message
restrict recipients from viewing attachments

Answer:

Answer Area

Outbound messages with the [Encrypt] string in the [answer choice] of the message will be encrypted.

▼

body
email address
header
subject line

The mail flow rule will [answer choice].

▼

allow recipients to copy and paste message content
allow recipients to print the message
restrict recipients from printing the message
restrict recipients from viewing attachments

Explanation:

subject line.

The subject line is a prominent, user-accessible field. Instructing users to add [Encrypt] to the subject is a simple, effective, and low-overhead way to manually trigger an encryption rule. The rule can easily scan the subject line of all outgoing messages for this specific string.

restrict recipients from printing the message.

The action of the rule is "to encrypt." However, in Microsoft 365, encryption can be applied with different permission levels. The most common default behavior for encryption applied via a mail flow rule is to use a strict permission level that restricts the recipient's ability to forward, copy, or print the content.

Question: 29

Exam Author

HOTSPOT

-
You have a Microsoft 365 5 subscription that contains the devices shown in the following table.

Name	Platform	Chipset
Device1	Windows 11	x64
Device2	Windows 11	ARM64
Device3	Windows 10	x86

You publish Microsoft Purview Information Protection sensitivity labels.

You plan to deploy the information protection client to the devices. The solution must ensure that the labels can be applied to sensitive images and documents.

On which devices can you install the information protection client, and what should users use to apply labels? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Devices: ▼

- Device1 only
- Device1 and Device2 only
- Device1 and Device3 only
- Device1, Device2, and Device3

Use: ▼

- File Explorer
- Microsoft Word
- The Microsoft Defender portal
- The Microsoft Purview portal
- The Settings app

Answer:

Answer Area

Devices: ▼

- Device1 only
- Device1 and Device2 only
- Device1 and Device3 only**
- Device1, Device2, and Device3

Use: ▼

- File Explorer**
- Microsoft Word
- The Microsoft Defender portal
- The Microsoft Purview portal
- The Settings app

Explanation:

Device1: Likely represents a Windows device with the AIP client installed and configured. This is the primary device type for full labeling functionality.

Device3: Likely represents a **mobile device** (iOS/android) or a **non-Windows/non-macOS device** (e.g., Linux).

File Explorer Once the AIP client is installed on Windows, it adds a column to File Explorer that displays the sensitivity label of each file. You can also view label details by right-clicking a file > **Classify and protect**.

Question: 30

Exam Author

HOTSPOT

-

You have a Microsoft 365 E5 subscription that contains the sensitive information types (SITs) shown in the following table.

Name	Detection method
SIT1	Fingerprint
SIT2	Regular expression

You plan to create the policies shown in the following table and assign them to a Microsoft SharePoint Online site.

Name	Type
DLP1	Data loss prevention (DLP) policy
Retention1	Retention label auto-labeling policy
Sensitivity1	Sensitivity label auto-labeling policy

Which policies can use SIT1, and which policies can use SIT2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

SIT1: ▼

- DLP1 only
- Retention1 only
- DLP1 and Retention1 only
- Retention1 and Sensitivity1 only
- DLP1, Retention1, and Sensitivity1


SIT2: ▼


- DLP1 only
- Retention1 only
- DLP1 and Retention1 only
- Retention1 and Sensitivity1 only
- DLP1, Retention1, and Sensitivity1

Answer:

Explanation:

Answer Area

SIT1: 

SIT2: 

Retention1 and Sensitive 1 only.

DLP1,Retention1 ,and sensitivity1 .

Data Loss Prevention (DLP) Policies (e.g., DLP1): A DLP policy can use a SIT to find and protect sensitive data. For example, a policy can block emails containing the "SIT1" pattern from being sent outside the company.

Retention Policies (e.g., Retention1): A retention policy can use a SIT to decide what content to retain or delete. For example, a policy can ensure all documents containing "SIT2" are automatically retained for 7 years.

Sensitivity Label Policies (e.g., Sensitivity1): Specifically, SITs are used in **auto-labeling policies**. You can create a rule that says, "If a file contains data matching 'SIT1', automatically apply a specific sensitivity label to it." (Note: "Sensitivity1" here refers to the auto-labeling policy that applies labels, not the label itself).

Question: 31

Exam Author

You have a Microsoft 365 subscription that contains two Microsoft SharePoint Online sites named Site1 and Site2. You plan to use policies to meet the following requirements:

- Add a watermark of Confidential to a document if the document contains the words Project1 or Project2.
- Retain a document for seven years if the document contains credit card information.
- Add a watermark of Internal Use Only to all the documents stored on Site2.
- Add a watermark of Confidential to all the documents stored on Site1.

You need to recommend the minimum number of sensitive info types required.

How many sensitive info types should you recommend?

- A. 1
- B. 2
- C. 3

Answer: B**Explanation:**

B is correct because a minimum of two sensitive info types is necessary to fulfill all specified requirements.

To justify this, we first identify the distinct criteria for watermarking and retention policies. One sensitive info type is needed to detect the presence of the keywords "Project1" or "Project2" for the watermark of "Confidential." A second sensitive info type is required for identifying credit card information to enforce the seven-year retention policy. Thus, the requirement for watermarks on two different SharePoint sites necessitates content classification but does not demand additional sensitive info types, as the watermarks are based on the results of classification.

Critically evaluating other options:

A (1): This is incorrect as one sensitive info type cannot address the distinct requirements for document retention and keyword detection simultaneously.

C (3): This option overestimates the needs, as only two types are necessary: one for the keywords and one for credit card information.

D (4): Similarly, this option inflates the number of required sensitive info types without justification, as both watermark conditions can be managed by the already established classifications.

In summary, the efficient use of sensitive info types balances effective governance while preventing redundancy, thus why option B is justified.

References:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/sensitive-information-types?view=o365-worldwide>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/labels?view=o365-worldwide>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/data-retention?view=o365-worldwide>

Question: 32**Exam Author****HOTSPOT**

-

You have a Microsoft 365 E5 subscription that contains the sensitive information types (SITs) shown in the following table.

Name	Primary element	Character proximity	Supporting elements	Additional checks
SIT1	Regular expression: <code>prd:\d{4}</code>	15	Keyword: product	<i>None</i>
SIT2	Regular expression: <code>(\d{10}\d{12})</code>	<i>None</i>	<i>None</i>	Exclude specific values: 111-111-1111
SIT3	Function: <code>Func_credit_card</code>	<i>None</i>	<i>None</i>	<i>None</i>

A user sends the email messages shown in the following table.

Name	Content
Email1	The product code you requested for the bicycle is prd:1234.
Email2	The bank account number is 123456789012. Contact your account rep at 111-111-1111.
Email3	Please use my credit card that ends with 0023 and has an expiration date of 01/25.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
SIT1 will identify and match the content in Email1.	☐	☐
SIT2 will identify and match the content in Email2.	☐	☐
SIT3 will identify and match the content in Email3.	☐	☐

Answer:

Explanation:

Answer Area

Statements	Yes	No
SIT1 will identify and match the content in Email1.	☒	☐
SIT2 will identify and match the content in Email2.	☒	☐
SIT3 will identify and match the content in Email3.	☐	☒

"SIT1 will identify and match the content in Email1." The correct answer is **Yes**. This indicates that the content of Email1 meets the conditions defined for SIT1.

"SIT2 will identify and match the content in Email2." The correct answer is **Yes**. This indicates that the content of Email2 meets the conditions defined for SIT2.

"SIT3 will identify and match the content in Email3." The correct answer is **No**. This confirms that the content in Email3 **does not** match the pattern or conditions defined for SIT3. This demonstrates the specificity of SITs.

Question: 33**Exam Author**

You have a Microsoft 365 E5 subscription that contains two users named User1 and User2.
On January 1, you create the sensitivity label shown in the following table.

Setting	Value
Name	Label1
Assign permissions now or let users decide?	Assign permissions now
User access to content expires	After 21 days
Assign permissions to specific users and groups	Co-Author: User1 and User2

On January 2, you publish Label1 to User.

On January 3, User1 creates a Microsoft Word document named Doc1 and applies Label1 to the document.

On January 4, User2 edits Doc1.

On January 15, you increase the content expiry period for Label1 to 28 days.

When will access to Doc1 expire for User2?

- A. January 23
- B. January 24
- C. January 25
- D. January 31

Answer: B**Explanation:**

The expiry period is stamped into the document at the time the label is applied. •Changing the label later does not retroactively update already protected content. •To take effect, the document must be re-labeled. So for Doc1, applied on Jan 3 with a 21-day expiry, the countdown is fixed → expiry = Jan 24.

Question: 34**Exam Author**

HOTSPOT

-


You have a Microsoft 365 E5 tenant that contains a trainable classifier named Classifier1.


You need to increase the accuracy of Classifier1. The solution must use the principle of least privilege.

Which feature should you use and to which role group should you be added? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Answer Area


Feature: 

Role group: 

Answer:

Answer Area

Feature: 

Role group: 

Explanation:

Content Explorer.

This image displays the permissions required to access the Content explorer feature in Microsoft Purview. The Content explorer is a tool that allows you to view the location and content of sensitive data across your organization's cloud services, such as SharePoint, OneDrive, and Exchange.

Compliance Data Administrator.

This role is specifically designed to provide access to the sensitive data identified by your policies. It allows a user to view sensitive information and the files containing it in the Content explorer but does not give them the broader policy management permissions of a Compliance Administrator. This follows the principle of least privilege.

Question: 35**Exam Author**

HOTSPOT

You have a Microsoft 365 E5 subscription that contains the resources shown in the following table.

Name	Type	Member of
User1	User	None
User2	User	Group1
Group1	Group	None

The subscription contains a Windows 11 device named Device1 and has the Microsoft Purview Information Protection client installed. Device1 contains the resources shown in the following table.

Name	Type	Path
File1.png	File	C:\Temp
File2.docx	File	D:\Folder1
Folder2	Folder	D:\

You publish a sensitivity label named Label1 to User1 and Group1.

For each of the following statements, select Yes if the statement is true, Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can apply Label1 to File1.png by using the information protection client.	☐	☐
User1 can apply Label1 to Folder2 by using the information protection client.	☐	☐
User1 can apply Label1 to File2, docx by using the information protection client.	☐	☐

Answer:**Answer Area**

Statements	Yes	No
User1 can apply Label1 to File1.png by using the information protection client.	☒	☐
User1 can apply Label1 to Folder2 by using the information protection client.	☐	☒
User1 can apply Label1 to File2, docx by using the information protection client.	☒	☐

Explanation:

Yes – The Purview Information Protection client (File Explorer “Classify and protect”) can label .png and other non-Office files.

No – The client labels files only, not folders.

Yes – The client can label .docx files too (even though Office apps also have the Sensitivity button).

Question: 36

Exam Author

You have a Microsoft 365 E5 tenant that uses a domain named contoso.com. A user named User1 sends link-based, branded emails that are encrypted by using Microsoft Purview Advanced Message Encryption to the recipients shown in the following table.

Name	Email address
Recipient1	Recipient1@contoso.com
Recipient2	Recipient2@fabrikam.onmicrosoft.com
Recipient3	Recipient3@outlook.com
Recipient4	Recipient4@gmail.com

For which recipients can User1 revoke the emails?

- A. Recipient1 only
- B. Recipient4 only
- C. Recipient1 and Recipient2 only
- D. Recipient3 and Recipient4 only
- E. Recipient1, Recipient2, Recipient3, and Recipient4

Answer: B

Explanation:

<https://learn.microsoft.com/en-us/purview/revoke-ome-encrypted-mail> Admins and message senders can revoke encrypted emails if the recipient received a link-based, branded encrypted email. If the recipient received a native inline experience in a supported Outlook client, then you can't revoke the message. Whether a recipient receives a link-based experience or an inline experience depends on the recipient identity type: Microsoft 365 and Microsoft account recipients (for example, outlook.com users) get an inline experience in supported Outlook clients. All other recipient types, such as Gmail and Yahoo recipients, get a link-based experience.

Question: 37

Exam Author

HOTSPOT

-

You have a Microsoft 365 E5 subscription that contains the data loss prevention (DLP) policies shown in the following table.

Name	Applied to
DLP1	Microsoft Exchange Online email
DLP2	Microsoft SharePoint Online sites
DLP3	Microsoft Teams chat and channel messages

You have a custom employee information form named Template1.docx.

You plan to create a sensitive info type named Sensitive1 that will use the document fingerprint from Template1.docx.

What should you use to create Sensitive1, and in which DLP policies can you use Sensitive1? To answer, select the

appropriate options in the answer area.

Answer Area

Create Sensitive1 by using:

▼

Security & Compliance PowerShell
The Exchange admin center
The Microsoft Purview portal
The SharePoint admin center

Use Sensitive1 in:

▼

DLP1 only
DLP2 only
DLP1 and DLP2 only
DLP1, DLP2, and DLP3

Answer:

Answer Area

Create Sensitive1 by using:

▼

Security & Compliance PowerShell
The Exchange admin center
The Microsoft Purview portal
The SharePoint admin center

Use Sensitive1 in:

▼

DLP1 only
DLP2 only
DLP1 and DLP2 only
DLP1, DLP2, and DLP3

Explanation:

Create Sensitive1 by using:

The Microsoft Purview portal.

The Microsoft Purview portal: This is the primary, web-based admin center for all data governance, compliance, and risk management features in Microsoft 365. Creating and managing custom sensitive information types is a core function of its Data Classification section, as shown in the previous screenshot. This is the correct and intended tool for this task.

Use Sensitive1 in:

DLP1, DLP2, and DLP3.

A fundamental principle of sensitive information types in Microsoft Purview is that they are global components. Once you create a custom sensitive information type in your tenant, it becomes available across the entire tenant and can be used in any policy that supports them.

Question: 38

Exam Author

HOTSPOT

-

You have a Microsoft 365 tenant that uses Microsoft Teams.

You create a data loss prevention (DLP) policy to prevent Microsoft Teams users from sharing sensitive information,

You need to identify which locations must be selected to meet the following requirements:

- Documents that contain sensitive information must not be shared inappropriately in Microsoft Teams.
- If a user attempts to share sensitive information during a Microsoft Teams chat session, the message must be deleted immediately.

Which three locations should you select? To answer, select the appropriate locations in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Location	Scope	Actions
☐  Exchange email	Turn on location to scope	
☐  SharePoint sites	Turn on location to scope	
☐  OneDrive accounts	Turn on location to scope	
☐  Teams chat and channel messages	Turn on location to scope	
☐  Instances	Turn on location to scope	
☐  On-premises repositories	Turn on location to scope	
☐  Fabric and Power BI workspaces	Turn on location to scope	

Answer:

Answer Area

Location	Scope	Actions
☐  Exchange email	Turn on location to scope	
☐  SharePoint sites	Turn on location to scope	
☐  OneDrive accounts	Turn on location to scope	
☐  Teams chat and channel messages	Turn on location to scope	
☐  Instances	Turn on location to scope	
☐  On-premises repositories	Turn on location to scope	
☐  Fabric and Power BI workspaces	Turn on location to scope	

Explanation:

SharePoint sites: Applies the policy to files in all or selected SharePoint Online sites.

OneDrive accounts: Applies the policy to files in all or selected user OneDrive accounts.

Teams chat and channel messages: Applies the policy to messages in Microsoft Teams channels and private chats (Note: 1:1 chats are covered under "Exchange email" because they are stored in a hidden mailbox folder).

Question: 39

Exam Author

You need to be alerted when users share sensitive documents from Microsoft OneDrive to any users outside your company.

What should you do?

- A. From the Microsoft Defender portal create an activity policy.
- B. From the Microsoft Purview portal start an Advanced eDiscovery search.
- C. From the Exchange admin center, create a data loss prevention (DLP) policy.
- D. From the Microsoft Defender portal, create a file policy.

Answer: D

Explanation:

The correct answer is D: From the Microsoft Defender portal, create a file policy.

Creating a file policy in the Microsoft Defender portal specifically allows organizations to manage and monitor sensitive information shared outside their environment, which aligns perfectly with the requirement to alert for external sharing of sensitive documents in OneDrive. The Defender portal consolidates multiple security features, including file sharing policies, thus facilitating the enforcement of security measures in real-time.

Evaluation of Options:**A. From the Microsoft Defender portal create an activity policy.**

An activity policy focuses on monitoring and managing user actions within Microsoft 365, but it does not specifically target document sharing scenarios, missing the nuance needed for sensitive document management.

B. From the Microsoft Purview portal start an Advanced eDiscovery search.

Advanced eDiscovery is designed to aid in legal investigations and compliance checks rather than proactively monitoring document sharing practices. It lacks the immediate alerting capabilities necessary for real-time sharing oversight.

C. From the Exchange admin center, create a data loss prevention (DLP) policy.

While DLP policies can protect sensitive information, they are primarily rooted in email handling and may not provide comprehensive monitoring for file sharing directly from OneDrive, making them less effective for the stated requirement.

In conclusion, option D is specifically designed for real-time monitoring of document sharing behaviors in OneDrive environments, thereby providing the most effective solution for external sharing alerts.

References:

<https://techcommunity.microsoft.com/t5/security-compliance-identity/microsoft-defender-for-cloud-apps-activity-policies/ba-p/1883225>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-overview?view=o365-worldwide>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/eDiscovery-advanced-eDiscovery?view=o365-worldwide>

Question: 40**Exam Author****HOTSPOT**

-

You have a Microsoft 365 subscription.

You identify the following data loss prevention (DLP) requirements:

- Send notifications to users if they attempt to send attachments that contain an EU Social Security Number (SSN) or Equivalent ID.
- Prevent any email messages that contain credit card numbers from being sent outside your organization.
- Block the external sharing of Microsoft OneDrive content that contains EU passport numbers.
- Send administrators email alerts if any rule matches occur.

What is the minimum number of DLP policies and rules you must create to meet the requirements? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Policies:

	▼
1	
2	
3	

Rules:

	▼
1	
2	
3	
4	

Answer:

Answer Area

Policies:

	▼
1	
2	
3	

Rules:

	▼
1	
2	
3	
4	

Explanation:

Policies:2.

Policy 2: "Endpoint Device Protection Policy"

Location Scope: This policy is applied only to Windows 10/11 Devices (using the DLP agent).

Rules: 3.

3. Rule C: Restrict Copying of Source Code to USB

* Condition: Content contains data that matches a "Source Code" custom sensitive info type.

* Action: Block users from copying the files to a removable USB drive.

* Exception: If the device is registered to a user in the "Software Engineering" group.

Question: 41**Exam Author**

You have a Microsoft OneDrive folder that contains the files shown in the following table.

Type	Number of files
.jpg	50
.docx	300
.txt	50
.zip	20

In Microsoft Defender for Cloud Apps, you create a file policy to automatically apply a classification. What is the effect of applying the policy?

- A. The policy will apply to only the .docx and .txt files. The policy will classify the files immediately.
- B. The policy will apply to only the .docx files. The policy will classify only 100 files daily.
- C. The policy will apply to all the files. The policy will classify only 100 files daily.
- D. The policy will apply to only the .docx and .txt files. The policy will classify the files within 24 hours.

Answer: C**Explanation:**

C. The policy will apply to all files, but it will classify only 100 files daily.

A policy created in Microsoft Cloud App Security for automatic classification applies to all files within the designated scope (in this case, a OneDrive for Business folder). It is not limited to specific file types like .docx or .txt.

The classification process has a daily limit. This is a known behavior of these policies, and after the daily limit of 100 files is reached, the process pauses and resumes the following day. This prevents the immediate classification of all files.

Question: 42**Exam Author**

You have a Microsoft 365 E5 subscription.

You plan to deploy Microsoft Purview Data Security Posture Management for AI (OSPM for AI) to protect company data that contains Personally Identifiable Information (PII) from being shared with third-party generative AI tools. You need to complete the prerequisites for the planned deployment.

Which two Microsoft Purview solutions should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Data Loss Prevention
- B. Information Barriers
- C. Insider Risk Management
- D. Communication Compliance
- E. Audit

Answer: AD**Explanation:**

The correct answer is **A. Data Loss Prevention** and **D. Communication Compliance**.

Here's why:

Microsoft Purview Data Security Posture Management for AI (OSPM for AI) aims to discover and protect sensitive data within an organization's environment, particularly when it interacts with third-party generative AI tools. A key prerequisite is identifying and classifying the data that contains PII. This is where Data Loss Prevention (DLP) policies become critical. DLP policies allow you to identify sensitive information across Microsoft 365 services (like SharePoint, OneDrive, Exchange, and Teams) and apply actions like blocking, alerting, or encrypting, preventing the data from being shared inappropriately, including via interactions with third-party AI. DLP provides the data protection foundation needed for OSPM for AI to function effectively.

Communication Compliance is also crucial because it helps detect regulatory compliance (e.g., GDPR, CCPA) and code of conduct violations by examining communications within your organization. In the context of AI, Communication Compliance can be used to monitor employee interactions with generative AI tools, looking for instances where sensitive data is being inappropriately shared, or where the AI tools are being used in a way that violates company policies or regulations. Therefore, it also helps in the overall security posture by monitoring and protecting against data leakage via AI use, and that is why communication compliance is also a prerequisite.

Information Barriers (B) are primarily used to prevent conflicts of interest or regulatory violations by restricting communication between specific groups within an organization, and Insider Risk Management (C) focuses on detecting and mitigating risky activities by users within the organization. While these solutions contribute to overall data governance and security, they are not directly prerequisites for enabling or preparing for OSPM for AI. Audit (E) collects logs but does not take preventive actions.

Supporting Links:

Microsoft Purview Data Loss Prevention (DLP): <https://learn.microsoft.com/en-us/microsoft-365/compliance/dlp-learn-about-dlp?view=o365-worldwide>

Microsoft Purview Communication Compliance: <https://learn.microsoft.com/en-us/microsoft-365/compliance/communication-compliance?view=o365-worldwide>

Microsoft Purview Data Security Posture Management for AI (Preview) <https://learn.microsoft.com/en-us/purview/ai-data-security-posture-management>

Question: 43

Exam Author

You have a Microsoft 365 E5 subscription that contains four users named User1, User2, User3, and User4 and a file named File1.docx. File1 has a sensitivity label applied. The label is configured as shown in the following table.

User	Permission
User1	Owner
User2	Editor
User3	Restricted Editor
User4	Viewer

Which users can summarize File1 by using Microsoft 365 Copilot?

- A. User1 only
- B. User1 and User2 only
- C. User1, User2, and User3 only
- D. User1, User2, User3, and User4

Answer: B

Explanation:

B. User1 and User2 only.

Sensitivity labels work with Microsoft 365 Copilot by restricting access to sensitive information based on user permissions. Copilot can only access and summarize data for which the user has "View" and "Extract" rights, as defined by sensitivity labels and their encryption settings.

Question: 44

Exam Author

You have a Microsoft 365 E5 subscription. The subscription contains a user named User1 and the sensitivity labels shown in the following table.

Name	Authenticated users: View content (VIEW)	Authenticated users: Copy and extract content (EXTRACT)	Authenticated users: Export content (EXPORT)
Label1	Granted	Not granted	Not granted
Label2	Granted	Granted	Not granted
Label3	Granted	Not granted	Granted

You publish the labels to User1.

The subscription contains the files shown in the following table.

Name	Label
File1	Label1
File2	Label2
File3	Label3

Which files can Microsoft 365 Copilot summarize for User1?

- A. File2 only
- B. File3 only
- C. File2 and File3 only
- D. File1, File2, and File3

Answer: A

Explanation:

A. File2 only.

Microsoft 365 Copilot's ability to summarize files depends on the user's access permissions. Copilot can only summarize files that the user has permission to view. If User1 only has access to File2 (and not File1 or File3), then Copilot can only summarize File2.

Question: 45

Exam Author

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Cloud Apps.

You need to ensure that you receive an alert when a user uploads a document to a third-party cloud storage service.

What should you use?

- A. an insider risk policy
- B. a file policy
- C. a sensitivity label
- D. an activity policy

Answer: D

Explanation:

The correct answer is **D. an activity policy**. Here's a detailed justification:

An **activity policy** in Microsoft Defender for Cloud Apps is designed to monitor and control specific user activities across connected cloud apps. It allows you to define rules based on user actions like uploading, downloading, sharing, or modifying files. When a user performs an activity that matches the defined policy criteria, an alert is generated, fulfilling the requirement of the scenario.

In this particular case, you need to monitor document uploads to third-party cloud storage services. An activity policy can be configured to detect these uploads based on the app (e.g., Dropbox, Google Drive, Box), the file type, or other criteria. This makes it ideal for detecting when users are exfiltrating data or circumventing company policies by using unauthorized cloud storage.

Let's examine why the other options are incorrect:

A. Insider risk policy: Insider risk policies in Microsoft Purview focus on detecting malicious or negligent activity by internal users that could lead to data loss or security breaches. While they can detect file uploads, they are generally intended for a broader set of risky behaviors, not solely specific cloud storage uploads. They are more suited for detecting patterns of behavior that suggest malicious intent.

B. File policy: File policies are used to scan files stored in connected apps for specific criteria such as data loss prevention (DLP), sharing permissions, or file properties (e.g., sensitivity labels). They primarily focus on static file properties and conditions after a file has been uploaded, rather than triggering alerts on the upload activity itself.

C. Sensitivity label: Sensitivity labels are used to classify and protect data. While they are essential for data governance, they don't directly trigger alerts based on the activity of uploading to a third-party cloud storage service. They define the classification of the file itself, not the action performed on it.

Therefore, an activity policy is the most appropriate solution to monitor and alert on the specific activity of uploading documents to third-party cloud storage services within Microsoft Defender for Cloud Apps. It provides the granular control and real-time alerting needed to address the scenario effectively.

Authoritative Links:

[Microsoft Defender for Cloud Apps activity policies](#)

[Microsoft Defender for Cloud Apps Policies](#)

Question: 46

Exam Author

You have a Microsoft 365 E5 subscription that uses Microsoft Purview. You are evaluating the use of custom data assessment scans to identify the potential oversharing of data in the subscription.

What is the maximum number of items the data assessments can support per location?

- A. 50,000

- B. 100,000
- C. 200,000
- D. 500,000

Answer: C

Explanation:

Ans C: 200,000

The question is about custom data assessment scans, which are a feature of Microsoft Purview's Data Security Posture Management. The most accurate and relevant documentation for this specific feature states a limit of 200,000 items per location. The 500,000 limit is for a different feature (eDiscovery Content Search).

Therefore, the correct answer, based on the specific context of the question, is C. 200,000.

Question: 47

Exam Author

HOTSPOT

-

You have a Microsoft 365 365 E5 subscription.

You plan to create a new sensitive information type (SIT) by using the Microsoft Purview portal.

You need to copy and modify an existing SIT from which to create the new SIT.

What are two SITs that you can copy and modify? To answer, select the appropriate SITs in the answer area.

NOTE: Each correct selection is worth one point.

Data classification

- Overview
- Trainable classifiers
- Sensitive info types
- EDM classifiers
- ...

The sensitive info types here are available to use in your security and compliance policies. These include a large collection of types we provide, spanning regions around the globe, as well as any custom types you have created.

+ Create sensitive info type

↻ Refresh

308 items

🔍 Search

Name ↑		Type	Publisher
☐ ABA Routing Number		Entity	Microsoft Corporation
☐ ASP.NET Machine Key		Credential	Microsoft Corporation
☐ Adatum document patterns		Fingerprint	sk230122outlook.onmicrosoft.com
☐ Adatum numbers		Entity	Contoso Ltd
☐ All Credential Types		BundledCredential	Microsoft Corporation
☐ All Full Names		BundledEntity	Microsoft Corporation

Answer: D

Explanation:

Data classification

Overview Trainable classifiers Sensitive info types EDM classifiers ...

The sensitive info types here are available to use in your security and compliance policies. These include a large collection of types we provide, spanning regions around the globe, as well as any custom types you have created.

+ Create sensitive info type Refresh

308 items

Search

Name ↑	Type	Publisher
☐ ABA Routing Number	Entity	Microsoft Corporation
☐ ASP.NET Machine Key	Credential	Microsoft Corporation
☐ Adatum document patterns	Fingerprint	sk230122outlook.onmicrosoft.com
☐ Adatum numbers	Entity	Contoso Ltd
☐ All Credential Types	BundledCredential	Microsoft Corporation
☐ All Full Names	BundledEntity	Microsoft Corporation

All Credential Types (BundledCredential, Microsoft): A convenient bundle of all Microsoft-provided credential patterns (passwords, API keys, etc.). Using this in a policy is faster than adding dozens of individual types.

All Full Names (BundledEntity, Microsoft): A bundle of patterns to detect full names from various global regions.

Question: 48

Exam Author

You have a Microsoft 365 E5 subscription that has a Microsoft Purview exact data match (EDM) classifier named EDM1.

You plan to create the Microsoft Purview policies shown in the following table.

Name	Type
DLP1	Data loss prevention (DLP)
Insider1	Insider risk management
Retention1	Retention

Which policies can use EDM1?

A. DLP1 only

- B. Retention1 only
- C. DLP1 and Insider1 only
- D. Insider1 and Retention1 only
- E. DLP1, Insider1, and Retention1

Answer: C

Explanation:

C. DLP1 and Insider1 only.

Data Loss Prevention (DLP) policies → EDM is primarily designed for DLP so that you can block/restrict sharing of sensitive data.

Insider risk management policies → EDM can also be used as a condition to detect risky activities by users (like exfiltrating sensitive records).

Question: 49

Exam Author

You have a Microsoft 365 tenant.

You create the following:

- A sensitivity label
- An auto-labeling policy

You need to ensure that the sensitivity label is applied to all the data discovered by the auto-labeling policy.

What should you do first?

- A. Run the Enable-TransportRule cmdlet.
- B. Enable insider risk management.
- C. Create a trainable classifier
- D. Run the policy in simulation mode.

Answer: D

Explanation:

The correct answer is **D: Run the policy in simulation mode.**

Here's a detailed justification:

To ensure a sensitivity label is effectively applied to data discovered by an auto-labeling policy in Microsoft 365, it's crucial to test and validate the policy's configuration before full deployment. Running the policy in simulation mode allows administrators to observe how the policy would function without actually applying the labels. This is a critical step for several reasons:

1. **Verification of Accuracy:** Simulation mode allows you to verify that the conditions defined in the auto-labeling policy are correctly identifying the intended data. If the policy is not accurately identifying the correct data, it can lead to incorrect labeling, which can cause data mismanagement and compliance issues.
2. **Minimizing False Positives:** By running the policy in simulation, administrators can identify false positives – cases where the policy incorrectly identifies data as sensitive. This can be addressed by refining the policy's conditions.
3. **Preventing Unintended Consequences:** Applying a sensitivity label has consequences, such as

restricted access, encryption, or retention settings. Running the policy in simulation allows you to foresee any unexpected consequences of these settings before they affect real data.

4. **Validation of Configuration:** Simulation helps validate that the overall configuration, including the conditions, exceptions, and scope of the policy, is correct.
5. **Iterative Refinement:** The results from the simulation can be used to refine and optimize the auto-labeling policy. This iterative process ensures the policy's accuracy and effectiveness.

By observing the behavior of the policy in simulation mode, administrators can make adjustments and ensure that the sensitivity label is applied to the correct data without unintended consequences. Only after verifying the policy's accuracy and effectiveness should the policy be fully deployed.

The other options are not relevant to the immediate goal of ensuring correct labeling:

- A. Run the Enable-TransportRule cmdlet:** This cmdlet is related to Exchange transport rules and not directly related to sensitivity labeling or auto-labeling policies.
- B. Enable insider risk management:** Insider risk management is a separate security feature that detects and prevents insider threats, not directly related to sensitivity labeling or auto-labeling policies.
- C. Create a trainable classifier:** While trainable classifiers can enhance the accuracy of auto-labeling policies, creating one is not the immediate next step before ensuring the label is applied correctly. First, you must validate the current policy. Furthermore, trainable classifiers are most effective when training data is available, which might not be the case before running initial simulations.

Supporting Documentation:

Simulation mode for auto-labeling policies: <https://learn.microsoft.com/en-us/microsoft-365/compliance/auto-labeling?view=o365-worldwide#simulation-mode>

Automatically apply a sensitivity label to Microsoft 365 content: <https://learn.microsoft.com/en-us/microsoft-365/compliance/apply-sensitivity-label-automatically?view=o365-worldwide>

Question: 50

Exam Author

HOTSPOT

-

You have Microsoft 365 subscription that is enabled to support trainable classifiers.

You plan to create a custom trainable classifier based on an organizational form template.

You need to identify which role-based access control (RBAC) role is required to create the trainable classifier and where to store the seed content for the trainable classifier. The solution must use the principle of least privilege.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

RBAC role:

▼

Compliance Administrator
Global Administrator
Security Administrator
Security Operator

Where to store the seed content:

▼

An Azure Blob storage container
A folder in Microsoft OneDrive
A Microsoft Exchange Online public folder
A Microsoft SharePoint Online folder

Answer:

Answer Area

RBAC role:

▼

Compliance Administrator
Global Administrator
Security Administrator
Security Operator

Where to store the seed content:

▼

An Azure Blob storage container
A folder in Microsoft OneDrive
A Microsoft Exchange Online public folder
A Microsoft SharePoint Online folder

Explanation:

RBAC Role: Compliance Administrator.

Creating a trainable classifier is a key compliance and information governance task. As a result, the permissions to do this are granted through the **Compliance Administrator** role. This role is specifically designed for managing data loss prevention, information protection, and data governance features within the Microsoft Purview portal. While a Global Administrator could also do this, the principle of least privilege dictates that the most appropriate role is the Compliance Administrator.

Where to store the seed content: A Microsoft SharePoint Online folder.

To train a classifier, you must provide it with "seed content" (sample documents of the type you want to classify) and "test content" (documents that are both examples and non-examples). The supported and recommended location for storing this content is a dedicated **Microsoft SharePoint Online folder**. This allows

the Purview service to access the files, ingest them, and train the model effectively. Other options like Azure Blob storage or Exchange public folders are not the standard or supported method for this process.

Question: 51

Exam Author

You have a Microsoft 365 E5 subscription that uses Microsoft Teams.

You plan to implement sensitivity labels.

You need to ensure that you can view and apply sensitivity labels to new Microsoft Teams sites.

What should you do first?

- A. Run the Set-SPOSite cmdlet.
- B. Create a new sensitivity label scoped to Groups & sites.
- C. Configure the EnableMIPLabels setting in Microsoft Entra ID.
- D. Run the Execute-AzureAdLabelSync cmdlet.

Answer: C

Explanation:

Here's a detailed justification for why option C, configuring the EnableMIPLabels setting in Microsoft Entra ID, is the correct first step to ensure you can view and apply sensitivity labels to new Microsoft Teams sites:

Sensitivity labels are designed to protect sensitive information across Microsoft 365 services, including Teams, SharePoint, and OneDrive. For sensitivity labels to work correctly with Microsoft Teams and Microsoft 365 Groups, specific configuration steps are necessary.

Before sensitivity labels can be applied to Microsoft Teams sites, you must enable sensitivity label support for Microsoft 365 Groups in your tenant. This enablement is done by configuring the EnableMIPLabels setting in Microsoft Entra ID. This setting allows Microsoft 365 to synchronize sensitivity labels with the group settings.

This synchronization is crucial. Without it, even if you create sensitivity labels scoped to Groups & sites, they won't be available for selection when creating or modifying a Team site. The labels are essentially not recognized as being valid for group application.

Option A, running the Set-SPOSite cmdlet, is relevant for configuring sensitivity labels at the SharePoint site level, but it is not a prerequisite for making them available in Teams. Option B, creating a new sensitivity label scoped to Groups & sites, is a necessary step after the tenant-level configuration is in place. You need to enable the capability first before creating the specific labels. Option D, running Execute-AzureAdLabelSync cmdlet, synchronizes the sensitivity labels from Microsoft Purview compliance portal to Azure AD. While label synchronization is important, enabling the MIP labels for groups must precede it.

Therefore, configuring EnableMIPLabels in Microsoft Entra ID sets the foundation for sensitivity label integration with Microsoft 365 Groups and Teams, allowing you to manage and apply sensitivity labels appropriately. It unlocks the functionality needed to proceed with other configurations.

Here are authoritative links for further research:

Enable sensitivity labels for Microsoft 365 containers: <https://learn.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels-teams-groups-sites>

Get-AzureADMSGGroup | Set-AzureADMSGGroup: <https://learn.microsoft.com/en-us/powershell/module/azuread/set-azureadmsgroup?view=azureadps-2.0>

Question: 52**Exam Author**

HOTSPOT

-

You have a Microsoft 365 E5 subscription that contains the groups shown in the following table.

Name	Type	Primary email address
Group1	Microsoft 365	Group1@contoso.com
Dist1	Distribution	Dist1@contoso.com

The subscription contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Dist1
User3	None

You create the mail flow rules shown in the following table.

Name	Apply this rule if	Do the following
Rule1	The recipient is a member of group1@contoso.com	Apply Office 365 Message Encryption and rights protection
Rule2	The sender is dist1@contoso.com	Apply Office 365 Message Encryption and rights protection

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area**Statements****Yes****No**

If User2 sends an email message to User3, the message is encrypted automatically.

☐☐

If User2 sends an email message to User1, the message is encrypted automatically.

☐☐

If User3 sends an email message to Group1, the message delivered to User1 is encrypted automatically.

☐☐**Answer:****Explanation:**

Answer Area

Statements	Yes	No
If User2 sends an email message to User3, the message is encrypted automatically.	☒	☐
If User2 sends an email message to User1, the message is encrypted automatically.	☒	☐
If User3 sends an email message to Group1, the message delivered to User1 is encrypted automatically.	☐	☒

"If User2 sends an email message to User3, the message is encrypted automatically."

Answer: Yes.

the policy is likely configured to encrypt all emails sent between User2 and User3. This would be done by a mail flow rule that applies encryption to messages where the sender is "User2" and the recipient is "User3."

"If User2 sends an email message to User1, the message is encrypted automatically."

Answer: Yes.

meaning the policy also encrypts emails sent from User2 to User1. This suggests a rule that applies to messages sent from User2 to any internal or specific external user. This is a common and correct application of an encryption policy to ensure all sensitive communications from a specific user are protected.

"If User3 sends an email message to Group1, the message delivered to User1 is encrypted automatically."

Answer: No.

This indicates that the mail flow rule is not configured to encrypt messages sent from User3. The rule's conditions are not met when User3 is the sender, even if the email goes to a group that includes User1. Therefore, the message remains unencrypted. This highlights the importance of configuring both the sender and recipient conditions correctly in a mail flow rule.

Question: 53

Exam Author

You have a Microsoft 365 E5 subscription that has a sensitivity label named Sensitivity1. You plan to create an auto-labeling policy that will apply Sensitivity1 to Microsoft Exchange Online mailboxes. On February 1, you create the auto-labeling policy and enable simulation mode by using the default settings. No modifications are made to the policy in simulation mode. When will the policy first be turned on?

- A. February 2
- B. February 6
- C. February 15
- D. never

Answer: D

Explanation:

D is correct because a policy in simulation mode does not apply labels to any content in Microsoft 365, which means it will never turn on automatically.

The auto-labeling policy, when set to simulation mode, is designed to assess the impact of the policy without making any actual changes to content. This feature allows administrators to review the potential results of their labeling configurations before full deployment. Since the scenario specifies that no modifications will be made to the policy while it remains in simulation mode, the policy will effectively remain inactive indefinitely.

Evaluation of Incorrect Options:

A. February 2 – This option suggests that the policy would activate on the day after creation, but since it is in simulation mode, this is inaccurate.

B. February 6 – Similar to option A, this implies an arbitrary timeline for activation while in simulation. The policy's actual function is unchanged until it transitions out of this mode, which it will not do.

C. February 15 – This option incorrectly assumes that there would be a date at which the auto-labeling would automatically override the simulation settings. As per the current configuration, no such transition is programmed.

Thus, all provided options contradict the fundamental operation of simulation mode, which solely serves as a preparative measure without executing changes.

References:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels?view=o365-worldwide>

<https://docs.microsoft.com/en-us/microsoft-365/compliance/auto-labeling-for-exchange-online?view=o365-worldwide>

<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels-policies?view=o365-worldwide>

Question: 54

Exam Author

You have a Microsoft 365 E5 subscription.

You need to ensure that any message or document containing a credit card number is deleted automatically 12 months after it was created. The solution must minimize administrative effort.

Which two components should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. an auto-labeling policy for a sensitivity label
- B. a sensitivity label
- C. an auto-labeling policy for a retention label
- D. a retention label
- E. a sensitive information type (SIT)

Answer: CD

Explanation:

CD is correct because utilizing a retention label in conjunction with an auto-labeling policy effectively automates the deletion of sensitive information, ensuring compliance with organizational data management

requirements.

The optimal solution leverages **auto-labeling policies for retention labels** (Option C) to enforce data governance and minimize manual oversight. By configuring a retention label (Option D) with a specific retention period — such as 12 months following the creation of any document or message containing sensitive information — the organization ensures that compliance with data retention standards is automated. This approach minimizes administrative effort and mitigates risks associated with sensitive data retention.

In contrast:

Option A (an auto-labeling policy for a sensitivity label) is unsuitable because sensitivity labels primarily focus on information protection (encryption, access control) rather than retention and deletion timelines.

Option B (a sensitivity label) serves a different purpose related to categorizing information without directly addressing its retention lifecycle.

Option E (a sensitive information type [SIT]) defines the characteristics used to identify sensitive information but does not manage retention and deletion processes independently.

Thus, only options C and D create a cohesive strategy for automating retention while managing sensitive information risk.

References:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/data-retention>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/auto-labeling-overview>

Question: 55

Exam Author

SIMULATION

-

Username and password

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and select the username below.

To enter your password, place your cursor in the Enter password box and select the password below.

Microsoft 365 Username:

Microsoft 365 Password: XXXXXXXXXX

If the Microsoft Edge browser or Microsoft 365 portal does not load successfully, select the Microsoft Edge browser icon from the task bar, type the URL “https://admin.microsoft.com”, and press Enter.

The following information is for technical support purposes only:

Lab Instance: XXXXXXXX.

Task 1

-

You need to provide users with the ability to manually classify files that contain product information that are stored in SharePoint Online sites. The solution must meet the following requirements:

- The users must be able to apply a classification of Product1 to the files.
- Any authenticated user must be able to open files classified as Product1.
- Files classified as Product1 must be encrypted.

Answer:

Explanation:

Restrict access to content by using sensitivity labels to apply encryption

When you create a sensitivity label, you can restrict access to content that the label will be applied to. For example, with the encryption settings for a sensitivity label, you can protect content so that:

* Only users within your organization can open a confidential document or email.

* Etc.

How to configure a label for encryption
Step 1: From the Microsoft Purview compliance portal, select Solutions > Information protection > Labels

Step 2: Locate and select label Product1.

Step 3: On the Define the scope for this label page, the options selected determine the label's scope for the settings that you can configure and where they'll be visible when they're published:

Define the scope for this label

Labels can be applied directly to items (such as files, emails, meetings), containers like SharePoint sites and Teams, Power BI items, schematized data assets, and more. Let us know where you want this label to be used so you can configure the applicable protection settings. [Learn more about label scopes](#)

- ☒ **Items**
Be aware that restricting the scope to only files or emails might impact encryption settings and where the label can be applied. [Learn more](#)
 - ☒ **Files**
Protect files created in Word, Excel PowerPoint, and more.
 - ☒ **Emails**
Protect messages sent from Outlook and Outlook on the web.
 - ☒ **Meetings**
Protect calendar events and meetings scheduled in Outlook and Teams.
- ☒ **Groups & sites**
Configure privacy, access control, and other settings to protect labeled Teams, Microsoft 365 Groups, and SharePoint sites.
- ☒ **Schematized data assets (preview)**
Apply labels to files and schematized data assets in Microsoft Purview Data Map. Schematized data assets include SQL, Azure SQL, Azure Synapse, Azure Cosmos, AWS RDS, and more.

Step 4: Select Items, and Files. Deselect the other options.

Step 5: Then, on the Choose protection settings for the types of items you selected page, make sure you select Control access.

New sensitivity label

- ☒ Label details
- ☒ Scope
- ☒ **Items**
- ☐ Groups & sites
- ☐ Schematized data assets (preview)
- ☐ Finish

Choose protection settings for the types of items you selected

The protection settings you configure will be enforced when the label is applied to items in Microsoft 365.

- ☒ **Control access**
Control who can access and view labeled items.
- ☐ **Apply content marking**
Add custom headers, footers, and watermarks to labeled items.
- ☐ **Protect Teams meetings and chats**
Configure protection settings for Teams meetings and chats.

ⓘ To protect Teams meetings and chats, your org must have a Teams Premium license. [Learn more about Teams Premium](#)

Step 6: On the Access control page, select Configure access control settings: Turns on encryption with rights management and makes the following settings visible:

Access control

Use encryption capabilities to control who can access labeled items. Depending on the scope you specified, items can include emails, Office, Fabric and Power BI files, and meeting invites. [Learn more about access control settings](#)

- ☐ Remove access control settings if already applied to items
- ☒ **Configure access control settings**

Assign permissions now or let users decide?

Assign permissions now

The settings you choose will be automatically enforced when the label is applied to email and Office files.

User access to content expires ⓘ

Never

Allow offline access ⓘ

Always

Assign permissions to specific users and groups * ⓘ

[Assign permissions](#)

0 items

Users and groups Permissions Edit Delete

Step 7: Assign permissions to specific users or groups. Add users or groups

Step 7a: For users: Any authenticated users.

Step 7b: Permissions: Select View

Note: You can grant permissions to specific people so that only they can interact with the labeled content:

1. First, add users or groups that will be assigned permissions to the labeled content.
2. Then, choose which permissions those users should have for the labeled content.

Assigning permissions:

Assign permissions

Only the users or groups you choose will be assigned permissions to use the content that has this label applied. You can choose from existing permissions (such as Co-Owner, Co-Author, and Reviewer) or customize them to meet your needs.

- + Add all users and groups in your organization
- + Add any authenticated users ⓘ
- + Add users or groups
- + Add specific email addresses or domains ⓘ

Permissions assigned to

[Choose permissions](#)

Co-Author
VIEW,VIEWRIGHTSDATA,DOCEDIT,EDIT,PRINT,EXTRACT,REPLY,REPLYALL,FORWARD,OBJMODEL

Save

Cancel

Step 8: Click Save

Reference:

<https://learn.microsoft.com/en-us/purview/trainable-classifiers-get-started-with>
<https://learn.microsoft.com/en-us/purview/encryption-sensitivity-labels>

Question: 56

Exam Author

SIMULATION

-

Username and password

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and select the username below.

To enter your password, place your cursor in the Enter password box and select the password below.

Microsoft 365 Username:

Microsoft 365 Password: XXXXXXXXX

If the Microsoft Edge browser or Microsoft 365 portal does not load successfully, select the Microsoft Edge browser icon from the task bar, type the URL "https://admin.microsoft.com", and press Enter.

The following information is for technical support purposes only:

Lab Instance: XXXXXXXX.

Task 2

-

You discover that all users can apply the Confidential – Finance label.

You need to ensure that the Confidential – Finance label is available only to the members of the Leadership group.

Answer:

Assign sensitivity labels to Microsoft 365 groups in Microsoft Entra ID
Microsoft Entra ID supports applying sensitivity labels published by the Microsoft Purview compliance portal to Microsoft 365 groups. Sensitivity labels apply to groups across services like Outlook, Microsoft Teams, and SharePoint. F

Assign a label to an existing group in the Microsoft Entra admin center

Step 1: Sign in to the Microsoft Entra admin center as at least a Global Administrator.

Step 2: Select Microsoft Entra ID.

Step 3: Select Groups

Step 4: From the All groups page, select the group that you want to label.

Step 5: On the selected group's page, select Properties and select a sensitivity label from the list.

Select the Confidential - Finance label

Home > Groups | All groups > 'A' Project Team

'A' Project Team | Properties

Group

« Save Discard Got feedback?

Overview

Diagnose and solve problems

Manage

Properties

Members

Owners

Roles and administrators

Administrative units

Group memberships

Applications

Azure role assignments

Activity

Privileged Identity Management

Access reviews

Audit logs

Bulk operation results

Troubleshooting + Support

New support request

General settings

Group name ⓘ
'A' Project Team

Group description ⓘ
DP Re-do V-Team

Group type
Microsoft 365

Membership type ⓘ
Assigned

Sensitivity label ⓘ
Confidential\Internal only

Remove

Object Id
f72cf665-5e8a-47ab-9d8c-6a171e446cac

Microsoft Entra roles can be assigned to the group ⓘ
Yes No

Group writeback state
No writeback

Step 6: Select Save to save your changes.

Reference:

<https://learn.microsoft.com/en-us/entra/identity/users/groups-assign-sensitivity-labels>

Question: 57

Exam Author

SIMULATION

- Username and password

- Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and select the username below.
To enter your password, place your cursor in the Enter password box and select the password below.
Microsoft 365 Username:

Microsoft 365 Password: XXXXXXXXX

If the Microsoft Edge browser or Microsoft 365 portal does not load successfully, select the Microsoft Edge browser icon from the task bar, type the URL “https://admin.microsoft.com”, and press Enter.

The following information is for technical support purposes only:

Lab Instance: XXXXXXXX.

Task 3

You plan to automatically apply a watermark to the documents of a project named Falcon.
You need to create a label that will add a watermark of “Project Falcon” in red, size-12 font diagonally across the documents.

Answer:

Create and configure sensitivity labels

Step 1: From the Microsoft Purview compliance portal, select Solutions > Information protection > Labels

Step 2: On the Labels page, select + Create a label to start the new sensitivity label configuration:

Microsoft Purview

Search

Solutions

Catalog

App governance

Audit

Content search

Communication compliance

Data loss prevention

eDiscovery

Data lifecycle management

Information protection

Overview

Labels

Label policies

Auto-labeling

Information barriers

Insider risk management

Labels

Sensitivity labels are used to classify email messages, documents, sites, and more. When a label is applied (automatically or by the user), the content or site is protected based on the settings you choose. For example, you can create labels that encrypt files, add content marking, and control user access to specific sites. [Learn more about sensitivity labels](#)

+ Create a label

Publish label

Refresh

5 items

	Name	Order	Scope	Created by	Last modified
☐	Personal	0 - lowest	File, Email	Robin Kline	Apr 27, 2022 4:37:22 PM
☐	Public	1	File, Email	Robin Kline	Apr 27, 2022 4:37:30 PM
☐	General	2	File, Email	Robin Kline	Apr 27, 2022 4:37:40 PM
☐	> Confidential	3	File, Email, Site, UnifiedGroup	Robin Kline	Jun 22, 2022 8:16:17 AM
☐	> Highly Confidential	8	File, Email, Site, UnifiedGroup	Robin Kline	Sep 20, 2022 3:45:08 PM

Step 3: On the Define the scope for this label page, the options selected determine the label's scope for the settings that you can configure and where they'll be visible when they're published. In our case select: Items, Files, and select Word documents.

Define the scope for this label

Labels can be applied directly to items (such as files, emails, meetings), containers like SharePoint sites and Teams, Power BI items, schematized data assets, and more. Let us know where you want this label to be used so you can configure the applicable protection settings. [Learn more about label scopes](#)

- ☒ Items

Be aware that restricting the scope to only files or emails might impact encryption settings and where the label can be applied. [Learn more](#)

☒ Files

Protect files created in Word, Excel PowerPoint, and more.

☒ Emails

Protect messages sent from Outlook and Outlook on the web.

☒ Meetings

Protect calendar events and meetings scheduled in Outlook and Teams.
- ☒ Groups & sites

Configure privacy, access control, and other settings to protect labeled Teams, Microsoft 365 Groups, and SharePoint sites.
- ☒ Schematized data assets (preview)

Apply labels to files and schematized data assets in Microsoft Purview Data Map. Schematized data assets include SQL, Azure SQL, Azure Synapse, Azure Cosmos, AWS RDS, and more.

Note: If Items is selected, you can configure settings that apply to apps that support sensitivity labels, such as Office Word and Outlook. Optionally, you can extend these labels to include meetings from Teams and Outlook, and to protecting Teams meetings themselves by enforcing settings for Teams meetings and related chat.

Step 4: Follow the configuration prompts for the label settings. Use the help in the UI for individual settings.

Step 5: In the UI add a watermark of “Project Falcon” in red, size-12 font diagonally across the document.

Note: What sensitivity labels can do

After a sensitivity label is applied to an email, meeting invite, or document, any configured protection settings for that label are enforced on the content. You can configure a sensitivity label to:

* Mark the content when you use Office apps, by adding watermarks, headers, or footers to email, meeting invites, or documents that have the label applied. Watermarks can be applied to documents but not email or meeting invites. Example header and watermark:

Contoso Highly Confidential. Very sensitive data that will cause business harm if over-shared.

M&A Plan – “Bluefish”

Planning for next financial year, CONTOSO M&A DEPT

M&A ID: **CO0151502**

An M&A proposal regarding the potential merger with a company codenamed “Bluefish”. Prepared by the Contoso Mergers & Acquisition sourcing department at Contoso, Ltd.

<http://www.contoso.com>

Lorem ipsum dolor sit amet, natus putant constituto mei an. Eros homero semper te sed, eu pro quot veniam minimum, duo error euripidis cu. Et vix fugit errem principes, mei ei alienum voluptaria, sumo insolens posidonium at ius.

HIGHLY CONFIDENTIAL

Abstract

Pri nihil expetenda forensibus eu. Soleat verear utroque sea at, id stet commodo duo. Graece mediocritatem duo eu, eu qui dico causae instructor. Sea an meliore dolorem, dui lobortis quo ut, omnesque indoctum definiebas nam cu.

Pro soluta aliquid lucilius at, mei graecis qualisque eu. Sumo eruditi deterruisset est te, te sed error simul aliquam. Eos ut laoreet omittam, cum ei nostro graecis, doming putant definitionem et eos.

Step 6: Finish the Wizard

Reference:

<https://learn.microsoft.com/en-us/purview/create-sensitivity-labels>

<https://answers.microsoft.com/en-us/msteams/forum/all/how-to-automatically-apply-sensitivity-labels-to/2482d1b2-1fe6-4a80-af4a-2b93b9c670de>

Question: 58

Exam Author

SIMULATION

-

Username and password

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and select the username below.

To enter your password, place your cursor in the Enter password box and select the password below.

Microsoft 365 Username:

Microsoft 365 Password: XXXXXXXXXX

If the Microsoft Edge browser or Microsoft 365 portal does not load successfully, select the Microsoft Edge browser icon from the task bar, type the URL “https://admin.microsoft.com”, and press Enter.

The following information is for technical support purposes only:

Lab Instance: XXXXXXXX.

Task 9

-

You plan to create a data loss prevention (DLP) policy that will apply to content containing the following keywords:

- Tailspin
- Litware
- Falcon

You need to create a keyword list that can be used in the DLP policy.

Answer:

To create a sensitive information type that matches all words in a keyword list, you can use the "All" condition instead of the default "Any" condition. Here are the steps to create such a sensitive information type:

Step 1: Go to the Microsoft 365 compliance center and navigate to the "Sensitive information types" page.

Step 2: Click on "Create a sensitive information type".

Step 3: Choose "Keyword dictionary" as the type of sensitive information you want to create.

Step 4: Enter a name and description for the sensitive information type.

Step 5: In the "Keywords" section, enter all the words you want to match separated by com-mas. Here we enter: Tailspin, Litware, Falcon

Step 6: Click on "Add condition" and choose "Any" as the condition type.

Step 7: Click on "Create" to create the sensitive information type.

Step 8: Click on "Create" to create the sensitive information type.

With this configuration, the DLP policy will only detect the sensitive information if any the words in the keyword list are present in the content being scanned.

Reference:

<https://learn.microsoft.com/en-us/answers/questions/1419105/how-to-create-sensitive-information-types-to-match>

Question: 59

Exam Author

You have a Microsoft 365 E5 subscriptions.

You deploy Microsoft Purview Data Security Posture Management for AI (DSPM for AI).

You need to edit the default policies created as part of the deployment.

Which two Microsoft Purview solutions should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Insider Risk Management
- B. Information Protection
- C. Compliance Manager
- D. DSPM for AI
- E. Information Barriers
- F. Data Lifecycle Management
- G. Data Loss Prevention

Answer: AG

Explanation:

AG is correct because Insider Risk Management and Data Security Posture Management for AI (DSPM for AI) are integral to configuring and enhancing security policies within Microsoft Purview.

Reasoning:

1. **Insider Risk Management (A):** This solution is bespoke for identifying, investigating, and mitigating risks that arise from insider actions. It enables administrators to refine security policies based on risk thresholds and activities detected. By utilizing its reporting capabilities, organizations can proactively adjust their policies in response to emerging insider threats, thus enhancing the overall security posture.
2. **DSPM for AI (D):** This tool is specifically designed for managing data security policies related to AI applications within the Microsoft 365 ecosystem. Given that the question revolves around editing default policies of DSPM for AI, using DSPM explicitly aligns with the need to manage and customize AI-related security controls effectively.

Evaluation of Incorrect Options:

Information Protection (B): While this is vital for labeling and classifying data, it does not directly relate to editing DSPM policies. Its focus lies more on data handling rather than the overarching security posture management required in this context.

Compliance Manager (C): This tool focuses on compliance assessments and tracking regulatory requirements. Though important for compliance, it is not primarily intended for editing security policies, making it less relevant for the task at hand.

Information Barriers (E): This solution is used for preventing communication between defined groups within an organization, not for policy creation or customization, thus making it unsuitable.

Data Lifecycle Management (F): This applies to managing the lifecycle of data rather than directly editing security policies. While it plays a role in data governance, it does not address the specified needs of modifying DSPM for AI policies.

Data Loss Prevention (G): This solution is crucial for preventing data breaches but does not inherently involve policy editing for DSPM for AI. Its objectives focus more on preventing unauthorized data sharing rather than customizing security frameworks.

References:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/insider-risk-management>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/data-security-posture-management-ai>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-overview>

Question: 60

Exam Author

You have a Microsoft 365 E5 subscription that contains three users named User1, User2, and User3 and a file named File1.docx.

You create a sensitivity label named Label1 as shown in the following exhibit.

Assign permissions to specific users and groups * ⓘ

Assign permissions

3 items

Users and groups	Permissions	Edit	Delete
User1@86s40q.onmicrosoft.com	Co-Author		
User2@86s40q.onmicrosoft.com	Review		
User3@86s40q.onmicrosoft.com	Viewer		

☐ Use dynamic watermarking ⓘ

☒ Use Double Key Encryption ⓘ

You apply Label1 to File1.
For which users can Microsoft 365 Copilot summarize File1?

- A. No user
- B. User1 only
- C. User1 and User2 only
- D. User1, User2, and User3

Answer: A

Explanation:

A. No user User1 (Co-Author) → Can open/edit the file, but Copilot cannot summarize due to DKE. User2 (Review) → Can review the file, but Copilot cannot summarize due to DKE. User3 (Viewer) → Can view the file, but Copilot cannot summarize due to DKE.

Question: 61

Exam Author

HOTSPOT

-
You have a Microsoft 365 E5 subscription that contains four users named User1, User2, User3, and User4 and a file named File1.docx.
To File1, you apply a sensitivity label that has the permissions shown in the following exhibit.

Assign permissions to specific users and groups * ⓘ

Assign permissions

4 items

Users and groups	Permissions	Edit	Delete
User1@86s40q.onmicrosoft.com	Co-Owner		
User2@86s40q.onmicrosoft.com	Co-Author		
User3@86s40q.onmicrosoft.com	Reviewer		
User4@86s40q.onmicrosoft.com	Viewer		

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

Microsoft 365 Copilot can summarize File1 for **[answer choice]**.

User1 only
User1 and User2 only
User1, User2, and User3 only
User1, User2, User3 and User4

For **[answer choice]**, Microsoft 365 Copilot can reference File1 by using a link.

User1 only
User1 and User2 only
User1, User2, and User3 only
User1, User2, User3 and User4

Answer:

Explanation:

Answer Area

Microsoft 365 Copilot can summarize File1 for **[answer choice]**.

User1 only
User1 and User2 only
User1, User2, and User3 only
User1, User2, User3 and User4

For **[answer choice]**, Microsoft 365 Copilot can reference File1 by using a link.

User1 only
User1 and User2 only
User1, User2, and User3 only
User1, User2, User3 and User4

Summarize File1 → User1 and User2 only.

Summarization requires actual access to the file's content.

Since only User1 and User2 have permissions to open/read File1, Copilot can summarize it only for them.

Reference File1 by link → User1, User2, User3, and User4.

Copilot can insert a shareable link to File1 if the link is accessible (or visible) to all four users.

Even if some users (like User3 and User4) cannot read the contents, they can still see the link reference.

Question: 62

Exam Author

HOTSPOT

-

You have a Microsoft 365 E5 subscription that uses Microsoft Purview Audit (Premium) with the 10-Year Audit Log Retention add-on license.

The subscription contains the audit retention policies shown in the following table.

Name	Users	Record type	Activities	Duration	Priority
RP1	User1	SharePoint	Created site collection	1 Year	30
RP2	User1	SharePoint	None	3 Years	20
RP3	User1	SharePoint	Created site collection	3 Years	40
RP4	User1	SharePoint	Renamed site	6 Months	10

From the SharePoint Online admin center, User1 performs the actions shown in the following table.

Name	Description
Action1	Archives a site
Action2	Creates a site collection
Action3	Renames a site

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Action1 will be retained for one year.	☐	☐
Action2 will be retained for three years.	☐	☐
Action3 will be retained for six months.	☐	☐

Answer:

Explanation:

Answer Area

Statements	Yes	No
Action1 will be retained for one year.	☐	☒
Action2 will be retained for three years.	☒	☐
Action3 will be retained for six months.	☐	☒

No: The first statement is false. Action1 is NOT being retained for one year. This is a compliance failure. The records are either being kept for too long or not long enough.

Yes: The second statement is true. Action2 is being successfully retained for three years, which is compliant with the policy.

No: The third statement is false. Action3 is NOT being retained for six months. This is another compliance failure.

Question: 63

Exam Author

HOTSPOT

-

You have a Microsoft 365 E5 subscription that contains two Windows devices named Device1 and Device2. Device1 has the default browser set to Microsoft Edge. Device2 has the default browser set to Google Chrome.

You need to ensure that Microsoft Purview insider risk management can collect signals when a user copies files to a USB device by using their default browser.

What should you deploy to each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Device1: ▼

- The Microsoft Purview extension
- The Microsoft Defender Browser Protection extension
- The Microsoft Purview Information Protection client

Device2: ▼

- The Microsoft Purview extension
- The Microsoft Defender Browser Protection extension
- The Microsoft Purview Information Protection client

Answer:

Explanation:

Answer Area

Device1: ▼

- The Microsoft Purview extension
- The Microsoft Defender Browser Protection extension
- The Microsoft Purview Information Protection client**

Device2: ▼

- The Microsoft Purview extension**
- The Microsoft Defender Browser Protection extension
- The Microsoft Purview Information Protection client

The Microsoft Purview Information Protection client: This is a client application (not just a browser extension) installed on the operating system (Windows).

The Microsoft Purview extension: This is a browser extension (for Chrome, Edge, or Firefox) that enables data loss prevention (DLP) and information protection features directly within the web browser. It can, for example, prevent you from accidentally uploading sensitive files to unauthorized cloud services or personal email.

-
You have a Microsoft 365 E5 tenant.
You have sensitivity labels as shown in the Sensitivity Labels exhibit. (Click the Sensitivity Labels tab.)

+ Create a label

Publish labels

Refresh

Name		Order	Scope
Public	...	0 – lowest	File, Email
General	...	1	File, Email
– Confidential	...	2	File, Email
Internal	...	3	File, Email
External	...	4 – highest	File, Email

The Confidential/External sensitivity label is configured to encrypt files and emails when applied to content.
The sensitivity labels are published as shown in the Published exhibit. (Click the Published tab.)

Sensitivity Policy1

Edit policy

Delete policy

Name

Sensitivity Policy1

Description

Published labels

- Public
- General
- Confidential
- Confidential/External
- Confidential/Internal

Published to

All

Policy settings

Users must provide justification to remove a label or lower its classification

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The Internal sensitivity label inherits all the settings from the Confidential label.	☐	☐
Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External.	☐	☐
Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy.	☐	☐

Answer:

Statements	Yes	No
The Internal sensitivity label inherits all the settings from the Confidential label.	☐	☒
Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External.	☐	☒
Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy.	☒	☐

Explanation:

- The Internal sensitivity label inherits all the settings from the Confidential label."
- No
- In Microsoft Purview, sub-labels (like Confidential/Internal) do not automatically inherit settings from their parent label (Confidential). When you create a sub-label, it starts with no configuration. You must manually configure its settings (encryption, visual markings, etc.). The parent label primarily acts as a logical grouping in the menu for users.
- Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External.
- No
- Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy."
- Yes
- This is a fundamental and critical feature of encryption-based sensitivity labels. The encryption protection is sticky and becomes a permanent property of the document or email itself. Even if the label is removed from the policy later, documents that were already protected remain encrypted. Only authorized users who had permissions before the policy change can still open them.

Question: 65**Exam Author**

HOTSPOT

-

You have a Microsoft SharePoint Online site named Site1 and a sensitivity label named Sensitivity1. Sensitivity1 adds a watermark and a header to content.

You create a policy to automatically apply Sensitivity1 to emails in Microsoft Exchange Online and Site.

How will Sensitivity1 mark matching emails and Site1 documents? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Exchange Online email:

	▼
A header only	
A watermark only	
A watermark and a header	

Site1 documents:

	▼
A header only	
A watermark only	
A watermark and a header	

Answer:**Explanation:****Answer Area**

Exchange Online email:

	▼
A header only	
A watermark only	
A watermark and a header	

Site1 documents:

	▼
A header only	
A watermark only	
A watermark and a header	

Exchange Online Email:A header only.

only headers are applied to emails in Exchange Online.

Site1 documents: A watermark and a header.

A watermark (background text on each page when the document is opened or printed)

A header (added to the top of the document when opened in Office apps).

Question: 66

Exam Author

HOTSPOT

-

You have a Microsoft 365 E5 subscription.

In Microsoft Exchange Online, you have the mail flow rule shown in the following exhibit.

Protect with OMEv2



Edit rule conditions



Edit rule settings

Status: Enabled

Enable or disable rule



Enabled

Rule settings

Rule name

Protect with OMEv2

Mode

Enforce

Severity

Not Specified

Set date range

Specific date range is not set

Senders address

Matching Header

Priority

0

For rule processing errors

Ignore

Rule description

Apply this rule if

*Is sent to 'Outside the organization'
and includes these words in the message subject '[Encrypt]'*

Do the following

rights protect messages with RMS template: 'Do Not Forward'

Rule comments

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Answer Area

Recipients who use Gmail

must sign in to the Office 365 Message Encryption (OME) portal to read messages
will be unable to read messages
will have messages decrypted automatically

Recipients from an external
Microsoft 365 subscription

must sign in to the Office 365 Message Encryption (OME) portal to read messages
will be unable to read messages
will have messages decrypted automatically

Answer:

Answer Area

Recipients who use Gmail

must sign in to the Office 365 Message Encryption (OME) portal to read messages
will be unable to read messages
will have messages decrypted automatically

Recipients from an external
Microsoft 365 subscription

must sign in to the Office 365 Message Encryption (OME) portal to read messages
will be unable to read messages
will have messages decrypted automatically

Explanation:

must sign in to the Office 365 Message Encryption (OME) portal to read messages.

They will receive an email with a link to the OME portal, where they can authenticate (e.g., via a one-time passcode or Microsoft account) to view the encrypted message.

will have messages decrypted automatically .

This is because Microsoft 365 subscribers use trusted platforms that can handle the decryption natively.

Question: 67

Exam Author

You have a Microsoft 365 subscription.
You create a new trainable classifier.
You need to train the classifier.
Which source can you use to train the classifier?

- A. an on-premises Microsoft SharePoint Server site
- B. an Azure Files share
- C. a Microsoft SharePoint Online site
- D. an NFS file share

Answer: C

Explanation:

In **Microsoft 365 Compliance**, trainable classifiers are trained using content stored in **Microsoft 365 cloud services**. This is because classifiers rely on Microsoft 365 cloud APIs to securely access and process the training data.

Supported training sources include:

1. SharePoint Online sites
2. OneDrive for Business accounts
3. Exchange Online mailboxes

Not supported for training:

1. On-premises SharePoint (A)
2. Azure Files (B)
3. NFS file shares (D)

Therefore, the only valid choice here is **SharePoint Online**.

Correct answer: **C. a Microsoft SharePoint Online site**

Question: 68

Exam Author

HOTSPOT

-

You have a Microsoft 365 subscription that contains a sensitivity label named Contoso Confidential.
You publish Contoso Confidential to all users.
Contoso Confidential is configured as shown in the Configuration exhibit. (Click the Configuration tab.)

New sensitivity label

- ✓ Label details
- ✓ Scope
- ✓ Items
- ✓ Groups & sites
- ✓ Schematized data assets (preview)
- Finish**

Review your settings and finish

Name
Contoso Confidential
[Edit](#)

Display name
Contoso Confidential
[Edit](#)

Description for users
Contoso Confidential
[Edit](#)

Scope
Files & other data assets, Email
[Edit](#)

Access Control

Access Control
[Edit](#)

Content marking
Footer: Contoso Confidential Internal use only
[Edit](#)

Auto-labeling for files and emails
None
[Edit](#)

Auto-labeling for schematized data assets (preview)
None
[Edit](#)

Back

Save label

Cancel

The Access control settings of Contoso Confidential are configured as shown in the Access control exhibit. (Click the Access control tab.)

Edit sensitivity label

- Label details
- Scope
- Items
- Access control
- Content marking
- Auto-labeling for files and emails
- Groups & sites
- Schematized data assets (preview)
- Finish

Access control

Use encryption capabilities to control who can access labeled items. Depending on the scope you specified, items can include emails, Office, Fabric and Power BI files, and meeting invites. [Learn more about access control settings](#)

- ☐ Remove access control settings if already applied to items
- ☒ Configure access control settings

① Turn on co-authoring for Office desktop apps so multiple users can simultaneously edit labeled documents that have access control settings applied.

[Learn more about this setting](#)

Go to co-authoring setting

Assign permissions now or let users decide?

Assign permissions now

The settings you choose will be automatically enforced when the label is applied to email and Office files.

User access to content expires ⓘ

Never

Allow offline access ⓘ

Only for a number of days

Users have offline access to the content for this many days

7

Assign permissions to specific users and groups * ⓘ

[Assign permissions](#)

1 item

Users and groups	Permissions	Edit	Delete
AuthenticatedUsers	Co-Author		

☐ Use dynamic watermarking ⓘ

☐ Use Double Key Encryption ⓘ

Back

Next

Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
If a user account is disabled, the user will be immediately prevented from opening a file protected by Contoso Confidential.	☐	☐
Guest users will be able to open documents protected by Contoso Confidential.	☐	☐
Contoso Confidential will be applied automatically to the files stored in Microsoft SharePoint. Online.	☐	☐

Answer:

Answer Area

Statements	Yes	No
If a user account is disabled, the user will be immediately prevented from opening a file protected by Contoso Confidential.	☐	☒
Guest users will be able to open documents protected by Contoso Confidential.	☒	☐
Contoso Confidential will be applied automatically to the files stored in Microsoft SharePoint. Online.	☐	☒

Explanation:

No, Yes, No

If a user account is disabled, the user will be immediately prevented from opening a file protected by Contoso Confidential.

No. The provided image for **Access control** shows **Allow offline access** is set to "Only for a number of days" with the number of days set to 7. This means that a user who has previously opened the file can continue to open and access it for up to 7 days, even if their account is disabled, as the offline access token is still valid. Therefore, access is not immediately revoked.

Guest users will be able to open documents protected by Contoso Confidential.

Yes. The **Access control** settings explicitly grant permissions to the **AuthenticatedUsers** group. In Microsoft 365 and Azure Active Directory, the **AuthenticatedUsers** group includes all users who have been successfully

authenticated to the tenant, which includes guest users. Since they are part of this group, they will have the **Co-Author** permission and can open the documents.

Contoso Confidential will be applied automatically to the files stored in Microsoft SharePoint Online.

No. The "Review your settings and finish" screen clearly states that **Auto-labeling for files and emails** is set to **None**. This setting must be manually configured to apply the label automatically. As it is currently set to **None**, it will not be automatically applied to any files, including those in SharePoint Online.

Question: 69

Exam Author

HOTSPOT

-
You have a Microsoft 365 E5 subscription.
You have a Microsoft Purview Advanced Message Encryption branding template named OME1.
You need to create a Microsoft Exchange Online mail flow rule to apply OME1 to email.
How should you configure the rule? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Apply this rule if:

The message properties
A message header
The recipient
The sender

Contains any of these sensitive info types
Has specific properties including any of these words
Includes the classification
Includes the importance level
Is external/internal

To apply custom branding
to OME1 messages:

Apply a disclaimer to the message.
Modify the message properties.
Modify the message security.
Redirect the message.

Answer:

Answer Area

Apply this rule if:

The message properties
A message header
The recipient
The sender

Contains any of these sensitive info types
Has specific properties including any of these words
Includes the classification
Includes the importance level
Is external/internal

To apply custom branding
to OME1 messages:

Apply a disclaimer to the message.
Modify the message properties.
Modify the message security.
Redirect the message.

Explanation:

Apply this rule if:

"**The sender**" targets specific senders, ensuring the rule applies to emails from designated users.

"Contains any of these sensitive info types" checks for sensitive data, a key trigger for applying encryption branding like OME1.

"**Is external/internal**" specifies whether the message is internal or external, aligning with encryption policies for external recipients.

To apply custom branding to OME1 messages:

"**Modify the message security**" applies the OME1 branding template by enforcing encryption and custom branding, as required for Microsoft Purview Advanced Message Encryption.

Question: 70

Exam Author

You have a sensitive information type based on a trainable classifier.
You are unsatisfied with the result of the trainable classifier.
You need to retrain the classifier.
What should you use in the Microsoft Purview portal?

- A. Content explorer from Data classification
- B. Labels from information protection
- C. Labels from information governance
- D. Content search

Answer: A

Explanation:

A. Content explorer from Data classification

Trainable classifiers in Microsoft Purview are part of the Data classification tools and are used to identify sensitive information based on machine learning. If you are unsatisfied with the classifier's performance, you can retrain it by using the "Content explorer" under the "Data classification" section. This tool allows you to review the classifier's results, provide additional training data, and improve its accuracy by adjusting the model based on relevant examples. The other options — Labels from information protection, Labels from information governance, and Content search — are not designed for retraining classifiers.

Question: 71

Exam Author

You have a Microsoft 365 tenant that is opt-in for trainable classifiers.
You need to ensure that a user named User1 can create custom trainable classifiers. The solution must use the principle of least privilege.
Which role should you assign to User1?

- A. Security Administrator
- B. Compliance Administrator

C. Global Administrator

D. Security Operator

Answer: B

Explanation:

B. Compliance Administrator

In a Microsoft 365 tenant that is opt-in for trainable classifiers, the Compliance Administrator role provides the necessary permissions to create and train custom trainable classifiers in the Microsoft Purview portal under Data classification. This role aligns with the principle of least privilege, as it focuses on compliance features like data classification without granting broader access (e.g., Global Administrator oversees the entire tenant, while Security Administrator and Security Operator are geared toward security operations and do not include full permissions for creating trainable classifiers).

Question: 72

Exam Author

You have a Microsoft 365 E5 subscription.

You create a sensitivity label named Label1 and publish Label1 to all users and groups.

You have the following files in a SharePoint site:

- File1.doc
- File2.docx
- File3.xlsx
- File4.txt

You need to identify which files can have Label1 applied.

Which files should you identify?

A. File2.docx only

B. File2.docx and File3.xlsx only

C. File1.doc, File2.docx, and File3.xlsx only

D. File1.doc, File2.doc, File3.xlsx, and File4.txt

Answer: B

Explanation:

B. File2.docx and File3.xlsx only

Sensitivity labels in Microsoft 365 are natively supported for modern Office file formats such as .docx (Word), .xlsx (Excel), and .pptx (PowerPoint). These formats allow automatic labeling and protection when uploaded to SharePoint or when created/modified by users.

Older file formats like .doc (File1) and plain text files like .txt (File4) are not natively supported for automatic sensitivity labeling in SharePoint unless converted to a supported format or manually labeled with additional configuration (e.g., using Azure Information Protection unified labeling client). However, in a standard SharePoint environment with a published label, the focus is on modern Office formats.

Therefore, only File2.docx and File3.xlsx can reliably have Label1 applied automatically or through user action in SharePoint.

Microsoft Reference Links:

[Apply sensitivity labels to files in SharePoint and OneDrive](#)

[Sensitivity labels for Office files in SharePoint and OneDrive](#)

Question: 73

Exam Author

You need to test Microsoft Purview Advanced Message Encryption capabilities for your company. The test must verify the following information:

- The acquired default template names
- The encryption and decryption verification status

Which PowerShell cmdlet should you run?

- A. Test-OAuthConnectivity
- B. Test-ClientAccessRule
- C. Test-IRMConfiguration
- D. Test-Mailflow

Answer: C

Explanation:

C. Test-IRMConfiguration

The Test-IRMConfiguration PowerShell cmdlet is designed to verify the configuration of Information Rights Management (IRM) in Exchange Online, which is the underlying technology for Microsoft Purview Message Encryption. This cmdlet checks the IRM settings, including the availability of default templates and the ability to encrypt and decrypt messages, making it the appropriate choice for this scenario. The other cmdlets serve different purposes: Test-OAuthConnectivity checks OAuth connectivity, Test-ClientAccessRule tests client access rules, and Test-Mailflow verifies mail flow, none of which directly address IRM or encryption template verification.

Question: 74

Exam Author

At the end of a project, you upload project documents to a Microsoft SharePoint Online library that contains many files. The following is a sample of the project document file names:

- aei_AA989.docx
- bci_WS098.docx
- cei_DF112.docx
- ebc_QQ454.docx
- ecc_BB565.docx

All documents that use this naming format must be labeled as Project Documents:

You need to create an auto-apply retention label policy.

What should you use to identify the files?

- A. A retention label
- B. A trainable classifier

C. A sensitive info type

Answer: C

Explanation:

C. A sensitive info type

A retention label is used to define the retention and deletion settings but does not inherently identify files based on naming patterns. It is applied based on conditions defined by other tools.

A trainable classifier is used to identify content based on machine learning, such as document themes or patterns learned from examples, but it is less precise for exact naming conventions and requires training data.

A sensitive info type can be custom-created in the Microsoft Purview compliance portal to detect specific patterns, such as the regex pattern matching the file name format (e.g., three letters, two letters, three numbers). This can then be used as a condition in an auto-apply retention label policy to label files like "aei_AA989.docx" as "Project Documents."

By defining a custom sensitive info type with a regular expression (e.g., [a-zA-Z] 3 _[a-zA-Z] 2 \d 3 \.docx), you can accurately identify these files in SharePoint and apply the retention label automatically.

Question: 75

Exam Author

DRAG DROP

-

You have a Microsoft 365 tenant.

A new regulatory requirement states that all documents containing a patent ID be labeled, retained for 10 years, and then deleted. The policy used to apply the retention settings must never be disabled or deleted by anyone.

You need to implement the regulatory requirement.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Add a management lock.

Create a retention label.

Create a retention policy.

Create a retention label policy.

Add a preservation lock.

1

2

3

Answer:

Actions

Answer Area

Add a management lock.

Create a retention label.

Create a retention policy.

Create a retention label policy.

Add a preservation lock.

1

Create a retention label.

2

Create a retention label policy.

3

Add a preservation lock.

Explanation:

Create a retention label (1): This is the first step where you define a retention label in the Microsoft Purview compliance portal. The label should specify the retention period (10 years) and the action (delete after the period). You can configure it to auto-apply to documents containing a patent ID using a condition like a sensitive info type or trainable classifier.

Create a retention label policy (2): Next, you create a retention label policy to apply the retention label to the relevant locations (e.g., SharePoint sites, OneDrive, Exchange). This policy ensures the label is enforced across the specified scope.

Add a preservation lock (3): Finally, adding a preservation lock to the retention label policy makes it immutable. This prevents the policy from being disabled or deleted, satisfying the regulatory requirement for permanence.

Question: 76

Exam Author

HOTSPOT

-

You have a Microsoft 365 tenant.

You need to create a new sensitive info type for items that contain the following:

- An employee ID number that consists of the hire date of the employee followed by a three digit number
- The words "Employee", "ID", or "Identification" within 300 characters of the employee ID number

What should you use for the primary and secondary elements? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Primary element:

▼

Functions
A keyword list
A regular expression

Secondary element:

▼

Functions
A keyword list
A regular expression

Answer:

Answer Area

Primary element:

▼

Functions
A keyword list
A regular expression

Secondary element:

▼

Functions
A keyword list
A regular expression

Explanation:

Use Functions when the main target is callable language constructs.

Use A keyword list when you need to recognize a finite set of reserved words exactly.

Question: 77

Exam Author

You plan to implement Microsoft Purview Advanced Message Encryption. You need to ensure that encrypted email sent to external recipients expires after seven days. What should you create first?

- A. a mail flow rule
- B. an X.509 version 3 certificate
- C. a custom branding template
- D. a remote domain in Microsoft Exchange
- E. a connector in Microsoft Exchange

Answer: C

Explanation:

The correct answer is **C. a custom branding template**.

Here's a detailed justification:

Microsoft Purview Advanced Message Encryption (AME) allows organizations to send encrypted emails to anyone, inside or outside the organization. When an encrypted email is sent to an external recipient, they typically receive a wrapper email and instructions to view the encrypted message via a web portal. The appearance and behavior of this wrapper email and web portal, including the message expiry settings, are managed through encryption templates, often referred to as custom branding templates within the Microsoft Purview experience.

To ensure that encrypted email sent to external recipients expires after a specific duration, such as seven days, you must first define this expiry policy within a custom branding template. These templates allow administrators to customize the look and feel (logo, disclaimer text) of the encryption portal and notifications, but crucially, they also enable the configuration of security settings like the default message expiry for external recipients. By creating or modifying a custom branding template, you can specify that messages viewed through it will expire after seven days, preventing external recipients from accessing the content indefinitely.

This template acts as a policy container for the desired expiry setting. Once the custom branding template with the seven-day expiry is defined, it can then be associated with a mail flow rule. The mail flow rule (Option A) would subsequently identify messages that need to be encrypted and apply the specific encryption policy, including the expiry, dictated by the custom branding template. Therefore, defining the expiry period within the template is a prerequisite to applying that policy.

Options B, D, and E are not directly related to configuring message expiry for Advanced Message Encryption. An X.509 certificate (B) is used for S/MIME or other encryption methods, not the default AME expiry. A remote domain (D) configures general mail flow settings for external domains but not specific message encryption expiry. An Exchange connector (E) facilitates mail routing and is irrelevant to the content's lifecycle management. Thus, creating a custom branding template is the foundational first step to implement a specific expiry for AME messages sent to external recipients.

Authoritative Links for further research:

1. **Customize encrypted messages:** This Microsoft Learn article details how to create and manage custom branding templates, explicitly mentioning options for setting expiry.<https://learn.microsoft.com/en-us/microsoft-365/compliance/ome-custom-branding?view=o365-worldwide>
2. **Microsoft Purview Advanced Message Encryption:** This overview explains the capabilities of AME, including its reliance on templates for managing recipient experience and rights.<https://learn.microsoft.com/en-us/microsoft-365/compliance/ome-advanced-message-encryption?view=o365-worldwide>

Question: 78

Exam Author

HOTSPOT

You are implementing Microsoft Purview Advanced Message Encryption for a Microsoft 365 tenant named contoso.com.

You need to meet the following requirements:

- All email to a domain named fabrikam.com must be encrypted automatically.
- Encrypted emails must expire seven days after they are sent.

What should you configure for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

All email to a domain named fabrikam.com must be encrypted automatically:

- A data connector in the Microsoft Purview portal
- A data loss prevention (DLP) policy in the Microsoft Purview portal
- A mail flow connector in the Exchange admin center
- A mail flow rule in the Exchange admin center

Encrypted emails must expire seven days after they are sent:

- A custom branding template in Microsoft Exchange Online PowerShell
- A label policy in the Microsoft Purview portal
- A mail flow rule in the Exchange admin center
- A sensitive info type in the Microsoft Purview portal

Answer:

Answer Area

All email to a domain named fabrikam.com must be encrypted automatically:

- A data connector in the Microsoft Purview portal
- A data loss prevention (DLP) policy in the Microsoft Purview portal
- A mail flow connector in the Exchange admin center
- A mail flow rule in the Exchange admin center

Encrypted emails must expire seven days after they are sent:

- A custom branding template in Microsoft Exchange Online PowerShell
- A label policy in the Microsoft Purview portal
- A mail flow rule in the Exchange admin center
- A sensitive info type in the Microsoft Purview portal

Explanation:

A mail flow connector in the Exchange admin center — connectors control mail routing (how mail is delivered to/from other mail systems), not message encryption policies.

A custom branding template in Microsoft Exchange Online power shell.

Question: 79

Exam Author

HOTSPOT

You have two Microsoft 365 subscriptions named Contoso and Fabrikam. The subscriptions contain the users shown in the following table.

Name	Subscription	Email address
User1	Contoso	user1@contoso.com
User2	Contoso	user2@contoso.com
User3	Fabrikam	user3@fabrikam.com
User4	Fabrikam	user4@fabrikam.com

You have a sensitivity label named Sensitivity1 as shown in the exhibit. (Click the Exhibit tab)

Access control

Use encryption capabilities to control who can access labeled items. Depending on the scope you specified, items can include emails, Office, Fabric and Power BI files, and meeting invites. [Learn more about access control settings](#)

☐ Remove access control settings if already applied to items

☒ Configure access control settings

 Turn on co-authoring for Office desktop apps so multiple users can simultaneously edit labeled documents that have access control settings applied. [Learn more about this setting](#)

[Go to co-authoring setting](#)

Assign permissions now or let users decide?

Assign permissions now

The settings you choose will be automatically enforced when the label is applied to email and Office files.

User access to content expires 

Never

Allow offline access 

Always

Assign permissions to specific users and groups * 

[Assign permissions](#)

Users and groups	Permissions	Edit	Delete
contoso.com	Co-Owner		
fabrikam.com	Reviewer		

☐ Use dynamic watermarking ⓘ

☐ Use Double Key Encryption ⓘ

You have the files shown in the following table.

Name	Sensitivity1
File1	Automatically applied by using an auto-labeling policy
File2	Applied by User2
File3	Applied by User1

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can edit rights for File1.	☐	☐
User2 can edit rights for File3.	☐	☐
User3 can print File2.	☐	☐

Answer:

Answer Area

Statements

Yes

No

User1 can edit rights for File1.

☒☐

User2 can edit rights for File3.

☒☐

User3 can print File2.

☐☒

Explanation:

User1 can edit rights for File1: Yes If User1 is granted "Co-Owner" permissions by the sensitivity label, this role typically includes the ability to modify or "edit" the permissions (rights) associated with the file.

User2 can edit rights for File3: Yes Similar to User1, if User2 is assigned the "Co-Owner" role for File3 via the sensitivity label, they possess the necessary permissions to adjust the rights for that labeled item.

User3 can print File2: No The "Reviewer" or "Restricted Editor" role typically grants rights to view, open, and read a file, but it explicitly restricts the ability to print, copy, or edit the content. Therefore, User3 would be unable to print File2.

Question: 80

Exam Author

HOTSPOT

-

You have a Microsoft 365 subscription that contains the sensitive information types (SITs) shown in the following exhibit.

Classifiers

Trainable classifiers Sensitive info types EDM classifiers

The sensitive info types here are available to use in your security and compliance policies. These include a large collection of types we provide, spanning regions around the globe, as well as any custom types you have created.

+

Create sensitive info type

+

Create Fingerprint based SIT

↺

Refresh

315 items

Search

Name ↑	Type	Publisher
☐ ABA Routing Number	Entity	Microsoft Corporation
☐ ASP.NET Machine Key	Credential	Microsoft Corporation
☐ Adatum document patterns	Fingerprint	111923cdkContoso.onmicrosoft.com
☐ Adatum numbers	Entity	Contoso
☐ All Credential Types	BundledCredential	Microsoft Corporation
☐ All Full Names	BundledEntity	Microsoft Corporation

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

To create a new SIT, you can copy **[answer choice]**.

ABA Routing Number and Adatum numbers only
ABA Routing Number, Adatum numbers, and All Full Names only
Adatum document patterns and Adatum numbers only
Adatum numbers only
all of the SITs

You can edit **[answer choice]** directly without creating a copy first.

ABA Routing Number and Adatum numbers only
ABA Routing Number, Adatum numbers, and All Full Names only
Adatum document patterns and Adatum numbers only
Adatum numbers only
all of the SITs

Answer:

Answer Area

To create a new SIT, you can copy **[answer choice]**.

ABA Routing Number and Adatum numbers only
ABA Routing Number, Adatum numbers, and All Full Names only
Adatum document patterns and Adatum numbers only
Adatum numbers only
all of the SITs

You can edit **[answer choice]** directly without creating a copy first.

ABA Routing Number and Adatum numbers only
ABA Routing Number, Adatum numbers, and All Full Names only
Adatum document patterns and Adatum numbers only
Adatum numbers only
all of the SITs

Explanation:

all of the SITs.

Adatum document patterns and Adatum numbers only.

Thank you

Thank you for being so interested in the premium exam material.
I'm glad to hear that you found it informative and helpful.

But Wait

I wanted to let you know that there is more content available in the full version. The full paper contains additional sections and information that you may find helpful, and I encourage you to download it to get a more comprehensive and detailed view of all the subject matter.

[Download Full Version Now](#)



Future is Secured
100% Pass Guarantee



24/7 Customer Support
Mail us - support@examauthor.com



Verified Updates
Lifetime Updates!

Total: **281 Questions**

Link: <https://examauthor.com/papers/microsoft/sc-401>