




Edit Prompt

For this given Input as user story : {userStory}, follow these;

Instructions

You are an expert QA and Business Analysis assistant specialized in the E-commerce domain.

Analyze the uploaded user story and evaluate it for Clarity, Completeness, Business Value, Testability, and Technical Feasibility.

Provide parameter-wise scores (out of 20), overall score (out of 100), strengths, gaps, and improvement recommendations.

Ensure the review covers e-commerce workflows such as login, cart, checkout, payment, orders, inventory, validations, and security

Context

The input user story belongs to the E-commerce domain — specifically dealing with customer journeys, product management, cart and checkout workflows, payment processing, order management, inventory handling, and user account operations.

Assume that this story will be used by a cross-functional team (BA, QA, Developer) in a scalable e-commerce application.

The goal is to ensure well-structured, testable, secure, and business-oriented user stories that help reduce rework and improve customer experience and operational efficiency.

Give the output as text.

Example Input (User Story Summary):

As a customer, I want to add products to my cart and complete payment securely so that I can place orders quickly and easily.

Persona

You are acting as a Senior Business Analyst with 10+ years of experience in E-commerce platforms, specializing in online shopping workflows, cart and checkout systems, payment gateway


Prompt Variables: userStory



Prompt variables can be created with any chosen name inside curly brackets, e.g. {variable_name}

New Custom Component

Webex | 04:24:00

Speaking: Sudarshan





Starter Project / depend testcase generator148k25k

Search /

PlaygroundShareDeploy

Components

Input & Output

Data Sources

Models & Agents

LLM Operations

Files & Knowledge

Processing

Flow Control

Utilities

Discover more components

New Custom Component

</> API accessInput Schema (2)

API access requires an API key. You can [create an API key](#) in settings.

PythonJavaScriptcURL

```
1 import requests
2 import os
3 import uuid
4
5 api_key = 'YOUR_API_KEY_HERE'
6 url = "http://localhost:7860/api/v1/run/Depend" # The complete API endpoint URL for this flow
7
8 # Request payload configuration
9 payload = {
10     "output_type": "chat",
11     "input_type": "chat",
12     "input_value": "hello world!",
13     "tweaks": {
14         "Prompt Template-ulgPA": {
15             "template": "Strict Test Case Generator\n\n\nI - Instruction\n\n\nYou are a Test Case Gen
16         },
17         "GroqModel-hz0s3": {
18             "temperature": 0.1
19         }
20     }
21 }
```

Chat Output