

Dynamic Programming solves problems by breaking them into overlapping subproblems.
It uses memoization or tabulation to store intermediate results.
DP is widely used in optimization problems such as knapsack, shortest paths, and sequence alignment.

Dynamic Programming solves problems by breaking them into overlapping subproblems.
It uses memoization or tabulation to store intermediate results.
DP is widely used in optimization problems such as knapsack, shortest paths, and sequence alignment.

Dynamic Programming solves problems by breaking them into overlapping subproblems.
It uses memoization or tabulation to store intermediate results.
DP is widely used in optimization problems such as knapsack, shortest paths, and sequence alignment.

Dynamic Programming solves problems by breaking them into overlapping subproblems.
It uses memoization or tabulation to store intermediate results.
DP is widely used in optimization problems such as knapsack, shortest paths, and sequence alignment.

Dynamic Programming solves problems by breaking them into overlapping subproblems.
It uses memoization or tabulation to store intermediate results.
DP is widely used in optimization problems such as knapsack, shortest paths, and sequence alignment.

Dynamic Programming solves problems by breaking them into overlapping subproblems.
It uses memoization or tabulation to store intermediate results.
DP is widely used in optimization problems such as knapsack, shortest paths, and sequence alignment.

Dynamic Programming solves problems by breaking them into overlapping subproblems.
It uses memoization or tabulation to store intermediate results.
DP is widely used in optimization problems such as knapsack, shortest paths, and sequence alignment.

Dynamic Programming solves problems by breaking them into overlapping subproblems.
It uses memoization or tabulation to store intermediate results.
DP is widely used in optimization problems such as knapsack, shortest paths, and sequence alignment.

Dynamic Programming solves problems by breaking them into overlapping subproblems.
It uses memoization or tabulation to store intermediate results.
DP is widely used in optimization problems such as knapsack, shortest paths, and sequence alignment.