

main.c

Run ▶

Output

```
1  #include <stdio.h>
2
3  int main()
4  {
5      int a[100], n, i;
6
7      printf("Enter number of elements: ");
8      scanf("%d", &n);
9
10     printf("Enter array elements:\n");
11     for(i = 0; i < n; i++)
12         scanf("%d", &a[i]);
13
14     printf("Array elements are:\n");
15     for(i = 0; i < n; i++)
16         printf("%d ", a[i]);
17
18     return 0;
19 }
```

Enter number of elements: 5
Enter array elements:
90 50 100 30 70
Array elements are:
90 50 100 30 70

main.c

Run ▶

Output

```
2
3 int main()
4 {
5     int a[100], n, i, sum = 0;
6     float average;
7
8     printf("Enter number of elements: ");
9     scanf("%d", &n);
10
11    printf("Enter array elements:\n");
12    for(i = 0; i < n; i++)
13    {
14        scanf("%d", &a[i]);
15        sum = sum + a[i];
16    }
17
18    average = (float)sum / n;
19
20    printf("Sum = %d\n", sum);
21    printf("Average = %.2f", average);
22
23    return 0;
24 }
```

Enter number of elements: 10
Enter array elements:
10 30 50 70 90 24 54 64 84 94
Sum = 570
Average = 57.00

main.c

Run ▶

Output



```
1  #include <stdio.h>
2
3  #include <stdio.h>
4
5  int main()
6  {
7      int a[100], n, i;
8      int largest, smallest;
9
10     printf("Enter number of elements: ");
11     scanf("%d", &n);
12
13     printf("Enter array elements:\n");
14     for(i = 0; i < n; i++)
15         scanf("%d", &a[i]);
16
17     largest = smallest = a[0];
18
19     for(i = 1; i < n; i++)
20     {
21         if(a[i] > largest)
22             largest = a[i];
23
24         if(a[i] < smallest)
25             smallest = a[i];
26     }
27
28     printf("Largest = %d\n", largest);
29     printf("Smallest = %d", smallest);
30
31     return 0;
32 }
```

Enter number of elements: 5
Enter array elements:
29 70 500 450 300
Largest = 500
Smallest = 29

main.c

Run ▶

Output

```
1  #include <stdio.h>
2
3  int main()
4  {
5      int a[100], n, i, pos, value;
6
7      printf("Enter number of elements: ");
8      scanf("%d", &n);
9
10     printf("Enter array elements:\n");
11     for(i = 0; i < n; i++)
12         scanf("%d", &a[i]);
13
14     printf("Enter position to insert: ");
15     scanf("%d", &pos);
16
17     printf("Enter element: ");
18     scanf("%d", &value);
19
20     for(i = n; i >= pos; i--)
21         a[i] = a[i - 1];
22
23     a[pos - 1] = value;
24     n++;
25
26     printf("Array after insertion:\n");
27     for(i = 0; i < n; i++)
28         printf("%d ", a[i]);
29
30     return 0;
```

```
Enter number of elements: 8
Enter array elements:
9 6 4 10 49 53 26 31
Enter position to insert: 2
Enter element: 2
Array after insertion:
9 2 6 4 10 49 53 26 31
```

main.c

Run ▶

Output

```
1  #include <stdio.h>
2
3  int main()
4  {
5      int a[100], n, i, pos;
6
7      printf("Enter number of elements: ");
8      scanf("%d", &n);
9
10     printf("Enter array elements:\n");
11     for(i = 0; i < n; i++)
12         scanf("%d", &a[i]);
13
14     printf("Enter position to delete: ");
15     scanf("%d", &pos);
16
17     for(i = pos - 1; i < n - 1; i++)
18         a[i] = a[i + 1];
19
20     n--;
21
22     printf("Array after deletion:\n");
23     for(i = 0; i < n; i++)
24         printf("%d ", a[i]);
25
26     return 0;
27 }
```

```
Enter number of elements: 3
Enter array elements:
21 22 80
Enter position to delete: 2
Array after deletion:
21 80
```

main.c

Run ▶

Output



```
3 int main()
4 {
5     int a[100], b[100], c[200];
6     int n1, n2, i;
7
8     printf("Enter size of first array: ");
9     scanf("%d", &n1);
10
11    printf("Enter first array elements:\n");
12    for(i = 0; i < n1; i++)
13        scanf("%d", &a[i]);
14
15    printf("Enter size of second array: ");
16    scanf("%d", &n2);
17
18    printf("Enter second array elements:\n");
19    for(i = 0; i < n2; i++)
20        scanf("%d", &b[i]);
21
22    for(i = 0; i < n1; i++)
23        c[i] = a[i];
24
25    for(i = 0; i < n2; i++)
26        c[n1 + i] = b[i];
27
28    printf("Merged array:\n");
29    for(i = 0; i < n1 + n2; i++)
30        printf("%d ", c[i]);
31
32    return 0;
33 }
```

```
Enter size of first array: 6
Enter first array elements:
1 2 3 4 5 6
Enter size of second array: 7
Enter second array elements:
9 8 7 6 5 4 3
Merged array:
1 2 3 4 5 6 9 8 7 6 5 4 3
```

main.c

Run ▶

Output

```
1  #include <stdio.h>
2
3  int main()
4  {
5      int a[100], b[100], n, i;
6
7      printf("Enter number of elements: ");
8      scanf("%d", &n);
9
10     printf("Enter array elements:\n");
11     for(i = 0; i < n; i++)
12         scanf("%d", &a[i]);
13
14     for(i = 0; i < n; i++)
15         b[i] = a[i];
16
17     printf("Copied array:\n");
18     for(i = 0; i < n; i++)
19         printf("%d ", b[i]);
20
21     return 0;
22 }
```

Enter number of elements: 4
Enter array elements:
2 7 9 5
Copied array:
2 7 9 5

main.c

Run ▶

Output

```
1  #include <stdio.h>
2
3  int main()
4  {
5      int a[100], n, i, j;
6
7      printf("Enter number of elements: ");
8      scanf("%d", &n);
9
10     printf("Enter array elements:\n");
11     for(i = 0; i < n; i++)
12         scanf("%d", &a[i]);
13
14     printf("Duplicate elements are:\n");
15
16     for(i = 0; i < n; i++)
17     {
18         for(j = i + 1; j < n; j++)
19         {
20             if(a[i] == a[j])
21             {
22                 printf("%d ", a[i]);
23                 break;
24             }
25         }
26     }
27
28     return 0;
29 }
```

Enter number of elements: 5
Enter array elements:
6 4 2 9 6
Duplicate elements are:
6

main.c

Run ▶

Output

```
1  #include <stdio.h>
2
3  int main()
4  {
5      int a[100], b[100], n, i;
6
7      printf("Enter number of elements: ");
8      scanf("%d", &n);
9
10     printf("Enter array elements:\n");
11     for(i = 0; i < n; i++)
12         scanf("%d", &a[i]);
13
14     for(i = 0; i < n; i++)
15         b[i] = a[i];
16
17     printf("Copied array:\n");
18     for(i = 0; i < n; i++)
19         printf("%d ", b[i]);
20
21     return 0;
22 }
```

Enter number of elements: 4
Enter array elements:
2 7 9 5
Copied array:
2 7 9 5

main.c

Run ▶

Output

```
1  #include <stdio.h>
2
3  int main()
4  {
5      int a[100], n, i, j;
6
7      printf("Enter number of elements: ");
8      scanf("%d", &n);
9
10     printf("Enter array elements:\n");
11     for(i = 0; i < n; i++)
12         scanf("%d", &a[i]);
13
14     printf("Duplicate elements are:\n");
15
16     for(i = 0; i < n; i++)
17     {
18         for(j = i + 1; j < n; j++)
19         {
20             if(a[i] == a[j])
21             {
22                 printf("%d ", a[i]);
23                 break;
24             }
25         }
26     }
27
28     return 0;
29 }
```

Enter number of elements: 5
Enter array elements:
6 4 2 9 6
Duplicate elements are:
6