

Skill or Structure? Auditing Learned Skill and Explanation Faithfulness in Residual Reinforcement Learning for Portfolio Allocation

Anonymous Author(s)

ABSTRACT

Reinforcement learning (RL) allocators are often credited with reducing out-of-sample left-tail risk, yet long-only allocation already inherits downside protection for free from the simplex constraint, log-reward geometry, and the classical rebalancing premium. We ask how much of an RL allocator’s apparent skill is genuinely learned rather than inherited structure, and whether post-hoc explanations of the trained policy identify its true decision mechanism. We train PPO as a *residual* on a structural-null base policy (equal-weight, volatility-scaled, or risk-parity) with a *structure-baselined* reward that credits only return earned above the base, and calibrate the resulting skill measure on a synthetic market with a toggleable predictive signal: skill rises monotonically with forecastability and vanishes when prediction is impossible. On real ETFs (2005–2024, 10 bps costs, walk-forward), both a scalar de-risking gate and a more expressive per-asset tilt add *no* skill above structure once measured net of a phase-randomization placebo null, across three bases and many seeds; the expressive agent loses more. We then probe the trained policy with per-feature causal ablation and compare it against gradient saliency and KernelSHAP. Attribution is broadly faithful to the causal mechanism, but which method is most faithful is agent-dependent, and SHAP recurrently over-credits a salient, high-variance feature. The synthetic method-agreement structure transfers to the real agent, whose decision rule is coherent and faithfully readable but not skillful.

CCS CONCEPTS

• Computing methodologies → Reinforcement learning; • Theory of computation → Sequential decision making.

KEYWORDS

reinforcement learning, portfolio allocation, explainability, attribution, causal intervention, tail risk, residual policy learning

1 INTRODUCTION

Model-free reinforcement learning has been reported to beat mean-variance optimization and reduce out-of-sample left-tail risk in portfolio allocation [9, 17]. Two long-standing critiques temper this claim. First, evaluations frequently omit transaction costs and rarely clear a strong $1/N$ benchmark [4, 8]. Second, the “skill” being measured may not be skill at all: a long-only allocator inherits downside protection mechanically from the probability-simplex constraint, from maximizing log wealth, and from the rebalancing premium of Stochastic Portfolio Theory [6]. A volatility-managed or risk-parity rule delivers much of the reported tail benefit with no forecasting [11, 12].

We treat these critiques as a measurement problem and ask two questions. (**RQ-skill**) How much of an RL allocator’s apparent tail-risk benefit is learned skill above the free structure, rather than the structure itself? (**RQ-faithful**) When we explain the trained policy with standard attribution tools, do those explanations identify the mechanism the policy actually uses?

Our approach isolates skill by construction. We fix a *structural-null base policy* that already harvests the free structure, train the agent as a *residual* on that base, and reward it only for return earned *above* the base on the same market path. A zero residual reproduces the base exactly, so the zero-skill floor is free and the gradient never sees the structural growth. We calibrate this measure on a synthetic market whose predictive signal can be switched off, giving a ground-truth boundary where genuine skill is impossible. We apply the calibrated measure to real ETFs, and finally probe the trained policy’s mechanism with causal interventions, adjudicating gradient saliency and KernelSHAP against what those interventions reveal.

Contributions. (1) A structure-baselined residual-RL skill measure, validated against synthetic ground truth where skill rises with forecastability and vanishes without it, for a scalar and an expressive agent. (2) A real-data verdict: neither a scalar de-risking gate nor an expressive per-asset tilt adds skill above structure net of a placebo null, across three bases and many seeds; the expressive agent loses *more*. (3) A causal-vs-attribution faithfulness probe across three agents, showing attribution is broadly faithful but its reliability is agent-dependent, with a recurring SHAP salience bias, and that the synthetic method-agreement transfers to the real agent. We frame success as a rigorous, honest verdict, not as beating the market.

2 RELATED WORK

RL allocators span value- and policy-based methods and are increasingly paired with interpretability claims [2, 3, 9]. Recent cost- and benchmark-aware replications question whether the RL advantage survives realistic frictions and a $1/N$ baseline [4, 8]. Our residual formulation borrows residual policy learning from robotics, where a learned policy corrects a fixed controller [7, 15]; we repurpose it as a measurement instrument, pairing it with a structure-baselined reward and a synthetic ground-truth test. On explanation, gradient saliency [16] and KernelSHAP [10] are the standard tools, but saliency maps for deep RL have been shown to be exploratory rather than explanatory [1]. We contribute a controlled, causally grounded test of what these tools recover for RL allocators specifically.

3 METHOD

3.1 Structure-baselined residual RL

Let $b_t \in \Delta^{n-1}$ be the weights of a fixed base policy on the probability simplex, computed from a trailing window: equal-weight, inverse-volatility (volatility-scaled), or equal-risk-contribution risk parity [11]. The agent acts as a residual on b_t in one of two modes.

De-risking gate. A scalar action $g_t \in [0, 1]$ shifts weight toward a safe asset s : $w_t = (1 - g_t) b_t + g_t e_s$. Here $g_t = 0$ reproduces the base and larger g_t times de-risking.

Expressive tilt. A per-asset action $a_t \in \mathbb{R}^n$ gives $w_t = \Pi_\Delta(b_t + \tau \tanh(a_t))$, where Π_Δ is Euclidean projection onto the simplex [5] and τ bounds the tilt. A zero action again reproduces the base, but the agent can express any long-only deviation. An early *unbounded* per-asset residual (no $\tanh/\tau$ bound) over-tilted and produced negative skill even synthetically; bounding the tilt fixed this and motivated reporting both the parsimonious gate and the bounded expressive tilt.

The reward is *structure-baselined*: the agent’s net log return minus the base’s net log return on the same path, each charged its own turnover cost,

$$r_t = \log(1 + w_t^\top \rho_t - c \|w_t - w_{t-1}\|_1) - \log(1 + b_t^\top \rho_t - c \|b_t - b_{t-1}\|_1), \quad (1)$$

where ρ_t are asset returns and c the per-unit cost. The cumulative reward is realized *skill above structure*; it is zero for the base itself, so the gradient sees only what the agent adds. We train PPO [14] with an MLP policy via Stable-Baselines3 [13]. The observation is a trailing return window plus realized volatility, and (for the tilt) dual-horizon volatility, momentum, and the base weights, with a de-risking signal.

3.2 Synthetic ground truth

To calibrate the measure we generate regime-switching markets with a *toggleable* leading signal of strength $\sigma \in [0, 1]$: a two-asset risky/safe world for the gate and a multi-asset world for the tilt. When σ is high, timed de-risking is possible; when $\sigma = 0$ the market is unforecastable and genuine skill is impossible by construction. A valid measure must rise with σ and vanish at $\sigma = 0$.

3.3 Real-data placebo null

On real data there is no ground truth for “no skill.” We report skill *net of a phase-randomization placebo null*: surrogate series that preserve each asset’s power spectrum but destroy volatility clustering, retrained identically. The placebo mean is the luck/overfitting floor; a positive floor is expected and is exactly why netting is necessary. We report skill net of this null with a small-sample t confidence interval and the fraction of placebo draws that match or beat the real agent (placebo exceedance). Agents are evaluated with an anchored expanding-window walk-forward and per-fold retraining, and placed beside $1/N$, minimum-variance, and CVaR-minimizing baselines on the same out-of-sample window.

3.4 Causal-vs-attribution faithfulness probe

Given a trained policy we replay its deterministic decisions and measure two tracks over the observation features. The *causal* track ablates each feature (freeze to its mean; permute across time) and

Table 1: Synthetic validation: mean structure-baselined skill (held-out, 5 seeds). Skill rises with forecastability and vanishes at the null.

Signal strength σ (gate)	Mean skill
0.00 (unforecastable null)	5.9×10^{-5}
0.50	1.7×10^{-4}
0.95 (strongly forecastable)	2.9×10^{-4}
<i>Expressive tilt, net-of-null (signal 0.95):</i>	
skill off / skill on	$-6.4 \times 10^{-5} / +1.4 \times 10^{-4}$
skill net of churn floor	$+2.0 \times 10^{-4}$ (4.1 $\times$)

records the mean absolute change in the policy’s scalar decision, a direct measure of what the policy responds to; we also inject volatility shocks and flip the signal as legibility checks. The *attribution* track computes gradient saliency [16] and KernelSHAP [10].

A scale confound must be removed first. The signal feature has 35–100 $\times$ the raw scale of the return and volatility features, and raw gradient saliency is scale-invariant while ablation and SHAP are scale-sensitive; left unfixed, the comparison would be dominated by units and could *falsely* read as unfaithful. We therefore express saliency in gradient $\times$ standard-deviation units and put all four methods on one basis of normalized per-feature shares, computing the causal group verdict from per-feature (not joint) ablation. We report per-feature Spearman correlation between the causal profile and each attribution profile. Because normalized shares always sum to one, they hide an inactive agent; we additionally report *activity diagnostics* (the standard deviation of the policy’s decision over the rollout and the raw, un-normalized causal magnitude per group) and a degenerate-agent guard. On synthetic data the leading signal is the known driver; on real data no oracle exists, so only *method agreement* is adjudicable.

4 EXPERIMENTS

The real universe is 11 liquid ETFs spanning equity sectors, Treasuries, gold, and international equity (2005–2024, daily, 10 bps costs). Synthetic runs use 150k training steps and five seeds; real robustness sweeps use five agent seeds and ten placebo draws per base. All reported figures are held out.

4.1 The skill measure is valid (RQ-skill, synthetic)

Table 1 shows mean skill rising monotonically with signal strength for the gate and vanishing toward the unforecastable null. The expressive tilt cannot reach a costless do-nothing floor—with no signal it over-churns and loses about -6.4×10^{-5} —so it is judged net of that churn null: skill-on minus skill-off is $+2.0 \times 10^{-4}$, about four times the floor. The measure detects learned skill only when learned skill is possible, for both agents. A caveat we carry forward: at higher training budgets the signal-off floor is noisy and slightly positive, because PPO extracts small *spurious* skill from pure noise; that floor is the overfitting baseline and is why the real-data analysis nets against a matched null (§4.2).

Table 2: Real ETFs, *gate*: skill net of the placebo null (5 agent seeds, 10 placebo draws per base). All intervals below zero; exceedance = 1.00.

Base	Agent	Placebo	Skill net	95% CI ($\times 10^{-4}$)
Equal-weight	-8.6e-5	+9.0e-5	-1.76e-4	[-2.9, -0.7]
Vol-scaled	-7.1e-5	+4.8e-5	-1.19e-4	[-2.1, -0.3]
Risk-parity	-6.0e-5	+4.1e-5	-1.01e-4	[-1.4, -0.6]

Table 3: Real ETFs, *expressive tilt*: skill net of the null. Same sweep; all intervals below zero, exceedance = 1.00. Loses more than the gate.

Base	Agent	Skill net	vs. gate
Equal-weight	-1.56e-4	-2.06e-4	1.17×
Vol-scaled	-1.26e-4	-1.75e-4	1.47×
Risk-parity	-1.03e-4	-1.54e-4	1.52×

4.2 No skill above structure (RQ-skill, real ETFs)

Tables 2 and 3 report skill net of the placebo null across the three bases, for the gate and the tilt. Every skill-net confidence interval lies entirely below zero, the placebo (luck) mean is positive everywhere (so netting is essential), and every structureless surrogate beats the real agent (placebo exceedance = 1.00) for all bases and both agents. The gate learns to mostly do nothing (mean gate ≈ 0.04), tracking its base on all tail and risk metrics while both clearly beat naive $1/N$; the tail benefit over $1/N$ is therefore inherited structure, not learned skill (per-metric detail in Appendix A). Skill-net is most negative for the weakest base (equal-weight), where the gate activates most and churns without edge. The expressive tilt loses *more* than the gate (1.5–1.8 $\times$) in the same base ordering: more expressiveness means more churn, and where no timeable structure exists that churn is pure cost drag. A capable agent sharpens the verdict rather than rescuing it.

4.3 Is the explanation faithful? (RQ-faithful)

Table 4 summarizes the probe across three agents. On the synthetic gate, where the signal is the known driver, KernelSHAP names it the top feature in all five seeds and gradient saliency in four of five—the miss is the least signal-concentrated agent (causal signal share 0.54 vs. ≈ 1.0)—and per-feature agreement with the causal profile is positive for both.

On the synthetic expressive tilt, saliency is near-perfectly aligned with the causal profile (+0.999) while SHAP over-credits the salient, high-variance signal feature (+0.88), naming it the top group in four of five seeds when the causal analysis does not; this inverts which method is more reliable relative to the gate. A methodological caveat appears here: with wildly unequal group cardinalities (100 return features vs. 1 signal), group-level “top driver” verdicts are cardinality-confounded—per feature the signal is the strongest single feature ($\sim 54\times$ an average return feature)—so the per-feature Spearman is the robust measure (Appendix B).

Table 4: Faithfulness probe: per-feature Spearman between the causal profile and each attribution method (5 seeds). Real-data numbers are method agreement, not faithfulness (no ground-truth driver).

Agent	Saliency	SHAP	Note
Synthetic gate	+0.79	+0.61	SHAP names driver 5/5; saliency 4/5
Synthetic tilt	+0.999	+0.88	SHAP over-credits salient signal
Real gate	+0.996	+0.79	agreement only; agent is active

On the real agent there is no ground truth, so we report method agreement only. The activity diagnostic overturns a natural prior: although the mean gate is ≈ 0.05 , its standard deviation is ≈ 0.18 , so the agent actively swings the gate rather than sitting still. It has a real, if unprofitable, decision mechanism (none of five seeds degenerate). Given that live mechanism, per-feature agreement with causal ablation is strong—saliency +0.996, SHAP +0.79—preserving the saliency-over-SHAP ordering seen synthetically. All four methods attribute about 0.96 of the normalized share to the recent-returns block, with the crisis signal a minor contributor; unlike the synthetic tilt this is not a cardinality artifact, since the signal is only about three times an average return feature. The real allocator has a coherent, faithfully readable decision rule; the rule simply is not skillful.

5 DISCUSSION AND LIMITATIONS

The questions close a loop. The measure detects skill when it exists (synthetic), finds none on real markets net of luck (both agents, three bases), and shows the trained policy’s mechanism is largely readable by post-hoc attribution, with saliency tracking the causal per-feature profile more tightly than SHAP across all three agents. The recurring practical failure mode is SHAP over-crediting a salient, high-variance feature; which tool to trust is agent-dependent.

Several limitations bound these claims. The synthetic market is deliberately simple, chosen so that “no skill” is well defined rather than realistic. The real study uses one liquid universe and daily data; other universes, frequencies, or richer action spaces may differ. Attribution on real data measures agreement, not faithfulness, because no oracle mechanism exists; high agreement cannot rule out two methods being wrong together, though causal ablation is the most direct available reference. The per-feature causal vectors were aggregated to groups rather than persisted in full; a camera-ready extension should save them to state per-feature dominance directly. Finally, the placebo null destroys volatility clustering but preserves linear autocorrelation; alternative nulls are worth reporting.

6 CONCLUSION

Treating RL portfolio allocation as a measurement problem, we separate learned skill from inherited structure with a structure-baselined residual and a synthetic ground-truth calibration, and test whether standard explanations identify the trained policy’s mechanism. On real ETFs, neither a parsimonious nor an expressive RL allocator earns skill above a transparent structural base once costs and a luck null are accounted for. The policy’s decision

rule is nonetheless coherent and faithfully readable, most reliably by gradient saliency; KernelSHAP carries a salience bias. Code and configurations will be released publicly.

REFERENCES

- [1] Akanksha Atrey, Kaleigh Clary, and David Jensen. 2020. Exploratory Not Explanatory: Counterfactual Analysis of Saliency Maps for Deep Reinforcement Learning. In *8th International Conference on Learning Representations (ICLR)*.
- [2] Lin William Cong, Ke Tang, Jingyuan Wang, and Yang Zhang. 2021. Alpha-Portfolio: Direct Construction Through Deep Reinforcement Learning and Interpretable AI. *Working paper, SSRN 3554486* (2021).
- [3] Alejandra de la Rica Escudero, Eduardo C. Garrido-Merchán, and María Coronado-Vaca. 2025. Explainable post hoc portfolio management financial policy of a Deep Reinforcement Learning agent. *PLoS ONE* 20, 1 (2025), e0315528. <https://doi.org/10.1371/journal.pone.0315528>
- [4] Victor DeMiguel, Lorenzo Garlappi, and Raman Uppal. 2009. Optimal Versus Naive Diversification: How Inefficient is the 1/N Portfolio Strategy? *The Review of Financial Studies* 22, 5 (2009), 1915–1953. <https://doi.org/10.1093/rfs/hhm075>
- [5] John Duchi, Shai Shalev-Shwartz, Yoram Singer, and Tushar Chandra. 2008. Efficient Projections onto the ℓ_1 -Ball for Learning in High Dimensions. In *Proceedings of the 25th International Conference on Machine Learning (ICML)*. 272–279. <https://doi.org/10.1145/1390156.1390191>
- [6] E. Robert Fernholz. 2002. *Stochastic Portfolio Theory*. Stochastic Modelling and Applied Probability, Vol. 48. Springer New York. <https://doi.org/10.1007/978-1-4757-3699-1>
- [7] Tobias Johannink, Shikhar Bahl, Ashvin Nair, Jianlan Luo, Avinash Kumar, Matthias Loskyll, Juan Aparicio Ojea, Eugen Solowjow, and Sergey Levine. 2019. Residual Reinforcement Learning for Robot Control. In *2019 International Conference on Robotics and Automation (ICRA)*. IEEE, 6023–6029. <https://doi.org/10.1109/ICRA.2019.8794127>
- [8] Garvin Kruthof and Sebastian Müller. 2025. Can deep reinforcement learning beat 1/N? *Finance Research Letters* 75 (2025), 106866. <https://doi.org/10.1016/j.frl.2025.106866>
- [9] Matus Lavko, Tony Klein, and Thomas Walther. 2023. *Reinforcement Learning and Portfolio Allocation: Challenging Traditional Allocation Methods*. Working Paper QMS-RP2023-01. Queen’s Management School, Queen’s University Belfast. SSRN 4346043.
- [10] Scott M. Lundberg and Su-In Lee. 2017. A Unified Approach to Interpreting Model Predictions. In *Advances in Neural Information Processing Systems 30 (NeurIPS)*. 4765–4774.
- [11] Sébastien Maillard, Thierry Roncalli, and Jérôme Teiletche. 2010. The Properties of Equally Weighted Risk Contribution Portfolios. *The Journal of Portfolio Management* 36, 4 (2010), 60–70. <https://doi.org/10.3905/jpm.2010.36.4.060>
- [12] Alan Moreira and Tyler Muir. 2017. Volatility-Managed Portfolios. *The Journal of Finance* 72, 4 (2017), 1611–1644. <https://doi.org/10.1111/jofi.12513>
- [13] Antonin Raffin, Ashley Hill, Adam Gleave, Anssi Kanervisto, Maximilian Ernestus, and Noah Dormann. 2021. Stable-Baselines3: Reliable Reinforcement Learning Implementations. *Journal of Machine Learning Research* 22, 268 (2021), 1–8.
- [14] John Schulman, Filip Wolski, Prafulla Dhariwal, Alec Radford, and Oleg Klimov. 2017. Proximal Policy Optimization Algorithms. *arXiv preprint arXiv:1707.06347* (2017).
- [15] Tom Silver, Kelsey Allen, Josh Tenenbaum, and Leslie Kaelbling. 2018. Residual Policy Learning. *arXiv preprint arXiv:1812.06298* (2018).
- [16] Karen Simonyan, Andrea Vedaldi, and Andrew Zisserman. 2014. Deep Inside Convolutional Networks: Visualising Image Classification Models and Saliency Maps. In *Workshop Track, 2nd International Conference on Learning Representations (ICLR)*.
- [17] Zihao Zhang, Stefan Zohren, and Stephen Roberts. 2020. Deep Learning for Portfolio Optimization. *The Journal of Financial Data Science* 2, 4 (2020), 8–20. <https://doi.org/10.3905/jfds.2020.1.042>

A REAL-DATA RISK METRICS

On the same out-of-sample window, the gate agent tracks its structural base on every reported tail and risk metric—expected shortfall (ES₉₉), maximum drawdown, tail ratio, skewness, Sharpe, and Sortino—while both the agent and its base clearly dominate naive 1/N on the downside metrics. The agent-versus-base differences are within noise, consistent with a mean gate near 0.04 (mostly staying on the base). This is the mechanistic reason the tail benefit over 1/N is inherited structure (risk parity / de-risking geometry),

not learned skill: the agent does not improve on the base it starts from. The full per-strategy metric table is emitted by the experiment as `metrics_table.csv` alongside each run.

B THE SCALE-AND-CARDINALITY CONFOUND AND ITS FIX

The faithfulness comparison has two confounds that a naive implementation would conflate with unfaithfulness. (i) *Scale*. The signal feature has 35–100× the input scale of the return/volatility features. Raw gradient saliency $|\partial g / \partial o_i|$ is scale-invariant, whereas freeze-ablation and KernelSHAP are scale-sensitive, so the three tracks live in different units; we place saliency in gradient×std units to match. (ii) *Cardinality*. The return block has many features (100 in the tilt observation; 220 in the real gate observation) versus a single signal feature. Summed group importance therefore overweights the large group. We (a) express every method as normalized per-feature shares and (b) compute the causal group verdict from per-feature ablation, so causal and attribution share one basis. Normalization does not by itself cancel a group’s feature-count advantage (it is a monotone rescale); the cardinality fix is computing the causal groups per-feature, and the reported *per-feature Spearman* is the cardinality-robust statistic. In the synthetic tilt the group premise “signal is the top group” fails purely for this reason (one signal feature vs. a 100-feature return block that out-sums it), even though per feature the signal dominates by ~ 54X.

C ACTIVITY DIAGNOSTICS AND THE DEGENERATE GUARD

Normalized shares sum to one whether the policy has a real mechanism or is responding to noise, so they cannot reveal an inactive agent. We therefore report, per seed and aggregated: the mean and standard deviation of the policy’s scalar decision over the roll-out, and the raw (un-normalized) |causal effect| per feature group. If importances collapse to zero the probe records a logged “no measurable mechanism” null rather than dividing by zero. On the real gate agent all five seeds are non-degenerate, with gate mean ≈ 0.052 but gate standard deviation ≈ 0.18 : the agent swings its gate substantially around a low mean, which is what distinguishes “a real but unprofitable rule” from “does nothing.” The normalized causal group shares on the real agent are ≈ 0.96 for the returns block (freeze 0.963, permute 0.961), ≈ 0.02 for short volatility, and ≈ 0.014 for the signal; saliency shares match these closely (0.962 returns), while SHAP shifts a little mass onto the signal (0.05), the same mild salience bias seen in the synthetic tilt.

D OBSERVATION LAYOUT

The gate observation is [window×n returns | n short vol | 1 signal] (232-dim for the 11-asset real panel with window 20). The tilt observation adds dual-horizon volatility, momentum, and the base weights: [returns | short vol | long vol | momentum | base weights | signal] (121-dim for the 5-asset synthetic world). Under an equal-weight base the base-weights group is constant and therefore inert (near-zero importance), which is expected rather than a finding.

E REPRODUCIBILITY

PPO with an MLP policy (Stable-Baselines3), 150k training steps,
five seeds; window 20; 10 bps costs. On real data the safe sleeve is
resolved by ticker (intermediate Treasuries, then long Treasuries),

never a hardcoded index. Heavy training is run on a CPU batch
cluster with thread caps; a GPU gives no benefit for this small pol-
icy, as the bottleneck is environment stepping. Code and configu-
rations will be released publicly.