```
MongoDB Web Shell
Click to connect
Connecting...
                                                                                      Full
MongoDB shell version v4.2.0
connecting to: mongodb://127.0.0.1:27017/?
authSource=admin&compressors=disabled&gssapiServiceName=mongodb
Implicit session: session { "id" : UUID("6d4ccc1d-787e-4006-86cb-0dac4a852c64") }
                                                                                      Reset
MongoDB server version: 4.2.0
type "help" for help
>>> db
                                                                                      Clear
test
>>> use examples
switched to db examples
>>> db
examples
>>>
```

```
tags: [ "blank", "red" ] },
      { item: "postcard", qty: 45, status: "A", size: { h: 10, w: 15.25, uom: "cm" },
tags: [ "blue" ] }
...]);
                                                                                      Full
... // MongoDB adds an _id field with an ObjectId value if the field is not present
the document
{
                                                                                      Reset
    "acknowledged" : true,
    "insertedIds" : [
        ObjectId("5ec8be77cef2009252ced27a"),
        ObjectId("5ec8be77cef2009252ced27b"),
                                                                                      Clear
        ObjectId("5ec8be77cef2009252ced27c"),
        ObjectId("5ec8be77cef2009252ced27d"),
        ObjectId("5ec8be77cef2009252ced27e")
>>>
```

ObjectId("5ec8be//cef2009252ced2/c"),

```
>>> db.inventory.find({}).pretty()
{
    "_id": ObjectId("5ec8be77cef2009252ced27a"),
    "item": "journal",
                                                                                         Full
    "qty" : 25,
    "status" : "A",
    "size" : {
                                                                                         Reset
        "h" : 14,
        "w" : 21,
        "uom" : "cm"
    },
                                                                                         Clear
    "tags" : [
        "blank",
         "red"
    ]
```

```
>>> db.inventory.find( { status: "D" } );
{ "_id" : ObjectId("5ec8be77cef2009252ced27c"), "item" : "paper", "qty" : 10, "status" :
"D", "size": { "h": 8.5, "w": 11, "uom": "in"}, "tags": [ "red", "blank", "plain"]
{ "_id" : ObjectId("5ec8be77cef2009252ced27d"), "item" : "planner", "qty" : 0, "status" :
"D", "size": { "h": 22.85, "w": 30, "uom": "cm" }, "tags": [ "blank", "red" ] }
>>> db.inventory.find( { qty: 0 } );
{ "_id": ObjectId("5ec8be77cef2009252ced27d"), "item": "planner", "qty": 0, "statumeset
"D", "size": { "h": 22.85, "w": 30, "uom": "cm"}, "tags": [ "blank", "red"]}
>>> db.inventory.find( { qty: 0, status: "D" } );
{ "_id": ObjectId("5ec8be77cef2009252ced27d"), "item": "planner", "qty": 0, "status":
"D", "size": { "h": 22.85, "w": 30, "uom": "cm"}, "tags": [ "blank", "red"] } Clear
>>> db.inventory.find( { "size.uom": "in" } )
{ "_id" : ObjectId("5ec8be77cef2009252ced27b"), "item" : "notebook", "qty" : 50, "status"
: "A", "size" : { "h" : 8.5, "w" : 11, "uom" : "in" }, "tags" : [ "red", "blank" ] }
{ "_id" : ObjectId("5ec8be77cef2009252ced27c"), "item" : "paper", "qty" : 10, "status" :
"D", "size": { "h": 8.5, "w": 11, "uom": "in"}, "tags": [ "red", "blank", "plain"]
```

```
>>> db.inventory.find( { size: { h: 14, w: 21, uom: "cm" } } )
{ "_id" : ObjectId("5ec8be77cef2009252ced27a"), "item" : "journal", "qty" : 25, "status"
: "A", "size" : { "h" : 14, "w" : 21, "uom" : "cm" }, "tags" : [ "blank", "red" ] }
>>> db.inventory.find( { tags: "red" } )
{ "_id" : ObjectId("5ec8be77cef2009252ced27a"), "item" : "journal", "qty" : 25, "status"
: "A", "size" : { "h" : 14, "w" : 21, "uom" : "cm" }, "tags" : [ "blank", "red" ] }
{ "_id": ObjectId("5ec8be77cef2009252ced27b"), "item": "notebook", "qty": 50, "st
: "A", "size" : { "h" : 8.5, "w" : 11, "uom" : "in" }, "tags" : [ "red", "blank" ] }
{ "_id": ObjectId("5ec8be77cef2009252ced27c"), "item": "paper", "qty": 10, "status
"D", "size": { "h": 8.5, "w": 11, "uom": "in"}, "tags": [ "red", "blank", "plain"]
                                                                                   Clear
{ "_id" : ObjectId("5ec8be77cef2009252ced27d"), "item" : "planner", "qty" : 0, "status" :
"D", "size": { "h": 22.85, "w": 30, "uom": "cm"}, "tags": [ "blank", "red"]}
>>> db.inventory.find( { tags: [ "red", "blank" ] } )
{ "_id" : ObjectId("5ec8be77cef2009252ced27b"), "item" : "notebook", "qty" : 50, "status"
: "A", "size" : { "h" : 8.5, "w" : 11, "uom" : "in" }, "tags" : [ "red", "blank" ] }
```

```
>>> db.inventory.find( { }, { item: 1, status: 1 } );
{ "_id": ObjectId("5ec8be77cef2009252ced27a"), "item": "journal", "status": "A" }
{ "_id": ObjectId("5ec8be77cef2009252ced27b"), "item": "notebook", "status": "A" }
{ "_id": ObjectId("5ec8be77cef2009252ced27c"), "item": "paper", "status": "D" }
{ "_id": ObjectId("5ec8be77cef2009252ced27d"), "item": "planner", "status": "D" }
{ "_id": ObjectId("5ec8be77cef2009252ced27e"), "item": "postcard", "status": "A" }
>>> db.inventory.find( {}, { _id: 0, item: 1, status: 1 } );
{ "item": "journal", "status": "A" }
{ "item": "paper", "status": "A" }
{ "item": "paper", "status": "D" }
{ "item": "postcard", "status": "A" }
```