

	/	1 1 1 1 1
1	a	4
	1	1

	1 1903			1						
	10:	ř	to the	9 4 1 8	100		the section of the se			
	P	10	1 p-1 0	P	PV	QE	E=(p→a)=(pva)			
	0	O	1 1	1	((
	0	1	1 200	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1	the expression is alway?			
	(Marie Land	0	0	0	0	1.	hur. Tautology.			
	A.	-		0	1	1				
Alle										
	16.0	0	r市	A	BIG		A=(rVP)			
	ò	0	0 1	17	61.	1 / 1	B= (0→(rVP))			
	0	1	0 1	1	1 /	A property	(=(p-)(Q-)(rV=)))			
	0	0	1 1	١	1	11111				
	0	1	1 1	1	1	1 , ,				
		0	00	6	1	1 - 1				
	A :	1.	0 0	0	10	0 1				
	* I #	0	10	1		1 (4)				
			10	1		1,19				
	Ic. p	Q	PVQ	PNO	RE		(PIQ)			
	Ö	0	0	0	7	√				
	0	1	1 4	0) - \ T.C)				
y 8	2 1 1 X	0	11	,0	\/ C	7 /				
				-1		1 3				
				0.75		15	Le Mile State P.			
	∂a.	# . 11	100 s		*					
	PI	01	Ø_	9			= Q & P			
	0	0	0		00	PP	o s commutative.			
	0		1	The said	M. Orion	or de				
	1 1	0	1.				its association, assume			
	A 23	1 2	0				r). It doesn't matter			
	which order He XOR is performed									
9 1	and $p \otimes (Q \otimes r) = Q \otimes (p \otimes r)$									
	00 is also associative.									
			A constant			# 1 m				

```
3. Sum-ob-products 1
C:
                     ravo: par
row 1: par
                     rowl: par
row4: par
                     row2: par
rows: par
row 6: Dar
row 7: par
 a: par + par + par + par + par
 b: par + par + par
9. product of sums
                    b: .
a:
row(:(p+0+r) row3:(0+0+r)
                  row 4: (p + & + ?)
10W 2: (p + Q + 7)
                   (OW 5: (p + Q + r)
(OW 3: (p+Q+1)
                    row6: (p+Q+ F)
                    row 7: (p+q+r)
a: (p+ Q+r)(p+ Q+r)(p+ Q+r)
b: (p+Q+r)(p+Q+r)(p+Q+r)(p+Q+r)(p+Q+r)
10w0: (x + g + c)
rows: (x + y + c)
rows: (x + y + c)
row6: (x + y + c)
7: (x+y+c)(x+y+c)(x+y+c)
```





8. De Morgan's Law T(PMQ) = TPVTQ